

# MARINE PRODUCTS CATALOG

attwood®

2018



# Testing our products to the highest standards every day.

At Attwood, we make quality our highest priority. We work hard to ensure accurate, consistent, and repeatable data that ensures our products meet industry standards set by the USCG, NMMA, ABYC, and CE. Our recently expanded state-of-the art test tab allows us to re-create the outdoors in a lab-controlled environment. This commitment to quality testing ensures that our products consistently outperform and outlast the competition. Not just in the test lab, but under real-water conditions.

We have proven ourselves as marine industry leaders in product testing and development. Our highly trained lab technicians are passionate about creating quality products. They maintain strict calibration requirements and follow proven test procedures. In addition to maintaining continuous test protocol during the life of our products, we also perform testing for our customers and vendors. With our extensive testing capabilities, you can count on Attwood products being put to the test!

**TESTING CAPABILITIES**

| Dimensional | Material | Mechanical |
|---|---|---|
| Laser Scanner | Xenon Weathering | Product Durability |
| CMM | UVB Exposure | Fluid Flow |
| Optical Comparator | Salt Fog | Fluid Pressure drop |
| | Gardner Impact | Pressure testing (leak, life, strength) |
| | Chemical Exposure | Environmental (cycle, shock, soak) |
| | Color Matching | Water Intrusion |
| | Tensile/Compression strength | Dust ingress |
| | Hardness | Mechanical Shock |
| | | Vibration (Random, Sine) |
| | | Product Dynamic Impact Performance |
| | | Fatigue |
| | | Light Intensity/ Chromaticity/ Cut-off angles (COLREG) |
| | | Illumination |
| | | Battery Life |

# TABLE OF CONTENTS




**WATER SYSTEMS & VENTILATION ..... 3**
Pumps & Accessories, Thru-Hulls, Drain Plugs, Fittings, Blowers and Vents



**LIGHTING ..... 29**
LED & Incandescent Navigation Lighting, Pole Lights Bases, Replacement Parts



**FUEL ..... 67**
EPA Certified & International Portable & Integrated Components



**MARINE ACCESSORIES..... 99**
Anchoring, Ropes, Fishing, Interior, Electrical, Paddle Sports and Trailering



**HARDWARE .....169**
Cleats, Lift Rings, Bow Eyes, Hawse Pipes, Ski Pylons, Bimini Top Hardware, Hatches, Gas Springs, Snap Hooks and Fastener Kits



**SEATING SYSTEMS.....201**
Upholstered Seating & Seating Components, Swivl-Eze™ Seat Pedestals & Accessories



**BOAT COVERS & BIMINI TOPS..... 235**
Bimini Tops, Universal, Semi-Custom & Custom Covers and Boat Cover Accessories



**BOAT COVER APPLICATION GUIDE .... 261**
By Boat Builder and Model



**INDEX..... 349**
Alphabetical and Part Number

# LET OUR CATALOG GUIDE YOU...

This catalog will help you select from Attwood's current line of marine products. It is divided into nine sections, as listed in the Table of Contents. Product pages contain the part number and a photograph of each product, along with a complete description and installation guidelines, dimensions, and specifications if applicable.

The products are presented in charts that provide quick comparisons between similar products. Where applicable, dimensional drawings are also included.

**Use the catalog as follows:**

Product Name

Product Description
Installation Guidelines


Specifications

Part Number &
Packaging Method

## SAHARA
## AUTOMATIC BILGE PUMPS


An automatic-switch bilge pump is a requirement for any vessels 20' and over with sleeping accommodations, but is a great convenience for any size boat. The Sahara has everything contained in one compact yet durable package – pump, wire seals, strainer, and **mercury-free** switch – and installs quickly and easily in tight spaces. Pumps include 29" lengths of 16-gauge caulked and tinned copper wire.

3 YEAR WARRANTY




**Specifications** (Motor Running)

| | | GPH Output @ Design Voltage 13.6 VDC | | | | | | GPH Output @ Nominal Voltage 12.0 VDC | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Model No. | Rated Voltage | Design Voltage | Amp Draw | 0 ft. | 3.3 ft. | 6.7 ft. | Max Head | Amp Draw | 0 ft. | 3.3 ft. | 6.7 ft. | Max Head | Fuse Size | Hose Size |
| **S500** | 12 | 13.6 | 1.5 | 500 | 350 | 200 | 9 ft. | 1.2 | 450 | 300 | 190 | 8 ft. | 3-amp | 3/4" I.D. |
| **S750** | 12 | 13.6 | 2.8 | 750 | 625 | 450 | 16 ft. | 2.5 | 660 | 480 | 345 | 12 ft. | 5-amp | 3/4" I.D. |
| **S750** | 24 | 27.2 | 1.5 | 750 | 625 | 450 | 16 ft. | 1.2 | 660 | 480 | 345 | 12 ft. | 2-amp | 3/4" I.D. |
| **S1100** | 12 | 13.6 | 4 | 1100 | 973 | 750 | 11 ft. | 3.4 | 1070 | 820 | 615 | 9 ft. | 6-amp | 1-1/8" I.D. |
| **S1100** | 24 | 27.2 | 1.9 | 1100 | 973 | 750 | 11 ft. | 1.4 | 1070 | 820 | 615 | 9 ft. | 3-amp | 1-1/8" I.D. |




### S500 Pump

S500 has plenty of pumping power for most jobs. 500 GPH* at open flow, 350 GPH* at 3.3' head. Draws only 1.5-amps at open flow!

| Model No. | Rated Voltage | Hose Size | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| S500 | 12-volt | 3/4" I.D. | 29" wire | **4505-1** | **4505-7** |
| S500 with Stainless Steel Strainer | 12-volt | 3/4" I.D. | 29" wire | **4505S1** | — |
| Stainless Steel Strainer | — | — | — | **4236** | — |


4505

### S750 Pump

S750 is sized for larger recreational boats. Our most powerful 3/4"-outlet automatic pump. 750 GPH* at open flow, 625 GPH* at 3.3' head. 3/4" hose outlet.

| Model No. | Rated Voltage | Hose Size | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| S750 | 12-volt | 3/4" I.D. | 29" wire | **4507-1** | **4507-7** |
| S750 with Stainless Steel strainer | 12-volt | 3/4" I.D. | 29" wire | **4507S1** | — |
| S750 | 24-volt | 3/4" I.D. | 29" wire | **4508-1** | — |
| Stainless Steel Strainer | — | — | — | **4236** | — |


4507

### S1100 Pump

S1100 is our most powerful and efficient automatic pump. High capacity for larger boats and yachts. 1100 GPH* at open flow, 973 GPH* at 3.3' head. 1-1/8" hose outlet.

| Model No. | Rated Voltage | Hose Size | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| S1100 | 12-volt | 1-1/8" I.D. | 29" wire | **4511-1** | **4511-7** |
| S1100 with Stainless Steel strainer | 12-volt | 1-1/8" I.D. | 29" wire | **4511S1** | — |
| S1100 | 24-volt | 1-1/8" I.D. | 29" wire | **4512-1** | — |
| Stainless Steel Strainer | — | — | — | **4236** | — |


4511

*Listed GPH is measured at design voltage of 13.6 VDC.
**Clamshell





CATEGORY OVERVIEW ..... 4
BILGE PUMPS ..... 5-7
AERATOR PUMPS ..... 8-9
BILGE & FLOAT SWITCHES ..... 10
SHOWER & WASHDOWN SYSTEMS ..... 11-12
HAND OPERATED PUMPS ..... 13
PUMP KITS & ACCESSORIES ..... 14-15
PLUMBING SYSTEM FITTINGS ..... 16
STAINLESS STEEL THRU-HULLS & SCUPPER VALVES FITTINGS ..... 17-19
STAINLESS STEEL CAPPED COMPOSITE THRU-HULLS ..... 20
PLASTIC THRU-HULLS & SCUPPER VALVE FITTINGS ..... 21-22
DRAINS, DRAIN PLUGS & TUBES ..... 23-24
IN-LINE BLOWERS ..... 25
VENTS & COLLECTOR BOXES ..... 26-28

# WATER SYSTEMS & VENTILATION

# COMPLETE SELECTION

A complete selection of pumps and blowers are available for fishing boats, runabouts, cruisers, yachts, and commercial boats. Attwood pumps and blowers are tested and approved as standard equipment by leading boat manufacturers.

## Bilge and Aerator Pumps

The Heavy-Duty 1700 and 2000 bilge pumps have established Attwood into the commercial market with value-loaded industrial-duty features and performance.

The Tsunami series of cartridge style bilge and aerator pumps are engineered for higher performance in the most service friendly design imaginable. Their cartridge style allows quick and easy replacement without the need to remove hoses or mounting bases.

## Automatic Bilge Pumps

All boats over 20' long with sleeping accommodations (excluding fold-out cockpit seats) should use automatic bilge pump systems. Non-automatic pumps drawing 12-amps or less can easily convert to automatic operation with an Attwood Automatic Float Switch (part number 4201 or 4202).

Our Sahara Series automatic pumps are available in 500, 750 and 1100 gph capacity models.

Bilge pumps are designed to exhaust standing water only. They are not intended to prevent accumulation of on-board water due to rough weather, hull damage, and/or other unsafe navigational conditions. Note: Bilge and aerator pumps must be lower than the source of water for priming.

## Turbo In-Line Blowers

Attwood offers ventilation equipment and accessories featuring the revolutionary, patented Turbo In-Line Blowers for 3"- and 4"-diameter systems. Turbo blowers are the most dependable, efficient, and powerful in-line blowers on the market, designed using aerospace technology. The Turbo line also features the industry's first water-resistant blower models, with durability proven in rigorous moisture tests and years of success in the field. Attwood offers Turbo water-resistant blowers with an unprecedented three-year limited warranty, and a one-year limited warranty for standard models.

## Certification, Standards, and Listings - Pumps

All Attwood pumps meet or exceed the following U.S. and international certificates and standards:

- ABYC H-22
- ISO 8846, 8849 Marine
- U.S. Coast Guard Rule, Title 33CFR sections 183.410 and 33CFR 183.425
- NMMA "As Approved Listing"
- CE
- All pumps are marine ignition protected

## Certifications, Standards and Listings - Blowers

Attwood in-line blowers meet or exceed the following U.S. and international certificates and standards:


- ABYC-H2; ISO 9097
- U.S. Coast Guard Rules, Title 33 CFR sections 183.410, and 183.610 (b)
- Tested to ANSI/AMCA (210-85) and ANSI/ASHRAE (51-1985) standards
- NMMA "As Approved Listing"
- CE

## Choice of Electrical Connectors

Attwood pumps feature several wire attachment styles to adapt to your boat's wiring harness. Standard wire on all pumps are tinned and caulked 16-gauge for butt connection. All pumps ignition protected.

Special connectors are available on special order by contacting your Attwood representative. Minimum order quantity is 250:

- Packard Connector
- Packard Connector, Water-Resistant
- Amp Connector
- Amp Connector, Water-Resistant
- Deutsch Connector
- Quick Silver Connector





*Brown – Positive, Black – Negative, Brown & White – Manual Override*

# SAHARA
## AUTOMATIC BILGE PUMPS


An automatic-switch bilge pump is a requirement for any vessels 20' and over with sleeping accommodations, but is a great convenience for any size boat. The Sahara has everything contained in one compact yet durable package – pump, wire seals, strainer, and **mercury-free** switch – and installs quickly and easily in tight spaces. Pumps include 29" lengths of 16-gauge caulked and tinned copper wire.


3 YEAR WARRANTY




### Specifications (Motor Running)

| | | | | GPH Output @ Design Voltage 13.6 VDC | | | | GPH Output @ Nominal Voltage 12.0 VDC | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Model No. | Rated Voltage | Design Voltage | Amp Draw | 0 ft. | 3.3 ft. | 6.7 ft. | Max Head | Amp Draw | 0 ft. | 3.3 ft. | 6.7 ft. | Max Head | Fuse Size | Hose Size |
| **S500** | 12 | 13.6 | 1.5 | 500 | 350 | 200 | 9 ft. | 1.2 | 450 | 300 | 190 | 8 ft. | 3-amp | 3/4" I.D. |
| **S750** | 12 | 13.6 | 2.8 | 750 | 625 | 450 | 16 ft. | 2.5 | 660 | 480 | 345 | 12 ft. | 5-amp | 3/4" I.D. |
| **S750** | 24 | 27.2 | 1.5 | 750 | 625 | 450 | 16 ft. | 1.2 | 660 | 480 | 345 | 12 ft. | 2-amp | 3/4" I.D. |
| **S1100** | 12 | 13.6 | 4 | 1100 | 973 | 750 | 11 ft. | 3.4 | 1070 | 820 | 615 | 9 ft. | 6-amp | 1-1/8" I.D. |
| **S1100** | 24 | 27.2 | 1.9 | 1100 | 973 | 750 | 11 ft. | 1.4 | 1070 | 820 | 615 | 9 ft. | 3-amp | 1-1/8" I.D. |




### S500 Pump

S500 has plenty of pumping power for most jobs. 500 GPH* at open flow, 350 GPH* at 3.3' head. Draws only 1.5-amps at open flow!

| Model No. | Rated Voltage | Hose Size | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| S500 | 12-volt | 3/4" I.D. | 29" wire | **4505-1** | **4505-7** |
| S500 with Stainless Steel Strainer | 12-volt | 3/4" I.D. | 29" wire | **4505S1** | — |
| Stainless Steel Strainer | — | — | — | **4236** | — |



4505

### S750 Pump

S750 is sized for larger recreational boats. Our most powerful 3/4"-outlet automatic pump. 750 GPH* at open flow, 625 GPH* at 3.3' head. 3/4" hose outlet.

| Model No. | Rated Voltage | Hose Size | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| S750 | 12-volt | 3/4" I.D. | 29" wire | **4507-1** | **4507-7** |
| S750 with Stainless Steel strainer | 12-volt | 3/4" I.D. | 29" wire | **4507S1** | — |
| S750 | 24-volt | 3/4" I.D. | 29" wire | **4508-1** | — |
| Stainless Steel Strainer | — | — | — | **4236** | — |



4507

### S1100 Pump

S1100 is our most powerful and efficient automatic pump. High capacity for larger boats and yachts. 1100 GPH* at open flow, 973 GPH* at 3.3' head. 1-1/8" hose outlet.

| Model No. | Rated Voltage | Hose Size | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| S1100 | 12-volt | 1-1/8" I.D. | 29" wire | **4511-1** | **4511-7** |
| S1100 with Stainless Steel strainer | 12-volt | 1-1/8" I.D. | 29" wire | **4511S1** | — |
| S1100 | 24-volt | 1-1/8" I.D. | 29" wire | **4512-1** | — |
| Stainless Steel Strainer | — | — | — | **4236** | — |




4511

** Listed GPH is measured at design voltage of 13.6 VDC.*
*** Clamshell*

# HEAVY-DUTY BILGE PUMPS

3 YEAR WARRANTY

Integrates the highest quality bearings, brushes, alloys and magnets designed to withstand extreme usage cycles. Pump also employs an exclusive shaft and motor compartment, reducing wear and significantly extending pump life. Advanced resin compositions incorporated into exterior to resist chemicals such as engine oil, aggressive detergents and hose plasticisers. Attwood's Heavy Duty Bilge has unsurpassed durability and efficiency in a compact design to ensure electrical energy is converted to the pump rather than excess heat. This pump is fully submersible.





## Specifications

| | | GPH Output @ Design Voltage 13.6 VDC | | | | | GPH Output @ Nominal Voltage 12.0 VDC | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Model No.** | **Rated Voltage** | **Amp Draw** | **0 ft.** | **3.3 ft.** | **6.7 ft.** | **Max Head** | **Amp Draw** | **0 ft.** | **3.3 ft.** | **6.7 ft.** | **Max Head** | **Fuse Size** | **Hose Size** |
| HD1700 | 12 | 5.7 | 1700 | 1300 | 950 | 12 ft. | 5.1 | 1500 | 1100 | 800 | 11 ft. | 10-amp | 1-1/8" I.D. |
| HD2000 | 12 | 6.6 | 2000 | 1600 | 1230 | 17 ft. | 6 | 1800 | 1500 | 1200 | 16 ft. | 12-amp | 1-1/8" I.D. |
| | 24 | 3.5 | 2000 | 1600 | 1230 | 17 ft. | 2.9 | 1800 | 1500 | 1200 | 16 ft. | 7-amp | 1-1/8" I.D. |

## HD1700 Pump

The perfect upgrade from 1500 GPH rated pumps, especially older, over-rated designs. Easily replaces 2000 GPH rated pumps. Delivers a true 1700 GPH at open flow while drawing less than 6-amps.





HD 1700 Pump with Anti-Airlock nozzle




| Model No. | Rated Voltage | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| HD1700 | 12-volt | 36" wire | **4730-1** | **4730-4** |

## HD2000 Pump

Attwood's highest capacity bilge pump! Ball-bearing design provides for cooler motor operation and longer life. Delivers over 2000 GPH at open flow while drawing less than 7-amps.




HD 2000 Pump with Anti-Airlock nozzle





| Model No. | Rated Voltage | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| HD2000 | 12-volt | 36" wire | **4760-1** | **4760-4** |
| | 24-volt | 36" wire | **4770-1** | **4770-4** |

** *Individual Carton*

# TSUNAMI
## BILGE PUMPS

With their innovative engineering and compact design, Tsunami pumps deliver high output from a small package. We use the most advanced material available, including the best quality bearings and state-of-the-art brushes, alloys and magnets. Our patented shaft seal prevents leaks caused by misalignment and our caulked and tinned wiring eliminates wicking, prevents water damage and resists corrosion.

3 YEAR WARRANTY




### Pump Dimensions

| Model No. | A | B | C | D | E |
|---|---|---|---|---|---|
| **T500** | 2-3/4" | 2-7/8" | 3-5/8" | 3/4" I.D. | 3-1/8" |
| **T800** | 3-1/8" | 3-1/4" | 4-3/8" | 3/4" I.D. | 3-1/2" |
| **T1200** | 3-1/8" | 3-1/4" | 4-3/8" | 1-1/8" I.D. | 3-3/4" |

### Specifications

| | | GPH Output @ Design Voltage 13.6 VDC | | | | | GPH Output @ Nominal Voltage 12.0 VDC | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Model No.** | **Rated Voltage** | **Amp Draw** | **0 ft.** | **3.3 ft.** | **6.7 ft.** | **Max Head** | **Amp Draw** | **0 ft.** | **3.3 ft.** | **6.7 ft.** | **Max Head** | **Fuse Size** | **Hose Size** |
| T500 | 12 | 1.8 | 500 | 400 | 250 | 9 ft. | 1.4 | 450 | 320 | 160 | 8 ft. | 3-amp | 3/4" I.D. |
| T800 | 12 | 3 | 800 | 660 | 510 | 13 ft. | 2.5 | 760 | 550 | 400 | 11 ft. | 4-amp | 3/4" I.D. |
| | 24 | 1.3 | 800 | 660 | 510 | 13 ft. | 1.1 | 760 | 550 | 400 | 11 ft. | 2-amp | 3/4" I.D. |
| T1200 | 12 | 3.5 | 1200 | 900 | 700 | 11 ft. | 3 | 1100 | 760 | 480 | 9 ft. | 5-amp | 1-1/8" I.D. |
| | 24 | 1.5 | 1200 | 900 | 700 | 11 ft. | 1.3 | 1100 | 760 | 480 | 9 ft. | 2-amp | 1-1/8" I.D. |


4606

### Tsunami Bilge Pumps & Accessories

No mounting brackets necessary.

| Model No. | Outlet Style | Rated Voltage | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| **TSUNAMI BILGE PUMPS** | | | | | |
| T500 | Barbed - 3/4" | 12-volt | 29" wire | **4606-1** | **4606-7** |
| | Threaded - 3/4"Δ | 12-volt | 29" wire | **4606TH1** | — |
| T800 | Barbed - 3/4" | 12-volt | 29" wire | **4608-1** | **4608-7** |
| | Threaded - 3/4"Δ | 12-volt | 29" wire | **4608TH1** | — |
| | Barbed - 3/4" | 24-volt | 29" wire | **4609-1** | — |
| T1200 | Barbed - 1-1/8" | 12-volt | 29" wire | **4612-1** | **4612-7** |
| | Barbed - 1-1/8" | 24-volt | 29" wire | **4613-1** | — |
| **TSUNAMI REPLACEMENT MOTOR CARTRIDGES** | | | | | |
| T500 | | 12-volt | 29" wire | — | **4620-6** |
| T800 | | 12-volt | 29" wire | — | **4622-6** |
| T1200 | | 12-volt | 29" wire | — | **4624-6** |


4608



4612

*ΔThreaded outlet permits the use with 90° fittings or Flow-Rite™ connectors.*
*** -6 = Blister, -7 = Clamshell*

# TSUNAMI
## AERATOR PUMPS


With their innovative engineering and compact design, Tsunami pumps deliver high output from a small package. We use the most advanced material available, including the best quality bearings and state-of-the-art brushes, alloys and magnets. Our patented shaft seal prevents leaks caused by misalignment and our caulked and tinned wiring eliminates wicking, prevents water damage and resists corrosion.

3 YEAR WARRANTY




### Pump Dimensions

| Model | Application | A | B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|
| T500 | Thru-Hull | 3-1/2" or 1-1/2" | 3" or 1" | 3-1/4" | 2-7/8" | 3-5/8" | 3/4-14 NPSM | 3/4-14 NPSM |
| | Seacock | 1-1/2" | 1" | 3-1/4" | 2-7/8" | 3-5/8" | 3/4-14 NPT | 3/4-14 NPSM |
| T800 | Thru-Hull | 3-1/2" or 1-1/2" | 3" or 1" | 3-7/8" | 3-1/4" | 4" | 3/4-14 NPSM | 3/4-14 NPSM |
| | Seacock | 1-1/2" | 1" | 3-7/8" | 3-1/4" | 4" | 3/4-14 NPT | 3/4-14 NPSM |
| T1200 | Thru-Hull | 3-1/2" or 1-1/2" | 3" or 1" | 4" | 3-1/4" | 4-7/8" | 1-3/8-12 UNF | 1-3/8-12 UNF |
| | Seacock | 1-1/2" | 1" | 4" | 3-1/4" | 4-7/8" | 1-11-1/2 NPT | 1-3/8-12 UNF |




### Specifications

| | | GPH Output @ Design Voltage 13.6 VDC | | | | | GPH Output @ Nominal Voltage 12.0 VDC | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Model No. | Rated Voltage | Amp Draw | 0 ft. | 3.3 ft. | 6.7 ft. | Max Head | Amp Draw | 0 ft. | 3.3 ft. | 6.7 ft. | Max Head | Fuse Size | Hose Size |
| **T500** | 12 | 1.8 | 500 | 440 | 260 | 9 ft. | 1.4 | 450 | 330 | 160 | 8 ft. | 3-amp | 3/4" I.D. |
| **T800** | 12 | 3 | 800 | 670 | 525 | 9 ft. | 2.5 | 750 | 555 | 370 | 8 ft. | 4-amp | 3/4" I.D. |
| **T1200** | 12 | 3.5 | 1200 | 840 | 570 | 9 ft. | 3 | 1140 | 790 | 450 | 8 ft. | 5-amp | 1-1/8" I.D. |

### Tsunami Aerator Pumps & Accessories

No mounting brackets necessary.

| Model No. | Inlet Length & Diameter | Outlet Style & I.D. Diameter | Rated Voltage | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|
| **TSUNAMI AERATOR PUMPS** | | | | | | |
| T500 | 3-1/2" L x 3/4" | Threaded - 3/4" | 12-volt | 29" wire | **4640-1** | **4640-7** |
| | 1-1/2" L x 3/4" | Threaded - 3/4" | 12-volt | 29" wire | **4641-1** | — |
| | 7/8" L x 3/4" | Threaded - 3/4" | 12-volt | 29" wire used with 3/4" seacock | **4643-1** | **4643-7** |
| T800 | 3-1/2" L x 3/4" | Threaded - 3/4" | 12-volt | 29" wire | **4650-1** | **4650-7** |
| | 1-1/2" L x 3/4" | Threaded - 3/4" | 12-volt | 29" wire | **4651-1** | — |
| T1200 | 3-1/2" L x 1-1/8" | Threaded - 1-1/8" | 12-volt | 29" wire | **4660-1** | **4660-7** |
| | 1-1/2" L x 1-1/8" | Threaded - 1-1/8" | 12-volt | 29" wire | **4661-1** | — |
| | 7/8" L x 1" | Threaded - 1-1/8" | 12-volt | 29" wire used with 1" seacock | **4663-1** | — |
| **TSUNAMI REPLACEMENT MOTOR CARTRIDGES** | | | | | | |
| T500 | | | 12-volt | 29" wire | — | **4620-6** |
| T800 | | | 12-volt | 29" wire | — | **4622-6** |
| T1200 | | | 12-volt | 29" wire | — | **4624-6** |


4640


4650



4660

*** -6 = Blister, -7 = Clamshell*


# TSUNAMI
## DUAL OUTLET AERATOR PUMPS


The advantage of the dual outlet is that you can feed multiple applications through a single thru-hull fitting. The Tsunami second outlet is integrated into the pressure chamber, so it looks – and pumps – like part of the aerator. Both of the pump's outlets are engineered for the precise position and angle that will deliver optimum performance.


3 YEAR WARRANTY




### Applications:



Rinse Hose plus Livewell


High Pressure Washdown plus Livewell


Supply Two Livewells

### Pump Dimensions

| Part No. | Inlet Length | Inlet Dia. | A | B | C | D | E | F | G | H |
|---|---|---|---|---|---|---|---|---|---|---|
| 4672 | 3-1/2" | 3/4" | 3-1/4" | 3" | 4-1/8" | 4-1/4" | 4" | 3/4-14 NPSM | 3/4" Barbed .554" I.D. | 3/4-14 NPSM .620" I.D. |
| 4670 | 3/4" | 3/4" | 1-1/4" | 7/16" | 4-1/8" | 4-1/4" | 4" | 3/4-14 NPT | 3/4" Barbed .554" I.D. | 3/4-14 NPSM .620" I.D. |




### Specifications

| | | GPH Output @ Design Voltage 13.6 VDC | | | | GPH Output @ Nominal Voltage 12.0 VDC | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Both Outlets Open | | | | Both Outlets Open | | | | | | |
| Oulet | Amp Draw | 0 ft. | 3.3 ft. | 6.7 ft. | Max Head | 0 ft. | Amp Draw | 0 ft. | 3.3 ft. | 6.7 ft. | Max Head | 0 ft. | Fuse Size |
| Upper | 3.0 | 750 | 600 | 460 | 13 ft. | 880 | 2.5 | 670 | 500 | 390 | 11 ft. | 770 | 4-amp |
| Lower | 3.0 | 750 | 620 | 480 | 13 ft. | 880 | 2.5 | 690 | 550 | 420 | 11 ft. | 770 | 4-amp |

### Tsunami Dual Outlet Aerator Pumps & Accessories

No mounting brackets necessary.

| Model No. | Inlet Length & Diameter | Rated Voltage | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| TSUNAMI DUAL OUTLET AERATOR PUMPS | | | | | |
| T800 | 3-1/2" L x 3/4" | 12-volt | 29" wire | **4672-1** | **4672-7** |
| | 7/8" L x 3/4" | 12-volt | 29" wire, use with 3/4" seacock | **4670-1** | **4670-7** |
| TSUNAMI REPLACEMENT MOTOR CARTRIDGE | | | | | |
| T800 | | 12-volt | 29" wire | — | **4622-6** |



4670


** -6 = Blister, -7 = Clamshell

# S3 SERIES
## AUTOMATIC BILGE SWITCHES

5 YEAR WARRANTY

Incorporates a proprietary Electronic Sensing technology to detect bilge water levels and trigger pump activation and has been engineered to operate in any bilge water mixture consistently without failure. Your pump won't be exposed to continuous cycling as the S3 switch can easily distinguish splashing bilge water, chemicals, sludge build up or foam, and comes equipped with fully sealed electronics that are completely protected from water or chemical damage. For added convenience, the bilge switch can be mounted on the floor of the bilge, directly to a stringer wall, or alongside the basket of the pump without added components or brackets. The S3 Series switch is also directly compatible with all competitive products and free of moving parts that can jam up, break or wear out over time. Marine ignition protected and RoHS compliant.






4801

| Description | Max. Pump Amp Draw | Rated Voltage | Wire | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Switch, White | 15A | 12-volt | 36" wire | **4801-1** | **4801-7** |
| Switch, Dark Gray | 10A | 24-volt | 36" wire | — | **4802-7** |


4802


# Automatic Float Switches

Converts bilge pumps to fully automatic operation. Maximum amp draw is 12 amps (at 12-volt D.C.) or 6-amps (at 24-volt D.C.). Features a compact, low-profile design that mounts on any surface from horizontal up to a 24° angle. Incorporates a reliable and affordable mechanical switch that actuates pump motor at 2" water level. Wire leads do not flex or hinge with the float as on some competitive models. Integral cover dampens bilge sloshing to reduce pump cycling, and prevents debris interference. Sealed switch mechanism resists moisture, fume-ignition, and electrical shock. Contains no mercury, which is listed as a health hazard and "Persistent Toxic Substance" in over 26 states. Marine ignition protected and RoHS compliant.




3 YEAR WARRANTY


### Float Switch with Cover




| Description | Rated Voltage | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Float switch with cover | 12- and 24-volt CE rated | 36" wire | **4201-1** | **4201-7** |


4201

### Float Switch




| Description | Rated Voltage | Wire/ Connector | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Float switch | 12- and 24-volt CE rated | 36" wire | **4202-1** | **4202-7** |



4202

** -7 = Clamshell

# Shower Sump Pump Systems


Attwood's shower sump systems deliver the performance you've been asking for. Choose from standard box or large box sizes. Offering fast water flow into and out of sump. The lid snaps in to allow quick installation (and removal for cleaning) and includes a gasket to seal the sump box against overflow. The sump box even includes an air vent to prevent air locks. Meets or exceeds all applicable standards of the ABYC and USCG.

**Multiple Inlets Can Be Hooked Up to More Than One Drain – Using Different Hose Sizes**




## Specifications


| Model | Rated Voltage | Fuse Size | Outlet Hose Size |
|---|---|---|---|
| 500 GPH | 12-volt | 3-amps | 3/4" I.D. |
| 750 GPH | 12-volt | 5-amps | 3/4" I.D. |
| 750 GPH | 24-volt | 2-amps | 3/4" I.D. |





## Output Ratings

| | | GPH Output @ Design Voltage 13.6 VDC | | | GPH Output @ Nominal Voltage 12.0 VDC | | |
|---|---|---|---|---|---|---|---|
| Model | Amp Draw | 0 ft. | 3.3 ft. | 6.7 ft. | 0 ft. | 3.3 ft. | 6.7 ft. |
| 500 GPH | 1.4 | 420 | 360 | 215 | 385 | 290 | 130 |
| 750 GPH | 2.5 | 650 | 500 | 385 | 570 | 420 | 290 |

*Performance for 24-Volt version is the same (Uses 2 Amp Fuses)*




**Standard Box**




**Large Box**



4141




4143

| Model No. | Rated Voltage | Wire/ Connector | Box Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| 500 GPH | 12-volt | 22" wire | Standard | **4141-1** | **4141-4** |
| 750 GPH | 12-volt | 22" wire | Standard | **4142-1** | — |
| 750 GPH | 12-volt | 22" wire | Large | **4143-1** | **4143-4** |
| 750 GPH | 24-volt | 22" wire | Large | **4144-1** | — |
| 750 GPH | 24-volt | 22 " wire | Standard | **4145-1** | — |
| Lid | — | — | Standard | **001001668** | — |
| Lid | — | — | Large | **001001667** | — |

*** -4 = Individual Carton*

# Aft-Deck Shower

Install flush in the transom or under the gunwale. Includes hinged cover and replaceable sprayer head. Fixtures are corrosion-resistant. Housing and cover are made of high-impact, UV resistant, engineering-grade plastic and are pre-drilled for six #8 fasteners. Comes with 6' hose, shut-off, and hot/cold mixing controls. Connects to freshwater system for showering.






4131

| Description | Function | Hose Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Aft-Deck | Hot/cold | 6' | **4131-1** | **4131-4** |

# Cold Water Shower

Install flush in the transom or under the gunwale. Includes hinged cover and replaceable sprayer head. Fixtures are corrosion-resistant. Housing and cover are made of high-impact, UV resistant, engineering-grade plastic and are pre-drilled for six #8 fasteners. Hand-held shower sprayer with 6' hose and shut-off. Connects to freshwater system or self-priming wash-down pump for showering after swimming. Built-in on/off switch for pump.





4133

| Description | Function | Hose Length | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|
| Cold Water | On/off switch | 6' | **4133-1** | — |

# Self-Priming Washdown Pump


Self-priming pump for cleaning boats, general use, or use as a shower pump. Threaded male inlet and outlet for standard garden hose attachment. Pumps 4 gallons per minute, produces up to 8.5 PSI pressure. Corrosion-resistant plastic housing and impeller, heavy-duty 8-amp 12-Volt D.C. motor. Pump is non-submersible. **Note:** Do not run dry.


11574

| Description | Open Flow GPM | Max Head Pressure | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Self-priming | 4 | 8.5 PSI | — | **11574-4** |

# Potable Water Pump

This economical, compact pump only delivers drinking water from a water tank to a faucet. Seal allows it to run dry without damage. Made from high-impact plastic. Patented. Inlet and outlet have combination fittings: 3/8" barbs can be removed to accommodate 1/4" NPT fitting. Potable Water Pump is not activated by line pressure. Pump is non-submersible. Note: Mount centrifugal pump so water will flow into the pump.
**Caution:** Not external ignition protected.





6126

| Inlet/Outlet Size | GPH | Max Head | Amp Draw | Fuse Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|
| 3/8" barb, or convert to 1/4" NPT | 150 | 16' | 1.5 | 2-amp | **6126-1** | **6126-7** |

*** -4 = Individual Carton, -7 = Clamshell*

# WATERBUSTER®
## PORTABLE PUMP


4140

This submersible pump is a great way to remove unwanted water from boats, pool covers, aquariums and sump pits. Convenient and safe because it needs no electrical cord — runs up to five hours on three alkaline “D” batteries. Excellent for use as a portable pump-out device for paddle boats, inflatables, duck boats, dingies or kayaks, any craft that lacks a hard-wire, permanent electrical system.

- 6-3/8" high x 5-1/4"-diameter
- Pumps up to 200 gallons per hour
- Includes 42” hose with garden hose adapter for adding longer hose
- Lifts water to height of 40”
- **Note:** Not to be used as a permanent bilge pump

| Description | GPH Open Flow | GPH 2 ft. Head* | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Portable Pump | 200 | 125 | — | **4140-4** |

# Hand-Operated Bilge Pumps


11595


11596

Safely remove unwanted water, or other liquids, from kayaks and other small boats.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Kayak Hand Bilge Pump, 18" | — | **11595-2** |
| Hand Bilge Pump, 24", 32" Hose | — | **11596-2** |


** 4 ft. maximum head*
*** -3 = Skin Pack, -4 = Individual Carton, -5 = Poly Bag*

# Bilge Pump Switches

Panel-mounted rocker switches for use with pump that draws 10-amps or less. 1/4" spade terminals. 6-volt through 32-volt D.C. only, 10-amps maximum. Plate is 2-13/16" x 1-7/8". Hole size is 1-1/2" x 7/8".

**Caution:** Bilge pump switches are not external ignition protected.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 2-way on/off | — | **7615-3** |
| 3-way auto/off/manual | — | **7615A3** |



7615

# Livewell Aerator Switch

Provides on/off or cycling of aerator pump to extend battery life. Solid-state cycle module switches pump to on, or to a run time of 30 seconds on/3 minutes off. Includes face plate for panel mounting. For 12-volt D.C. 10-amp maximum only.

- 1-1/4" long x 1-1/4" wide
- Installation hole size: 1/2"-diameter
- Depth behind panel: 3-1/4" deep

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 3-position switch on/off/cycle | — | **14292-3** |




14292

# TSUNAMI
## RECIRQ AERATOR KIT

The Tsunami Recirq Kit recirculates livewell water to keep it cooler and rich in oxygen. This self-contained system feeds a separate aerator spray head and works even while you are underway and cannot use a thru-hull connection. Add this kit to any tank that already has a freshwater fill system. Or use as a backup pump for a fail-safe system.

**Recirq Kit includes:**

- (1) 500 GPH Tsunami aerator pump with short inlet, threaded outlet
- (1) 4125-1 aerator spray head
- (1) 4232-1 Stainless Steel strainer
- (2) Plastic hose clamps
- (1) 3/4" diameter x 23" long poly hose
- (1) Straight thread-to-barb connector





4253

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| T-500 Recirq Livewell Aerator Kit | — | **4253-7** |

# Bilge Pump Installation Kits

Complete kit to install manual bilge pump with 3/4" I.D. hose outlet.

- (1) 2-way on/off switch with bezel plate
- (1) 3/4" I.D. x 5' corrugated hose
- (1) Thru-hull fitting for 3/4" I.D. hose
- (2) Snap-It hose clamps
- (1) 2-conductor 16-gauge wire, 20' long
- (1) In-line fuse holder with 2-amp fuse

**Caution:** Bilge pump switches are not external ignition protected.



4116

| Description | Hose Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Complete kit (without pump) | 3/4" I.D. | — | **4116-5** |
| Complete kit with Tsunami T-500 bilge pump | 3/4" I.D. | — | **4614-7** |
| 6' hose with (2) clamps | 3/4" I.D. | — | **4199-7** |
| 6' hose only | 1-1/8" I.D. | — | **11551-5** |


4614

*** -3 = Skin Pack, -5 = Poly Bag, -7 = Clamshell*

# Aerator Remote Mounting Brackets



For mounting the aerator pump to a base, away from the transom.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 1-1/8" Aerator remote mounting bracket | **4121-1** | **4121-3** |
| 3/4" Aerator remote mounting bracket | **4122-1** | **4122-3** |



4121 4122

# Aerator Spray Heads

For use on livewells that have built-in overflows or recirculating systems.

**Adjustable Spray Heads** - Mounts on sides of tank. 90° fitting for installation in tight spaces. Rotating head with O-ring adjusts and maintains flow setting. Removable head has an "interference-fit thread design" that will not allow it to vibrate or blow out. Polypropylene construction. Can be installed on tanks with up to 5/8" wall thickness.

**Non-Adjustable Spray Heads** - Multi-port spray maximizes oxygen level in the livewell. Constructed of ABS plastic. ***Double Valve Spray Head*** **-** Allows aerating options – one end can be used for freshwater fill, the other end with a recirculating pump. ***Single Valve Spray Head*** **-** For output from an aerator pump into the livewell.

| Description | Hose I.D. | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **ADJUSTABLE SPRAY HEADS** | | | |
| Aerator spray head | 3/4" | **4125-1** | **4125-7** |
| Aerator spray head w/male connector for Flow-Rite™ Qwik-Lok™ Coupler 3 | 3/4" | **4123-1** | — |
| **NON-ADJUSTABLE SPRAY HEADS** | | | |
| Aerator spray head, single valve | 3/4" | **4118A1** | **4118A5** |



4125 4123



4118A

# Check Tees

These check tees replace additional connections for RV and marine hookups, providing a combination check valve and tee that allows water to flow in from the dockside connection without filling the tank. Constructed of ABS plastic.

**Combination Barbed Fitting** - Inlet and outlet both have combination fittings: Comes with 3/8" barbs that can be removed to accommodate 1/4" NPT fitting. 1/2" NPT fitting for dockside water connection.

**Combination Barbed Inlet/Threaded Outlet** - Inlet has combination fitting: Comes with 3/8" barbs that can be removed to accommodate 1/4" NPT fitting. Outlet is 1/2" NPSM. 1/2" NPT fitting for dockside water connection.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Combination barbed fitting | **6115-1** | — |
| Combination barbed inlet/threaded outlet | **6115A1** | — |



6115



6115A

# Sealants

**Silicone Sealant** - Bonds to fiberglass, plastic, glass, and metal. 100% marine-grade silicone won't yellow. Can be used above and below the waterline.

**Polyurethane Sealant** - Bonds securely to fiberglass, plastic, glass, and metal. Fast cure formula.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Silicone Sealant, Clear, 2.8 oz.– for cleats | — | **30110-6** |
| Polyurethane Sealant, White, 2.8 oz.– for pumps | — | **30106-6** |




30110




30106

*** -3 = Skin Pack, -5 = Poly Bag, -6 = Blister, -7 = Clamshell*

# Snap-It Hose Clamps

Use on bilge pumps and shower sump systems. Corrosion-resistant plastic.

**Note:** Clamps are intended for water and waste system hoses only.

| Description | Hose O.D. | Hose I.D. | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|
| Snap-It Hose Clamp | 7/8" to 1" | 3/4" | **9185J1** | — |
| Snap-It Hose Clamp | 1-3/16" to 1-7/16" | 1-1/8" | **9185M1** | — |


9185M

# Tees

Three-way 90° fitting. Acetal construction.

| Description | Hose I.D. | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Tee | 3/4" | **3892-1** | — |
| Tee | 1-1/8" to 1-1/4" | **3893-1** | — |


3892

# Straight Connectors

Threaded end fits 3888 drain fitting, A-Series aerator pump outlets and Tsunami threaded outlets. Acetal construction.

**3899:** Barbed end accommodates 3/4" I.D. hose.

**3909:** Male end accommodates Flow-Rite™ Qwik-Lok™ Coupler.


3899


3909


3902

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Thread-to-Barb 3/4"-14 NPSM and 3/4" I.D. hose fitting. For use with 500-800 GPH pumps | **3899-1** | **3899-3** |
| Thread-to-Flow-Rite™ Qwik-Lok™ Connector fitting. For use with 500-800 GPH pumps | **3909-1** | — |
| Thread-to-Barb Straight 1-3/8" - 12 UNF thread & 1-1/8" hose fitting For use with 1200 GPH pumps | **3902-1** | **3902-3** |

# 90° Connectors

**3890:** Threaded female end fits 3888 drain fitting or A-Series aerator pump outlets and Tsunami threaded outlets. Barbed end accommodates 3/4" I.D. hose. Acetal construction.

**3900:** Threaded end fits A-Series aerator pump outlets and Tsunami threaded outlets. Male end accommodates Flow-Rite™ Qwik-Lok™ Coupler.

**3891:** Threaded end fits 3889 drain fitting. High-impact plastic. Barbed end accommodates 1-1/8" or 1-1/4" I.D. hose. Acetal construction.


3890


3900


3891

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| For 3/4"-14 threads and 3/4" I.D. hose. For use with 500-800 GPH pumps | **3890-1** | **3890-3** |
| Thread-to-Flow-Rite™ Qwik-Lok™ Connector. For use with 500-800 GPH pumps | **3900-1** | — |
| For 1-3/8"-12 threads and 1-1/8" or 1-1/4" I.D. hose. For use with 1200 GPH pumps | **3891-1** | — |

*** -3 = Skin Pack, -5 = Poly Bag, -7 = Clamshell*

# STAINLESS STEEL
## THRU-HULLS & SCUPPER VALVE FITTINGS

LIFETIME WARRANTY

Polish your image with these beautiful, durable stainless steel fittings. Each Thru-Hull and Scupper Valve is available with a new silicone gasket and are backed by Attwood's trusted Lifetime Warranty! Why specify plastic parts when these fittings will last the life of the boat?

**Rugged Stainless Construction**
- Cast from certified Enhanced 316 Stainless Steel alloy for strength and lifetime corrosion-resistance
- We polish all visible areas to a mirror finish, then passivate each part for additional protection
- Thick steel sidewalls withstand continual stress and hose flexing


**Solid Silicone Gasket**
- Gasket is dimensionally stable — will not deteriorate or shrink over time
- Excellent resistance to UV & weather-aging
- Watertight, fool-proof, one-piece seal
- Eliminates the need to form and apply sealant or caulk
- No more chemicals, solvent-soaked rags, or cleanup
- More than pays for itself in saved labor and cleanup time
- Guaranteed good looks because the perfect fit and concealment is built into the gasket

**Faster, Simpler Installation**
- A channel under the flange holds a bead of sealant, making it easier to apply a trouble-free seal
- All models have wrench flats or an end notch to hold as a gripping surface. One installer can tighten all connections from inside the hull
- Barbed tail ends provide plenty of room to hold multiple clamps


# Stainless Steel Straight Thru-Hulls, Barbed

- Standard Thread model has full-length thread for thick hulls and easy tightening
- Short Thread is a more compact size. Allows installation near corners and in confined areas.

**Caution:** Stainless Steel Thru-Hull Connectors are designed for installation above the water line only.



**Short Length**



**Standard Length**

| A Hose Size | B Flange Dia. | C Thread O.D. | D Thread Length | E Barb Length | F Total Length | Install. Hole Saw Size | Thread NPSM | Max Hull Thick. | Bulk without Gasket | Bulk with Gasket | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **SHORT LENGTH** | | | | | | | | | | | |
| 5/8" I.D. | 1-7/8" | 1" | 1" | 1" | 2-1/4" | 1-1/8" | 3/4" | 5/8" | **66540-1** | — | **66540-3** |
| 3/4" I.D. | 1-7/8" | 1" | 1" | 1" | 2-1/2" | 1-1/8" | 3/4" | 5/8" | **66541-1** | — | **66541-3** |
| 1" I.D. | 2-1/4" | 1-3/8" | 1-1/8" | 1" | 2-1/2" | 1-1/2" | 1" | 5/8" | **66542-1** | — | **66542-3** |
| 1-1/8" I.D. | 2-1/4" | 1-3/8" | 1-1/4" | 1" | 2-1/2" | 1-1/2" | 1" | 5/8" | **66543-1** | — | **66543-3** |
| 1-1/4" I.D. | 2-1/4" | 1-5/8" | 1-1/4" | 1" | 2-5/8" | 1-3/4" | 1-1/4" | 5/8" | **66544-1** | — | **66544-3** |
| 1-1/2" I.D. | 3" | 1-7/8" | 1-1/4" | 1-1/2" | 3-1/8" | 2" | 1-1/2" | 5/8" | **66545-1** | **66545G1** | **66545-3** |
| **STANDARD LENGTH** | | | | | | | | | | | |
| 5/8" I.D. | 1-7/8" | 1" | 2" | 1-1/4" | 3-3/4" | 1-1/8" | 3/4" | 1-1/16" | **66546-1** | — | **66546-3** |
| 3/4" I.D. | 1-7/8" | 1" | 2" | 1-1/4" | 3-3/4" | 1-1/8" | 3/4" | 1-5/8" | **66547-1** | — | **66547-3** |
| 1" I.D. | 2-1/4" | 1-3/8" | 2-1/4" | 1-1/4" | 3-7/8" | 1-1/2" | 1" | 1-3/4" | **66548-1** | — | **66548-3** |
| 1-1/8" I.D. | 2-1/4" | 1-3/8" | 2-3/8" | 1-1/4" | 3-7/8" | 1-1/4" | 1" | 1-3/4" | **66549-1** | **66549G1** | **66549-3** |
| 1-1/4" I.D. | 2-1/4" | 1-5/8" | 2-1/2" | 1-1/4" | 4-1/4" | 1-3/4" | 1-1/4" | 1-7/8" | **66550-1** | — | **66550-3** |
| 1-1/2" I.D. | 3" | 1-7/8" | 2-1/2" | 1-1/4" | 4-1/8" | 2" | 1-1/2" | 1-7/8" | **66551-1** | **66551G1** | **66551-3** |
| 2" I.D. | 3" | 2-3/8" | 2-1/2" | 1-3/4" | 4-5/8" | 2-1/2" | 1-1/2" | 2" | **66552-1** | **66552G1** | — |


66540G


66542


66546G


66548


** -3 = Skin Pack*

# Stainless Steel Straight Thru-Hulls, Threaded

LIFETIME WARRANTY

- Unique multi-thread design with NPSM and NPT threads
- Offer generous thread length
- Allows for direct connection to seacocks or pipes

**Caution:** Stainless Steel Thru-Hull Connectors are designed for installation above the water line only.











| A Flange Dia. | B Thread O.D. | C Total Length | Installation Hole Saw Size | Threads NPSM | Max Hull Thickness | Bulk without Gasket | Bulk with Gasket | Aftermarket Packaging |
|---|---|---|---|---|---|---|---|---|
| 1-7/8" | 2-1/8" | 2-1/2" | 1-1/8" | 3/4" | 1-5/8" | **66559-1** | — | — |
| 2-1/4" | 2-1/4" | 2-5/8" | 1-3/8" | 1" | 1-3/4" | **66561-1** | — | — |
| 3" | 2-3/8" | 2-3/4" | 2" | 1-1/2" | 1-7/8" | **66563-1** | — | — |

# Stainless Steel 90° Thru-Hulls, Barbed

Allows installation in especially tight spaces.

**Caution:** Stainless Steel Thru-Hull Connectors are designed for installation above the water line only.





LIFETIME WARRANTY




| A Hose Size | B Flange Dia. | C Thread O.D. | D Thread Length | E Barb Length | F Total Length | Install. Hole Saw Size | Thread NPSM | Max Hull Thick. | Bulk without Gasket | Bulk with Gasket | Aftermarket Packaging |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 3/4" I.D. | 1-7/8" | 1" | 1-1/2" | 3/4" | 3-3/8" | 1-1/4" | 3/4" | 1-1/16" | **66577-1** | **66577G1** | — |
| 1-1/8" I.D. | 2-1/4" | 1-3/8" | 1-7/8" | 3/4" | 4-3/8" | 1-5/8" | 1" | 1-1/4" | **66579-1** | **66579G1** | — |

# Stainless Steel Scupper Valves

- The Scupper Flap is tough neoprene rubber with a molded V that fits into the grooved body to reduce backwash
- Fasteners are concealed and corrosion-proof
- Enhanced 316 Stainless Steel Alloy




LIFETIME WARRANTY

**Caution:** Stainless Steel Scupper Valves are designed for installation above the water line only.








| A Hose Size | B Flange Dia. | C Thread O.D. | D Thread Length | E Barb Length | F Total Length | Install. Hole Saw Size | Thread NPSM | Max Hull Thick. | Bulk without Gasket | Bulk with Gasket | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **THREADED** | | | | | | | | | | | |
| — | 1-7/8" | 3" | 3-1/2" | — | 3-7/8" | 2" | 1-1/2" | 3" | **66565-1** | **66565G1** | — |
| — | 2-23/64" | 3-5/8" | 2-1/2" | — | 2-7/8" | 2-1/2" | 2" | 2" | **66567-1** | **66567G1** | — |
| **BARBED** | | | | | | | | | | | |
| 1-1/2" | 1-7/8" | 3" | 3-1/2" | 1-1/2" | 5-1/2" | 2" | 1-1/2" | 3" | **66553-1** | **66553G1** | **66553-3** |
| 2" | 2-23/64" | 3-5/8" | 2-1/2" | 1-5/16" | 4-1/2" | 2-1/2" | 2" | 2" | **66555-1** | **66555G1** | — |
| 1-1/2" | 3" | 1-7/8" | 2-1/4" | 1-1/2" | 4-1/2" | 2" | 1-1/2" | 1-3/4" | **66557-1** | **66557G1** | — |
| **VALVE ACCESSORIES** | | | | | | | | | **BULK** | | |
| Replacement Flappers for 1-1/2" | | | | | | | | | **66553Kit** | | — |
| Replacement Flappers for 2" | | | | | | | | | **66555Kit** | | — |

*** -3 = Skin Pack*


# Stainless Steel Narrow Flange Thru-Hulls

- Consistent exterior appearance throughout a range of barb sizes
- Modern styling
- Enhanced 316 Stainless Steel Alloy

**Caution:** Stainless Steel Thru-Hull Connectors are designed for installation above the water line only.



Thru-Hull



Scupper Valve

LIFETIME WARRANTY


67555


67556



67551


67553

| A Hose Size | B Flange Dia. | C Thread O.D. | D Thread Length | E Barb Length | F Total Length | Install. Hole Saw Size | Thread NPSM | Max Hull Thick. | Bulk without Gasket | Bulk with Gasket | Aftermarket Packaging |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **THRU-HULLS, STANDARD LENGTH** | | | | | | | | | | | |
| 5/8" I.D. | 1-7/10" | 1-3/10" | 1-2/5" | 1-1/8" | 3" | 1-5/16" | 1" | 7/8" | **67555-1** | **67555G1** | — |
| 3/4" I.D. | 1-7/10" | 1-3/10" | 1-3/10" | 1-1/4" | 3" | 1-5/16" | 1" | 3/4" | **67554-1** | **67554G1** | — |
| 1" I.D. | 1-7/10" | 1-3/10" | 1-2/5" | 1-1/8" | 3" | 1-5/16" | 1" | 7/8" | **67556-1** | **67556G1** | — |
| 1-1/8" I.D. | 1-7/10" | 1-3/10" | 1-1/4" | 1-1/8" | 2-7/8" | 1-5/16" | 1" | 3/4" | **67557-1** | **67557G1** | — |
| 1-1/2" I.D. | 2-2/5" | 1-7/8" | 1-1/2" | 1-3/5" | 3-2/5" | 2" | 1-1/2" | 1" | **67551-1** | — | — |
| 2" I.D. | 3.13" | 2-3/8" | 2.93" | 2.04" | 6.09" | 2-7/16" | 2" | 2.70" | **67552-1** | **67552G1** | — |
| **THRU-HULLS, LONG LENGTH** | | | | | | | | | | | |
| 3/4" I.D. | 1-7/10" | 1-3/10" | 1-1/2" | 1-1/8" | 4-1/4" | 1-5/16" | 1" | — | **67558-1** | — | — |
| 1-1/8" I.D. | 1-7/10" | 1-3/10" | 1-1/2" | 1-1/8" | 4-1/4" | 1-5/16" | 1" | — | **67561-1** | — | — |
| 1-1/2" I.D. | 2-2/5" | 1-7/8" | 1-1/2" | 1-7/16" | 4-15/16" | 2" | 1-1/2" | — | **67562-1** | — | — |
| **SCUPPER VALVE** | | | | | | | | | | | |
| 1-1/2" I.D. | 2-3/5" | 1-7/8" | 2" | 2" | 5-3/4" | 2-1/8" | 1-1/2" | 2-3/4" | **67553-1** | — | — |

# Stainless Steel Exhaust Thru-Hulls

- Specifically designed for generator and engine exhaust applications
- Features unique, modern styling that is both elegant and functional
- Stainless steel scupper valve and an integrated stainless drip ring
- Enhanced 316 Stainless Steel Alloy




LIFETIME WARRANTY

**Caution:** Stainless Thru-Hull Connectors are designed for installation above the water line only.


67581


67582

| A Hose Size | B Flange Dia. | C Thread O.D. | D Thread Length | E Barb Length | F Total Length | Install. Hole Saw Size | Thread NPSM | Max Hull Thick. | Bulk without Gasket | Bulk with Gasket | Aftermarket Packaging |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1-1/2" I.D. | 3.18" | 2.26" | 1.6" | 1.97" | 4.58" | 2.375" | 2" – 11-3/4 | 1.125" | **67581-1** | — | — |
| 2" I.D. | 3.18" | 2.26" | 1.6" | 2.23" | 4.58" | 2.375" | 2" – 11-3/4 | 1.125" | **67580-1** | **67580G1** | — |
| 2-1/2" I.D. | 4.60" | 3.375" | 1.8" | 2.75" | 5.8" | 3.625" | 3" – 8 | 1.5" | **67583-1** | — | — |
| 3" I.D. | 4.60" | 3.375" | 1.8" | 3" | 5.8" | 3.625" | 3" – 8 | 1.5" | **67582-1** | — | — |

# STAINLESS STEEL
## CAPPED COMPOSITE THRU-HULLS


Designed for the value conscious customer, these fittings provide the look of a Stainless Steel thru-hull at a fraction of the cost

**Corrosion Resistance**
Manufactured with high quality stainless steel caps and engineered composite bodies, these thru-hulls are designed to resist degradation as a result of chemical and saltwater exposure.


**Consistent Look**
To create a uniform look, Attwood has designed its 5/8" thru 1-1/4" barbed thru-hulls with a common exterior surface.

**Improved Installation**
Always keeping the builder in mind, each fitting incorporates several different types of assembly features that allow for "single operator" installation.

**Caution:** Stainless Steel Thru-Hull Connectors are designed for installation above the water line only.



**Straight**



**90°**

| A Hose Size | B Flange Dia. | C Thread O.D. | D Thread Length | E Barb Length | F Total Length | Installation Hole Saw Size | Max Hull Thickness | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|---|
| **THRU-HULLS, STRAIGHT** | | | | | | | | | |
| 5/8" I.D. | 1-7/8" | 1.27" | 1.54" | 1" | 3.39" | 1-3/8" | 1.30" | **68555-1** | — |
| 3/4" I.D. | 1-7/8" | 1.27" | 1.54" | 1" | 3.36" | 1-5/16" | 1.30" | **68554-1** | — |
| 1" I.D. | 1-7/8" | 1.27" | 1.54" | 1" | 3.39" | 1-5/16" | 1.30" | **68556-1** | — |
| 1-1/8" I.D. | 1-7/8" | 1.27" | 1.54" | 1.3" | 3.36" | 1-5/16" | 1.30" | **68557-1** | — |
| 1-1/4" I.D. | 2-3/8" | 1.5" | 1.54" | 1.6" | 3.96" | 1-1/2" | 1.40" | **68550-1** | — |
| 1-1/2" I.D. | 2-3/8" | 1.5" | 1.54" | 1.6" | 3" | 1-1/2" | 1.40" | **68551-1** | **68551-3** |
| 2" I.D. | 3-1/4" | 2.13" | 1.9" | 1.95" | 4.5" | 2-3/16" | 1.70" | **68552-1** | **68552-3** |
| **THRU-HULLS, 90º** | | | | | | | | | |
| 5/8" I.D. | 1-7/8" | 1.27" | 1.54" | 0.875" | 3.48" | 1-5/16" | 1.30" | **68576-1** | **68576-3** |
| 3/4" I.D. | 1-7/8" | 1.27" | 1.54" | 1" | 3.48" | 1-5/16" | 1.30" | **68577-1** | **68577-3** |
| 3/4" I.D. | 1-7/8" | 1.27" | .73" | 1" | 2.7" | 1-5/16" | .50" | **68582-1** | **68582-3** |
| 1" I.D. | 1-7/8" | 1.27" | 1.54" | 1.125" | 3.75" | 1-5/16" | 1.30" | **68578-1** | **68578-3** |
| 1-1/8" I.D. | 1-7/8" | 1.27" | 1.54" | 1.5" | 3.75" | 1-5/16" | 1.30" | **68579-1** | **68579-3** |
| 1-1/4" I.D. | 2-3/8" | 1.5" | 1.54" | 1.5" | 3.75" | 1-1/2" | 1.30" | — | **68580-3** |
| 1-1/2" I.D. | 2-3/8" | 1.5" | 1.54" | 1.5" | 4.45" | 1-1/2" | 1.30" | **68581-1** | **68581-3** |
| **SCUPPER VALVE** | | | | | | | | | |
| 2" I.D. | 3.25" | 2.14" | 1.9" | 1.95" | 4.94" | 2.125" | 1.71" | **68590-1** | **68590-3** |


68555


68557


68576


68590

*** -3 = Skin Pack*

# Thru-Hulls

Made of thermoplastic resins.
**Caution:** Plastic Thru-Hull Connectors are designed for installation above the water line only.

| Fits Hose Size | Stem Length | Max Hull Thickness | Flange Diameter | Installation Hole Saw Size | Construction | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|
| 5/8" I.D. | 3-1/4" | 1-1/4" | 1-3/4" | 1-1/8" | Polypropylene | White | **3872-1** | **3872-3** |
| Accommodates 7534A (5/8") bailer plug | | | | | | Black | **3872A1** | — |
| 3/4" I.D. | 3-1/4" | 1-1/4" | 1-3/4" | 1-1/8" | Polypropylene | White | **3873-1** | **3873-3** |
| Accommodates 7534A (5/8") bailer plug | | | | | | Black | **3873A1** | — |
| 3/4" I.D. | 4" | 2" | 2" | 1-1/16" to 1-1/8" | Acetal | White | **3896-1** | **3896-3** |
| 1-1/8" to 1-1/4" I.D. | 3-1/4" | 1-1/4" | 2-1/4" | 1-3/8" | Polypropylene | White | **3874-1** | **3874-3** |
| Accommodates 7535A (7/8") bailer plug | | | | | | Black | **3874A1** | — |
| 1-1/8" to 1-1/4" I.D. | 4-1/8" | 1-5/16" | 2-1/4" | 1-7/16" to 1-1/2" | Acetal | White | **3897-1** | **3897-3** |
| | | | | | | Black | **3883-1** | — |
| 1-1/2" I.D. | 3-1/2" | 1-1/4" | 3" | 1-7/8" to 2" | Polypropylene | White | **3875-1** | **3875-3** |
| Accommodates 7535A (7/8") bailer plug | | | | | | Black | **3875A1** | — |
| 2" I.D. | 3-1/2" | 1-1/4" | 3" | 1-7/8" to 2" | Polypropylene | White | **3845-1** | — |


3872


3874


3897


3875

# Thru-Transom Thru-Hull Connector

For installation through the transom. Ideal for overflow use in livewell installations. Can be used with the 3876 Scupper Valve in self-bailing applications, or as an exhaust port for a bilge pump. Polypropylene construction.

**Caution:** Plastic Thru-Hull Connectors are designed for installation above the water line only.

| Fits Hose Size | Stem Length | Max Hull Thickness | Flange Diameter | Installation Hole Saw Size | Color | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|---|---|
| 1-1/2" I.D. | 5-1/2" | 3-1/8" | 2-3/4" | 2" | White | **3875B1** | — |
| Replacement nut | — | — | — | — | White | **911078A1** | — |


3875B

# Double Ended Thru-Hull Connector

Double-Ended Thru-Hull provides watertight transition through bulkheads or tanks. 5" overall length. Polypropylene construction.

**Caution:** Plastic Thru-Hull Connectors are designed for installation above the water line only.

| Fits Hose Size | Max Hull Thickness | Installation Hole Saw Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 3/4" I.D. | 1-1/8" | 1-1/8" | **3878-1** | **3878-3** |


3878

# 90° Thru-Hull Connectors

90° Thru-Hulls are ideal for tight installations, such as livewell overflow drains. Design eliminates hose kinking. Polypropylene construction.

**Caution:** Plastic Thru-Hull Connectors are designed for installation above the water line only.

| Fits Hose Size | Max Hull Thickness | Flange Diameter | Installation Hole Saw Size | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|
| 3/4" I.D. | 1" | 1-1/2" | 1" | White | **3877-1** | **3877-3** |
| Accommodates 7533A (1/2") bailer plug | | | | Black | **3880-1** | — |
| 1-1/8" to 1-1/4" I.D. | 1-7/8" | 2-7/16" | 1-5/16" | White | **3879-1** | **3879-3** |
| Accommodates 7535A (7/8") bailer plug | | | | Black | **3870-1** | — |


3877


3879

*** -3 = Skin Pack*

# Scupper Valve

Provides a water exit for boats with self-bailing cockpits. Acetal construction. Accommodates 3875B thru-transom thru-hull connector (screw holes must be drilled for installation.) Diameter: 2-7/8". Use as a replacement valve for 3881 Thru-Transom Scupper.

**Caution:** Plastic Thru-Hull Connectors are designed for installation above the water line only.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Valve | **3876-1** | **3876-3** |



3876

# Thru-Transom with Scupper

The rubber flapper opens to drain water out and closes to prevent backwash. Acetal construction. For 1-1/2" I.D. hose.

**Caution:** Plastic Thru-Hull Connectors are designed for installation above the water line only.

| Description | Dimensions | Max Hull Thickness | Installation Hole Saw Size | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|
| Thru-transom with scupper | 6-1/4" L x 2-7/8" dia. | 3-1/8" | 2" | **3881-1** | — |
| Service Part Kit: Includes outer ring, rubber flapper, four SS screws | | | | **3881Kit-1** | — |



3881

# Thru-Hull with Strainer

Thru-hull connector with strainer prevents clogging of the aerator pump. Strainer attaches to threads that extend beyond external retaining nut. Acetal construction.

**Caution:** Do not use strainer as a thru-hull connector nut replacement.

| Description | Hose Size | Max Hull Thickness | Installation Hole Saw Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Thru-hull with strainer | 3/4" I.D. | 1-7/16" | 1-1/16" to 1-1/8" | **3886-1** | **3886-3** |



3886

# Mesh Strainer/ Drain Filter

Durable strainers to prevent debris from clogging baitwell drains and aerator pumps. Two types of construction: formed stainless steel wire mesh molded into black PVC plastic base or acetal plastic.

**Caution:** Aerator pump must be secured with aerator attachment nut prior to installing strainer.

| Description | Thread | Application | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Stainless Steel mesh | 7/8"- 9 UNC2-B | Fits 3877-1 thru-hull | **11524-1** | **11524-3** |
| | 3/4"-14 NPSM | Fits 3/4" aerator inlet and 3886-1 thru-hull | **4232-1** | **4232-7** |
| Molded plastic | 3/4"-14 NPSM | Fits aerator inlet and 3886-1 thru-hull | **3885-1** | **3885-3** |



11524



3885

*** -3 = Skin Pack, -7 = Clamshell*

# Cockpit Drains

For use with 1-1/2" I.D. hose as part of a self-bailing cockpit system. Features short stem and narrow flange for installing through cockpits. Polypropylene construction.

| Description | Stem Length | Max Hull Thickness | Flange Diameter | Installation Hole Saw Size | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|---|
| Drain | 3-3/4" | 1-1/2" | 2-1/8" | 1-7/8" | **3875C1** | — |
| Drain with screen | 4-3/32" | 1-7/32" | 2-1/8" | 1-7/8" | **3882-1** | — |



3875C1



3882

# Drain Fittings

These drain fittings can be used with a hose connector to create a drain. Use 3888 with 3899 or 3890 threaded/hose-to-barb connector. Use 3889 with 3891 threaded/hose-to-barb connector. Acetal construction.

| Description | Dimensions | Max Hull Thickness | Installation Hole Saw Size | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|
| 3/4" diameter | 1-1/2" | 1-1/8" | 1-1/16" to 1-1/8" | **3888-1** | — |
| 1-1/8" diameter | 1-1/2" | 1-1/16" | 1-7/16" to 1-1/2" | **3889-1** | — |



3889

# Drain Cover

Polished stainless steel drain cover can be used for floor drains, vents, or hidden horn openings. Four holes for #6 fasteners.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Stainless Steel, 3-1/4" dia. | **66308-1** | **66308-3** |



66308

# Drain Plug and Receiver Kit

Molded black plastic with threaded receiver. Molded retaining strap. Includes attaching screws and elastomeric gasket for a watertight fit.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 3/4" dia. one piece plug | **17209-1** | **17211-3** |



17209

# Garboard Drain Plugs

Provides bilge drainage when hauling out. Nut removes with wrench or pliers. Machined, tapered pipe threads ensure watertight plug fit. 3/8" neck depth. Three countersunk holes for #8 fasteners.

| Description | Construction | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 1/2" NPT drain | Cast bronze | **7555-1** | **7555-3** |
| Replacement plugs, Pair | Brass | **9842-1** | **9842-3** |
| Replacement plugs, 24 Pair | Brass | — | **9842PD1** |
| Replacement plugs, 24 Pair (Saltwater Use) | Stainless Steel | — | **9844PD1** |



7555

# Stainless Steel Garboard Drain Plugs

Threaded removable plug. Retention system keeps plug from getting lost. Large 7/8" (27mm) hole for servicing stern drives. High polished #316 stainless steel reduces corrosion.

| Description | Construction | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 7/8" diameter | Stainless Steel | **7557-1** | **7557-7** |
| 7/8" diameter | Stainless Steel with Gasket | **7557G1** | — |
| Gasket | | — | **7557-04** |
| O-Ring | | — | **7557-03** |



7557

*** -3 = Skin Pack, -7 = Clamshell, PD1 = PDQ Display*

# T-Handle Drain Plugs

For 1" diameter drains. A clockwise turn of the T-handle expands the plug to lock in place; turn counterclockwise to release. Available in brass or stainless steel, with or without chain.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| **BRASS HANDLE** | | |
| Without chain | **7526A1** | **7526A7** |
| 100 units (w/o chain) in battery box display. One UPC sheet for use with all 100 units | — | **7526D1** |
| 24 units (w/o chain) in PDQ display carton | **7526PD1** | **7526PD1** |
| **BRASS PLATED HANDLE** | | |
| Without chain | — | **11592-3** |
| **STAINLESS STEEL HANDLE** | | |
| Without chain | — | **7518A3** |
| 24 units (w/o chain) in PDQ display carton | — | **7518PD1** |







# Snap-Handle Drain Plugs

Snap-handle drain plugs for 1" diameter drains. A clockwise turn of the handle tightens the plug in its tube, and the handle flips down to lock. Available in brass or stainless steel, with or without chain.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| **BRASS HANDLE** | | |
| Without chain | **7524A1** | **7524A7** |
| With 5" chain | **7524B1** | — |
| 75 units (w/o chain) in battery box display, one UPC sheet for use with all 75 units | — | **7524D1** |
| 24 units (w/o chain) in PDQ display carton | **7524PD1** | **7524PD1** |
| **BRASS PLATED HANDLE** | | |
| Without chain | — | **11591-3** |
| 24 units (w/o chain) in PDQ display carton | — | **11586-4** |
| **STAINLESS STEEL HANDLE** | | |
| Without chain | **7520A1** | **7520A3** |
| 24 units (w/o chain) in PDQ display carton | — | **7520PD1** |







# Livewell/Bailer Drain Plugs

Cam-action neoprene plugs snap shut to form stopper for livewells / baitwells. Clockwise turn of the handle tightens plug, lever flips down to lock. Ideal for livewell drains. Brass snaps and plates. **Note:** Not for use with chemicals or fuels.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| For 3/8" I.D. thru-hull | — | **7531A3** |
| For 7/16" I.D. thru-hull | — | **7532A3** |
| For 1/2" I.D. thru-hull | **7533A1** | **7533A7** |
| 24 units for 1/2" thru-hull in PDQ display carton | — | **7533PD1** |
| For 5/8" I.D. thru-hull | **7534A1** | **7534A3** |
| For 7/8" I.D. thru-hull | **7535A1** | **7535A3** |







# Drain Tubes

Drain tubes for 1" diameter drain plugs. Use aluminum drain tubes with aluminum-handle drain plugs; use brass tubes with brass-handle plugs and stainless steel plug handles. Tubes have .032" wall thickness.

| Description | Length | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Brass Drain Tube | 1-7/8" | **7566AR1** | — |
| | 2-3/8" | **7566BG1** | — |
| | 3" | **11446-1** | — |






*** -3 = Skin Pack, -4 = Individual Carton, A7 = Clamshell, PD1 = PDQ Display*

# TURBO
## IN-LINE BLOWERS

The first vane axial-flow fan bilge blowers designed using aerospace technology to maximize performance. No other bilge blowers in the industry provide such powerful system output at such low power input in a compact size.

- Patented in-line design – provides ventilation for engine compartments, galleys, bilges, and heads
- System airflow exceeds old-style in-line blowers by as much as 25%
- Draws up to 40% fewer amps, making our Turbo blowers up to four times more efficient than competitive blowers
- Marine ignition protected




### Pump Dimensions

| Model No. | A | B | C | D |
|---|---|---|---|---|
| **Turbo 3000** | 3-5/8" | 4-1/2" | 5-1/16" | 3" |
| **Turbo 4000** | 4-17/32" | 5-1/2" | 6-1/16" | 4" |

### Specifications

| Model No. | Rated Voltage | CFM Open Flow | CFM In System* | Current Draw Amps | Fuse Size |
|---|---|---|---|---|---|
| Turbo 3000 | 12-volt nominal | 120 | 90 | 2.6 | 4-amp |
| | 13.6-volt design | 145 | 100 | 3.1 | 4-amp |
| Turbo 4000 | 12-volt nominal | 200 | 100 | 2.5 | 5-amp |
| | 13.6-volt design | 230 | 125 | 2.9 | 5-amp |
| | 24-volt nominal | 200 | 100 | 1.5 | 3-amp |
| | 27.2-volt design | 230 | 125 | 2.0 | 3-amp |

### Turbo 3000 Series

For 3" I.D. ventilation hose. Install with #10 fasteners. Individual carton includes 2 tie straps.

| Model No. | Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Turbo 3000 | Standard, 12-volt, White, 1-year Warranty | **1731-1** | **1731-4** |
| | Water-resistant, 12-volt, White, 3-year Warranty | **1733-1** | **1733-4** |


1731

### Turbo 4000 Series II

Our 4000 Series II blower system matches air flow of existing in-line blowers at a significantly reduced noise level. For added durability, Attwood incorporates an engineered plastic housing that resists deformation during installation and prevents blade to housing interference. For 4" I.D. ventilation hose. Install with #10 fasteners. Individual carton includes two tie straps.

| Model No. | Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Turbo 4000 | Standard, 12-volt, White, 1-year Warranty | **1747-1** | **1747-4** |
| | Water-resistant, 12-volt, White, 3-year Warranty | **1749-1** | **1749-4** |
| | Water-resistant, 24-volt, White, 3-year Warranty | **1751-1** | — |


1747


** In system = 3 ft. of duct with one 90° bend, a collector box and louvered vent on discharge side of blower at 13.6 VDC*
*** -4 = Individual Carton*

# VENTS
# & COLLECTOR BOXES

Attwood hull-mounted vents are designed to install by fastening as a complete unit from either inside or outside the hull. Ventilation hose (not included) twists into the bottom of the box to form a raised water barrier. Plastic vents are corrosion-resistant and will not discolor. All collector boxes and vents are designed for intake or exhaust and meet ABYC H-2 cross sectional area requirements.

## Stainless Steel Louvered Vent

All-welded #304 Stainless Steel construction with polished finish. Install with #8 fasteners. Requires collector box 1487A for 3" system, or 1487B for 4" system.





1488

| For use with Collector Box(es) | Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 1487A, 1487B | 3-1/4" x 10-3/8" | **1488-1** | **1488-5** |

## Collector Boxes

Collector boxes for use with 1488 stainless steel vent. Available with cut-out for two 3" I.D. wire-supported hoses or one 4" I.D. wire-supported hose. Corrosion-resistant plastic.



1487A



1487B

| Description | Depth | Installation Hole Saw Size | For Use with Vent(s) | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|
| For two 3" I.D. hoses | 5-9/16" | 3-5/8" x 10-3/4" | 1488 | **1487A1** | — |
| For one 4" I.D. hose | 5-9/16" | 4-5/8" x 10-3/4" | 1488 | **1487B1** | — |

## Narrow Stainless Steel Louvered Vents

Suitable for installation on any flat or most contoured hulls. Constructed of all-welded #304 Stainless Steel with a polished finish. Vents for use with 3" I.D. ventilation systems, and require a 1343 collector box. Install with #6 fasteners.





1493


1499

| For use with Collector Box | A Depth | Open Hole Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 1343 | 9/16" | 2-1/16" x 15-15/16" | **1493-1** | **1493-5** |
| 1343 | 1/16" | 2-1/16" x 15-15/16" | **1499-1** | **1499-5** |

## Collector Box

For use with narrow stainless steel vents (1493 or 1499), with two 3" I.D. wire-supported ventilation hoses. Corrosion-resistant plastic.



1343

| Description | Depth | Installation Hole Saw Size | For Use with Vent(s) | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|
| For two 3" I.D. hoses | 4-1/16" | 2-7/16" x 16-3/16" | 1493, 1499 | **1343-1** | — |

*** -5 = Poly Bag*

# Venturi Vents

Clean, contemporary, louver design. Corrosion-resistant, paintable ABS plastic. For 3" or 4" I.D. ventilation system. Requires 1341 collector box for 3" system, or 1342 for 4" system. Install with #8 fasteners. Sized for installation even on highly-contoured decks.





| For use with Collector Box | Description | Open Hole Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 1341, 1342 | Chrome | 2" x 15-3/8" | **1494-1** | **1494-5** |
| | Black | 2" x 15-3/8" | **1494A1** | **1494A5** |
| | White | 2" x 15-3/8" | **1494F1** | — |


1494

# Flush Louvered Vents

Canted louvers deflect rain and spray and help conceal the collector box. Installs flush to hull. Drain slots to prevent water accumulation. Black vent is ABS plastic, white vent is ASA plastic. Both are paintable. Install with #8 fasteners. Requires 1341 collector box for 3" system, or 1342 for 4" system.




| For use with Collector Box | Description | Open Hole Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 1341, 1342 | Chrome | 2" x 15-1/4" | **1426-1** | **1426-5** |
| | Black | 2" x 15-1/4" | **1423-1** | **1423-5** |
| | White | 2" x 15-1/4" | **1425-1** | **1425-5** |
| | Off-White | 2" x 15-1/4" | **1424-1** | **1424-5** |


1426

# Collector Boxes

For use with Venturi, Flush Louvered or Trimline Vents. Corrosion-resistant plastic.


| Description | Depth | Installation Hole Saw Size | For Use with Vent(s) | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|
| For two 3" I.D. hoses | 3-7/8" | 2-1/16" x 15-9/16" | 1494, 1423, 1424, 1425, 1426, 1496A | **1341-1** | — |
| For one 4" I.D. hose | 5" | 2-1/8" x 15-5/8" | 1494, 1423, 1424, 1496A | **1342-1** | — |


1341


1342

# Plastic Louvered Vents

Constructed of paintable, corrosion-resistant ABS plastic with no sharp edges. For 3" I.D. ventilation system with 1345 collector box. Install with #8 fasteners.




| For use with Collector Box | Description | Open Hole Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 1345 | Chrome Plated | 2-1/4" x 16" | **1495B1** | **1495B5** |
| | Black | 2-1/4" x 16" | **1495A1** | — |
| | Off-White | 2-1/4" x 16" | **1495-1** | — |


1495B

# Collector Box

For use with plastic louvered vent, with two 3" I.D. wire-supported ventilation hoses. Box fastens to vent with screws or pop rivets, then vent fastens to the deck. Corrosion-resistant plastic.


| Description | Depth | Installation Hole Saw Size | For Use with Vent(s) | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|
| For two 3" I.D. hoses | 4" | 2-7/16" x 16-1/4" | 1495 | **1345-1** | — |


1345

*** -5 = Poly Bag*

# Modular Vents

Modular construction to accommodate any ventilation opening size by interlocking two or more center sections. End sections interlock to the center section for a finished appearance. For 4" I.D. ventilation systems using one or more 1348 collector boxes. End sections have two holes for #8 fasteners.




| Description | Color | Open Hole Size | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|
| Center Sections | Chrome | 2-1/2" x 17-3/4" | **1438-1** | — |
| | White | 2-1/2" x 17-3/4" | **1438F1** | — |
| End Sections | Chrome | 2-1/2" x 17-3/4" | **1439-1** | — |
| | White | 2-1/2" x 17-3/4" | **1439F1** | — |


1438

# Collector Box

For use with modular vents, with 4" I.D. wire-supported ventilation hose. Corrosion-resistant plastic.

| Description | Depth | Installation Hole Saw Size | For Use with Vent(s) | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|
| For two 4" I.D. hoses | 5" | 2-3/4" x 18" | 1438, 1439 | **1348-1** | — |


1348

# Cowl Ventilator

For use with 3" I.D. wire-supported ventilation hose. Flexible hose flange is screwed onto hose, then vent snaps onto the flange. Vent constructed of chrome-plated zinc. Flange is non-corrosive plastic. Installs with #8 fasteners.

| Description | Installation Hole Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 5-5/16" W x 6" L x 2-1/4" H (neck extends 1" below deck) | 3-1/4" x 3-1/2" | **1364A1** | **1364A3** |


1364A1

# Twist-On Hose Flange

For use with 3" I.D. wire-supported ventilation hose. Hose installs from topside by turning the flange into the hose spiral, passing the hose through the deck hole, then mounting ventilator. No hose clamps needed. Corrosion-resistant plastic. Four holes for required #10 fasteners.

| Description | Installation Hole Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Twist-On Hose Flange, Black | 3.5" | **1405-1** | **1405-3** |


1405-1

# Storage Vent

Use to vent lockers and storage areas. Provides over six square inches of ventilation opening. Will not accept a ventilation hose. Corrosion-resistant plastic. Two holes for required #6 fasteners.

| Description | Height | Neck | Flange Dia. | Installation Hole Size | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|---|
| Black | 1-1/16" | 5/8" | 3-3/16" | 3-1/16" to 3-1/8" | **1353-1** | — |
| White | 1-1/16" | 5/8" | 3-3/16" | 3-1/16" to 3-1/8" | **1352-1** | — |


1353

# Clamshell Vent

Provides a seal and splash protection for vent holes, wire and hose openings. Sizes to fit most common applications. Durable 300 series stainless steel construction. Three holes for required #6 fasteners.

### Specifications

| Vent Width | Size | Max Hole Size | Hose/Wire Max Size | Fasteners Size |
|---|---|---|---|---|
| 1-3/16" | 1-9/16" L x 1/2" H | 1" | 7/16" | #6 |
| 2-3/16" | 2-1/4" L x 9/16" H | 1-1/2" | 9/16" | #6 |

| Description | Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Stainless Steel | 1-3/16" | **66399-1** | **66399-3** |
| | 2-3/16" | **66400-1** | **66400-3** |


66400

*** -3= Skin Pack*






CATEGORY OVERVIEW ..... 30-32
SIDELIGHTS ..... 33-42
ALL-ROUND LIGHT OVERVIEW ..... 43
ALL-ROUND PLUG-IN LIGHTS ..... 44-47
PLUG-IN LIGHT BASES ..... 48-50
ALL-ROUND FOLD-DOWN LIGHTS ..... 51-52
ALL-ROUND FIXED LIGHTS ..... 53
ANCHOR/MASTHEAD LIGHTS ..... 54
TRANSOM LIGHTS ..... 55
BATTERY OPERATED LIGHTS ..... 56
DOCKING LIGHTS ..... 57
UNDERWATER LIGHTS ..... 58-60
UTILITY LIGHTS ..... 61-63
LIGHTING ACCESSORIES & REPLACEMENTS ..... 64-66

# LIGHTING


# LIGHTING THE WAY

## Types of Navigation Lights

This section is divided into four basic types of navigation lights, differentiated by lens color, beam angle (horizontal cut-off angle), and location on the boat. All lights are for 12-volt DC applications only. Styles may vary, but the color, cut-off angle, and location must always comply with the following standards:

### Sidelights







**Color:** Red (port) and/or Green (starboard).
**Cut-off:** From dead ahead to 112.5° aft on either side of center line (225° total horiz. arc).
**Mounting:** As far fore as possible.

### All-Round Lights







For boats less than 12 meters (39.4 feet). The white all-round light may be used in lieu of a masthead or transom light.
**Color:** White.
**Cut-off:** Unbroken arc of 360° on the horizon.
**Mounting:** As near to the fore and aft centerline as possible.

### Anchor/Masthead Lights







**Color:** White.
**Cut-off:** Unbroken arc from dead ahead to 112.5° aft on either side of center line (225° total horizontal arc), plus 135° dead astern.
**Mounting:** Placed over the fore and aft centerline.

### Transom Lights






**Color:** White.
**Cut-off:** Unbroken horizontal arc of 67.5° each side dead astern (135° total horizontal arc).
**Mounting:** As far aft as possible.

## Certifications, Codes, and Standards

This section provides you with some general information on the selection and installation of navigation lights for pleasure boats of 20 meters (65.6 feet) or less. For details refer to: ABYC A-16, 72 COLREGS, Inland Navigation Rules, U.S. Code of Federal Regulations Title 33 Part IP, or international regulations. The following Attwood navigation lights are NMMA listed and meet 72 COLREGS as noted.


USCG

This symbol indicates Attwood navigation lighting products that have been certified according to the latest U.S. Coast Guard regulations.

| Model No. | NMMA No. | Meets 72 COLREGS | Meets ISO 19009:2015 |
|---|---|---|---|
| 3100 Series | 91183 | YES | NO |
| 3120 Series | 91185 | YES | NO |
| 3130 Series | 91221 | YES | NO |
| 3150 Series | 91222 | YES | NO |
| 3200 Series | 91520 | YES | NO |
| 3810 | 91186 | YES | NO |
| 3820 | 91223 | YES | NO |
| 3830 Series | 2456658 | YES | NO |
| 3900 Series | 91508 | YES | NO |
| 5040 Series | 91204 | YES | NO |
| 5045 Series | 91102 | YES | NO |
| 5080 Series | 91205 | YES | NO |
| 5085 Series | 91103 | YES | NO |
| 5090 Series | 91104 | YES | NO |
| 5100 Series | 91511 | YES | NO |
| 5300 Series | 91512 | YES | NO |
| 5600 Series | 2528266 | YES | NO |
| 5900 Series | 91518 | YES | NO |
| 5940 Series | 91515 | YES | NO |
| 6356D | 91420 | YES | NO |
| 6358D | 91210 | NO | NO |
| 6368 | 91170 | NO | NO |
| 6375D | 91112 | NO | NO |
| 6383 | 91120 | NO | NO |
| 66314 | 91215 | NO | NO |
| 66318 | 91148 | YES | NO |
| 66319 | 91217 | YES | NO |
| 66320 | 91217 | YES | NO |
| 66382 | 91425 | YES | NO |
| 7100 Series | 91520 | YES | NO |
| 7200 Series | 2456711 | YES | NO |
| 7300 Series | 91300 | YES | NO |
| 7400 Series | 2456711 | YES | NO |
| **LED Lights** | | | |
| 2500 Series | 2515284 | YES | NO |
| NV1002 SERIES (2NM) | 2593399 | YES | YES |
| NV1001 SERIES (1NM) | 2597456 | YES | YES |
| NV1012 SERIES (2NM) | 2593400 | YES | YES |
| NV1011 SERIES (1NM) | 2597457 | YES | YES |
| NV2002 SERIES (2NM) | 2593401 | YES | YES |
| NV2001 SERIES (1NM) | 2597458 | YES | YES |
| NV2012 SERIES (2NM) | 2593402 | YES | YES |
| NV2011 SERIES (1NM) | 2597459 | YES | YES |
| NV3012 SERIES (2NM) | 2593409 | YES | YES |
| NV3011 SERIES (1NM) | 2597462 | YES | YES |
| NV4012 SERIES (2NM) | 2593410 | YES | YES |
| NV4011 SERIES (1NM) | 2597463 | YES | YES |
| NV5012 SERIES (2NM) | 2593411 | YES | YES |
| NV5011 SERIES (1NM) | 2597464 | YES | YES |
| NV0002P (2NM) | 2593407 | YES | YES |
| NV0001P (1NM) | 2597460 | YES | YES |
| NV0002S (2NM) | 2593408 | YES | YES |
| NV0001S (1NM) | 2597461 | YES | YES |
| NV6LC1 SERIES (2NM) | 2593403 | YES | YES |
| NV6LC2 SERIES (2NM) | 2593404 | YES | YES |
| NV6SP1 SERIES (2NM) | 2593405 | YES | YES |
| NV6SP2 SERIES (2NM) | 2593406 | YES | YES |
| 5530 Series | 2459732 | YES | NO |
| 5540 Series | 2459733 | YES | NO |
| 5550 Series | 2459733 | YES | NO |
| 5580 Series | 2501760 | YES | NO |
| 7800 Series | 2459859 | YES | NO |
| 6556 Series | 2459860 | YES | NO |


## Boats at Anchor

When anchored in other than designated areas, any boat under 50 meters (164 ft.) must have a 360° white light in view (a single all-round light, a masthead and transom light, or other means).




## Vertical Separation of Lights

Pole length and location determines light separation. On boats under 12 meters (39.4 feet), the all-round or masthead light must be located a minimum of one meter (39-3/8 inches) above the red-green sidelights. One meter must be the height separation measured from bulb filament centers.





On boats of 12 to 20 meters (39.4 to 65.6 feet), the masthead light must be at least 2.5 meters (8.2 feet) above the gunwale.





## Boats Underway

This section outlines the navigation lighting required according to current U.S. Coast Guard and 72 COLREGS (International Waters) regulations. When underway, the required navigation lights are:




- **Power-driven boats less than 12 meters (39.4 feet) with max. speed over 7 knots:**
  - Sidelight pair or combined-1mile
  - All-Round Light—2 mile or Masthead Light—2 mile with Transom Light—2 mile.




- **Power-driven boats 12 to 20 meters (39.4 to 65.6 feet):**
  - Sidelight pair or combined—2 mile
  - Masthead Light—3 mile and Transom Light—2 mile.
  - All-Round Light may not be used.

- **Sailboats Under Motor Power:**

When under power, sailboats are considered power boats and must operate with power boat lights as previously outlined.



- **Sailboats less than 7 meters (23 feet) under sail:**
  - Sidelight pair or combined-1 mile
  - Transom Light—2 mile
  - Flashlight or lighted lantern.



- **Sailboats 7 to 20 meters (23 to 65.6 feet) under sail:**

***Three different light configurations may be acceptable:***


1. Sidelights & Transom Light.
2. A Sidelight & Transom Light combined in one light (a Tri-Color Light) mounted at or near top of mast.
3. Sidelights & Transom Light, or two All-Round Lights, mounted at or near the top of the mast, the upper light being red and the lower green.


- **Small, Oar-Driven Boats:**
  - Sidelight pair or combined—1 mile
  - Transom Light—2 mile
  - Flashlight or lighted lantern.
  - Various other light requirements are outlined in the standards regarding towing, vessels aground, and other special conditions.
  - Consult the Inland Navigation Rules, 72 COLREGS, or USCG for details.

# WHY ATTWOOD LED?

## A New Level of Efficiency

Through the use of proprietary optical design techniques, we've optimized our lens design to harness nearly 90% of all light being generated by the LED. In doing so, our line of LED series navigational lights exceed U.S. Coast Guard requirements with the fewest and lowest watt LEDs of any navigational light manufactured today. Less energy used by navigational lighting means more energy available for powering your boat and enjoying time on the water.




## Engineered to Last

As the emerging leader in marine lighting design, Attwood understands the demands of the marine environment. Completely sealed LED units resist water intrusion, electrostatic discharge (during assembly), vibration and ultraviolet light (UV) radiation. Reverse polarity protection has been added to eliminate potential mis-wiring damage during installation. Our LED navigational lighting also features high-quality, electro-polished stainless steel covers designed to resist corrosion in even the most extreme saltwater environments. The result? Style and durability. Most importantly, Attwood lights are built to stand the test of time. Rated for 50,000+ hours of use, you can count on Attwood products to light your way for years to come.

## Ready for the Global Market

- EN/ISO 19009:2015
- ABYC A-16
- 1975 COLREGS
- RCD 2013/53/EU
- USG 33 CFR

## LED Light Engine

Positioned and sealed inside a lens assembly, the "light engine" serves as the equivalent of an LED (Light Emitting Diode). It can be easily customized to meet the needs of a builder in terms of attachment scheme and overall dimensions.



# SIDELIGHTS

## LIGHTARMOR™ new
## LED LIGHTS: 1-MILE / 2-MILE

## LightArmor Navigation Lights

New LightArmor Navigation Lights have all the characteristics that signifies the premium LightArmor brand: top-quality materials, robust construction, durability, and sleek design.

- Meets today's global regulatory requirements, including EN/ISO 19009:2015
- Proprietary modular LED light engine technology
- Design flexibility and ease of installation

USCG


NV1012SS


NV1002SS

## LIGHTARMOR™ Deck Mount Lights

### 1-Mile Lights
For use on boats up to 39.4 ft (12 m) in length.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| **STAINLESS STEEL** | | |
| 1-NM, Oval, Bi-Color | **NV1001SS-1** | — |
| 1-NM, Oval, Red/Green, Pair Sidelights | **NV1011SS-1** | — |
| 1-NM, Round, Bi-Color | **NV2001SS-1** | — |
| 1-NM, Round, Red/Green, Pair Sidelights | **NV2011SS-1** | — |
| **BLACK COMPOSITE** | | |
| 1-NM, Oval, Bi-Color | **NV1001PB-1** | — |
| 1-NM, Oval, Red/Green, Pair Sidelights | **NV1011PB-1** | — |
| 1-NM, Round, Bi-Color | **NV2001PB-1** | — |
| 1-NM, Round, Red/Green, Pair Sidelights | **NV2011PB-1** | — |


NV2012PB

### 2-Mile Lights
For use on boats up to 65.6 ft (20 m) in length.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| **STAINLESS STEEL** | | |
| 2-NM, Oval, Bi-Color | **NV1002SS-1** | — |
| 2-NM, Oval, Red/Green, Pair Sidelights | **NV1012SS-1** | — |
| 2-NM, Round, Bi-Color | **NV2002SS-1** | **NV2002SS-7** |
| 2-NM, Round, Red/Green, Pair Sidelights | **NV2012SS-1** | **NV2012SSR-7 / NV2012SSG-7** |
| **BLACK COMPOSITE** | | |
| 2-NM, Oval, Bi-Color | **NV1002PB-1** | — |
| 2-NM, Oval, Red/Green, Pair Sidelights | **NV1012PB-1** | — |
| 2-NM, Round, Bi-Color | **NV2002PB-1** | **NV2002PB-7** |
| 2-NM, Round, Red/Green, Pair Sidelights | **NV2012PB-1** | **NV2012PBG-7 / NV2012PBR-7** |


NV1002PB

## LIGHTARMOR™ Vertical Mount Lights

### 1-Mile Lights
For use on boats up to 39.4 ft (12 m) in length.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| **STAINLESS STEEL** | | |
| 1-NM, Round, Red/Green Pair | **NV3011SS-1** | — |

### 2-Mile Lights
For use on boats up to 65.6 ft (20 m) in length.


| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| **STAINLESS STEEL** | | |
| 2-NM, Red/Green Pair | **NV3012SS-1** | **NV3012SSG-7 / NV3012SSR-7*** |
| 2-NM, Red/Green Pair | **NV4012SS-1** | **NV4012SSG-7 / NV4012SSR-7*** |
| 2-NM, Red/Green Pair | **NV5012SS-1** | — |
| **BLACK COMPOSITE** | | |
| 2-NM, Red/Green Pair | **NV5012PB-1** | — |



NV3012SS


NV4012SS


NV5012PB


# QUASAR 3100 SERIES
# 2-MILE SIDELIGHTS






Quasar lights are intelligently designed for easier installation, maintenance, and efficient light output. For use on boats up to 65.6 ft. (20 meters).

- Smooth contour prevents lines from snagging on housing
- Available in a variety of finishes
- Lens resin color (red/green) tuned to maximum sensitivity of the human eye for optimum visibility
- Single external stainless steel lock screw attaches cover to base, permits easy disassembly for servicing
- Stainless steel electrical contacts will not corrode
- Attaches directly to deck with concealed #10 fasteners – or to one of the Sidelight Snap-On Bases (3300 Series)
- 1/4-inch stainless steel contacts or 7-inch hard wire leads for connection to 12-volt DC power supply
- Includes 8-watt festoon bulb




## Bi-Color Combination, Deck Mount

2 NM USCG

2-mile, 225° light visibility.

| Description | Socket | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Black | 1/4" quick connect | **3100-1** | — |
| | 7" wire lead | **3120-1** | **3120-7** |
| White | 1/4" quick connect | **3101-1** | — |
| | 7" wire lead | **3121-1** | **3121-7** |
| HIPP / Chrome (Black Base) | 1/4" quick connect | **3103-1** | — |
| | 7" wire lead | **3123-1** | **3123-7** |


3120

## Red/Green Pair, Deck Mount


2 NM USCG

Each light provides 2-mile, 112.5° light visibility. Works well with 1/4-inch Quick-Connect Snap-on Base to speed installation.

| Description | Socket | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Black | 1/4" quick connect | **3130-1** | — |
| | 7" wire lead | **3150-1** | **3150R7 / 3150G7*** |
| White | 1/4" quick connect | **3131-1** | — |
| | 7" wire lead | **3151-1** | — |
| HIPP / Chrome (Black Base) | 1/4" quick connect | **3133-1** | — |
| | 7" wire lead | **3153-1** | **3153R7 / 3153G7*** |
| Cream | 1/4" quick connect | **3134-1** | — |



3150R



3150G


Attwood Quick-Connect Snap-on Base

# PULSAR 5040 SERIES
# 1-MILE SIDELIGHTS

## Bi-Color Combination, Deck Mount






Bayonet lock design secures lens and cover to base. Includes a 9-Watt (#906) wedge base lamp and 7-inch wire leads for connection to 12-volt DC power supply. Installs directly to deck with two #10 fasteners. Cover and lens conceal installation fasteners and seal water out of lamp and hull. For use on boats up to 39.4 ft. (12 meters). 1-mile, 225° light visibility.

1 NM USCG

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Black | **5045-1** | **5045-7** |
| Stainless Steel | **5045SS1** | **5045SS7** |



5045

5045SS

## Red/Green Pair, Deck Mount

Each light provides 1-mile, 112.5° light visibility. Includes a 9-Watt (#906) wedge base lamp.

1 NM USCG


| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Black | **5040-1** | **5040R7 / 5040G7*** |
| Stainless Steel | **5040SS1** | — |



5040

5040SS1

## Red/Green Pair, Raised Base




Ideal for use where light must be elevated for visibility above rails and carpeting. Notch in rear of mounting base provides passage for wire leads. Each light provides 1-mile, 112.5° light visibility. For use on boats up to 39.4 ft. (12 meters). Two pre-drilled holes for required #10 fasteners. Includes a 9-Watt (#906) wedge base lamp.

1 NM USCG

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Black | — | **5080R7 / 5080G7*** |




5080G

5080R


*† Red/Green Sidelights packaged separately for aftermarket.*
*** -7 = Clamshell*


# STAINLESS STEEL
## 3800 SERIES
## 2-MILE SIDELIGHTS



Attwood's 2-Mile Stainless Steel Sidelights are made with a rugged 316 stainless steel cover for outstanding resistance to impact and corrosion. For use on boats up to 65.6 ft. (20 meters).

- Smooth contour prevent lines from snagging on housing
- A single external stainless steel lock screw attaches cover to base, permits easy disassembly for servicing
- Stainless steel electrical contacts will not corrode
- Cover design and integral gasket seal out water and make installation and maintenance simple
- Includes efficient, high-output 10-watt bayonet lamp
- Tinned 7-inch wire leads make it easier to make a permanent, corrosion-resistant connection
- Compact size allows installation on confined decks




## Bi-Color Combination, Deck Mount

2 NM USCG

2-mile, 225° light visibility.

| Description | Rated Voltage | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Stainless Steel | 12-volts | **3810-1** | **3810-7** |



3810

## Red/Green Pair, Deck Mount

2 NM USCG

Each light provides 2-mile, 112.5° light visibility.*

| Description | Rated Voltage | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Stainless Steel | 12-volts | **3820-1** | **3820R7 / 3820G7*** |
| | 24-volts | **3821-1** | — |




3820G



3820R

** Red/Green Sidelights packaged separately for aftermarket.*
*** -7 = Clamshell*

# VERTICAL MOUNT
## 3800 SERIES
## 2-MILE SIDELIGHTS





**Visibility, Style, and Durability**
- Clean, contoured shape blends into hull making the light less noticeable and providing an integrated look with the boat
- Choice of cover colors includes: black, white, or 316 stainless steel
- Rugged stainless steel internal components for corrosion-free performance
- 2-mile output for boats to 20 meters (65.6 ft.)
- Tinned 7-inch wire leads make a permanent, corrosion-resistant connection


**Contoured Styling**
Matches the 3800 Series 2-Mile Horizontal Mount Sidelights. Provides builders with a family styling for navigation lights between different model offerings.


**Durable Construction**
The one-piece lens and full-perimeter gasket design make the light virtually waterproof when properly installed. Durable plastic or stainless steel helmet provides rugged protection to the lens and lamp. Internal electrical contacts are stainless steel, so corrosion is not a problem–even in saltwater.

**Simple Installation, Small Footprint**
Just remove one screw to detach the helmet, and install the base directly to vertical surfaces. Small size makes it simple to install in confined areas. Typical Installation requires: (3) #10 stainless steel screws of length suitable for deck material.




# Red/Green Sidelights, Pair

2 NM
USCG

Each light provides 2-mile, 112.5° light visibility.*

| Description | Rated Voltage | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Black Plastic | 12-volts | **3830-1** | **3830R7 / 3830G7** |
| | 24-volts | **3831-1** | — |
| White Plastic | 12-volts | **3834-1** | **3834R7 / 3834G7** |
| | 24-volts | **3835-1** | — |
| Stainless Steel | 12-volts | **3838-1** | **3838R7 / 3838G7** |


3830R7 / 3830G7



3838R7 / 3838G7



3834R7 / 3834G7


** Red/Green Sidelights packaged separately for aftermarket.*
*** -7 = Clamshell*

# STAINLESS STEEL
## 66000 SERIES
## 1-MILE SIDELIGHTS

Constructed of corrosion-resistant 304 stainless steel, these lights provide 1-mile visibility for power boats up to 39.4 ft. (12 meters). Lights include rubber gasket lens seal for enhanced internal corrosion resistance. Includes one 7.5-watt lamp. For connection to 12-volt DC power supply.






## Bi-Color Combination, Deck Mount

Installs with three #6 mounting fasteners (not included). Provides 1-mile, 225° light visibility.


66318


| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Stainless Steel | **66318-1** | **66318-7** |

1 NM USCG

## Red/Green Pair, Deck Mount

Installs with three #6 mounting fasteners (not included). Each light provides 1-mile, 112.5° light visibility.*


66319R



66319G

| Description | Socket | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Stainless Steel | 7" wire lead | **66319-1** | **66319R7 / 66319G7*** |
| | 1/4" quick connect | **66320-1** | — |

1 NM USCG

** Red/Green Sidelights packaged separately for aftermarket.*
*** -7 = Clamshell*

# ZAMAK
## 63000 SERIES
## 1-MILE SIDELIGHTS



These die-cast ZAMAK sidelights with Perma-Plate® finish provide 1-mile visibility for power boats up to 39.4 ft. (12 meters). Mounts on decks or gunwales with external screws. Includes 7.5-watt lamp and 7-inch hard wire leads for 12-volt DC electrical connection.

## Bi-Color Combination, Deck Mount

Housing completely encases socket. Installs with two #8 fasteners (not included). Provides 1-mile, 225° light visibility.


| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Chrome-Plated ZAMAK | — | **6375D6** |



6375D6

** -6 = Blister, -7 = Clamshell

# POLE-MOUNTED PLUG-IN SIDELIGHTS new



## LIGHTARMOR™ Bi-Color Navigation Pole Lights

New LightArmor Stowaway Pole Lights have all the characteristics that signifies the premium LightArmor brand: top-quality materials, robust construction, durability, and sleek design. Available with task light option.

- Meets today's global regulatory requirements, including EN/ISO 19009:2015
- Proprietary modular LED light engine technology
- 2-mile visibility
- Design flexibility and ease of installation

*NOTE: locking collar design is compatible only with LightArmor Plug-In Bases*




**LightArmor Bi-Color Pole Lights**

| Series | Use with Light Base |
|---|---|
| NV6 | 910R2, 901V2, 910T2, 2520*, 911339*, 911370*, 911445* |

**LightArmor Bi-Color Pole Lights with Task Light**

| Series | Use with Light Base |
|---|---|
| NV6 | 910R3, 901V3, 910T3, 2530* |

** When locking collar is removed.*

2 NM USCG







LIGHTARMOR Plug-In Bases
See pages 48-49

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2-Pin, Locking | 10" Straight | **NV6LC1-10-1** | — |
| | 12" Straight | **NV6LC1-12-1** | — |
| | 14" Straight | **NV6LC1-14-1** | **NV6LC1-14-7** |
| | 16" Straight | **NV6LC1-16-1** | — |
| | 10" Angled | — | **NV6LC1-10A7** |
| | 14" Angled | — | **NV6LC1-14A7** |
| 2-Pin, Standard | 10" Straight | **NV6SP1-10-1** | — |
| | 12" Straight | **NV6SP1-12-1** | — |
| | 14" Straight | **NV6SP1-14-1** | — |
| | 16" Straight | **NV6SP1-16-1** | — |
| 3-Pin, Locking with Task | 10" Straight | **NV6LC2-10-1** | **NV6LC2-10-7** |
| | 14" Straight | **NV6LC2-14-1** | **NV6LC2-14-7** |
| 3-Pin, Standard with Task | 10" Straight | **NV6SP2-10-1** | — |
| | 14" Straight | **NV6SP2-14-1** | — |

# PULSAR 5090 SERIES
# 1-MILE SIDELIGHTS



Attwood offers a variety of durable, stowaway, combination pole-mounted sidelights for bow mounting. Each features an anodized aluminum pole that raises the light head for visibility above trolling motors, anchors, or other equipment on the bow. When not in use, lights can be removed from base and stowed, so they won't interfere with fishing or anchoring. *Black pole option available upon request.*

## Bi-Color Stowaway

1-mile, 225° light visibility for boats up to 39.4 ft. (12 meters). Includes 9-watt wedge base lamp.

| Series | Use with Light Base |
|---|---|
| **5091, 5092, 5097** | 910R2, 901V2, 910T2, 2520*, 911339*, 911370*, 911445* |


** When locking collar is removed.*

1 NM USCG

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2-Pin Locking-Collar Pole | 8" Straight | **5092-8T1** | — |
| | 10" Straight | **5092-10T1** | **5092-10-7** |
| | 12" Straight | **5092-12T1** | — |
| | 12" Straight, Black | **5092-12TB1** | — |
| | 14" Straight | **5092-14T1** | **5092-14-7** |
| | 14" Straight, Black | **5092-14TB1** | — |
| | 16" Straight | **5092-16T1** | — |
| | 16" Straight, Black | **5092-16TB1** | — |
| | 20" Straight | **5092-20T1** | — |
| 2-Pin Standard Pole | 10" Straight | **5097-10-1** | — |
| | 10" Angled | **5091-10-1** | **5091-10-7** |
| | 12" Angled, Black | **5091-12B1** | — |
| | 12" Angled | **5091-12-1** | — |
| | 14" Straight | **5097-14-1** | **5091-14-7** |
| | 19" Angled | **5091-19-1** | — |




## Bi-Color Stowaway with Task Light



Based on the same great design of the original Pulsar™ Bi-Color Pole Light, the Task Light also gives you a narrow beam work light. It features a durable rubber "push-on" switch and a micro bulb. Attwood's Task Light output is ten times brighter than competitive models, giving today's fishermen the tools they need for serious nighttime fishing.

Provides one-mile, 225° bi-color (red/green) light visibility for boats up to 39.4 ft. (12 meters). Lamps included: 9-watt wedge-base lamp for navigation and separately-wired 5,000 hour, non-replaceable task light lamp.

| Series | Use with Light Base |
|---|---|
| **5095** | 910R3, 901V3, 910T3, 2530* |

** When locking collar is removed.*

1 NM USCG


| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 3-Pin Locking-Collar Pole | 10" Straight | **5095-10T1** | **5095-10-7** |
| | 14" Straight | **5095-14T1** | — |
| 3-Pin Standard Pole | 10" Straight | **5098-10-1** | — |
| | 14" Straight | **5098-14-1** | — |





** Red/Green Sidelights packaged separately for aftermarket.*
*** -7 = Clamshell*


# 2500 SERIES
## HORN & LIGHT BASE

Ideal solution for today's fishing boat market. Combining both horn and light base components into one integrated module, Attwood's assembly is compact, robust, and easy to install. The acoustic technology provides a louder, more effective, and higher quality sounding product than current industry offerings. Attwood's patent pending water management system efficiently controls water inrush and eliminates the need for a sound reducing cloth at the horn mouth.




### Exceptional Sound Quality





### Durable

- Stainless mesh won't tear or puncture like cloth fabric.
- Water management system prevents common horn failures.
- Rubber base cover is flexible to avoid damage if kicked or stepped on.
- Withstands 2500 lb. standing load.
- Horn uses a make/break disc diaphram to produce a quality tone (The main competitor uses a piezoelectric horn to produce a buzzer sound).




### 2500 Series Horn & Light Base with Suggested Attwood Pole Lights

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| **HORN & LIGHT BASE** | | | |
| 2-Wire | — | **2520-1** | — |
| 3-Wire | — | **2530-1** | — |
| **SUGGESTED ATTWOOD POLE LIGHTS** | | | |
| 2-Pin, Standard Pole | 10" Straight | **NV6SP1-10-1** | — |
| | 12" Straight | **NV6SP1-12-1** | — |
| | 14" Straight | **NV6SP1-14-1** | — |
| | 16" Straight | **NV6SP1-16-1** | — |
| 3-Pin, Standard with Task | 10" Straight | **NV6SP2-10-1** | — |
| | 14" Straight | **NV6SP2-14-1** | — |
| 2-Pin, Standard Incandescent | 10" Straight | **5097-10-1** | — |

# PLUG-IN ALL-ROUND LIGHT OVERVIEW

Attwood offers a selection of durable, stowaway, pole-mounted lights. Plug-in pole lights are available in socket styles to fit most Attwood's 2- and 3-pin bases, and competitive brands of bases when the 2- or 3-pin locking-collar pole is specified.

## POLE LIGHT SELECTION


Simply choose the style of light head and lens you need and select the pole style to fit your existing base. Or select a matching base best suited to your installation location. *Black pole option available upon request.*




### LOCKING-COLLAR POLE WITH UNIVERSAL FIT

Locking-collar poles offer universal fit allowing customers to use them with a wide variety of Attwood 2- and 3-pin straight or angled bases. They also work as replacements in competitive bases, including Perko® brand bases.

OR





### STANDARD POLE

Standard pole is used on Attwood all-round, masthead, transom, and bi-color pole lights. Fits all Attwood standard (non-locking-collar) 2- and 3-pin contact bases.

## 2-MILE ALL-ROUND LIGHTS



Attwood all-round lights offer 2-mile, 360° visibility and are suitable on boats up to 39.4 feet (12 meters). Power vessels less than 39.4 feet may show a single all-round light in lieu of a separate masthead and stern light. Attwood all-round lights are available in a variety of head, pole, and base styles to fit most boats and installation locations. On boats under 12 meters, the all-round light is the most important navigation light because it can be seen by others from any direction.





## ■ LED ANTI-GLARE
## ■ ANTI-GLARE LIGHTS
## ■ FROSTED GLOBE LIGHTS

Attwood offers a choice of all-round lights — Anti-Glare and Frosted Globe. Select the head, pole, and, base style that best suit your installation location and eliminate driver glare.


**Traditional and LED Anti-Glare Lights**

Attwood's Anti-Glare All-Round light goes beyond current regulations to reduce the danger of on-board glare. The precision lens focuses the light beam to the horizon where it's needed–360° without diffusion–keeping it out of the driver's field of view. It allows the operator to see while being sure the boat is seen.The bottom aperture eliminates glare by cutting off the light beam at 7.5° below horizontal, so it's out of the driver's view. Above horizontal, the lens shines a continuous arc of light–allowing improved visibility even when the boat is pitching in rolling seas.The Articulating Anti-Glare Light makes it even easier to eliminate glare. The patented articulating head adjusts from 15° fore to 15° aft to fit all base angles and typical deck installations.




**Frosted Globe Lights**

Attwood's standard Frosted Globe All-Round light is also available. Offering 360° visibility.




**One-Meter Regulation**

All-round light must be a minimum of one meter (39-3/8") above the red/green sidelights on boats under 12 meters (39.4 ft.). One meter must be the height separation measured from bulb filament centers.

**Note:** Frosted globe pole lights may be used with straight and angled bases. Unarticulated anti-glare pole lights must be selected to match the appropriate straight or angled base.



LIGHTARMOR™ Articulating LED Anti-Glare | Articulating Anti-Glare | Frosted Globe

*Perko® is a registered trademark of Perko, Inc.*

# LIGHTARMOR™ All-Round Articulating Light

- USCG certified. Provides 2-mile 360º visibility for boats up to 39.4 ft (12m)
- LightArmor™ All-Round navigation engine
- 30% lighter than earlier Attwood all-round lights
- Exclusive condensation management increases visibility
- Exclusive anti-glare engine preserves night vision
- Shock-, corrosion-, and water-proof electronics
- Durable, anodized aluminum pole
- Articulating head for use in all applications
- Strong locking-collar secures light in harsh marine conditions
- Standard 2-pin
- Compatible with Attwood and popular bases
- Operating range = 10.5 VDC - 14.4 VDC
- Over 50,000 hour life
- 10-year warranty

| Series | Use with Light Base |
|---|---|
| **5530** | 910R2, 901V2, 910T2, 2520*, 911339*, 911370*, 911445* |

** When locking-collar is removed.*

2 NM USCG

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2-Pin Locking-Collar Pole | 12" | **5530-12T1** | — |
| | 24" | — | **5530-24A7** |
| | 36" | — | **5530-36A7** |
| | 42" | **5530-42T1** | **5530-42A7** |
| | 48" | **5530-48T1** | **5530-48A7** |
| | 54" | **5530-54T1** | **5530-54A7** |
| | 54", Black | **5530-54TB1** | — |
| | 60" | **5530-60T1** | **5530-60A7** |
| | 66" | **5530-66T1** | — |
| | 72" | **5530-72T1** | — |







# LIGHTARMOR™ All-Round Folding Pole Light

- USCG certified.Provide 2-mile, 360° visibility for boats up to 39.4 feet (12 m)
- LightArmor™ All-Round navigation engine
- 30% lighter than earlier Attwood all-round lights
- Exclusive condensation management increases visibility
- Exclusive anti-glare engine preserves night vision
- Shock-, corrosion-, and water-proof electronics
- Durable, anodized aluminum pole
- Standard 2-pin
- Compatible with Attwood and popular bases
- Operating range = 10.5 VDC - 14.4 VDC
- Over 50,000 hour life
- 10-year warranty

| Series | Use with Light Base |
|---|---|
| **5540, 5570** | 910R2, 901V2, 910T2, 2520*, 911339*, 911370*, 911445* |

** When locking-collar is removed.*

2 NM USCG

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2-Pin Locking-Collar Pole | 54" | **5540-54T1** | **5540-54A7** |
| | 60" | **5540-60T1** | — |
| | 72" | **5540-72T1** | — |
| | 84" | **5540-72T1** | — |
| 2-Pin Standard Pole | 54" | **5570-54-1** | — |
| | 60" | **5570-60-1** | — |
| | 72" | **5570-72-1** | — |
| | 84" | **5570-84-1** | — |










*** -1 = UPC/Product Label, -7 = Clamshell*

# All-Round Folding Pole Light

All-round lights must be at least one meter above sidelights, which requires a longer pole light that is difficult to store for some boats. Attwood's All-Round Folding Pole light solves this problem. It has all the features of the patented Articulating Anti-Glare Light, plus one great advantage — the removable pole folds in half for easy storage.

The mid-point hinge is a corrosion-resistant, glass-filled composite. Wiring is sheathed at the hinge for trouble-free operation.



Collar Holds Halves Together When Folded

Mid-Point Hinge

Pole Extended



5340

| Series | Use with Light Base |
|---|---|
| **5340** | 910R2, 901V2, 910T2, 2520*<br>911339*, 911370*, 911445* |

** When locking-collar is removed.*

2 NM USCG

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2-Pin Locking-Collar Pole | 42" | **5340-42T1** | — |
| | 48" | **5340-48T1** | **5340-48-7** |
| | 54" | **5340-54T1** | **5340-54-7** |
| | 60" | **5340-60T1** | — |
| | 64" | **5340-64T1** | — |
| | 72" | **5340-72T1** | — |
| | 84" | **5340-84T** | — |



OEM Threaded Locking Collar

Aftermarket Dual Locking Collar

# All-Round Articulating Anti-Glare Light

Attwood's Anti-Glare lights are a great improvement over conventional all-round lights. They focus light at the horizon and above, not in the driver's eyes.

The bottom aperture reduces glare at 7.5° below horizontal. Above horizontal, the lens shines a continuous arc of light in rolling seas. The patented articulating head adjusts from 15° forward to 15° aft. Simply align the lens to the horizon and tighten the adjustment screw. Makes the boat more visible to taller craft such as freighters and commercial vessels.

The All-Round Articulating Anti-Glare Light simplifies inventory for builders and retailers, since one light fits most angles and installations. The locking-collar pole allows installation in 95% of existing bases — Attwood models as well as competitive bases such as Perko® brand, which simplifies installation for consumers.

*Perko® is a registered trademark of Perko, Inc.*



5330

Controlled light beam shines above horizon to increase visibility to taller craft.

Bottom aperture cuts off light beam at 7.5° below horizontal to reduce glare in driver's eyes.

Stainless steel adjustment screw with stainless steel threaded insert.

May be used in straight or angled pole light bases, mounted on flat or angled deck surfaces.

Patented articulating head adjusts from 15° fore to 15° aft to fit all base angles and typical deck installations.

| Series | Use with Light Base |
|---|---|
| **5330** | 910R2, 901V2, 910T2, 2520*<br>911339*, 911370*, 911445* |

** When locking-collar is removed.*

2 NM USCG

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2-Pin Locking-Collar Pole | 42" | **5330-42T1** | **5330-42-7** |
| | 48" | **5330-48T1** | **5330-48-7** |
| | 54" | **5330-54T1** | — |
| | 60" | **5330-60T1** | — |
| | 72" | **5330-72T1** | — |



OEM Threaded Locking Collar

Aftermarket Dual Locking Collar

*** -7 = Clamshell*

# All-Round Anti-Glare Light, Straight Pole

Anti-glare lens focuses light beam to reduce glare in driver's eyes. Straight Pole with locking-collar is adaptable to most 90° competitive bases. 9-watt wedge-base lamp is commonly available in auto, marine, and convenience stores.

| Series | Use with Light Base |
|---|---|
| **5320** | 910R2, 901V2, 910T2, 2520*<br>911339*, 911370*, 911445* |


** When locking-collar is removed.*

2 NM USCG

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2-Pin Locking-Collar Pole | 11" | **5320-11T1** | — |
| | 20" | **5320-20T1** | — |
| | 42" | **5320-42T1** | — |
| | 48" | **5320-48T1** | — |
| | 54" | **5320-54T1** | — |
| | 60" | **5320-60T1** | — |
| | 60", Black | **5320-60TB1** | — |
| | 62" | **5320-62T1** | — |
| | 72" | **5320-72T1** | — |




# All-Round Anti-Glare Light, Angled Pole





Angled (12°) pole model features either a locking-collar or a standard Attwood 2-pin pole. Poles are constructed of 3/4-inch diameter aluminum. Lens threads off for easy lamp replacement. Includes commonly available 9-watt wedge-base lamp.

| Series | Use with Light Base |
|---|---|
| **5300, 5310** | 910R2, 901V2, 910T2, 2520*<br>911339*, 911370*, 911445* |

** When locking collar is removed.*

2 NM USCG

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2-Pin Locking-Collar Pole | 48" | **5310-48T1** | — |
| | 48", Black | **5310-48TB1** | — |
| | 54" | **5310-54T1** | — |
| | 54", Black | **5310-54TB1** | — |
| | 60" | **5310-60T1** | — |
| | 60", Black | **5310-60TB1** | — |
| | 66" | **5310-66T1** | — |
| | 72" | **5310-72T1** | — |
| 2-Pin Standard Pole | 48" | **5300-48-1** | — |
| | 54" | **5300-54-1** | — |
| | 54", Black | **5300-54B1** | — |
| | 60" | **5300-60-1** | — |
| | 72" | **5300-72-1** | — |




*** -7 = Clamshell*

# All-Round Frosted Globe Light

Provides 2-mile, 360º illumination for boats up to 65.6 ft. (20 m). Includes 9-watt wedge-base lamp.

| Series | Use with Light Base |
|---|---|
| **5100, 5110** | 910R2, 901V2, 910T2, 2520*<br>911339*, 911370*, 911445* |

** When locking collar is removed.*

2 NM USCG

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2-Pin Locking-Collar Pole | 24" | — | **5110-24-7** |
| | 30" | — | **5110-30-7** |
| | 36" | — | **5110-36-7** |
| | 42" | **5110-42T1** | **5110-42-7** |
| | 48" | **5110-48T1** | **5110-48-7** |
| | 54" | — | **5110-54-7** |
| 2-Pin Standard Pole | 24" | **5100-24-1** | — |
| | 30" | **5100-30-1** | — |
| | 36" | **5100-36-1** | — |
| | 42" | **5100-42-1** | — |
| | 48" | **5100-48-1** | — |
| | 54" | **5100-54-1** | — |
| | 60" | **5100-60-1** | — |




# Telescoping Pole Light

Stores easily in less space than a conventional All-Around light and can be removed quickly from any Attwood pole light base. Aluminum pole telescopes from 26-inches to 42-inches. Provides 2-mile, 360º illumination for boats up to 65.6 ft. (20 m). Includes 12-watt lamp.

2 NM USCG

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Telescoping Pole Lights | 26" - 42" | — | **5610-48-7** |




# Stowaway Light with Plug-In Base

Swivel cover on base protects the socket when light is stowed. Base extends just 3-inches below deck. 4-inch L x 1-5/8-inch W x 1-3/8 inch-dia. Provides 2-mile, 360º illumination for boats up to 65.6 ft. (20 m). Includes 911339 base and 9-watt wedge-base lamp. Three countersunk holes for #10 fasteners.

2 NM USCG

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2-Pin Standard Pole with 911339 Base | 24" | — | **7100A7** |
| | 30" | — | **7100B7** |
| | 36" | — | **7100C7** |

# Telescoping Pole Light with ZAMAK Base

For older-style boats, this light features a die-cast ZAMAK base with locking knob that allows pole to be lowered to the gunwale when not in use. Provides 2-mile, 360º illumination for boats up to 65.6 ft. (20 m). Includes a 9-watt wedge-base lamp. Has three countersunk holes for #10 fasteners.

**Note:** Adequate clearance is required below deck for pole when lowered.

2 NM USCG

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 1" W x 4-1/2" D, 7/8"-diameter | 24" | — | **7101A7** |
| | 30" | — | **7101B7** |




*** -7 = Clamshell*

# LIGHTARMOR™ new
# PLUG-IN BASES

LIGHT ARMOR Plug-In Light Bases are designed for premium performance, durability, and attractive styling that helps them stand out. This combination of intelligent design and engineering make them worthy of the Light Armor name.

**They're a Sure Fit**
The threaded design feature fits perfectly with the threaded locking collar now offered across the entire line of Attwood pole lights. This unique system ensures a tight and secure fit that prevents annoying rattling while underway or trailering.

**Plenty of Style Choices**
The upgraded styling and appearance comes in three popular shapes and a range of material finishes, including Composite, 306 Stainless Steel, and Stainless Steel Overmold, that are sure to appeal to everyone.

**Other Key Features**
- Unique cover design ensures that the cover stays in place
- Low-profile prevents water from pooling on the top surface
- 2-and 3-pin options




**910V SERIES: RECTANGLE** | **910R SERIES: ROUND** | **910T SERIES: TEARDROP**

***Aftermarket packaging includes an OEM Threaded Locking Collar to retrofit existing pole lights.***



## LIGHTARMOR™ new
## 910V Series Rectangle Base

Classic rectangle design is available in Black Composite and 316 Stainless Steel.

| Light Base | Use with Pole Light |
|---|---|
| **910V2** | **Frosted Globe:** 5110 Series<br>**Anti-Glare:** 5310, 5320, 5330, and 5340 Series<br>**LED Anti-Glare:** 5530 and 5540 Series<br>**Bi-Color:** NV6LC1, 5092, and 5091 Series |
| **910V3** | **Bi-Color:** NV6LC2 and 5095 Series |

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| **2-PIN LIGHT BASE** | | |
| Black Composite Cover | **910V2PB-1** | **910V2PB-7** |
| 316 Stainless Steel | **910V2SS-1** | **910V2SS-7** |
| **3-PIN LIGHT BASE** | | |
| Black Composite Cover | **910V3PB-1** | **910V3PB-7** |
| 316 Stainless Steel | **910V3SS-1** | **910V3SS-7** |







** -6 = Blister*

# LIGHTARMOR™
# 910R Series Round Base

Round base is available in Black Composite, 316 Stainless Steel, and 306 Stainless Steel Overmold (black and white).

| Light Base | Use with Pole Light |
|---|---|
| **910R2** | **Frosted Globe:** 5110 Series<br>**Anti-Glare:** 5310, 5320, 5330, and 5340 Series<br>**LED Anti-Glare:** 5530 and 5540 Series<br>**Bi-Color:** NV6LC1, 5092, and 5091 Series |
| **910R3** | **Bi-Color:** NV6LC2 and 5095 Series |




| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| **2-PIN LIGHT BASE** | | |
| Black Composite Cover | **910R2PB-1** | **910R2PB-7** |
| 316 Stainless Steel | **910R2SS-1** | — |
| Overmold 306 Stainless Steel Black Cover | **910R2PSB-1** | **910R2PSB-7** |
| Overmold 306 Stainless Steel White Cover | **910R2PSW-1** | — |
| **3-PIN LIGHT BASE** | | |
| Black Composite Cover | **910R3PB-1** | **910R3PB-7** |
| 316 Stainless Steel | **910R3SS-1** | — |
| Overmold 306 Stainless Steel Black Cover | **910R3PSB-1** | **910R3PSB-7** |
| Overmold 306 Stainless Steel White Cover | **910R3PSW-1** | — |

# LIGHTARMOR™
# 910T Series Teardrop Base

Elegant teardrop base is available in Black Composite, 316 Stainless Steel, and 306 Stainless Steel Overmold (black and white).

| Light Base | Use with Pole Light |
|---|---|
| **910T2** | **Frosted Globe:** 5110 Series<br>**Anti-Glare:** 5310, 5320, 5330, and 5340 Series<br>**LED Anti-Glare:** 5530 and 5540 Series<br>**Bi-Color:** NV6LC1, 5092, and 5091 Series |
| **910T3** | **Bi-Color:** NV6LC2 and 5095 Series |




| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| **2-PIN LIGHT BASE** | | |
| Black Composite Cover | **910T2PB-1** | **910T2PB-7** |
| 316 Stainless Steel | **910T2SS-1** | — |
| Overmold 306 Stainless Steel Black Cover | **910T2PSB-1** | **910T2PSB-7** |
| Overmold 306 Stainless Steel White Cover | **910T2PSW-1** | — |
| **3-PIN LIGHT BASE** | | |
| Black Composite Cover | **910T3PB-1** | **910T3PB-7** |
| 316 Stainless Steel | **910T3SS-1** | — |
| Overmold 306 Stainless Steel Black Cover | **910T3PSB-1** | **910T3PSB-7** |
| Overmold 306 Stainless Steel White Cover | **910T3PSW-1** | — |

** -6 = Blister ** -7 = Clamshell*

# Square 2-Pin Base for Straight Poles

2-pin base for traditional-style Attwood pole lights, constructed of nylon. Hinged cover snaps closed to keep dirt and water out when light is stowed. Socket is keyed to prevent incorrect insertion of pole lights. Four countersunk holes for installation of fasteners. Includes 7-1/2-inch hard wire leads for connection to 12-volt DC power supply.

- **Dimensions:** 2-1/4-inches x 1-3/4-inches. 1-1/4-inch diameter installation hole size.
- Contacts are nickel-plated to resist corrosion and multi-crimped for durability.
- Wire leads are tinned for corrosion-resistance.

| Light Base | Use with Pole Light |
|---|---|
| **911370, 911445** | **Frosted Globe:** 5100 Series **Anti-Glare:** 5300 Series<br>**LED Anti-Glare:** 5570 Series **Bi-Color:** 3591 and 5091 Series |

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| 2-Pin, Black | **911370-1** | — |
| 2-Pin, White | **911445-1** | — |




# Vertical Mount with Pin Contacts for Straight Poles

Can be mounted on flat windshield frame and includes a "V" adapter for mounting on angled windshield frame. Also for use as a transom mount in open utility boats. Black plastic with hinged lid that closes to keep dirt and water out when stowed away. Two holes for #8 screws. Includes 7-1/2-inch hard wire leads for connection to 12-volt DC power supply.

- **Dimensions:** 4-1/4-inches x 1-1/2-inches x 1-1/8-inches.
- Contacts are nickel-plated to resist corrosion and multi-crimped for durability.
- Wire leads are tinned for corrosion-resistance.

| Light Base | Use with Pole Light |
|---|---|
| **911370, 911445** | **Frosted Globe:** 5100 Series **Anti-Glare:** 5300 Series<br>**LED Anti-Glare:** 5570 Series **Bi-Color:** 3591 and 5091 Series |

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| 2-Pin, Black | **911490-1** | — |





# Oval 2-Pin Base for Angled Pole

This resilient 2-pin base is used for angled pole lights with locking-collars. Ideal for installation in close quarters, such as narrow gunwales or deck areas. Narrow base has a soft rubber cover with a gasket to seal the socket.

- Contacts are nickel-plated to resist corrosion and multi-crimped for durability.
- Wire leads are tinned for corrosion-resistance.

| Light Base | Use with Pole Light |
|---|---|
| **91022** | **Frosted Globe:** 5110 Series **Anti-Glare:** 5310, 5330 and 5340 Series<br>**LED Anti-Glare:** 5530 and 5540 Series **Bi-Color:** 3591, 910851 and 5091 Series |

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 2-Pin, Black | **91022-1** | **91022-7** |




# Rectangle 2-Pin Base for 12° Angled Pole

Swivel cover protects the socket when light is stowed away. Socket is keyed to prevent incorrect insertion of pole light. Three countersunk holes for installation fasteners. Includes 7-1/2-inch hard wire leads for connection to 12-volt DC power supply.

- **Dimensions:** 4-inches x 1-5/8-inches. 1-3/8-inch dia. installation hole size.
- Contacts are nickel-plated to resist corrosion and multi-crimped for durability.
- Wire leads are tinned for corrosion-resistance.


| Light Base | Use with Pole Light |
|---|---|
| **911339** | **Frosted Globe:** 5110 Series **Anti-Glare:** 5300 Series<br>**Bi-Color:** 910851 and 5091 Series |

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 2-Pin, ZAMAK | **911339-1** | **911339-7** |
| 2-Pin, Black | **911339B** | — |

*** -6 = Blister, ** -7 = Clamshell*



# ALL-ROUND FOLD-DOWN LIGHTS
## WITH LIGHTARMOR™ BASES



All Attwood All-Round Fold-Down Navigation Lights include a new durable, easy-to-use, easy-to-install, LightArmor™ Fold-Down Base.

- Robust design provides easy, single-handed cam-lock operation
- Built to last in harsh marine environments




LIGHTARMOR™
**ZAMAK Base**



LIGHTARMOR™
**Stainless Steel Base**



LIGHTARMOR™
**Black Composite Base**




# LIGHTARMOR™ All-Round Fold Down Navigation Lights

2 NM
USCG

- USCG certified
- Provides 2-mile, 360°, illumination for boats up to 39.4 ft. (12m)
- Operating range = 10.5 VDC - 14.4 VDC
- LightArmor™ All-Round navigation light engine
- 30% lighter light engine than earlier Attwood all-round lights
- Exclusive condensation management increases visibility
- Exclusive anti-glare engine preserves night vision
- Shock-, corrosion-and water-proof electronics
- Durable, anodized aluminum pole
- Articulating head for use in all applications
- Includes new LightArmor™ Fold-Down Base
- Over 50,000 hour life
- 10-year warranty


| Description | Pole Length* | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **LED ANTI-GLARE LIGHTS** | | | |
| ZAMAK base–Horizontal Mount | 12" Aluminum Pole | **5550-12Z1** | — |
| | 24" Aluminum Pole | **5550-24Z1** | — |
| | 36" Aluminum Pole | **5550-36Z1** | — |
| | 42" Aluminum Pole | **5550-42Z1** | — |
| Stainless steel base–Horizontal Mount | 12" Aluminum Pole | **5550-S12-1** | — |
| | 18" Aluminum Pole | **5550-S18-1** | — |
| | 24" Aluminum Pole | **5550-S24-1** | — |
| | 30" Aluminum Pole | **5550-S30-1** | — |
| | 36" Aluminum Pole | **5550-S36-1** | — |
| | 42" Aluminum Pole | **5550-S42-1** | — |
| | 54" Aluminum Pole | **5550-S54-1** | — |
| Composite base; Black–Horizontal Mount | 7" Aluminum Pole | **5550-P07-1** | — |
| | 12" Aluminum Pole | **5550-P12-1** | — |
| | 20" Aluminum Pole | **5550-P20-1** | — |
| | 24" Aluminum Pole | **5550-P24-1** | — |
| Composite base; Black–Horizontal Mount with Adaptor | 12" Aluminum Pole | — | **5557-P12A7*** |
| | 12" Plastic; Black Pole | — | **5558-P12A7*** |
| | 20" Aluminum Pole | — | **5550-PA20-7*** |
| Composite base; Black Vertical Mount | 12" Aluminum Pole | **5551-P12-1** | — |
| Composite base; Black–Vertical Mount with Adaptor | 12" Aluminum Pole | — | **5557-PV12A7*** |
| | 12" Plastic; Black Pole | — | **5558-PV12A7*** |
| | 20" Aluminum Pole | — | **5551-PA20-7*** |
| **ALL-ROUND ADAPTOR** | | | |
| Rail Mount Adaptor, Black Composite | | **913670-1** | — |
| Rail Mount Adaptor, Stainless Steel | | **913671-1** | — |





**LED Articulating Anti-Glare**

Draws 20% less power than traditional all-round lights


**5550 Series**





HORIZONTAL COMPOSITE BASE




VERTICAL COMPOSITE BASE





STAINLESS STEEL BASE











ZAMAK BASE

** All Aftermarket Packaged lights include Rail Mount Adaptor*
*** -7 = Clamshell*
****Additional lengths and configurations available upon request.*

# Incadescent All-Round Fold-Down Lights With LIGHTARMOR™ Bases



All Attwood All-Round Fold-Down Navigation Lights include a new durable, easy-to-use, easy-to-install, LightArmor™ Fold-Down Base.

- Robust design provides easy, single-handed cam-lock operation
- Built to last in harsh marine environments




LIGHTARMOR™ ZAMAK Base



LIGHTARMOR™ Stainless Steel Base



LIGHTARMOR™ Black Composite Base




- Provides 2-mile, 360°, illumination for boats up to 39.4 ft. (12m)
- Incandescent All-Round navigation light engine
- Shock-, corrosion-and water-proof electronics
- Durable, anodized aluminum pole
- Anti-glare lens preserves night vision

- USCG certified
- Assembled with Attwood's new LIGHTARMOR™ bases
- Black composite cam-lock base
- Stainless steel cam-lock base
- Zamak knob-style base

2 NM USCG

**Frosted Globe**
Include 9-watt wedge base lamp.
**5100 Series**








**Articulating Anti-Glare**
Include 9-watt wedge base lamp.
**5350 Series**

| Description | Pole Length* | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| **GLOBE STYLE LIGHTS** | | | |
| Composite Base; Black–Horizontal Mount | 12" Aluminum | **5120-P12-1** | **5120-PA12-7** |
| ZAMAK Base–Horizontal Mount | 12" Aluminum | **5120-12Z1** | — |
| | 36" Aluminum | **5120-36Z1** | — |
| Composite Base; Black–Vertical Mount | 12" Aluminum | **5121-P12-1** | **5121-PA12-7** |
| **ANTI-GLARE LIGHTS** | | | |
| Composite Base; Black–Horizontal Mount | 7" Black Plastic | **5355-P07-1** | — |
| | 12" Aluminum | **5350-P12-1** | — |
| | 20" Aluminum | **5350-P20-1** | — |
| | 24" Black Plastic | **5355-P24-1** | — |
| Composite Base; Cream–Horizontal Mount | 12" Aluminum | **5353-P12-1** | — |
| | 24" Aluminum | **5353-P24-1** | — |
| Stainless Steel Base–Horizontal Mount | 20" Aluminum | **5350-S20-1** | — |
| | 30" Aluminum | **5350-S30-1** | — |
| ZAMAK Base–Horizontal Mount | 20" Aluminum | **5350-20Z1** | — |
| | 24" Aluminum | **5350-24Z1** | — |
| | 30" Aluminum | **5350-30Z1** | — |
| | 36" Aluminum | **5350-36Z1** | — |
| Composite Base; Black–Horizontal Mount with Adaptor | 12" Aluminum | — | **5350-PA12-7** |
| | 12" Black Plastic | — | **5358-P12-7** |
| | 20" Aluminum | — | **5350-PA20-7** |
| Composite Base; Black–Vertical Mount | 12" Aluminum | **5351-P12-1** | — |
| | 20" Aluminum | **5351-P20-1** | — |
| Composite Base; Black–Vertical Mount with Adaptor | 12" Aluminum | — | **5351-PA12-7** |
| | 12" Black Plastic | — | **5358-PV12-7** |
| | 20" Aluminum | — | **5351-PA20-7** |
| **ANTI-GLARE LIGHTS** | | | |
| Rail Mount Adaptor, Black Composite | | **913670-1** | — |
| Rail Mount Adaptor, Stainless Steel | | **913671-1** | — |









HORIZONTAL COMPOSITE BASE




VERTICAL COMPOSITE BASE




STAINLESS STEEL BASE

** All Aftermarket Packaged lights include Rail Mount Adaptor*
*** -7 = Clamshell*
****Additional lengths and configurations available upon request.*

# All-Round Fixed Base Pole Lights

Two-mile, 360° light visibility for use on boats up to 39.4 ft. (12 m). Fixed base for use on pontoons, hard tops, and radar arches. 2-1/2-inches long x 1-inch wide. Installs with (2) required #10 fasteners. Includes 9-watt wedge base lamp.



2 NM USCG



Frosted Globe Anti-Glare

| Description | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Globe Style | 8" aluminum | **5122-08-1** | **5122-08-7** |
| Anti-Glare | 8" aluminum | **5352-08-1** | **5352-08-7** |




LED Anti-Glare

# LED Waketower All-Round Light

Compact size designed for installation on a wakeboard tower, radar arch, hard top, poling platform, tuna tower, or other fixed structure. Direct LED replacement for Attwood's incandescent 5940 series. For pleasure craft up to 39.4 ft (12 m).

- Two-mile, 360° visibility
- Fully sealed electronics
- Tab release




2 NM USCG



5580




5580-03

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 6" Wire Leads | **5580-1** | **5580A7** |
| 12" Wire Leads, No Sleeve | **5582-1** | — |
| 14" Wire Leads | **5580-14-1** | — |
| 16' Wire Leads | **5581-1** | — |
| Replacement Base | **5580-03** | — |

# All-Round Deck Mounted Lights

7-inch leads for connection to 12-volt DC power supply. Bayonet lock secures lens and cover to base and provides easy lamp replacement. Includes a 9-watt wedge base lamp. Installs directly to deck with two required #10 fasteners.




**Raised Base**
3-inch high raised base is ideal for mounting above obstructions, such as rails and hardware. Notch in rear of mounting base provides passage for wire leads.

1 NM USCG

**Deck Mount**
Light mounts flush, making it ideal for installation atop the tow piece on ski or wakeboard boat towers.



5980



5940


| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 3" Raised Base, Black | **5980-1** | — |
| Deck Mount, Black | **5940-1** | **5940-7** |


*** -7 = Clamshell*

# LIGHTARMOR™ Anchor/Masthead Lights

Attwood is proud to introduce one of the most innovative navigational lighting products available today. Achieving 3NM of 360 degree visibility, while drawing a fraction of the power of traditional incandescent lights, Attwood's 3NM LightArmor™ LED Masthead/Anchor light is one of the first of its kind. Constructed of corrosion resistant composites with stainless steel accents, this product was designed for harsh coastal marine environment.

- USCG certified for boats up to 65' (20m)
- Provides 3-mile, 360° illumination
- Light Armor Anchor/Masthead navigation light engine
- Shock-, corrosion-and water-proof electronics
- Durable, anodized aluminum pole
- Includes new LIGHTARMOR Fold-Down Base
  - Cam-lock bases include integrated wire-management
  - Easy, single-handed cam-lock operation
  - Stainless steel
- Over 50,000 hour life
- 10-year warranty



STAINLESS STEEL BASE


7812

3 NM USCG


| Description | Rated Voltage | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Stainless Steel - Horizontal Mount | 12-volt | 12" Aluminum | **7812-S-1** | **7812-S-7** |
| | 12-volt | 24" Aluminum | **7824-S-1** | — |
| | 12-volt | 36" Aluminum | **7836-S-1** | — |
| | 12-volt | 42" Aluminum | **7842-S-1** | — |
| ZAMAK - Horizontal Mount | 12-volt | 12" Aluminum | **7812Z1** | — |

LIGHTARMOR™ Stainless Steel Horizontal Base

# Incandescent Anchor/Masthead Lights

Three-mile, 360° light visibility for use on boats up to 65.6 ft. (20 meters). Assembly includes new LIGHTARMOR bases.

- Robust and easy to use
- Freshwater and saltwater compatible
- Simple, one-piece lens is sealed from water
- Concealed, protected wiring at the base
- Uses two festoon-style 8-watt lamps
- Typical installation requires (2) #10 stainless steel screws of length suitable for deck or rail material
- Will collapse and not break if accidentally hit




3 NM USCG




ZAMAK base


Composite base

*For base dimensions see page 52*

| Description | Base | Rated Voltage | Pole Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Horizontal Mount | ZAMAK | 12-volt | 12" Alumium | **7212Z1** | — |
| Vertical Mount | Composite; Black | 12-volt | 8" aluminum | **7408-P-1** | — |
| | | 12-volt | 12" aluminum | **7412-P-1** | — |
| | | 24-volt | 20" aluminum | **7455-1** | — |
| Horizontal Mounted with rail adaptor | Composite; Black | 12-volt | 12" aluminum | — | **7201-P-7** |
| | | 12-volt | 20" aluminum | — | **7202-P-7** |
| Vertical Mounted with rail adaptor | Composite; Black | 12-volt | 12" Aluminum | — | **7201-PV-7** |
| | | 12-volt | 20" aluminum | — | **7202-PV-7** |
| Rail Mount Adaptor for Fold-Down light base | Black Composite | — | — | **913670-1** | — |
| | Stainless Steel | — | — | **913671-1** | — |


913671


913670

** -7 = Clamshell

# LED 3-Mile Transom Light

For pleasure craft up to 164 ft. (50m) in length. Creating 135 degrees of light at 3-mile of visibility. A truly unique design, Attwood's transom light includes a luxurious electropolished stainless cover that is both durable and great looking. Easy-to-install surface mount design utilizes a snap feature to eliminate exposed fasteners. Three-inch diameter.

- One of the thinnest lights available– 1/2-inch height
- Compatible with both Attwood and Perko® mounting holes

3 NM USCG

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Stainless Steel | **6556-1** | **6556-7** |



6556

# Incandescent Transom Light

Light provides 2-mile, 135° transom visibility for pleasure craft up to 164 ft. (50 m) in length. 304 stainless steel with a plastic body and watertight lamp socket. Round transom light body is translucent, so it shines on both sides of a bulkhead! Can be used to light an interior compartment and may also be used as a cockpit courtesy light. Rubber gasket seals lens and body to mounting surface. Includes (2) stainless steel #10 screws.

- 7.5 watts at 12-volt DC
- Vertical, flush mount
- Patented design

2 NM USCG

| Description | Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Round | 3" dia. | **6356D1** | **6356D7** |
| Rectangular | 4-11/16"L x 2-11/16"H x 2"D | — | **66382-7** |



6356D



66382

** -7 = Clamshell

# BATTERY OPERATED LIGHTS

For nighttime operation of small boats and tenders without 12-volt electrical systems. These lights are not intended to meet U.S. Coast Guard regulations. Not for use on boats that can exceed speeds of seven knots.

## Portable Navigation Light Kit

Be seen and be safe with these compact and portable LED navigation lights. All new portable navigation lights are more durable, easier to use, and include Attwood's strongest mounting and pole configurations. Ideal for personal water craft, camping, and hunting. Kit includes red/green LED bow light, white LED stern light, quick-release mounts, pole, and hardware.

- New water-resistant bow and stern navigation lights
- Attwood's most durable, portable LED navigation light engines
- Sealed electronics, built to last in harsh conditions
- Sealed, shock-proof composite housing
- Shatter-proof polycarbonate lens
- 150+ hour run-time on three AAA batteries (not included)
- New telescoping and threaded poles
- New heavy-duty C-clamp and kayak pad mounting options

| Description | Finish | Pole Style | Mounting Style | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Clamp-On LED Light Kit | Marine Gray | Threaded | C-Clamp | — | **14190-7** |
| | Real Tree® Max-4 Camouflage | Threaded | C-Clamp | — | **14191-7** |
| | Marine Gray | Telescoping | C-Clamp | — | **14194-7** |
| | Real Tree® Max-4 Camouflage | Telescoping | C-Clamp | — | **14195-7** |
| Deck Mount LED Light Kit | Marine Gray | Telescoping | Optional screw-down or adhesive pad | — | **14192-7** |
| | Real Tree® Max-4 Camouflage | Telescoping | Optional screw-down or adhesive pad | — | **14193-7** |
| All-Craft Portable Navigation Light Kit | Marine Gray | Threaded | C-Clamp, screw-down or adhesive pad | — | **14196-7** |
| | Real Tree® Max-4 Camouflage | Threaded | C-Clamp, screw-down or adhesive pad | — | **14197-7** |



14190



14191


14196

## Multi-Function Sport Light

Durable, water-resistant, multi-purpose light can be used as a bright 300 fixture lumen flood light or 50 lumen red beam for improved night vision. Also has a UV mode for charging fishing lures and line. Ideal for fishing, boating, hunting, camping and more. Features four mounting options and 360° rotation. Includes an adapter for use with Attwood rod holder mount. Requires six AA batteries (not included).

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Multi-Purpose Light, marine gray | — | **14185XFS-7** |
| Multi-Purpose Light, camouflage | — | **14187XFS-7** |


14185XFS-7





14187XFS-7

** Clamp-on attachment can be rotated for horizontal or vertical attachment*
*** -7 = Clamshell*

# LED Docking Light

- Light draws a fraction of the power while producing a brighter output. 5 watts at 12-volt DC each. Transmits light in a much broader pattern as opposed to a narrow beam generated by today's competitors.
- At less than 1-inch thick, the lights are designed to be mounted directly to the surface of the hull with only a small hole for wiring and 5 screws for attachment. Requires (2) #8 stainless steel Phillips Head screws (not included).
- Attwood LED technology keeps the light cool to the touch.
- Backed by a 10-year warranty, Attwood's LED docking lights are designed with the most extreme conditions in mind. Attwood uses only the highest grade stainless and aluminum components to ensure the product will be resistant to corrosion.




- To ensure the light is watertight, all electrical components are fully sealed.
- Attwood's simple one-piece cover allows for the ultimate in customization.
- 4-inch lead wires

| Description | Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Stainless Steel Bezel, White LED, Pair | 4-1/8" H x 8-1/8" W x 3/4" D | **6521SS1** | **6520SS4** |
| Stainess Steel Bezel, White LED, Pair | 1.2" H x 4.5" W x 2.8" D | **6522SS1** | **6522SS7** |
| Black Powder Coat Bezel, White LED, Pair | 1.2" H x 4.5" W x 2.8" D | **6523BK1** | **6523BK7** |



6521SS



6523BK

6522SS

*** -4= Individual Carton, -7 = Clamshell*

# LIGHTARMOR™ Underwater Lights

Introducing LightArmor™ Underwater Lights from Attwood, a new line of premium surface-mount LED lights that are engineered to be the brightest and most durable lights in the industry. Like all LightArmor™ products, they're technically advanced, built to perform in the harshest marine environments, and backed by an industry-leading 10-year warranty.



- 12- and 24-volt DC systems
- Intelligently engineered for strength and durability
- Exclusive Heat-Sync Cooling System with Active Overheat Protection
- Resistant to corrosion, chemicals, and UV damage
- Extreme impact-resistant lens
- 3 ft. sheathed wire
- Reverse polarity protection
- Fully-sealed waterproof electronics
- Simple installation with minimal mounting hardware
- Low-profile design
- Electro-polished 316 stainless steel cover (Optional for OEM)
- CE certified

**Three popular sizes** - 4.0-inch, 5.0-inch, 6.0-inch

**Three vibrant colors** - Sapphire Blue, Intense White, Tactical Green

**Two performance levels** - High Performance (HP), Extreme High Performance (HPX)


***Note: All Light Armor Underwater lights MUST BE MOUNTED UNDER WATER LINE. Only work underwater.***

## Outshining the Competition.

LIGHTARMOR™ Underwater Lights are the brightest on the market.




**Projection Intensity vs. Competitor**



# LIGHTARMOR™ UNDERWATER Lights

| Description | Color | Fixture Lumens* | Current Draw at 13.6- Volts | Current Draw at 24 Volts | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|
| **High Performance (HP)** | | | | | | |
| 4.0 HP - 4" length, 3 LED | Sapphire Blue | 800 | 0.32 | 0.16 | **65UW03B-1** | **65UW03B-7** |
| | Tactical Green | | 0.36 | 0.18 | **65UW03G-1** | **65UW03G-7** |
| | Intense White | | 0.64 | 0.32 | **65UW03W-1** | **65UW03W-7** |
| 5.0 HP - 5" length, 6 LED | Sapphire Blue | 1,350 | 0.66 | 0.33 | **65UW06B-1** | **65UW06B-7** |
| | Tactical Green | | 0.71 | 0.36 | **65UW06G-1** | **65UW06G-7** |
| | Intense White | | 1.26 | 0.63 | **65UW06W-1** | **65UW06W-7** |
| 6.0 HP - 6" length, 12 LED | Sapphire Blue | 1,650 | 1.32 | 0.66 | **65UW12B-1** | **65UW12B-7** |
| | Tactical Green | | 1.44 | 0.72 | **65UW12G-1** | **65UW12G-7** |
| | Intense White | | 2.52 | 1.26 | **65UW12W-1** | **65UW12W-7** |
| **Extreme High Performance (HPX)** | | | | | | |
| 4.0 HPX - 4" length, 3 LED | Sapphire Blue | 1,350 | 0.64 | 0.32 | **66UW03B-1** | **66UW03B-7** |
| | Tactical Green | | 0.70 | 0.35 | **66UW03G-1** | **66UW03G-7** |
| | Intense White | | 1.17 | 0.59 | **66UW03W-1** | **66UW03W-7** |
| 5.0 HPX - 5" length, 6 LED | Sapphire Blue | 2,750 | 1.30 | 0.65 | **66UW06B-1** | **66UW06B-7** |
| | Tactical Green | | 1.40 | 0.70 | **66UW06G-1** | **66UW06G-7** |
| | Intense White | | 2.46 | 1.23 | **66UW06W-1** | **66UW06W-7** |
| 6.0 HPX - 6" length, 12 LED | Sapphire Blue | 5,000 | 2.59 | 1.30 | **66UW12B-1** | **66UW12B-7** |
| | Tactical Green | | 2.80 | 1.40 | **66UW12G-1** | **66UW12G-7** |
| | Intense White | | 4.50 | 2.25 | **66UW12W-1** | **66UW12W-7** |
| **Optional Covers - For OEM only *(Aftermarket packaged product includes 316 Stainless Steel Cover)*** | | | | | | |
| 4.0 HP/HPX Cover | Intense White | | | | **65UW03CVWH-1** | — |
| | Black | | | | **65UW03CVBK-1** | — |
| | Stainless Steel | | | | **65UW03CVSS-1** | — |
| 5.0 HP/HPX Cover | Intense White | | | | **65UW06CVWH-1** | — |
| | Black | | | | **65UW06CVBK-1** | — |
| | Stainless Steel | | | | **65UW06CVSS-1** | — |
| 6.0 HP/HPX Cover | Intense White | | | | **65UW12CVWH-1** | — |
| | Black | | | | **65UW12CVBK-1** | — |
| | Stainless Steel | | | | **65UW12CVSS-1** | — |



**Sapphire Blue**
65UW03B




**Tactical Green**
65UW03G



**Intense White**
65UW03W


**DIMENSIONS**

| Model | Color | Length (A) | Width (B) | Distance Between Mounting Holes (C) | Diameter of Wiring Hole (D) | Installed Product Height (E) | Wire Collar Depth (F) |
|---|---|---|---|---|---|---|---|
| **4.0 HP** | Sapphire Blue | 4.00" | 2.15" | 3.25" | .56" | .56" (9/16") | .30" |
| | Tactical Green | | | | | | |
| | Intense White | | | | | | |
| **4.0 HPX** | Sapphire Blue | | | | | | |
| | Tactical Green | | | | | | |
| | Intense White | | | | | | |
| **5.0 HP** | Sapphire Blue | 5.00" | | 4.25" | | | |
| | Tactical Green | | | | | | |
| | Intense White | | | | | | |
| **5.0 HPX** | Sapphire Blue | | | | | | |
| | Tactical Green | | | | | | |
| | Intense White | | | | | | |
| **6.0 HP** | Sapphire Blue | 6.00" | 2.35" | 5.25" | | | |
| | Tactical Green | | | | | | |
| | Intense White | | | | | | |
| **6.0 HPX** | Sapphire Blue | | | | | | |
| | Tactical Green | | | | | | |
| | Intense White | | | | | | |



# LED Underwater Lights, 3-Inch Series

Lights are 3/4-inch wide and are perfect for surface mounting on rails, transoms, and swim platforms. These LED lights exceed the output of comparable halogen lights, while using 20% of the power. Lights stay cool to the touch and eliminate the burn hazard that halogen lighting can present. Fully potted electronics and stainless steel housing allow for interior and exterior mounting – even underwater! Rated for 50,000+ hours of life.




- 1.5 watts at 12-volt DC

| Description | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Horizontal Mount | White | **6343SS1** | **6343557** |
| | Red | **6343RSS1** | — |
| | Blue | **6343BSS1** | — |
| | Green | **6343GSS1** | — |
| Vertical Mount | White | **6344SS1** | — |
| | Red | **6344RSS1** | — |
| | Blue | **6344BSS1** | — |
| | Green | **6344GSS1** | — |
| Oval Light, Horizontal Mount Bezel | White | — | **6343SS7** |



6343



6344


** -4= Individual Carton, -7 = Clamshell

# LED UTILITY LIGHTS
## INTERIOR/EXTERIOR

## LED Round Interior / Exterior Lights

These LED lights exceed the output of comparable halogen lights while using 20% of the power. Lights stay cool to the touch and eliminate the burn hazard that halogen lighting can present.
Fully potted electronics and stainless steel housing allow for interior and exterior mounting.
Rated for 50,000+ hours of life. Additional LED colors and bezel finishes are available upon request.

- For 12-volt DC systems
- Easy installation with minimal intrusion





6340SS


6341SS

| Description | LED Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **4" ROUND INTERIOR LIGHT, 3 WATTS @ 12 VDC** | | | |
| Stainless Steel Bezel | White | **6340SS1** | **6340SS7** |
| | Warm White | **6345SS1** | — |
| | Warm White + Red | **6348SS1** | — |
| | White + Red | **6352SS1** | — |
| Satin Nickel Finish | Warm White | **6345SN1** | — |
| | Warm White + Red | **6348SN1** | — |
| **2.75" ROUND INTERIOR LIGHT, 1.8 WATTS @ 12 VDC** | | | |
| Stainless Steel Bezel White | White | **6341SS1** | **6341SS7** |
| | Warm White | **6346SS1** | — |
| | Warm White + Red | **6349SS1** | — |
| Black Plastic Bezel | White | **6320B1** | **6320B7** |
| | Amber | **6321B1** | **6321B7** |
| | Blue | **6323B1** | **6323B7** |
| | Green | **6324B1** | **6324B7** |
| White Plastic Bezel | White | **6320W1** | **6320W7** |
| | Blue | **6323W1** | **6323W7** |
| | Green | **6324W1** | — |
| Powder Coated White Bezel | Warm White | **6346W1** | — |
| **1.5" ROUND COURTESY LIGHT, 1.1 WATTS @ 12 VDC** | | | |
| Stainless Steel Bezel | White | **6342SS1** | **6342SS7** |
| | Warm White | **6347SS1** | — |
| | Amber | **6342A1** | **6342A7** |
| | Red | **6342R1** | **6342R7** |


6320W


6320B


6342

** -7 = Clamshell

# LED Mini Courtesy Lights

Attwood's 1-inch Mini LED Courtesy Lights offer excellent performance in an affordable package. Designed to be installed with just a hole saw, the Mini's rubber grommet eliminates fasteners and allows for quick and easy installation. Comes with fully sealed electronics; performs in almost any interior or exterior application.

- Compact
- Water-and shock-resistant
- 50,000 hours of life



6317

| Description | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Rubber Grommet, Black | White | **6317-1** | **6317-7** |
| | Amber | **6316-1** | **6316-7** |
| | Red | **6318-1** | **6318-7** |
| | Blue | **6319-1** | **6319-7** |

# LED Livewell & Bulkhead Lights

Perfect lighting for low-current, all-weather, and submersible applications. For thru-mounting on livewell tanks and bulkheads. These lights are simple to install, shock-proof, waterproof, and guaranteed for trouble-free performance. 1.5-inch diameter. 90% less battery drain than comparable-output incandescents.




6311

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Red, helps preserve night vision | **6311-1** | **6311-7** |
| White, bright, sharp detail | **6312-1** | **6312-7** |
| Amber, softer hue, for cockpits & companionways | **6313-1** | **6313-7** |

# LED Micro Lights

Industry leading light output in an extremely compact package. With electropolished stainless covers and fully sealed electronics. Attwood Micro Lights perform through the harshest conditions. Can be used in rod storage boxes without risk of water damage, under hardtops, or even mounted to rails.

- .66 watts at 12-volt DC






6350



6351

| Description | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Stainless Steel Bezel, Vertical Mount | White | **6350W1** | **6350W7** |
| | Red | **6350R1** | **6350R7** |
| | Amber | — | **6350A7** |
| | Blue | **6350B1** | **6350B7** |
| | Green | **6350G1** | — |
| | UV | **6350U1** | — |
| Stainless Steel Bezel, Horizontal Mount | White | **6351W1** | — |
| | Red | **6351R1** | — |
| | Amber | **6351A1** | — |
| | Blue | **6351B1** | — |
| | Green | **6351G1** | — |
| | UV | **6351U1** | — |
| Black Composite, Vertical Mount | Blue | **6350UB1** | — |

*** PR6/-7= Clamshell*

# LED Utility Lights

These versatile, surface-mount LED Utility Lights put bright light where you need i

- Water-resistant
- 12-VDC
- Less than 1 Amp draw

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 4" Utility Light, 6 white LED's | — | **6355W7** |
| 6" Utility Light, 12 white LED's | — | **6354W7** |
| 8" Utility Light, 18 white LED's | — | **6353W7** |



6355W7



6354W7





6353W7

** PR6/-7= Clamshell

# ACCESSORIES: NAVIGATION LIGHT REPLACEMENT PARTS

## Quick-Connect Snap-On Bases



This ingenious base makes Quasar sidelights even easier to install and maintain! Base is 1/4-inch high, designed for contoured decks. Base attaches to the deck with screws, then the Quasar light simply snaps on or off.

*Quasar lights are listed on page 34.*

| Description | | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Snap-on base, 1/4" high | Black | **3300-1** | — |


3300

## Pole Light Storage Clips

New design holds larger (3/4-inch) diameter anti-glare pole lights. Resilient plastic clip holds standard 3/4-inch-diameter poles. Ideal for storing and protecting plug-in pole lights when mounted in engine wells or lockers. Installs with one #8 fastener.

| Dimensions | Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2" L x 1-1/2" H | Black | **7571-1** | **7571L7** |


7571

## Replacement Lamps

| Description | Application | Part# Series | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Festoon, 8-watt | Quasar sidelights Masthead, 12V | 3100, 3830, 7200 7400 | — | **9230-7** |
| #906 Wedge Base, 9-watt | Pulsar sidelights and All-round lights, All-round anti-glare, new-style frosted globe | 5040 thru 80, 3900, 5900, 5100, 5110, 5300, 5310, 5320, 5330, 5340 | — | **9235-7** |
| #90, 7.5-watt | Stainless Steel 1-mile sidelights and 2-mile Transom lights | 66318, 66319, 66320, 66314, 6356D, 66382, 6375, 6358, 6357 | — | **9232-7** |
| #1004, 12-watt | All-Round Frosted | 7100, 7101, 7105 thru 9 | — | **9233-7** |
| Festoon, 8-watt | Masthead, 24V | 7250, 7450 | **910409** | — |
| Bayonet, 10-watt | | 3810, 3820 | **912717** | — |


9230 9235


9232 9233

** -7 = Clamshell

# Masthead and Transom Replacement Lenses

| Description | Application | Part# Series | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|
| Clear, fresnel | Masthead | 7300 | **911363-1** | — |
| | Transom, Round | 6356D | **6356-03-1** | — |


911363


6356-03

# Replacement Lenses for All-Round Lights


91017B


9024-05


6724-05


5424-71


912021


912091F


912852

| Description | Application | Part# Series | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| All-round frosted globe | New Style frosted and Early Attwood models | 5100, 5110 7100, 7101, 7105, 7109 7205, 910958, 910957 | **91017B1** | **91017B7** |
| 360° Globe | Early Attwood models | 9000 | **9024-05-1** | — |
| | | 6700 | **6724-05-1** | — |
| Globe | Early Attwood models | 4900, 5400, 5401 | **5424-71-1** | — |
| Anti-glare | Pole lights, new style | 5300, 5310, 5320 5330, 5340 | **912852** | **912852-7** |
| | Pole lights, old style | 3900 | **912021** | **912021-7** |
| | Deck mount lights, new style | 5900 | **912091F** | — |

# Replacement Covers and Lenses

| Description | Cover Color | Part# Series | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|
| Cover only | Black | 3100 | **912392B** | — |
| | White | 3100 | **912392W** | — |
| | Cream | 3100 | **912392C** | — |
| | Chrome | 3100 | **912406** | — |
| Cover only | Black | 3150R, 3130 | **912393B** | — |
| | White | 3150R, 3130 | **912393W** | — |
| | Cream | 3150R, 3130 | **912393C** | — |
| | Chrome | 3150R, 3130 | **912407** | — |
| Cover only | Black | 3150G, 3130 | **912394B** | — |
| | White | 3150G, 3130 | **912394W** | — |
| | Cream | 3150G, 3130 | **912394C** | — |
| | Chrome | 3150G, 3130 | **912408** | — |


912406


912407


912408

** -7 = Clamshell

PULSAR

# Replacement Covers and Lenses


912091A


912091B


912091C


913068SA

| Description | Cover Color | Part# Series | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|
| Bi-color, Red/Green Cover and Lens | Black | 5045 | **912091A** | — |
| | White | 5045 | **912091AW** | — |
| | Stainless Steel | 5045 | **913068SA** | — |
| Red/Port Cover and Lens | Black | 5040 | **912091B** | — |
| | White | 5040 | **912091BW** | — |
| | Stainless Steel | 5040 | **913068SB** | — |
| Green/Starboard Cover and Lens | Black | 5040 | **912091C** | — |
| | Stainless Steel | 5040 | **913068SC** | — |


913068SB


913068SC

# Standard Sidelight Replacement Lenses

| Description | Application | Part# Series | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|
| Bi-Color, Red/Green | Chrome, Zinc Sidelights (post-8/82) | 6368, 6375D, 6377D/E/F, 6383, 6385D, 6389, 6397D/E/F, 910851, 911531, 911651 | **6375-205-1** | — |


6375-205





EPA CERTIFIED PORTABLE FUEL SYSTEMS OVERVIEW ..... 68

EPA CERTIFIED PORTABLE FUEL TANKS ..... 69

EPA CERTIFIED PORTABLE FUEL COMPONENTS ..... 70-75

FUEL FITTINGS ..... 76-81

EPA CERTIFIED INTEGRATED FUEL SYSTEMS OVERVIEW ..... 82-84

EPA CERTIFIED INTEGRATED FUEL COMPONENTS ..... 85-90

ACCESSORIES ..... 91-93

NON EPA CERTIFIED / INTERNATIONAL PORTABLE FUEL TANKS ..... 94

NON EPA CERTIFIED / INTERNATIONAL PORTABLE FUEL COMPONENTS ..... 95

NON EPA CERTIFIED / INTERNATIONAL INTEGRATED FUEL COMPONENTS ..... 96-98

# FUEL

# EPA CERTIFIED PORTABLE FUEL SYSTEMS
## YOUR COMPREHENSIVE TANK-TO-ENGINE SOLUTION


As a result of EPA regulations to reduce evaporative emissions, portable fuel systems are now manufactured to prevent fuel vapor from escaping into the atmosphere. These EPA compliant systems are sealed and unable to vent as in the past, causing pressure build up in the tank that rarely occurred prior to these regulations.

In addition, each component within the system adds potential restriction to fuel flow. As fuel restriction levels rise, engine performance is affected. In some cases, complete failure can occur.

Attwood's EPA Certified Portable Fuel System components are designed specifically to handle the problems caused by pressure build-up and fuel restriction inherent in today's closed EPA compliant systems.

With Attwood's systems, your engine will perform properly and valuable fuel will stay in the tank where it belongs. Plus they're safe, reliable and durable. That's the performance you'd expect from the industry leader in marine fuel systems and accessories.


**ATTWOOD HAS ENGINEERED THE INDUSTRY'S ONLY COMPREHENSIVE EPA CERTIFIED FUEL TANK-TO-ENGINE SOLUTION.**





## EPA CERTIFIED PORTABLE FUEL TANKS

Attwood fuel tanks are tested to meet EPA, CARB and ABYC/NMMA requirements for portable marine fuel tanks. The tanks have industry leading fuel flow performance and are designed and manufactured for safety and durability in harsh marine conditions.

- Proven automotive-grade multi-layer construction withstands the pressure build-up associated with closed systems
- Engineered for harsh conditions, temperature extremes and abuse
- Injection molded interfaces eliminate leaks
- Automatic vacuum valve in cap eliminates the need for manual vent
- Compatible with ¼" NPT fuel fittings
- Built-in 5% ullage for fuel expansion



# PORTABLE FUEL TANKS

EPA Certified multi-layer tank with industry leading fuel flow performance. Designed around the EPA and California Air Resources Board (CARB) regulations. Features an ergonomic design, an optional gauge and a tethered self sealing cap with audible click.

- Automatic vacuum valve ensures proper fuel flow and eliminates the need for manual vent
- Low-permeation tank virtually eliminates fuel evaporation and fuel loss
- Compatible with 1/4" NPT fuel fittings
- Ethanol and alcohol compatible
- EPA & CARB Certified

## 3-Gallon Fuel Tanks

**EPA COMPLIANT 3-gallon fuel tank is perfect for use with small outboards.**

| Description | Dimensions Length Width Height | Aftermarket Packaging** |
|---|---|---|
| 3-gallon, without gauge | 16.6" x 11.45" x 7.3" | **8803LP2** |
| 3-gallon, with gauge | 16.6" x 11.45" x 7.3" | **8803LPG2** |
| 3-gallon, without gauge, single-pack | 16.6" x 11.45" x 7.3" | **8803LP2S** |
| 3-gallon, with gauge, single-pack | 16.6" x 11.45" x 7.3" | **8803LPG2S** |


8803LP


8803LPG

## 6-Gallon Fuel Tanks

**EPA COMPLIANT 6-gallon fuel tank adapts to virtually any outboard engine.**

| Description | Dimensions Length Width Height | Aftermarket Packaging** |
|---|---|---|
| 6-gallon, without gauge | 19.82" x 13.50" x 9.16" | **8806LP2** |
| 6-gallon, with gauge | 19.82" x 13.50" x 9.16" | **8806LPG2** |
| 6-gallon, without gauge, single-pack | 19.82" x 13.50" x 9.16" | **8806LP2S** |
| 6-gallon, with gauge, single-pack | 19.82" x 13.50" x 9.16" | **8806LPG2S** |


8806LP


8806LPG

## 12-Gallon Fuel Tanks

**EPA COMPLIANT 12-gallon fuel tank is ideal for pontoon boats where more fuel capacity is needed.**

| Description | Dimensions Length Width Height | Aftermarket Packaging** |
|---|---|---|
| 12-gallon, without gauge | 22.75" x 14.25" x 14.47" | **8812LP2** |
| 12-gallon, with gauge | 22.75" x 14.25" x 14.47" | **8812LPG2** |
| 12-gallon, low-profile, without gauge * | 24.00" x 18.00" x 11.61" | **8812LLP2** |
| 12-gallon, low-profile, with gauge * | 24.00" x 18.00" x 11.61" | **8812LLPG2** |


8812LP


8812LLPG


8812LPG2

** Label*


# PRIMER BULBS

Attwood's multi-layer primer bulbs are designed to provide up to 60% more priming output than the competition while exceeding EPA and CARB requirements for fuel evaporation. Our exclusive three-layer design resists collapsing and hardening and ensures high output in temperatures ranging from 18°F to 122°F. Includes high-efficiency check valves.

- Exclusive three-layer construction prevents collapse under vacuum and ballooning/bursting under pressure
- Low-permeation material prevents fuel evaporation
- 60% more output per pump than leading competitors
- Exclusive high-efficiency check-valves for faster priming and low fuel restriction (less than 1kpa restriction at 50 liters/hour)
- Engineered hose barbs and stainless steel stepless clamps for leak-free performance
- Compatible with Ethanol blended fuels
- EPA and CARB certified

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 3/8" I.D. Hose | — | **93038LP7** |
| 5/16" I.D. Hose | — | **93516LP7** |
| 1/4" I.D. Hose | — | **93014LP7** |




** 7 = Clamshell

# FUEL DEMAND VALVE

Attwood's exclusive Fuel Demand Valve eliminates engine flooding and spillage by preventing pressurized fuel from reaching the engine. The valve ensures that fuel is supplied to the engine only when demanded during start up or engine operation. Designed in partnership with OEM engine manufacturers, Attwood's Fuel Demand Valve is compatible with all OEM engine brands.

- Prevents engine flooding and fuel spillage due to pressurized fuel
- Allows only the amount of fuel requested by the engine and prevents a pressurized "slug" of fuel from reaching engine
- Made of high-strength composite material designed to withstand the harsh marine environment
- Compatible with 3/8" and 5/16" fuel hose
- Installs between the fuel tank and the primer bulb
- Low vacuum restriction helps ensure proper engine function during startup and engine operation (less than 2kPa at 125 liters/hour)
- Built-in manual override
- Compatible with Ethanol blended fuels





9300FDV

## Specifications

| Operating Temp | Storage Temp | Operating Input Pressure | Flow Performance | Hose Size | Manual Override |
|---|---|---|---|---|---|
| -20˚C to 80˚C (-4˚F to 176˚F) | -40˚C to 80˚C (-40˚F to 176˚F) | 138 kPa (20 psi) protected for 276 kPa (40 psi) psi pressure spike | 125 L/H (33 GPH) at <2 kPa (10" gasoline) | 8 mm – 10 mm (5/16" – 3/8") | Yes |

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| In-Line Fuel Demand Valve | **8M0044687** | **9300FDV7** |

*** 7 = Clamshell*

# UNIVERSAL SPRAYLESS CONNECTOR (USC)

The Universal Sprayless Connector is a safe way to eliminate the spraying of fuel when connecting and disconnecting pressurized fuel hoses during fueling or maintenance. This unique component helps keep the fuel in the tank where it belongs. Includes male and female connectors for use with all standard marine fuel tanks – ¼" in (6.4 mm) NPT fittings.

- Attwood's Universal Sprayless Connector replaces traditional tank fittings and eliminates spray when connecting or disconnecting fuel fittings
- High strength body engineered to withstand the harsh marine environment
- Female hose fitting compatible with 3/8" and 5/16" fuel lines
- Male fitting fits all standard 1/4" NPT fittings
- Male and female connectors include check valves that automatically close upon disconnecting
- High fuel flow fitting (less than .25kPa restriction at 50 liters/hour)
- Compatible with Ethanol blended fuels
- Compatible with all OEM brand engines
- Meets all EPA and CARB requirements
- Pre-applied fuel-grade thread sealant prevents fuel leaks

2 YEAR WARRANTY

EPA CERTIFIED · MEETS ALL APPLICABLE EPA REGULATIONS ·

ELIMINATES SPRAY FROM FUEL TANK PRESSURE

**WINNER OF THE 2011 IBEX INNOVATION AWARD**



**PRE-APPLIED FUEL-COMPATIBLE THREAD SEALANT**




| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Universal Sprayless Connector – Male and Female w/Thread Sealant | — | **8838US6** |
| Universal Sprayless Connector – Hose Female, 5/16"–3/8" | **001008200** | **8838HF6** |
| Universal Sprayless Connector – Tank Male, 1/4" NPT w/Thread Sealant | **001008199** | **8838TM6** |
| Universal Sprayless Connector – Hose Male, 5/16"–3/8" | **001011094** | **8838HM6** |


8838HF6


8838TM6


8838US6



8838HM6


** -6 = Blister

# Fuel Line Kits

Attwood's low-permeation Fuel Line Kits set the standard in performance, safety and value. They include Attwood's award-winning Universal Sprayless Connector (hose and tank fittings with thread sealant), multi-layer low-permeation Primer Bulb and low-permeation fuel line. Fuel Demand Valve is optional.

- Includes 3/8" or 5/16" low-permeation fuel hose designed to prevent kinking and hardening; rated up to 100°C
- Stepless 360 degree stainless steel clamps and engineered hose barbs designed for use in pressurized fuel systems and guaranteed to be leak free
- Compatible with Ethanol blended fuels
- Compatible with all OEM brand engines
- Universal Sprayless Connector has pre-applied thread sealant



# Fuel Line Kits

| Engine | END FITTING Length | Diameter | Includes Tank Fitting | Includes Hose Fitting Tank End | Includes Hose Fitting Engine End | Primer Bulb | Fuel Demand Valve | Aftermarket Packaging |
|---|---|---|---|---|---|---|---|---|
| **UNIVERSAL BRAND ENGINES AND TANKS** | | | | | | | | |
| Universal | 6' | 5/16" | None | None | None | Multi-layer / Low-Permeation | No | **951606ULP7** |
| Universal | 6' | 3/8" | 8838TM6 | 8838HF6 | None | Multi-layer / Low-Permeation | No | **93806UUS7** |
| Universal | 6' | 3/8" | 8838TM6 | 8838HF6 | None | Multi-layer / Low-Permeation | Yes | **93806UUSD7** |
| Universal | 12' | 3/8" | 8838TM6 | 8838HF6 | None | Multi-layer / Low-Permeation | No | **93812UUS7** |
| Universal | 12' | 3/8" | 8838TM6 | 8838HF6 | None | Multi-layer / Low-Permeation | Yes | **93812UUSD7** |
| Universal | 6' | 3/8" | None | None | None | Multi-layer / Low-Permeation | No | **93806ULP7** |
| Universal | 6' | 3/8" | None | None | None | Multi-layer / Low-Permeation | Yes | **93806UFDV7** |
| Universal | 12' | 3/8" | None | None | None | Multi-layer / Low-Permeation | No | **93812ULP7** |
| Universal | 10' | 3/8" | 8838TM6 | 8838HF6 | None | None | Yes | **93810USCD7** |
| **MERCURY BRAND ENGINES AND TANKS** | | | | | | | | |
| Mercury | 6' | 3/8" | 8838TM6 | 8838HF6 | 8896LP6 | Multi-layer / Low-Permeation | No | **93806MUS7** |
| Mercury | 6' | 3/8" | 8838TM6 | 8838HF6 | 8896LP6 | Multi-layer / Low-Permeation | Yes | **93806MUSD7** |
| Mercury | 6' | 3/8" | None | 8890LP6 | 8896LP6 | Multi-layer / Low-Permeation | No | **93806MLP7** |
| Mercury | 6' | 3/8" | None | 8890LP6 | 8896LP6 | Multi-layer / Low-Permeation | Yes | **93806MFDV7** |
| Mercury Pre-1998 | 6' | 3/8" | 8838TM6 | 8838HF6 | 8893-6 | Multi-layer / Low-Permeation | No | **93806AUS7** |
| Mercury Pre-1998 | 6' | 3/8" | 8838TM6 | 8838HF6 | 8893-6 | Multi-layer / Low-Permeation | Yes | **93806AUSD7** |
| Mercury Pre-1998 | 6' | 3/8" | None | 8892-6 | 8893-6 | Multi-layer / Low-Permeation | No | **93806ALP7** |
| Mercury / Mariner | 6' | 3/8" | None | 8892-6 | 8896LP6 | Multi-layer / Low-Permeation | No | **93806BLP7** |
| **JOHNSON BRAND ENGINES AND TANKS** | | | | | | | | |
| Johnson / Evinrude | 6' | 3/8" | 8838TM6 | 8838HF6 | 8889LP6 | Multi-layer / Low-Permeation | No | **93806EUS7** |
| Johnson / Evinrude | 6' | 3/8" | 8838TM6 | 8838HF6 | 8889LP6 | Multi-layer / Low-Permeation | Yes | **93806EUSD7** |
| Johnson / Evinrude | 6' | 3/8" | None | 8889LP6 | 8889LP6 | Multi-layer / Low-Permeation | No | **93806ELP7** |
| Johnson / Evinrude | 6' | 3/8" | None | 8889LP6 | 8889LP6 | Multi-layer / Low-Permeation | Yes | **93806EFDV7** |
| **YAMAHA BRAND ENGINES AND TANKS** | | | | | | | | |
| Yamaha | 6' | 3/8" | 8838TM6 | 8838HF6 | 8896LP6 | Multi-layer / Low-Permeation | No | **93806YUS7** |

*† 8894-6 engine end hose fitting only fits Mercury/Mariner engines 4hp through V-6, 1998 and newer engines; also fits 1993 and newer Force 40hp and higher outboard engines.*
*** 7 = Clamshell*

# Fuel Line Kits

| Engine | END FITTING | | | | | Primer Bulb | Fuel Demand Valve | Aftermarket Packaging |
|---|---|---|---|---|---|---|---|---|
| | Length | Diameter | Includes Tank Fitting | Includes Hose Fitting Tank End | Includes Hose Fitting Engine End | | | |
| Yamaha | 6' | 3/8" | 8838TM6 | 8838HF6 | 8896LP6 | Multi-layer / Low-Permeation | Yes | **93806YUSD7** |
| Yamaha | 6' | 3/8" | None | 8896LP6 | 8896LP6 | Multi-layer / Low-Permeation | No | **93806YLP7** |
| Yamaha | 6' | 3/8" | None | 8896LP6 | 8896LP6 | Multi-layer / Low-Permeation | Yes | **93806YFDV7** |
| **HONDA BRAND ENGINES AND TANKS** | | | | | | | | |
| Honda | 6' | 3/8" | 8838TM6 | 8838HF6 | 8900-6 | Multi-layer / Low-Permeation | No | **93806HUS7** |
| Honda | 6' | 3/8" | 8838TM6 | 8838HF6 | 8900-6 | Multi-layer / Low-Permeation | Yes | **93806HUSD7** |
| Honda | 6' | 3/8" | None | 8902-6 | 8900-6 | Multi-layer / Low-Permeation | No | **93806HLP7** |
| **FORCE BRAND ENGINES AND TANKS** | | | | | | | | |
| Force | 6' | 3/8" | 8838TM6 | 8838HF6 | 8884-6 | Multi-layer / Low-Permeation | No | **93806FUS7** |
| Force | 6' | 3/8" | None | None | 8884-6 | Multi-layer / Low-Permeation | No | **93806FLP7** |

*** 7 = Clamshell*

# FUEL TANK AND HOSE FITTINGS

Attwood fuel tank fittings and hose fittings are suitable for use with leaded, unleaded, ethanol blended and alcohol-blended fuels. Unless otherwise specified, threaded fittings have 1/4" male NPT threads; barbed fittings fit 3/8" I.D. hose. Clamps are not included. Use thread sealant on all threads.

2 YEAR WARRANTY

| Fitting | Description | Material Construction | Mates to | Notes | Aftermarket Packaging** |
|---|---|---|---|---|---|
| **MERCURY/MARINER BRAND ENGINES AND TANKS** | | | | | |
| 1/4" NPT Thread | Tank Male | Brass | 8890LP6 | Mercury Tank Fitting | **8873-6** |
| 3/8" Barb | Hose Female | Acetal | 8873-6 | Mercury Tank Fitting | **8890LP6** |
| 3/8" Barb | Hose Female | Acetal | | Mercury Engine End | **8896LP6** |
| 1/4" NPT Thread | Twist-lock Tank Female | Nylon | 8892-6, 14532-6 | w/90° Elbow, 2-Piece | **8882-6** |
| 1/4" NPT Thread | Twist-lock Tank Female | Die-cast Zinc | 8892-6, 14532-6 | w/90° Elbow, 1-P iece | **14530-6** |
| 1/4" NPT Thread | Twist-lock Tank Female | Nylon | 8892-6, 14532-6 | | **14507-6** |
| 3/8" Barb | Twist-lock Hose Female | Nylon | 8892-6, 14532-6 | | **8893-6** |
| 3/8" Barb | Twist-lock Hose Female | Die-cast Zinc | 8892-6, 14532-6 | | **14534-6** |
| 3/8" Barb | Twist-lock Hose Male | Nylon | 8882-6, 14507-6, 14530-6, 14534-6, 8893-6 | | **8892-6** |
| 3/8" Barb | Twist-lock Hose Male | Die-cast Zinc | 8882-6, 14507-6, 14530-6, 14534-6, 8893-6 | | **14532-6** |
| **JOHNSON/EVINRUDE/OMC BRAND ENGINES AND TANKS** | | | | | |
| 1/4" NPT Thread | Tank Male | Brass | 8889LP6, 88FHE516-6 | | **8883-6** |
| 5/16" Barb | Hose Female | Acetal | 8883-6 | Tank or Engine End | **88FHE516-6** |
| 3/8" Barb | Hose Female | Acetal | 8883-6 | Tank or Engine End | **8889LP6** |

*** -6 = Blister*

# Fuel Tank and Hose Fittings

2 YEAR WARRANTY

| Fitting | Description | Material Construction | Mates to | Notes | Aftermarket Packaging** |
|---|---|---|---|---|---|
| **YAMAHA BRAND ENGINES AND TANKS** | | | | | |
| 1/4" NPT Thread | Tank Male | Brass | 8896LP6, 88FHY516-6 | | **8897-6** |
| 5/16" Barb | Hose Female | Acetal | 8897-6 | Tank or Engine End | **88FHY516-6** |
| 3/8" Barb | Hose Female | Acetal | 8897-6 | Tank or Engine End | **8896LP6** |
| **HONDA BRAND ENGINES AND TANKS** | | | | | |
| 1/4" NPT Thread | Tank Male | Chrome-plated Brass | 88FHH038-6 | Under 90HP (Small Bore) | **88FTH014-6** |
| 3/8" Barb | Hose Female | Chrome-plated Brass | 88FTH014-6 | Under 90HP (Small Bore) | **88FHH038-6** |
| 1/4" NPT Thread | Tank Male | Chrome-plated Brass | 8902-6 | 90HP+ (Large Bore) | **8901-6** |
| 3/8" Barb | Hose Female | Chrome-plated Brass | 8901-6 | 90HP+ (Large Bore) | **8902-6** |
| 3/8" Barb | Hose Female | Acetal | | Engine End | **8900-6** |
| **CHRYSLER BRAND ENGINES AND TANKS** | | | | | |
| 1/4" NPT Thread | Tank Male | Chrome-plated Brass | 8884-6 | | **14509-6** |
| 3/8" Barb | Hose Female | Chrome-plated Brass | 14509-6 | | **8884-6** |
| **SUZUKI BRAND ENGINES AND TANKS** | | | | | |
| 1/4" NPT Thread | Tank Male | Chrome-plated Brass | 88FTS014-6 | Under 75HP (Small Bore) | **14509-6** |
| 3/8" Barb | Hose Female | Chrome-plated Brass | 14509-6 | Under 75HP (Small Bore) | **88FTS014-6** |
| 1/4" NPT Thread | Tank Male | Chrome-plated Brass | 88FHS516-6, 88FHS038-6 | 75HP+ (Large Bore) | **14527-6** |
| 5/16" Barb | Hose Female | Chrome-plated Brass | 14527-6 | 75HP+ (Large Bore) | **88FHS516-6** |
| 3/8" I.D Barb | Hose Female | Chrome-plated Brass | 14527-6 | 75HP+ (Large Bore) | **88FHS038-6** |

*† Fits select Mercury/Mariner, Yamaha, Honda, and Force brand quick-connect engine fittings*
*** -6 = Blister*

# Fuel Tank and Hose Fittings

| Fitting | Description | Material Construction | Mates to | Notes | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|
| **TOHATSU/NISSAN BRAND ENGINES AND TANKS** | | | | | | |
| 1/4" NPT Thread | Tank Male | Chrome-plated Brass | 88FHN038-6 | Under 90HP (Small Bore) | — | **88FTN014-6** |
| 3/8" I.D. Barb | Hose Female | Chrome-plated Brass | 88FTN014-6 | Under 90HP (Small Bore) | — | **88FHN038-6** |
| 1/4" NPT Thread | Tank Male | Chrome-plated Brass | 88FHNP038-6 | 90HP+ (Large Bore) | — | **88FTNP014-6** |
| 3/8" I.D. Barb | Hose Female | Chrome-plated Brass | 88FTNP014-6 | 90HP+ (Large Bore) | — | **88FHNP038-6** |
| **UNIVERSAL FITTINGS AND ADAPTERS** | | | | | | |
| 1/4" NPT x 1/4" NPTF | 90° Elbow | Brass | | | — | **8887-6** |
| 3/8" NPT x 3/8" NPTF | 90° Elbow | Brass | | | — | **88FE100-6** |
| 1/8" NPT x 3/8" Barb | Male Thread, Hose Barb | Brass | | | — | **88FBM104-6** |
| 1/4" NPT x 1/4" Barb | Male Thread, Hose Barb | Brass | | | — | **88FBM105-6** |
| 1/4" NPT x 5/16" Barb | Male Thread, Hose Barb | Brass | | | — | **88FBM101-6** |
| 1/4" NPT x 3/8" Barb | Male Thread, Hose Barb | Brass | | | — | **14540-6** |
| 3/8" NPT x 3/8" Barb | Male Thread, Hose Barb | Aluminum | | | — | **88FBMA102-6** |
| 1/4" NPTF x 3/8" Barb | Female Thread, Hose Barb | Brass | | | — | **88FBF102-6** |
| 1/4" NPT x 3/8" Barb | Male Thread, Anti-Siphon Valve | Aluminum | | | — | **88FAS014-6** |
| 3/8" NPT x 3/8" Barb | Male Thread, Anti-Siphon Valve | Aluminum | | | — | **88FAS038-6** |
| 3/8" Hose Mender | In-line Fuel Splice Kit | Brass | | Includes (2) Stainless Steel Hose Clamps | — | **11822-6** |
| 5/16" Hose Mender | In-line Fuel Splice Kit | Brass | | Includes (2) Stainless Steel Hose Clamps | — | **11823-6** |
| 1/4" Hose Mender | In-line Fuel Splice Kit | Brass | | Includes (2) Stainless Steel Hose Clamps | — | **11824-6** |

*** -6 = Blister*

# Fuel Tank and Hose Fittings

## MERCURY


8873


8890LP


8896LP


8882


14530


14507


8893


14534


8892


14532

## JOHNSON


8883


88FHE516


8889LP

## YAMAHA


8897


88FHY516


8896LP

## HONDA


88FTH014


88FHH038


8901


8902


8900

*Always use thread sealant when assembling threaded fittings.*

# Fuel Tank and Hose Fittings

## CHRYSLER


14509


8884

## SUZUKI


14509


88FTS014


14527


88FHS516


88FHS038

## TOHATSU/NISSAN


88FTN014


88FHN038


88FTNP014


88FHNP038

## UNIVERSAL


8887


88FE100


88FBM104


88FBM105


88FBM101


14540


88FBMA102


88FBF102


88FAS014


88FAS038


11822/11823/11824

*Always use thread sealant when assembling threaded fittings.*

# Fuel Tank Valves:
# Shut Off & Multiple Draw

2 YEAR WARRANTY

## TANK VALVES: THREE-WAY & SHUT OFF

| Description | | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 3-way valve | Brass: three ¼" female NPTF, click detents | — | **88FV101-6** |
| 3-way valve | Brass: three 3/8" female NPTF, click detents | — | **88FV102-6** |
| Shut-off valve | Brass: ¼" NPT x ¼" NPTF | — | **88FV200-6** |
| Shut-off valve | Brass: ¼" NPT x ¼" NPT | — | **88FV201-6** |
| Shut-off valve | Brass: ¼" NPTF x ¼" NPTF | — | **88FV202-6** |


88FV101


88FV102


88FV200


88FV201


88FV202

** -6 = Blister

# EPA CERTIFIED INTEGRATED FUEL SYSTEMS


## CARBON CANISTER FUEL SYSTEMS

Carbon canister systems utilize an engineered charcoal canister to reduce hydrocarbons entering the atmosphere. Other components of a carbon canister system are designed to ensure the tank fills to the proper level every time without spit-back or well-back.

All Attwood carbon canister systems are designed to ensure liquid fuel or water does not reach the canister and are compatible with Jerry Can and marine nozzle refueling.


### Direct Fill Carbon Canister Fuel System

- Single 1 psi overpressure relief safety valve built into the caps
- Automatic nozzle shutoff 4-10 gpm
- Anti-backout feature prevents accidental removal
- Reduced number of system components




### Remote Fill Carbon Canister Fuel System

- Dual 1 psi overpressure relief safety valves built into the deck fill caps
- Automatic nozzle shutoff 4-18 gpm




- A Fill Limit Vent Valve
- B Grade Valve
- C Inlet Control Valve
- D Carbon Canister
- E P-Trap
- F Direct Fill Unit
- G Deck Fill Unit

# EPA CERTIFIED INTEGRATED FUEL SYSTEMS


## PRESSURE RELIEF FUEL SYSTEMS

Pressure relief systems are designed with automatic diurnal emission control and overpressure relief safety valves built into the cap of the fill. The overpressure relief safety valves are engineered to release pressure above 1 psi. The high-flow vacuum valves allow fresh air to enter the fuel tank to replace the fuel being consumed by the engine. Other components of a pressure relief system are designed to ensure the tank fills to the proper level every time without spit-back or well-back. All Attwood pressure relief systems are designed to ensure water does not enter the fuel tank and are compatible with Jerry Can and marine nozzle refueling.

### Direct Fill Pressure Relief Fuel System


new

- Dual 1 psi diurnal emission control and overpressure relief safety valves built into the cap
- Dual high-flow vacuum valves ensure maximum make-up air flow with minimum vacuum restriction
- Automatic nozzle shutoff 4-10 gpm
- Anti-backout feature prevents accidental removal
- Reduced number of system components




### Remote Fill Pressure Relief Fuel System

- Dual 1 psi diurnal emission control and overpressure relief safety valves built into the cap
- Triple high-flow vacuum valves ensure maximum make-up air flow (compatible with high HP applications)
- Automatic nozzle shutoff 4-18 gpm




- A Fill Limit Vent Valve
- B Grade Valve
- C Inlet Control Valve
- D Fuel Demand Valve
- E Direct Fill Unit
- F Deck Fill Unit

# DIURINAL FUEL SYSTEM COMPONENTS

| | Carbon Canister Direct Fill | Carbon Canister Remote Fill | Pressure Relief Direct Fill | Pressure Relief Remote Fill |
|---|---|---|---|---|
| **Carbon Canister Deck Fills**  | | See Page **85** | | |
| **Carbon Canister Direct Fill**  | See Page **86** | | | |
| **Pressure Relief Deck Fills**  | | | | See Page **88** |
| **Pressure Relief Direct Fill**  | | | See Page **88** | |
| **Inlet Control Valve**  | | See Page **90** | | See Page **90** |
| **Fill Limit Vent Valve**  | See Page **90** | See Page **90** | See Page **90** | See Page **90** |
| **Grade Valve**  | See Page **90** | See Page **90** | See Page **90** | See Page **90** |
| **Carbon Canister**  | See Page **87** | See Page **87** | | |
| **Integrated Fuel Demand Valve**  | | | See Page **88** | See Page **88** |
| **P-Trap**  | See Page **86** | See Page **86** | | |

# INTEGRATED FUEL COMPONENTS
## EPA CERTIFIED

## Deck Fills For Carbon Canister Systems

- Dual 1 psi overpressure relief safety valves built into the cap
- Automatic nozzle shutoff 4-18 gpm
- Hinged audible click cap meets EPA requirements
- ISO 10088 and CE compliant
- Meets CARB 13 CCR 2235 and ISO 13331 nozzle mating and retention standards
- Designed and tested to prevent water from entering the fuel system
- Compatible with Ethanol blended fuels
- Fits 1-1/2" fill hose



Y1 Flat cap



Y2 Sloped cap



Scalloped cap

| Description | Body | Cap Material | Cap Design | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|
| Deck Fill for Carbon Canister | Straight | Black Plastic | Scalloped | **99DFCCSB1** | — |
| | | White Plastic | Scalloped | **99DFCCSW1** | — |
| | | Chrome | Scalloped | **99DFCCSZ1** | — |
| | | Stainless Steel | Scalloped | **99DFCCSS1** | — |
| | | Stainless Steel | Y1 Flat | **99DFCCSSY1-1** | — |
| | | Stainless Steel | Y2 Sloped | **99DFCCSSY2-1** | — |
| | Angled | Black Plastic | Scalloped | **99DFCCAB1** | — |
| | | White Plastic | Scalloped | **99DFCCAW1** | — |
| | | Chrome | Scalloped | **99DFCCAZ1** | — |
| | | Stainless Steel | Scalloped | **99DFCCAS1** | — |
| | | Stainless Steel | Y1 Flat | **99DFCCASY1-1** | — |
| | | Stainless Steel | Y2 Sloped | **99DFCCASY2-1** | — |



99DFCCSSY1-1



99DFCCAB1



99DFCCAW1

## Low Profile Deck Fills For Carbon Canister Systems

- Stainless steel construction
- Exclusive overpressure relief valve that is protected by a waterproof screen to eliminate the possibility of water entering the system
- 4-18 gpm refueling when used in an Attwood fuel system
- Flip-up tethered cap for ease of use
- Red dots indicate visual closure for EPA standards
- ISO 10088 and CE compliant
- Compatible with Ethanol blended fuels
- Fits 1-1/2" fill hose

| Description | Body | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Low Profile Deck Fill for Carbon Canister | Straight | **99DFCCLPSS1** | — |
| | Angled | **99DFCCLPAS1** | — |




99DFCCLPSS1

99DFCCLPAS1



# Direct Fill for Carbon Canister Systems

- Single 1 psi overpressure relief safety valve built into cap
- Anti-backout feature prevents accidental removal
- Automatic nozzle shutoff 4-10 gpm
- Reduced number of components in the system
- Includes ratcheting tethered cap
- Compatible with Attwood's carbon canister architecture
- ISO 10088 and CE compliant
- Meets CARB 13 CCR 2235 and ISO 13331 nozzle mating and retention standards
- Compatible with Ethanol blended fuels
- Fits 1-1/2" fill hose




99TDF100-1

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Carbon Canister Direct Fill | **99TDF100-1** | — |
| Replacement Tether | **99TDF120-1** | — |
| Replacement Cap | **99TDF110-1** | — |

# 90° P-Trap Fuel Tank Vents

These vents help prevent water from entering the fuel tank, yet allow air to vent freely, during normal sea conditions and washdowns. This eliminates the need for an anti-siphon loop in the vent hose. For 5/8" I.D. hose. Meets ABYC standard. The arrows in this cross-section show the baffled route that water would have to travel in order to reach the fuel vent hose. Compatible with Ethanol blended fuels.




Standard Mount

Flush Mount



1670



1674

| Description | Maximum Hull Thickness | Installation Hole Size | Style | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Standard Mount - 5/8" I.D Hose | 9/16" | 3/4" | Black with black vent head | **1670-1** | **1670-3** |
| | | | Black with stainless steel trim cover | **66419-1** | **66419-3** |
| Replacement covers for Standard Mount | — | — | For 1670 | **911526-1** | — |
| | | | For 1671 | **911527-1** | — |
| | | | For 66419 | **911528-1** | — |
| Flush Mount - 5/8" I.D. Hose | 1" | 3/4" | Black with stainless steel vent head | **1674-1** | **1674-6** |
| Replacement Spacer for Flush Mount | 1/4" - 1/2" | — | For 1674 | **911507-1** | — |
| | 1/2" - 3/4" | — | For 1674 | **911508-1** | — |

# Carbon Canisters

- Fits 5/8" vent hose
- Can be mounted in any orientation using brackets provided
- Compatible with Ethanol blended fuels
- Low permeation shell reduces overall system emissions
- Carbon Canister for Engine Compartment models feature a pre-installed composite heat-shield for easy installation

| Description | Trailerable Vessel Capacity | Non-trailerable Vessel Capacity | Dimensions Length Width Height | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|
| **SUB COMPACT** | | | | | |
| Brackets OEM Installed | 28 Gal. | 44 Gal. | 11.6" x 5.04" x 4.01" | **99CC035-1** | — |
| Carbon Canister for Engine Compartment | 28 Gal. | 44 Gal. | 11.68" x 4.08" x 5.68" | **99CC035HSA1** | — |
| **COMPACT** | | | | | |
| Brackets OEM Installed | 70 Gal. | 110 Gal. | Refer to Horizontal/Vertical | **99CC045-1** | — |
| Brackets Pre-installed Horizontal Orientation | 70 Gal. | 110 Gal. | 11.6" x 5.04" x 4.01" | **99CC045H1** | — |
| Brackets Pre-installed Vertical Orientation | 70 Gal. | 110 Gal. | 10.48" x 3.05" x 5.50" | **99CC045V1** | — |
| Carbon Canister for Engine Compartment | 70 Gal. | 110 Gal. | 11.68" x 4.08" x 5.68" | **99CC045HSA1** | — |
| **STANDARD** | | | | | |
| Brackets OEM Installed | 220 Gal. | 350 Gal. | Refer to Horizontal/Vertical | **99CC085-1** | — |
| Brackets Pre-installed Horizontal Orientation | 220 Gal. | 350 Gal. | 17.22" x 5.04" x 4.01" | **99CC085H1** | — |
| Carbon Canister for Engine Compartment | 220 Gal. | 350 Gal. | 17.74" x 4.08" x 5.68" | **99CC085HSA1** | — |
| **LARGE VESSEL** | | | | | |
| Brackets OEM Installed | 420 Gal. | 660 Gal. | Refer to Horizontal/Vertical | **99CC150-1** | — |
| Brackets Pre-installed Vertical Orientation | 420 Gal. | 660 Gal. | 24.41" x 3.05" x 5.50" | **99CC150V1** | — |
| Heat Shield for Large Vessel Carbon Canister | 420 Gal. | 660 Gal. | 25.61" x 4.08" x 5.68" | **99CC150HS1** | — |
| **ACCESSORIES** | | | | | |
| Bracket Kit (Horizontal and Vertical) | — | — | — | **99CCB01-1** | — |



99CC



99CC
Vertical



99CC
Horizontal



99CC035HSA1

# Deck Fills for Pressure Relief Systems

- Dual 1 psi diurinal emission control overpressure relief safety valves
- Triple high-flow vacuum valves ensure maximum make-up air flow with minumum vacuum restriction
- Designed and tested to prevent water from entering the fuel system
- Automatic nozzle shutoff 4-18 gpm
- Hinged audible click cap meets EPA requirements
- ISO 10088 and CE compliant
- Meets CARB 13 CCR 2235 and ISO 13331 nozzle mating and retention standards
- Designed and tested to prevent water from entering the fuel system
- Compatible with Ethanol blended fuels
- Fits 1-1/2" fill hose and 5/8" vent hose



Y1 Flat cap



Y2 Sloped cap



Scalloped cap

| Description | Body | Cap Material | Cap Design | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|
| Deckfill for Pressure Relief System | Straight | Black Plastic | Scalloped | **99DFPVSB1** | — |
| | | White Plastic | Scalloped | **99DFPVSW1** | — |
| | | Chrome | Scalloped | **99DFPVSZ1** | — |
| | | Stainless Steel | Scalloped | **99DFPVSS1** | — |
| | | Stainless Steel | Y1 Flat | **99DFPVSSY1-1** | — |
| | | Stainless Steel | Y2 Sloped | **99DFPVSSY2-1** | — |
| | Angled | Black Plastic | Scalloped | **99DFPVAB1** | — |
| | | Chrome | Scalloped | **99DFPVAZ1** | — |
| | | Stainless Steel | Scalloped | **99DFPVAS1** | — |
| | | Stainless Steel | Y1 Flat | **99DFPVASY1-1** | — |
| | | Stainless Steel | Y2 Sloped | **99DFPVASY2-1** | — |



99DFPVSZ1



99DFPVASY2-1

# Fuel Demand Valve

The integrated fuel demand valve, used in conjunction with integrated fuel systems eliminates pressurized fuel from reaching fuel distribution lines and your engine and ensures that fuel is provided to the engine on demand rather than as a result of pressure in the tank. Additional features include:

- Compatible with Ethanol blended fuels
- Eliminates the need for rigid fuel distribution lines in pressure relief systems (per ABYC H-24.15.9)

## Specifications

| Operating Temp | Storage Temp | Operating Input Pressure | Flow Performance | Hose Size | Manual Override |
|---|---|---|---|---|---|
| -20˚C to 80˚C (-4˚F to 176˚F) | -40˚C to 80˚C (-40˚F to 176˚F) | 138 kPa (20 psi) protected for 276 kPa (40 psi) psi pressure spike | 125 L/H (33 GPH) at <2 kPa (10" gasoline) | 8 mm – 10 mm (5/16" – 3/8") | Yes |

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Integrated Fuel Demand Valve (IFDV) | **99IFDV00-1** | — |
| Base for Aluminum Tank | **99DVA02-1** | — |
| Pick-Up Tube Barb with O-Ring 3/8" | **99DVB01-1** | — |
| Pick-Up Tube Barb with O-Ring 1/2" | **99DVB02-1** | — |
| IFDV Installation Clip | **99DVC01-1** | — |
| IFDV Plug Cap with Seal | **99DVP03-1** | — |
| Plastic Tank Compression Nut | **99DVP04-1** | — |
| Heat Shield | **99IFDVHS1** | — |
| Single Flang Base for Plastic Tank | **99DVP05-1** | — |




99IFDV00

# Direct Fill for Pressure Relief Systems new

- Dual high-flow vacuum valves ensure maximum make-up air flow with minimum vacuum restriction
- Dual 1 psi diurinal emission control and overpressure relief safety valves
- Anti-backout feature prevents accidental removal
- Automatic nozzle shutoff 4-10 gpm
- Reduced number of components in the system
- Includes ratcheting tethered cap
- Performs automatic shut-off function when used with an Attwood system
- EPA certified
- ISO 10088 and CE compliant
- Meets CARB 13 CCR 2235 and ISO 13331 nozzle mating and retention standards
- Compatible with Ethanol blended fuels
- Fits 1-1/2" fill hose and 5/8" vent hose

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Pressure Relief Direct Fill | **99TDFPV100-1** | — |
| Replacement Tether | **99TDF120-1** | — |
| Replacement Cap | **99TDFPV110-1** | — |






# Inlet Control Valve

- Built-in overpressure relief compatibility
- Compatible with 1-1/2" fill hose
- Compatible with Ethanol blended fuels
- Can be oriented between 0º–90º in line with fuel flow

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Inlet Control Valve | **99ICV000-1** | — |
| ICV Heat Shield | **991CV000HS2** | — |



99ICV000

# Fill Limit Vent Valves

- Sets the full level of fuel in the tank
- Prevents liquid fuel from reaching the carbon canister or vent system during vessel operation, trailering and storage
- Compatible with Ethanol blended fuels and plastic and aluminum tanks
- Passes all USCG CFR 33 and ABYC H-24 fire test requirements and CARB and EPA requirements
- Integrated high-performance gasket included
- Assembly Guide aligns the FLVV and gasket with tank for faster installation

| Description | Shut-off Height | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Fill Limit Vent Valve with GRV Communication | 0.8" | **99FLB080-1** | — |
| | 1.00" | **99FLB100-1** | — |
| | 1.40" | **99FLB140-1** | — |
| | 1.70" | **99FLB170-1** | — |
| | 2.30" | **99FLB230-1** | — |
| | 3.30" | **99FLB330-1** | — |
| Fill Limit Vent Valve without GRV Communication | 0.8" | **99FLA080-1** | — |
| | 1.00" | **99FLA100-1** | — |
| | 1.40" | **99FLA140-1** | — |
| | 1.70" | **99FLA170-1** | — |
| | 2.30" | **99FLA230-1** | — |
| | 3.30" | **99FLA330-1** | — |

99FLB230



99FLA080



# Grade Valve new

- When used in conjunction with a fill limit vent valve, allows proper venting when the fuel tank is in unusual angles
- Prevents liquid fuel reaching the carbon canister and vent system during vessel operation, trailering and storage
- Integrated impact protection feature
- Compatible with Ethanol blended fuels
- Passes all USCG CFR 33 and ABYC H-24 fire test requirements

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Grade Valve | **99GVP000-1** | — |
| Grade Valve Tank Gasket | **99GVG000-1** | — |

Heat/Impact Shield

99GVP000





99GVG000

*** -3 = Skin Pack, -6 = Individual Carton*

# ACCESSORIES
## FOR PORTABLE AND INTEGRATED FUEL SYSTEMS

## Motor Well Boot

Motor well boot provides organized, covered pass-thru for control cables, wires, or fuel lines. Split side allows for installation without disconnecting controls. Includes tie for secure fit. Black rubber, UV-resistant construction with polypropylene attachment gasket ring.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| For 3"-diameter opening | — | **12822-5** |
| For 4"-diameter opening | — | **12820-5** |


12822

## Fuel Tank Strap Sets

1"-wide white nylon web strap with zinc-plated carbon steel snap and quick-release buckle. Includes metal foot-man securing loops and screws.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 48" long for 3-6 gallon tanks | — | **11526-3** |
| 72" long for 12-gallon tanks | — | **11512-3** |


11526

## Filter Funnels

Fine mesh screen filters out most foreign matter. Lightweight floating polyethylene plastic.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Short rigid, with handle | **14582-1** | — |
| Long flexible, with handle | **14580-1** | — |


14582


14580

## Hose Clamps

Constructed of non-corrosive stainless steel. For attaching any Attwood primer bulb or fitting to fuel lines or use larger size for all vents, P-traps, etc.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 5/16" to 7/8" O.D. Hose | — | **8800-6** |
| 5/8" to 1-1/8" O.D. Hose | — | **8801-7** |
| 1/4" to 5/8" O.D. Hose | — | **8802-6** |


8800

## Ratcheting Gas Cap with Tether

High-flow valve exceeds OEM engine fuel flow requirements. Ratchets to ensure proper seal.
For 0-350 HP engines. Compatible with 8803LP/8806LP/8812LP/8812LLP Series portable fuel tanks.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Standard 2-1/4" Neck | — | **88TC06-7** |


88TC06

*** -3 = Skin Pack, -5 = Poly Bag, -6 = Blister, -7 = Clamshell*

# SpillBuster™

Eliminate messy and potentially dangerous spills with this versatile spout that easily attaches to your oil and fluid bottles. On/off valve controls liquid flow. SpillBuster fits 1-quart, 1-gallon, and most 5-quart bottles. Removable cap seals shut.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| SpillBuster spout | — | **14584D1** |


14584D1

# Fuel/Water Separator Assembly & Filter

With Double Seal. Universal 3/8" (.85cm) ports.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Universal Fuel/Water Separator<br>Fits all 2 and 4 cycle engines. 10 Micron Filter and bracket included.<br>Replaces Mercury 35-60494A4. Includes 2 brass plugs. | — | **11840-7** |
| Fuel/Water Separator<br>10 Micron Replacement for: Mercury 35-60494-1, Aqua Power 6031,<br>GLM 24940, Sierra 18-78250, SMI 15494, Valmar 52113, Marpac 7-0872 | — | **11841-4** |


11840 11841

# Outboard Fuel Filter

Disposable high-flow in-line fuel filters work with most outboard motors. Protects carbureted engines by trapping pollutants. Clear body allows visual inspection. High strength, impact resistant, and shatter resistant comstruction. Best to replace during winterize or spring start-up for optimum results.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Outboard Fuel Filter for 3/8" lines | — | **12562-6** |
| Outboard Fuel Filter for 5/16" lines | — | **12565-6** |
| Universal In-Line Fuel Filter (1/4", 5/16", 3/8") | — | **11820-7** |


12562
12565
11820

# Fuel/Oil Mixing Bottle

Allows the addition of the exact amount of oil required for a 2 cycle engine. Oil level marks are in gallons and litres. Determines ratios for 100:1, 50:1, 24:1 and 10:1 mixes. Wide mouth, quart size bottle.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Oil to Gas Mixing Container | — | **11873-1** |


11873

# Fuel Hose for Below Deck

Low-permeation, fiber-reinforced fuel line designed to prevent kinking and hardening. Compatible with Ethanol blended fuels. For use in below deck applications.


| Description | Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Fuel supply hose for 5/16" (A1-15) | 250 ft. | **9368A1** | — |
| Fuel supply hose for 3/8" (A1-15) | 250 ft. | **9368B1** | — |
| Fuel vent hose for 5/8" (A2) | 250 ft. | **9368C1** | — |
| Fuel fill hose for 1-1/2" (A2) | 50 ft. | **9369A1** | — |


9368

*** -1 = Label, -3 = Skin Pack, -4 = Individual Carton, -7 = Clamshell*

# Hydro-Stabilizer

Gives outboards and sterndrives a performance boost, improving both stability and handling. The Hydro-Stabilizer out-performs ordinary flat hydrofoils by reducing drag when the hull goes on plane. Installs on a large variety of motor styles and sizes and includes stainless steel bolts and lock nuts. Wings constructed of black molded plastic. The Hydro-Stabilizer quickly puts the boat on plane and helps pull skiers out of the hole faster. Even at lower RPMs, it keeps the boat on plane. The wings provide a smoother, more stable ride and reduces prop cavitation in turns.



Hydro-Stabilizer | Ordinary Hydrofoil

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| For outboards and stern drives 50 horsepower and above | — | **9400-7** |
| For outboards under 50 horsepower | — | **9401-7** |



9400

# Outboard Motor Safety Cable

Prevents loss of small outboard engines. Clear vinyl-coated, heavy-duty steel cable. Has a loop on one end, and includes a snap hook on the other end. 3/32" diameter, 50" long.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 3/32" dia. x 50" long | — | **11664-3** |



11664

# High-Speed Oil Change Pump new

Quickly extract up to 5 quarts of oil from boats, vehicles, lawn mowers, etc. in under 8-minutes. Durable construction. No power or batteries required. Change the oil through the engine dipstick tube. Tank has locking handle, and cap for the hose.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Heavy-Duty Pump–5 quart | — | **88EP06-4** |



88EP06

# Gear Lube Pump

For use with 32 oz. gear lube bottles. The pump fits any outboard or sterndrive to provide universal fit. Includes one Yamaha® adapter.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Gear Lube Pump | — | **11891D7** |



11891

# Universal Motor Flushers

Quickly flushes away salt, sand, silt, and alkali to prevent clogging and corrosion. The flusher attaches easily to an ordinary garden hose. Reinforced polypropylene. Selfadjusting clamping yoke fits most domestic or imported I/O's and outboards. Molded cups deliver fresh water from a garden hose to flush the cooling system through side intakes on the lower unit. Note: Do not use full flow from hose.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Round with plastic body | — | **9372-2** |
| Round with metal body | — | **16205-2** |
| Rectangular motor flusher with metal body | — | **16207-2** |
| Universal dual water feed with metal body | — | **16208-7** |

*** -2 = Hang Tag, -3 = Skin Pack, -5 = Poly Bag, -7 = Clamshell*



9372 16205 16208 16207

# PORTABLE FUEL TANKS
## INTERNATIONAL (NOT FOR USE IN THE U.S.)

2 YEAR WARRANTY

Attwood's advanced manufacturing technology produces high-quality, high-impact molded plastic gas tanks, fuel lines, and related products that are suitable for use with leaded, unleaded, and alcohol-blended fuels. All include vented cap, filtered pick-up tube, and gas line coupling for 1/4" NPT fittings.

## 3-Gallon Fuel Tanks

**Perfect for use with small outboards.**

- Manufactured from durable, high impact polyethylene—won't rust or corrode.
- Vented cap with manual closure for storage and transport
- Ergonomic handle design makes it easy to carry when full
- 1/4" NPT thread to fit all standard tank fittings and outboard engine fuel line systems
- 3/8" I.D. pick-up tube provides greater fuel flow to high performance engines

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 3-gallon, without gauge , CSA Certified | — | **8803i2** |


8803

## 6-Gallon Fuel Tanks

**Adapts to virtually any outboard engine.**

- Manufactured from durable, high impact polyethylene—won't rust or corrode.
- Vented cap with manual closure for storage and transport
- Ergonomic handle design makes it easy to carry when full
- 1/4" NPT thread to fit all standard tank fittings and outboard engine fuel line systems
- 3/8" I.D. pick-up tube provides greater fuel flow to high performance engines

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 6-gallon, without gauge , CSA Certified | — | **8806i2** |
| 6-gallon, with gauge, CSA Certified | — | **8806iG2** |


8806

## 12-Gallon Fuel Tanks

**Ideal for pontoon boats where more fuel capacity is needed.**

- Fits most pontoon trays
- Manufactured from durable, high impact polyethylene—won't rust or corrode.
- Vented cap with manual closure for storage and transport
- Ergonomic handle design makes it easy to carry when full
- 1/4" NPT thread to fit all standard tank fittings and outboard engine fuel line systems
- 3/8" I.D. pick-up tube provides greater fuel flow to high performance engines

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 12-gallon, with gauge, CSA Certified | — | **8812iG2** |


8812

*** Label*

# PORTABLE FUEL COMPONENTS
## INTERNATIONAL (NOT FOR USE IN THE U.S.)

2 YEAR WARRANTY



## Fuel Line Kits

For use with portable fuel tanks and popular outboard engines. Made to the highest quality standards.

| Engine | END FITTING | | | | | Primer Bulb | Fuel Demand Valve | Aftermarket Packaging |
|---|---|---|---|---|---|---|---|---|
| | Length | Diameter | Tank Fitting | Fits Attwood Tank Fitting | Engine Fitting | | | |
| **UNIVERSAL BRAND ENGINES AND TANKS** | | | | | | | | |
| Universal | 6' | 3/8" | None | N/A | None | Standard | No | **93806UI7** |
| Universal | 6' | 3/8" | 8838TM6 | 8838HF6 | None | Standard | No | **93806UUSI7** |
| **MERCURY BRAND ENGINES AND TANKS** | | | | | | | | |
| Mercury Pre-1998 | 6' | 3/8" | 8892LP6 | 8882-6 | 8893-6 | Standard | No | **93806AI7** |
| Mercury | 6' | 3/8" | 8890LP6 | 8873-6 | 8894LP6 | Standard | No | **93806MI7** |
| **JOHNSON BRAND ENGINES AND TANKS** | | | | | | | | |
| Johnson / Evinrude | 6' | 3/8" | 8889LP6 | 8883-6 | 8889LP6 | Standard | No | **93806EI7** |
| **YAMAHA BRAND ENGINES AND TANKS** | | | | | | | | |
| Yamaha | 6' | 3/8" | 8896LP6 | 8897-6 | 8896LP6 | Standard | No | **93806YI7** |
| **HONDA BRAND ENGINES AND TANKS** | | | | | | | | |
| Honda | 6' | 3/8" | 8902-6 | N/A | 8900LP6 | Standard | No | **93806HI7** |

## Primer Bulbs

For easy replacement on any portable fuel line. Alcohol resistant, suitable for use with leaded and non-leaded fuels. Double check valve for quick priming and unrestricted flow. Non-corrosive, galvanized hose clamps. Strong and durable.



| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 3/8" I.D Hose — For International Markets | — | **93038I7** |
| 5/16" I.D Hose — For International Markets | — | **93516I7** |
| 1/4" I.D Hose — For International Markets | — | **93014I7** |


2 YEAR WARRANTY

*† 8894-6 engine end hose fitting only fits Mercury/Mariner engines 4hp through V-6, 1998 and newer engines; also fits 1993 and newer Force 40hp and higher outboard engines.*
*** -7 = Clamshell*

# INTEGRATED FUEL COMPONENTS
## NOT FOR USE WITH EPA CERTIFIED SYSTEMS
## Vented Deck Fills

2 YEAR WARRANTY

Attwood's plastic vented deck fills incorporate an industry first patent-pending waterproof screen that eliminates the possibility of water entering a boat's fuel system, while also allowing your boat's engine to breath freely.These deck fills exceed the ISO 10088 standard for minimum required venting area and meet all ABYC and US Coat Guard safety standards for marine fuel systems. Attwood's unique design includes an integral tank vent with flame arrestor and anti-surge technology. CE certified to ISO 10088 enabling sales world wide.




**Features:**

- Integrated patent-pending waterproof screen eliminates the possibility of water entering your boat's fuel system
- Attwood's unique design includes an integral tank vent with flame arrestor and anti-surge technology, preventing fuel from escaping into the environment
- Engineered body designed for extreme strength
- Choose from oval or round, straight or angled configurations
- Round caps available in plastic, chrome or stainless steel to fit virtually any application and budget
- Stainless steel beaded chain to prevent loss of round Gasoline, Diesel and Water caps
- ISO symbols for Gasoline, Diesel, Water and Waste are located on top of the cap
- Deck plate key is included with gasoline fill
- Fits standard 1-1/2" fuel fill hose and 5/8" vent hose
- Requires (4) #8 screws

| Description | Material | Imprint | Cap Design | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| **OVAL VENTED DECK FILLS** | | | | | |
| Straight | Black Plastic | Gasoline | Scalloped | **99210GB1** | — |
| | | Water | Scalloped | **99210WB1** | — |
| | White Plastic | Gasoline | Scalloped | **99210GW1** | — |
| | | Water | Scalloped | **99211WW1** | — |
| Angled | Black Plastic | Gasoline | Scalloped | **99211GB1** | — |
| | | Water | Scalloped | **99211WB1** | — |
| | White Plastic | Gasoline | Standard | **99211GW1** | — |
| | | Water | Scalloped | **99211WW1** | — |
| **ROUND VENTED DECK FILLS** | | | | | |
| Straight | Black Plastic | Gasoline | Scalloped | **99200GB1** | — |
| | | Water | Scalloped | **99200WB1** | — |
| | White Plastic | Gasoline | Scalloped | **99200GW1** | — |
| | | Water | Scalloped | **99200WW1** | — |
| | Stainless Steel | Gasoline | Scalloped | **99200GS1** | — |
| | | Diesel | Scalloped | **99200DS1** | — |
| | | Water | Scalloped | **99200WS1** | — |
| | | Water | Y1 | **99200WSY1-1** | — |
| | Chrome | Gasoline | Scalloped | **99200GZ1** | — |
| | | Diesel | Scalloped | **99200DZ1** | — |
| | | Water | Scalloped | **99200WZ1** | — |
| Angled | Black Plastic | Gasoline | Scalloped | **99201GB1** | — |
| | | Water | Scalloped | **99201WB1** | — |
| | White Plastic | Gasoline | Scalloped | **99201GW1** | — |
| | | Water | Scalloped | **99201WW1** | — |
| | Stainless Steel | Gasoline | Scalloped | **99201GS1** | — |
| | | Diesel | Scalloped | **99201DS1** | — |
| | | Water | Scalloped | **99201WS1** | — |
| | | Water | Y1 | **99201WSY1-1** | |
| | Chrome | Gasoline | Scalloped | **99201GZ1** | — |
| | | Diesel | Scalloped | **99201DZ1** | — |
| | | Water | Scalloped | **99201WZ1** | — |
| **ROUND WASTE DECK FILLS** | | | | | |
| Straight | Stainless Steel | Waste | Scalloped | **99202WS1** | — |
| | | Waste | Y1 | **99202WSY1-1** | |
| | Chrome-plated Zinc | Waste | Scalloped | **99202WZ1** | — |
| Angled | Stainless Steel | Waste | Scalloped | **99202AWS1** | — |
| | | Waste | Y1 | **99202AWSY1-1** | |
| | Chrome-plated Zinc | Waste | Scalloped | **99202AWZ1** | — |
| **ACCESSORIES** | | | | | |
| Round Deck Plate Key | | | | **99220-1** | — |








Y1 Flat cap


Scalloped cap

NON EPA CERTIFIED INTEGRATED FUEL COMPONENTS

# 1-1/2" Deck Fills, Enhanced 316 Stainless Steel Alloy

2 YEAR WARRANTY

For 1-1/2" I.D. hose. Deck fills available with imprint to specify GASOLINE, DIESEL, WATER, or WASTE. Highly-polished finish. Flush cap is slotted for separate key and features an O-ring that seals the cap watertight. Cap is attached by a stainless steel beaded chain. 3-1/4" long fill neck. Key sold separately. 66126 waste model has internal threads for pump-out nozzle. Use for vessels with built-in holding tanks. Note: Requires a bonding wire to prevent sparking when nozzle is inserted on gas and diesel models per USCG and ABYC H-24 requirements.




66446C




## Specifications

| Part No. | Fill Neck Length | Installation Hole Size | Flange Size | Hose Size | Fastener Size |
|---|---|---|---|---|---|
| 66406, 66407, 66408 | 3-1/4" | 1-7/8" | 3" | 1-1/2" I.D. | #10 |
| 66126 | 3-1/4" | 2-1/4" | 3-1/2" | 1-1/2" I.D. | #10 |

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| "Gasoline" imprint with Red Color Code | **66446C1** | **66406-5** |
| "Diesel" imprint with Green Color Code | **66407C1** | — |
| "Water" imprint with Blue Color Code | **66408C1** | **66408-5** |
| "Waste" imprint with Black Color Code | **66126C1** | **66126-5** |
| Replacement key | **66060-1** | **66060-3** |
| Replacement cap and chain† | — | **66074-3** |
| Replacement cap and chain only for 66126 | — | **66061-3** |

# 2" Deck Fills, Enhanced 316 Stainless Steel Alloy

2 YEAR WARRANTY

For 2" I.D. hose. These deck fills are both imprinted and color-coded to specify either GASOLINE or DIESEL. Highly-polished finish. Flush cap is slotted for separate key and features an O-ring that seals the cap watertight. Cap is attached by a stainless steel, beaded chain. Long neck accommodates thick deck laminations. Key sold separately. Note: Requires a bonding wire to prevent sparking when nozzle is inserted on gasoline and diesel models per USCG and ABYC H-24 requirements.




66411

## Specifications

| Fill Neck Length | Installation Hole Size | Flange Size | Hose Size | Fastener Size |
|---|---|---|---|---|
| 3-1/4" | 2-1/4" | 3-1/2" | 2" I.D. | #10 |

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| "Gasoline" imprint with Red Color Code | **66411C1** | — |
| "Diesel" imprint with Green Color Code | **66412C1** | — |
| Replacement key | **66060-1** | **66060-3** |
| Replacement cap and chain | — | **66061-3** |

*† Replacement for 66406, 66407, 66408 and 66408C1 only*
*** -3 = Skin Pack, -5 = Poly Bag*

# FUEL VENTS

## Enhanced 316 Stainless Steel Alloy Flush-Mount Fuel Vents

On the exterior, they have a smooth edge over the competition. Unlike some others, there is no protruding cap to cause damage — or be damaged by — hull bumps and scrapes. Cap unscrews with hex head wrench for easy cleaning of filter and pressure testing of entire fuel system. These vents now include two silicone gaskets.


66031


66032

| Description | Hose Size | Maximum Hull Thickness | Installation Hole Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Straight Vent | 5/8" I.D. | 7/8" | 1-3/8" | **66031-1** | **66031-3** |
| 90° Vent | 5/8" I.D. | 7/8" | 1-3/8" | **66032-1** | **66032-3** |

## Enhanced 316 Stainless Steel Alloy Fuel Vents

Stainless steel vents with spark-proof screen holes.


66004


99FV100-6

66023

| Description | Hose Size | Maximum Hull Thickness | Installation Hole Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Straight Vent | 5/8" I.D. | 1/2" | 7/8" | **66004-1** | **66004-3** |
| 90° Vent | 5/8" I.D. | 1/2" | 7/8" | **66023-1** | — |
| Thru-Hull Vent 90° Vertical | 5/8" I.D. | 1/2" | 7/8" | — | **99FV100-6** |

## Chrome-Plated Zinc Fuel Vent

Chrome-plated zinc vents with spark-proof holes.


1615

| Description | Hose Size | Maximum Hull Thickness | Installation Hole Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Straight Vent | 5/8" I.D. | 7/8" | 3/4" | **1615-1** | — |

## Polypropylene Fuel Vents

Patented splash-resistant, corrosion-resistant polypropylene.


1607


1607A

| Description | Color | Hose Size | Maximum Hull Thickness | Installation Hole Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|
| Straight Vent | Black | 5/8" I.D. | 7/8" | 3/4" | **1607-1** | **1607-3** |
| | White | 5/8" I.D. | 7/8" | 3/4" | **1607A1** | — |

*** -3 = Skin Pack*





ANCHORING & MOORING EQUIPMENT ..... 100-107

MARINE ROPES & CORDAGE ..... 108-115

FISHING ROD HOLDERS & ACCESSORIES ..... 116-123

MARINE MAINTENANCE PRODUCTS ..... 124-125

INTERIOR & BOATING ACCESSORIES ..... 126-134

ELECTRICAL ACCESSORIES ..... 135-143

PADDLESPORTS & ACCESSORIES ..... 144-153

TRAILERING PARTS & ACCESSORIES ..... 154-168

# MARINE ACCESSORIES

# ANCHORING AND MOORING EQUIPMENT

## Mushroom Anchors

Mushroom anchors are an economical solution for light-weight boats. The wide-area mushroom cup provides sufficient holding power in mud and weed bottoms.

- Gray cast iron
- Large, steel eye
- Available coated with aluminum-painted finish or black PVC-coated finish

| Description | | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|
| Aluminum - Painted | 8 lbs. | **9941-1** | — |
| | 10 lbs. | **9942-1** | — |
| | 15 lbs. | **9943-1** | — |
| Black PVC-coated | 8 lbs. | **9941B1** | — |
| | 10 lbs. | **9942B1** | — |
| | 15 lbs. | **9943B1** | — |




## Navy Anchors

Navy anchors combine weight with flukes to dig in and hold firmly in sand and mud. The reverse action of the shank allows quick retrieval of a fouled anchor. High-quality, gray iron casting available with aluminum-painted or black PVC-coated finish.

| Description | | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|
| Aluminum - Painted | 10 lbs. | **9933-1** | — |
| | 15 lbs. | **9934-1** | — |
| | 20 lbs. | **9935-1** | — |
| Black PVC-coated | 10 lbs. | **9933B1** | — |
| | 15 lbs. | **9934B1** | — |
| | 20 lbs. | **9935B1** | — |




## River Anchors

River anchors catch and hold river bottoms where mud, rocks, stumps, and brush are present. Flukes act like a grappling hook to snag rocks or other objects. Gray, cast iron with a large, steel eye and black PVC-coated or aluminum–painted finish.

| Description | | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|
| Aluminum - Painted | 8 lbs. | **9944-1** | — |
| | 12 lbs. | **9945-1** | — |
| | 15 lbs. | **9948-1** | — |
| | 18 lbs. | **9946-1** | — |
| Black PVC-coated | 8 lbs. | **9944B1** | — |
| | 12 lbs. | **9945B1** | — |
| | 15 lbs. | **9948B1** | — |
| | 18 lbs. | **9946B1** | — |








** All Bulk Packed anchors include ID label with UPC number/bar code.*

# PENETRATING FLUKE ANCHORS

Penetrating fluke anchors dig into mud, sand, or gravel and stow flat. Pivoting flukes rotate downward into bottom. Excellent weight-to-holding power ratio compared to cast anchors. All Attwood penetrating anchors are manufactured of hot dip galvanized steel for corrosion resistance and strength. The assembly is arc-welded steel that maintains consistent fluke-to-shank angles, ensuring quick penetration and a firm hold.

## Solid Shank Penetrating Anchors

Solid shank for durability and strength.








**Specifications**

| Part No. | A | B | C | D |
|---|---|---|---|---|
| **9955-1** | 22.25" | 18.38" | 12.20" | 10.0" |
| **9956-1** | 28.18" | 21.0" | 14.50" | 11.0" |
| **9957-1** | 32.0" | 24.0" | 16.50" | 12.0" |

| Size | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|
| #8 | **9955-1** | — |
| #13 | **9956-1** | — |
| #18 | **9957-1** | — |

## Slip-Ring Penetrating Anchors

Feature a slip-ring shank for easy retrieval of a snagged anchor.







**Specifications**

| Part No. | A | B | C | D |
|---|---|---|---|---|
| **9960-1** | 13.85" | 11.50" | 8.75" | 8.0" |
| **9961-1** | 16.35" | 13.25" | 8.88" | 8.88" |
| **9962-1** | 19.85" | 14.25" | 9.50" | 10.0" |
| **9963-1** | 21.85" | 21.0" | 12.0" | 12.0" |

| Size | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|
| #5 | **9960-1** | — |
| #7 | **9961-1** | — |
| #10 | **9962-1** | — |
| #13 | **9963-1** | — |

## Grapnel Folding Anchors

Ideal four-fluke anchor for personal watercraft (PWC), small craft, and dinghies. Heavily galvanized, malleable iron. Folds up easily for storage. Lockable in opened or closed position.




| Size | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|
| 3 lbs. | **11964-1** | — |
| 5 lbs. | **11966-1** | — |
| 7.5 lbs. | **11968-1** | — |

## Grapnel Anchor System

3.5 lb. anchor will hold your PWC, canoe, dinghy, kayak, or float tube in mud, sand, gravel, and rock. Includes 25 ft. of rope, marker buoy, giant snap hook, anchor, and durable, nylon storage case that protects your boat from scratches.






| Description | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|
| Grapnel Anchor System | — | **11969-4** |

** All Bulk Packed anchors include ID label with UPC number/bar code.*
*-4 = Individual Carton*

# Anchor Chains

For use on penetrating anchors. Anchor lead chain holds down anchor shanks, in order to keep anchor flat. Increases holding strength, especially in strong currents, high winds, and coastal waters. Protects line from chafing on sharp rocks. These anchor chains include a welded, oversized link on each end for easy installation and anchor attachment. PVC-coated models protect against hull and deck abrasions.


13762


13753

| Description | Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Hot dip galvanized with 2 shackles | 1/4" x 4' | — | **13753-7** |
| PVC-coated | 1/4" x 4' | — | **13762-7** |
| | 5/16" x 5' | — | **13764-4** |

# Shackles

Bow-style shackles connect anchor, chain, and components together. Allow thimble to swivel when anchor gear is in constant motion. Hole in clevis pin to secure with safety wire. Available in economical galvanized steel for freshwater or formed Stainless Steel for strength and corrosion-resistance.


12401

| Description | Pin Diameter | U-Shank Opening | Length | Maximum Safe Load | Bulk Packaging* | Aftermarket Packaging** |
|---|---|---|---|---|---|---|
| Galvanized Steel | 5/16" | 3/8" | 1-13/16" | 1,500 lbs. | **9922-1** | **9922-3** |
| | 3/8" | 1/2" | 1-15/16" | 2,400 lbs. | **9923-1** | **9923-3** |
| | 1/2" | 3/4" | 2-7/8" | 5,000 lbs. | **9924-1** | **9924-3** |
| Stainless Steel | 3/16" | 7/16" | 1-7/16" | 900 lbs. | — | **12401L3** |
| | 1/4" | 1/2" | 1-9/16" | 1,500 lbs. | — | **12403L3** |
| | 5/16" | 5/8" | 2-1/16" | 2,000 lbs. | — | **12405L3** |
| | 3/8" | 3/4" | 2-7/16" | 3,000 lbs. | — | **12407L3** |
| | 1/2" | 1" | 3-1/4" | 5,000 lbs. | — | **12409L3** |

# Anchor Rein II Anchor Lift

Provides 32 feet of retractable, 1/4-inch braided nylon anchor line neatly spooled on a spring-loaded reel. The entire reel mechanism is concealed in a protective canister which installs easily beneath the deck or gunwale, leaving only the Perma-Plated® ZAMAK handle and stainless steel line ring exposed. When not in use, the handle serves as a convenient cleat. Loosen the handle to unreel the line, then tighten the handle to stop and lock the line at any point. Can also be used with a snap hook to tie-off on brush or timber.


1025

| Description | Max. Hull Thickness | Installation Hole Size | Bulk Packaging* | Aftermarket Packaging** |
|---|---|---|---|---|
| Anchor Rein II | 1" | 1/2"-dia. | **1025-1** | **1025-7** |


# Lift 'n Lock Anchor Control

Easy-to-use anchor lift and pulley system supports anchors up to 20 pounds with 1/2-inch diameter line (sold separately).

**Deluxe Anchor Control**
- High-impact, reinforced nylon
- Stainless steel shafts
- Easy pull-up, lock, and release

**Standard Anchor Control**
- Economical zinc-plated, steel anchor lift
- Nylon pulley system
- Steel sheave controls anchor from any position


13702



13700

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Deluxe—Anchor Lift 'n Lock | — | **13702-4** |
| Standard—Anchor Lift 'n Lock | — | **13700-7** |

**All Bulk Packed Chains/Shackles include ID label with UPC number/bar code*
*** -3/L3 = Skin Pack, -4 = Individual Carton, -7 = Clamshell*

# Anchor Lift System

This convenient system drops the anchor at the turn of a button and stores it in the anchor mount housing when not in use. Constructed of heavy-gauge steel with a durable powder coated finish and mounts on the bow or stern corners of most boats. Features self-lubricating nylon wheels. Capacity for 100 ft. of 3/16-inch line (Anchor Line and Pulley System sold separately).







| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Anchor Lift System | — | **13710-4** |
| Pulley System | — | **2908-6** |
| Tiller Line Pulley | **2906-1** | **2906-3** |
| 3/16" x 100' Braided line for lift system | — | **117553-7** |


117553

# Anchor Buoy

One-piece, heavy-duty construction uses premium marine-grade vinyl for softness, pliability, and superior durability. Built-in UV inhibitors help maintain high-visibility, fluorescent orange color. MicroGuard® technology further protects from rotting, mold, and mildew.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Buoy, 9" | — | **9350-4** |


9350

# Anchor Ring & Rope

Assists in anchor retrieval. Designed to lift anchor systems up to 80 lbs. where 10 feet or more of anchor chain is used. Lifting capacity based on anchor buoy size. Buoy sold separately.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Anchor Ring with rope | — | **9351-2** |


9351

**-2=Hang tag, -3=wire tie card, -4=individual carton, -6=blister, -7=clamshell*

# SOFTSIDE FENDERS

Attwood SoftSide fenders come with a lifetime guarantee against chalking, splitting, marring, deflating, and crushing. All SoftSide fenders are made in the U.S.A. and resistant to UV and fading. Soft to the touch and easy on hulls, consumers trust the Attwood name in fenders.

## SoftSide Oval Mooring Fenders

Molded from a lightweight polymeric material that is soft to the touch, and easy on hulls, and resistant to UV, chalking, splitting, and crushing. Double-molded eye ends for extra strength. Seamless one-piece construction. Oval shape and ribbed sides resist rolling against hull.

- Sold in a display carton for easy display
- Guaranteed for life against splitting or bursting



| Description | Color | Bulk Packaging* | Aftermarket Packaging** |
|---|---|---|---|
| 4"-dia. x 16" L | White | — | **9354D1** |
| | Blue | — | **9354BD1** |
| 5"-dia. x 22" L | White | — | **9355D1** |
| 5"-dia. x 22" L, 2-Pack | White | — | **93552P2** |
| 5"-dia. x 22" L, 3-Pack | White | — | **93553P2** |
| | Blue | — | **9355BD1** |
| 6"-dia. x 24" L | White | — | **9356D1** |
| | Blue | — | **9356BD1** |
| 8"-dia. x 28" L | White | **9358-1** | — |
| | Blue | **9358B1** | — |

| Description | Dimensions | Mounting Pattern | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|---|
| Pontoon Fender new | 8 1/2" x 16 1/2" x 10" | Strap | — | **93536-1** |

93552P2




93553P2




**Pontoon Fender**
93536




** All Bulk Packed fenders include ID label with UPC number/bar code.*
*** D1 = PDQ Display Carton with UPC Label*

# SoftSide Dock Fenders

Molded from a lightweight polymeric material that is soft to the touch, easy on hulls, and resistant to UV, chalking, splitting, and crushing. Seamless one-piece construction. Oval shape and ribbed sides resist rolling against hull.

- Sold in a PDQ display carton for easy retail display
- Guaranteed for life
- Made in the U.S.A.

| Description | Dimensions | Mounting Pattern | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|---|
| 12" x 12" Corner Dock Fender | 11 3/4" x 11 3/4" x 4 1/2"<br>Fits 90° angle" | Four 5/16" holes | — | **93531-1** |
| Straight-Edge Dock Fender | 18" x 3 1/2" x 4 1/2" | Three 5/16" holes | — | **93532-1** |
| Slide-On Post Dock Fender | 7" diam. x 15" height<br>Fits up to 2 3/8" O.D. Post" | Four 5/16" holes | — | **93533-1** |
| Round Corner Dock Fender | 7" diam. x 15" height<br>Fits 90° angle" | Six 5/16" holes | — | **93534-1** |




** All Bulk Packed fenders include ID label with UPC number/bar code.*

# Fold-Down Dock Cleats

Ideal for small boats and watercraft. Cleats simply fold-down when not in use and flip back up when it comes time to tie off. Low-profile, fold-down design keeps cleat clear of dock traffic. Marine-grade aluminum protected with corrosion-resistant finish. Easy to install on all dock types with (2) standard 3/8-inch carriage bolts (not included).


| Description | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 6" Fold-Down Cleat | White | — | **12048-4** |
| 8" Fold-Down Cleat | White | — | **12049-4** |



12048

# Mooring Line Snubbers

An ideal shock absorber for small boat mooring and docking lines. Eases strain on mooring lines caused by wind or tides. High-tensile rubber construction resists saltwater, fuels, and acids.



| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 22" long, White, pair | — | **9947-3** |



9947

# Mooring Snubber Kit

This flexible snubber stretches to absorb shock and protect boats, cleats, and lines from the strain of wind and water. The resilience of the snubber can be adjusted to conditions by increasing or decreasing the amount of line wrapped around it. Includes snubber and 20 ft. of solid braided multifilament polypropylene dock line.

| Description | Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Mooring Snubber Kit | 3/8" | 20 ft. | Blue | — | **11730-7** |



11730

*** -2 = Hang Tag, -3 = Skin Pack, -6 = Blister, -7 = Clamshell*

# Mooring Fender Lock Kit

Quickly and easily install or move fenders when mooring. Simply tie fender line onto key and insert key into lock. Includes (2) flush-mount stainless steel mounting plates and (2) stainless steel keys. Fasten with (2) #10 fasteners. Accepts up to 1/2-inch rope.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 2" W x 1" H, Set | — | **11575-3** |



11575

# Stainless Steel Fender Hooks

For holding mooring lines anywhere on the boat or dock. Holds rope up to 3/8-inch diameter. Two counter-sunk holes, 5/8-inch apart. Stamped stainless steel construction.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 1-3/8" L x 1" H | **11731-1** | **11731L3** |



11731

# Stainless Steel Boat Hook Holders

Polished, stamped stainless steel holders keep boat hooks, poles, gaffs, and nets stored within easy reach. For pole diameters up to 1-1/4 inch.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 3-1/2" L x 1" W | — | **11556L3** |



11556

# Boat Hook

Telescoping adjustment collar has molded ribbing – easy to grip and twist for length adjustment, even when wet. High-quality 6061-T6 aluminum tubing with marine finish and rubber vinyl grips. Hook includes non-marring polyethylene tips.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Extends 3-1/2' to 5-1/2' | — | **11150-5** |
| Extends 3-1/2' to 8' | — | **11180-5** |



11180

# General Purpose Storage Clips

An economical way to hold and store boat hooks, mop handles, and other poles. Stainless steel.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Holds poles up to 1-1/2"-dia. | — | **11557L3** |



11557

*** -3/L3 = Skin Pack, -4 = Individual Carton, -5 = Poly Bag, TD6 = Blister, -7 = Clamshell*

# MARINE ROPES & CORDAGE

Attwood offers a complete line of anchor and mooring products with the premium performance and quality that boaters have come to expect. Our rope products are packaged to look great, while meeting the sustainability and functional requirements demanded by our retail customers.

## ROPE MATERIALS

### NYLON

Nylon is recognized in the marine industry for its inherent strength, durability, and versatility. Its elasticity allows it to manage the sudden shock loads that would break ropes constructed from other materials, making it a leading choice for anchor and dock lines. Nylon is also abrasion resistant and will last much longer than natural fiber ropes. Made from multifilament fibers that are light and heat stabilized, nylon rope is also resistant to rot, oils, gasoline, grease, marine growth, and most chemicals.

#### Benefits

- Strength
- Elasticity enables stretching and reduced breakage
- Resistant to UV light, rot, abrasion, mildew, oils, gasoline, and marine growth
- High wet strength

### POLYPROPYLENE

Polypropylene offers high strength-to-weight performance and is available in many construction methods using monofilament fibers, which are smooth and velvety, and multifilament fibers. Both fiber types are UV stabilized to provide resistance against fading and degradation. Waterproof polypropylene ropes float and are also resistant to rot, oils, gasoline, and most chemicals.

#### Benefits

- Economical and versatile
- Resistant to UV light, rot, abrasion, mildew, oils, gasoline, and marine growth
- Floatable

## ATTWOOD ROPE CONSTRUCTION TYPES




**Twisted**

- Splicable
- Economical construction
- The most common construction type for general purpose rope




**Solid Braided**

- Resists rotating underload
- Strong, soft, and light-weight construction
- Ideal for use in pulleys, guides, and blocks
- Resists unraveling when cut



**Double Braided**

- Braid over braid construction (two ropes combined into one rope)
- Splicable
- Does not hockle, kink, or rotate underload
- Excellent shock absorbtion and elasticity



**Diamond Braided**

- High quality construction
- Tight interlacing of yarns
- Stiffer than solid braided rope



**Hollow Braided**

- Diamond braid construction with hollow center
- Easiest type construction to splice

# ANCHOR LINES

Attwood offers anchor lines in different materials and construction types. Our twisted nylon construction is strong, hangs straight, and resists kinking. It can also be spliced, making it a favorite for the seasoned boater. Solid braided nylon lines are stable round cords that will not flatten out and will maintain a soft hand and flexibility throughout its life. We also offer a complete line of polypropylene anchor lines that are sure to meet the needs of any boater.



11707



11709

## Premium Nylon Anchor Line

Available with Snap Hook or Thimble

| Description | Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Twisted nylon line with hook | 3/8" | 50 ft. | White | — | **11707-7** |
| Twisted nylon line with thimble | 3/8" | 100 ft. | White | — | **11734-1** |
| | | 150 ft. | White | — | **11708-1** |
| | | 200 ft. | White | — | **11716-1** |
| | 1/2" | 100 ft. | White | — | **11709-1** |

## Premium Double Braided Nylon Anchor Line

| Description | Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Double braided nylon line | 3/8" | 100 ft. | Gold/White | — | **117587-1** |
| Double braided nylon line | 3/8" | 150 ft. | Gold/White | — | **117588-1** |

## Solid Braided MFP Anchor Line

Available with Spring Hook or Thimble

| Description | Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| MFP line with spring hook | 3/8" | 50 ft. | White | — | **11723-7** |
| | | | Red | — | **11736-7** |
| | | | Blue | — | **11741-7** |
| | | | Black | — | **11742-7** |
| MFP line with thimble | 3/8" | 100 ft. | White | — | **11724-1** |



11723



11724

## Hollow Braided Polypropylene Anchor Line

Available with Snap Hook or Thimble

| Description | Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Polypropylene with snap hook | 1/4" | 50 ft. | White | — | **11714-2** |
| Polypropylene with spring hook | 3/8" | 50 ft. | Blue/White | — | **11725-2** |
| | 1/4" | 100 ft. | Blue/White | — | **11722-2** |



11714



11725

*** -1 = Spool, -2 = Hang Tag, -7 = Clamshell*

# DOCK LINES



Attwood has a selection of dock lines to meet all boater needs for securing their boat to a dock or to other boats when rafting. Whether in nylon or polypropylene, we have dock lines in the most popular sizes and styles. Our nylon dock lines are the strongest and most durable lines available, plus they are resistant to the degradation effects of UV rays.

Our polypropylene dock lines are floatable. All Attwood dock lines are pre-spliced at one end.













## Premium 3-Strand Twisted Nylon Dock Line

| Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 3/8" | 10 ft. | White | — | **11711-7** |
| | 15 ft. | White | — | **11705-7** |
| | 20 ft. | White | — | **117576-7** |
| 1/2" | 15 ft. | White | — | **11706-7** |
| | 20 ft. | White | — | **11733-7** |
| | 25 ft. | White | — | **11715-7** |




## Premium Double Braided Nylon Dock Line

| Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 3/8" | 10 ft. | Gold/White | — | **117568-7** |
| | | White | — | **117522-7** |
| | | Blue | — | **117521-7** |
| | | Black | — | **117520-7** |
| | 15 ft. | Gold/White | — | **11701-7** |
| | | White | — | **117601-7** |
| | | Red | — | **117602-7** |
| | | Blue | — | **117603-7** |
| | | Black | — | **117604-7** |
| | 20 ft. | Gold/White | — | **117563-7** |
| | | White | — | **117605-7** |
| | | Red | — | **117606-7** |
| | | Blue | — | **117607-7** |
| | | Black | — | **117608-7** |
| | 25 ft. | Gold/White | — | **117564-7** |
| | | White | — | **117680-7** |
| | | Black | — | **117681-7** |
| | | Blue | — | **117682-7** |




*(Continued on next page)*

*-7 = Clamshell*

# Premium Double Braided Nylon Dock Line *(Continued)*

| Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 1/2" | 15 ft. | Gold/White | — | **117565-7** |
| | | White | — | **117609-7** |
| | | Red | — | **117611-7** |
| | | Blue | — | **117612-7** |
| | | Black | — | **117613-7** |
| | 20 ft. | Gold/White | — | **117566-7** |
| | | White | — | **117614-7** |
| | | Red | — | **117615-7** |
| | | Blue | — | **117616-7** |
| | | Black | — | **117617-7** |
| | 25 ft. | Gold/White | — | **117567-7** |
| | | Red | — | **117620-7** |
| | | Blue | — | **117619-7** |
| | | Black | — | **117621-7** |
| | 30 ft. | Gold/White | — | **117684-7** |
| | | Black | — | **117686-7** |
| | | Blue | — | **117687-7** |
| 5/8" | 20 ft. | Gold/White | — | **117523-7** |
| | | White | — | **117689-7** |
| | | Black | — | **117690-7** |
| | | Blue | — | **117691-7** |
| | | Red | — | **117692-7** |
| | 25 ft. | Gold/White | — | **117524-7** |
| | | Black | — | **117694-7** |
| | | Blue | — | **117695-7** |
| | 30 ft. | Gold/White | — | **117697-7** |
| | 35 ft. | Gold/White | — | **117525-7** |
| | | Black | — | **117703-7** |


Gold/White


White


Red


Blue


Black

*-7 = Clamshell*

# Braided MFP Dock Line

| Description | Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Double Braided | 3/8" | 15 ft. | Blue | — | **11702-7** |
| | | | Black | — | **11703-7** |
| Solid Braided | 3/8" | 15 ft. | White | — | **11737-7** |
| | | | Red | — | **11749-7** |
| | | | Blue | — | **11750-7** |
| | | | Black | — | **11752-7** |


11703

# Mooring Snubber Kit

This flexible snubber stretches to absorb shock and protect boats, cleats, and lines from the strain of wind and water. The resilience of the snubber can be adjusted to conditions by increasing or decreasing the amount of line wrapped around it. Includes snubber and 20 ft. of solid braided multifilament polypropylene dock line.

| Description | Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Mooring Snubber Kit | 3/8" | 20 ft. | Blue | — | **11730-7** |


11730

# Hollow Braided Polypropylene Dock Line

| Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 3/8" | 10 ft. | Red/White | — | **11727-2** |
| | 15 ft. | Blue/White | — | **11728-2** |


11728

11727

# Expandable Dock Mooring Line

- Absorbs shock by stretching from 4 ft. to 5.5 ft.
- Convenient and easy to use -- eliminates excess lines
- Perfect for multiple boat tie ups
- Hollow-braid polyethylene line and shock cord construction

| Description | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Expandable Dock Line | 4 ft. | Black | — | **11729D5** |


11729

# Launch Line

- Solid braid MFP line includes spring hook and handy foam grip
- Easy to handle floatable line that dries quickly
- UV Resistant
- Helps assist or steer your boat when launching or loading

| Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 5/16" | 30 ft. | Blue | — | **11732-7** |


11732

*-7 = Clamshell*

# FENDER LINES

Attwood Fender Lines are constructed of double braided or 3-strand twisted nylon for strength, flexibility, and durability. These premium lines feature a professionally spliced eye and are available in a range of diameters, lengths, and colors. Our Fender Lines will not be damaged by oil, grease, gasoline, mildew, or most chemicals.


11843

## Double Braided Fender Lines

| Description | Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Double Braided Nylon, pair | 1/4" | 5 ft. | White | — | **11843-7** |
| | | 6 ft. | Black | — | **11970-7** |
| | | | White | — | **11971-7** |
| | | | Blue | — | **11972-7** |
| | | | Gold/White | — | **11973-7** |
| | | | Red | — | **11974-7** |
| | 3/8" | 5 ft. | White | — | **11844-7** |
| | | 6 ft. | White | — | **11975-7** |
| | | | Blue | — | **11976-7** |
| | | | Gold/White | — | **11977-7** |
| | | | Red | — | **11978-7** |
| | | | Black | — | **11980-7** |

## 3-Strand Twisted Nylon Fender Line

| Description | Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| 3-Strand Twisted Nylon, pair | 1/4" | 6 ft. | White | — | **11979-7** |


11979

# UTILITY ROPES

We have just the unique rope product and accessory that are always practical and valuable for the many uses around the boat, marina and home.

## Braided Polypropylene Utility Line

- Multi color offering
- 75 foot offering comes in PDQ retail display of four ropes
- 25 foot offering comes in PDQ retail display of three ropes


11704

| Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 3/8" | 25 ft. | Multi | — | **11704-2** |
| 3/8" | 75 ft. | Green | — | **117707-2** |

## Hollow Braided Polypropylene Utility Line


11710

| Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 5/16" | 50 ft. | Blue | — | **11713-2** |
| 1/4" | 40 ft. | Yellow | — | **11710-2** |
| | 50 ft. | Yellow | — | **11720-2** |
| | 100 ft. | Blue | — | **11721-2** |

11713

*** -2 = Hang Tag*

# Diamond Braided Polypropylene Utility Line

- Great for miscellaneous uses around the boat, home, and marina
- Neon multi-color offering

| Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 1/8" | 45 ft. | Neon Multi | — | **11700-2** |
| 3/8" | 50 ft. | Black | — | **117708-2** |


11700


117708

# Camouflage Cord Utility Line

- Great for hunting, fishing, boating, and camping
- 75 foot offering comes in PDQ retail display of four ropes

| Description | Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Diamond Braided MFP Camo Cord | 1/8" | 50 ft. | Camo | — | **11717-2** |
| | | 100 ft. | Camo | — | **11718-2** |
| | 1/4" | 50 ft. | Camo | — | **11719-2** |
| Twisted Polypropylene | 3/8" | 50 ft. | Camo | — | **117585-2** |
| Braided Polypropylene | 3/8" | 75 ft. | Camo | — | **117706D2** |


11717

117706

# Twisted Nylon Utility Line

| Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 1/4" | 50 ft. | White | — | **11726-2** |


11726

# Solid Braided Nylon Rope

| Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 3/16" | 100 ft. | White | — | **117553-7** |
| 1/4" | 50 ft. | White | — | **117543-2** |


117543

# Diamond Braided Nylon Rope

| Thickness | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 1/4" | 50 ft. | White | — | **117561-2** |
| | 100 ft. | White | — | **117562-2** |


117561

*** -2 = Hang Tag, -5 = Poly Bag, -7 = Clamshell*

# Winch Ropes

Durable winch ropes available in braided nylon and twisted polypropylene. For winches rated up to 1,200 lbs.

| Thickness | Length | Material | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| 3/8" | 25 ft. | Braided Nylon | White | — | **11026-5** |
| | 20 ft. | Twisted Polypropylene | Black | — | **11739-2** |




# Marine Bungee Cord Pack

Ideal for boat covers and general use.

- High tensile strength steel hooks with protective coating
- Contains: (8) 24" White, (6) 30" Blue, (2) 42" Yellow and (2) Adjustable Hooks for Customizing Length

| Description | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 18 Piece Assortment | Multi | Multi | — | **11712-7** |




# Flat Bungee Set

5-piece set includes 12", 15", 25", 35" and 45" premium flat bungees with plastic encapsulated hooks. Individual colors.

| Description | Length | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 5-Piece Assortment | Multi | Multi | — | **11753-7** |




# Marine Quick Cinch

Ideal for tying down kayaks and canoes or replacing worn boat cover cinches.
Includes quick cinch, 8 ft. rope, and hook.

- One hand operation
- Load limit: maximum 150 lbs.

| Description | Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Marine Quick Cinch | 8 ft. | — | **11798-6** |




# MARINE ROPE ACCESSORIES

## Rope Wraps

Wrap around and hold your ropes, cords, hoses, and more.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Three (3) 1" x 12" straps, with sewn in hook-and-loop fasteners | — | **11792-6** |




*** -2 = Hang Tag, -5 = Poly Bag, -7 = Clamshell*

# FISHING ROD HOLDERS
## & ACCESSORIES

**The Fishing Leader!**

- Make Attwood your fishing source
- Now, more than ever, Attwood is your best source for adjustable rod holders and interchangeable mounts. We think you'll agree — Attwood's comprehensive selection has you covered for all types of rod holders!



5010

## Pro Series Rod Holders

5 YEAR WARRANTY

Designed for use with bait casting and spinning reels. Heavy-duty, deep-tooth gear lock securely holds rod holder in mounting base.

| Description | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| with Combo Mount | Black | — | **5010-4** |
| | White | — | **5010W4** |
| with Flush Mount | Black | — | **5013-4** |

## Heavy-Duty Adjustable Rod Holders

3 YEAR WARRANTY

Designed for use with bait casting and spinning reels. Features an ergonomic design and easy-to-find rapid-release latch The large, easy-grip lock-nut offers an easy 180° vertical adjustment range for a variety of rod tip height settings.



5009

| Description | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| with Combo Mount | Black | — | **5009-4** |
| | White | — | **5009W4** |
| with Flush Mount | Black | — | **5014-4** |

## 2-In-1 Non-Adjustable Rod Holders

Features fixed vertical angle to optimize rod positioning. Smaller size is perfect for medium and light action gear. Rod throat opening fits most standard and ultra-light rods up to 1-3/16-inches diameter. Locking ring fits spinning reel handle shanks up to 7/16-inch diameter. *Available in single package or promotional double-pack.*


RH-46

Includes Side Mount

| Description | Color | Bulk Packaging* | Aftermarket Packaging** |
|---|---|---|---|
| with Side Mount | Black | — | **RH-46** |
| with Side Mount, Pair | Black | — | **RH-4646** |
| no Side Mount | Black | **RH-46-1** | — |

**All Bulk Packed Rod Holders include ID label with UPC number/bar code*
*** -4 = Individual Carton*

# Heavy-Duty Rod Holder Extensions

For use with all Attwood mounts including combo mount, Attwood standard side mounts, and other leading rod holder mounts. Complete with all necessary hardware to mount to round or square 7/8-inch to 1-1/4-inch diameter rail.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Black Extension | — | **5016-3** |
| White Extension | — | **5016W3** |




# Heavy-Duty Rail Mount

For use with the Heavy-Duty Combo Mount. Complete with all necessary hardware to mount to rails from 3/4-inch to 1 1/4-inch width.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Black Mount | — | **5012-7** |

# Heavy-Duty Combo Mounts

The combo rod holder mount allows for mounting in multiple configurations. This new design offers an improved fit with positive lock for secure rod holder mounting. Can be mounted on side or top of gunwale. Compatible with all Attwood and other leading rod holder mounting patterns.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Black Mount | — | **5011-7** |
| White Mount | — | **5011W7** |

# Flush Mounts

Mounts flush to gunwale or deck. Easy-open cover conceals fasteners and elastomeric liner seals water out. When closed the low profile, smooth, contoured design avoids snagging lines.


| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Black Mount | — | **5022-7** |
| White Mount | — | **5023-7** |




# Heavy-Duty Clamp-On Rod Holder Mount

Heavy-duty adaptor clamp easily mounts rod holder to gunwale or transom. Ideal for aluminum fishing boats and pontoons. Works together with Attwood's Heavy-Duty Combo Mount and other Attwood fishing accessories. Mounting hardware included.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Gunwale/Transom Rod Holder Clamp | — | **5030-4** |




*** -3 = Wire Tie Card, -7 = Clamshell*

# Clamp-On Rod Holder

Versatile Clamp-On Rod Holder features wide adjustability and a universal clamp design that allows easy mounting to gunwales, transoms, and rails. Constructed of powder coated steel for durability and long life.

| Description | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Clamp-On Rod Holder | Black | — | **5031D1** |


5031

# Inflatable Adapter Plate

Specially designed to mount Attwood's fishing rod holders to inflatable boats and kayaks. Made from heavy-duty injection molded PVC. Includes stainless steel mounting hardware for rod holder base.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Inflatable Adapter Plate | — | **5017-6** |


5017

# Mini Rigger Kit

A complete package to start downrigger fishing. Attwood's Mini Rigger Kit bringcontrolled-depth trolling capabilities to boats of all size. Kit includes Heavy-Duty Combo Mount for multiple mounting configurations, heavy-duty and easy to use professional line release, swivel head pulley to respond to line movements, 100 ft. of stainless steel line, 4 lb. cannonball weight, and an easy grip handle.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Mini Rigger with Harness | — | **9709-7** |


9709

# Lure Rack

The lure rack holds up to 25 lures, plus a fillet knife and pliers. Has slots for fillet knives.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Lure Rack | — | **11848-4** |


11848

** -4 = Individual Carton, -6 = Blister, -7 = Clamshell

# Sure-Grip Steel Rod Holders & Mounting Bases

Attwood's line of Sure-Grip Steel Rod Holders are the perfect complement to our molded Pro-Series and Heavy-Duty Adjustable rod holders. They are designed for drift fishing, pan fishing, crappie, and more. Make Attwood your single source for all types of rod holders!

The 3/8-inch diameter coated steel rod is tough, strong, and corrosion-resistant. UV-resistant plastic coating protects the rod butt and handle. Stainless steel exposed stem and wing nut offer years of corrosion-resistant use.

Attwood Sure-Grip mounting bases fit a variety of mounting surfaces including rails. Constructed of extruded aluminum.

| Description | | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **SURE-GRIP STEEL ROD HOLDERS** | | | |
| 5° Angle, 4" S.S. Stem & Wing Nut, For horizontal rod position, includes 5071 mounting base | | — | **5060-3** |
| 5° Angle, 8" S.S. Stem & Wing Nut, For horizontal rod position with added clearance, includes 5071 mounting base | | — | **5061-3** |
| 25° Angle, 4" S.S. Stem & Wing Nut, For drifting or trolling | Includes 5071 mounting base | — | **5062-3** |
| | Includes a pair of rod holders and 5071 mounting bases | — | **5066-7** |
| 45° Angle, 4" S.S. Stem & Wing Nut, For trolling, includes 5071 mounting base | | — | **5063-3** |
| 10° Angle, 4" S.S. Stem & Wing Nut, For long handle bait casting rods | Includes 5071 mounting base | — | **5064-3** |
| 10° Angle, 4" S.S. Stem & Wing Nut, For bait casting rods, includes 5071 mounting base | | — | **5065-3** |
| 10° Angle, 4" S.S. Stem & Wing Nut, For long handle bait casting rods | | — | **5067-7** |
| **SURE-GRIP MOUNTING BASES** | | | |
| Side mount base, fits gunwale or rail | | — | **5070-3** |
| Flush base, fits 2" flat surfaces | | — | **5071-3** |
| Flat rail base, fits square rail | | — | **5072-7** |
| V-Round rail base, fits round rail up to 1"-dia. | | — | **5073-3** |
| Clamp-on rail base, fits round rail up to 7/8"-dia. | | — | **5074-3** |


5060


5061


5062



5063


5064


5065


5070


5071


5072


5074


*** -3 = Wire Tie Card, -7 = Clamshell*

# ROD HOLDERS

## Stainless Steel Flush Mount Rod Holders

Attwood Stainless Steel Rod Holders answer the need for the finest in finish, function, and durability. The holders are available in 30º, 15º, and 0º configurations in standard 2-inch diameter or in the robust 2-1/4-inch diameter Big Game Series. All Stainless Steel Rod Holders have these outstanding features, including optional custom-casting or electrolytic etching of your logo in the flange. Contact your Attwood representative for details.




| Description | | Flange Shape | End Type | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|
| **CLOSED END - 2" DIAMETER X 9" LENGTH** | | | | | | |
| 30° | Rod Holder | Round | Closed | Black | **66470-1** | **66470-7** |
| | | | | White | — | **66470W7** |
| | Cap Gasket | | | Black | **1472-1** | — |
| | | | | White | **1472W1** | — |
| 0° | Rod Holder | Round | Closed | Black | **66471-1** | **66471-7** |
| | | | | White | — | **66471W7** |
| | Cap Gasket | | | Black | **1471-1** | — |
| | | | | White | **1471W1** | — |
| **STANDARD SERIES - 2" DIAMETER X 7-1/2" LENGTH** | | | | | | |
| 30° | Rod Holder | Oval | Open | Black | **66362-1** | **66362-7†** |
| | | | | White | **66362W1** | **66362W7†** |
| | Cap Gasket | | | Black | **1478-1** | — |
| | | | | White | **1478W1** | — |
| 15° | Rod Holder | Oval | Open | Black | **66363-1** | **66363-7†** |
| | | | | White | **66363W1** | **66363W7†** |
| | Cap Gasket | | | Black | **1477-1** | — |
| | | | | White | **1477W1** | — |
| 0° | Rod Holder | Oval | Open | Black | **66364-1** | **66364-7†** |
| | | | | White | **66364W1** | **66364W7†** |
| | Cap Gasket | | | Black | **1476-1** | — |
| | | | | White | **1476W1** | — |
| Drainage receptacle for 2" models | | | | | **1479-1** | — |
| **BIG GAME SERIES 2-1/4" X 11" LENGTH** | | | | | | |
| 30° | Rod Holder | Oval | Open | Black | **66462-1** | **66462-7†** |
| | | | | White | **66462W1** | **66462W7†** |
| | Cap Gasket | | | Black | **1481-1** | — |
| | | | | White | **1481W1** | — |
| 15° | Rod Holder | Oval | Open | Black | **66463-1** | **66463-7†** |
| | | | | White | **66463W1** | **66463W7†** |
| | Cap Gasket | | | Black | **1482-1** | — |
| | | | | White | **1482W1** | — |
| 0° | Rod Holder | Oval | Open | Black | **66464-1** | **66464-7†** |
| | | | | White | **66464W1** | **66464W7†** |
| | Cap Gasket | | | Black | **1483-1** | — |
| | | | | White | **1483W1** | — |

### Closed End



66470

66471

Closed End Base
Polished end has drainage opening for 14-18 NPT fitting



### Standard/Big Game Series'



66362
66462

66363
66463

66364
66464



1479

*† Includes Cap Gasket*
*** -7 = Clamshell*

# Hybrid Rod Holder

10-inch long ABS plastic tube with stainless steel cap.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| ABS plastic with Stainless Steel cap, 30° angle | **6450-1** | **6450-7** |
| ABS plastic with Stainless Steel cap, 0° angle | **6451-1** | **6451-7** |



6450 6451

# Plastic Rod Holders

Durable plastic construction. No liner needed. Holder is angled at 30º for proper rod tip tension. Installation hole size: 2-1/2 inch diameter. Flange has three holes for 1/4 inch screws. Accommodates standard rod grip sizes under 1-1/2 inch diameter.

| Description | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| ABS plastic | White | — | **12700-5** |
| | Black | **12701-1** | **12701-5** |
| ABS plastic, 8 piece Display | White | — | **12703D1** |
| ABS plastic, closed end | Black | **12704-1** | **12704-2** |



12700 12701

# Stainless Steel Clamp-On Rod Holder

304 stainless steel with black composite liner. Can be used on vertical or horizontal rails. Adjustable for rails 7/8-inch to 1-inch diameter. 9-inch length, 1-3/4-inch inside diameter tube.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Stainless Steel | — | **66970-7** |



66970

** PDQ Box of 4*
*** -4/W4 = Individual Carton, RH-46 & RH-4646 = Clamshell*
*** D1 = PDQ Display, -5 = Poly Bag, -7 = Clamshell*

# ROD STORAGE

## PVC Rod Holder Storage

Durable white PVC tube side mounts with molded out area to accommodate standard rod grip sizes up to 1-3/4-inches. 9-inches long.


12708

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| PVC Rod Holder Storage | — | **12708-2** |
| PVC Rod Holder Storage, 8 piece Display | — | **12708D1** |

## Boat Deck Rod Holder Set



Mounts rod and reel combo to deck of the boat. Prevents rod and reel from bouncing out of boat while traveling. Holds up to five rods.

- Set includes: (1) 10-inch (25 cm) strap for the handle end of the rods, (1) 6-inch (15 cm) strap for the tips and stainless steel mounting hardware.


12760

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Deck Rod Holder Set | — | **12760-7** |

## Vertical Mount Rod Holder



- Mounts vertically in application to hold 5-6 rods horizontally
- Molded rubber inserts secure rod butt and tip
- Holds in a crisscross manner, allowing storage of more rods in a smaller space


12761

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Vertical Mount, Rod Holder Set | — | **12761-7** |

## Rod Storage Holder

Holds up to three fishing rods. Closed-cell foam insert protects rod. Mounts vertically or horizontally. 8-3/4 inches L x 2-1/2 inches W.


12750

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Black ABS frame, black foam | — | **12750-6** |

*** -2 = Hang Tag, -6 = Blister, -7 = Clamshell*

# FISHING NETS



## Fold-N-Stow Fishing Nets

Fold down for convenient and compact storage or extend for added reach with Attwood's line of Fold-N-Stow Fishing Nets. A flip of the handle opens and locks the net into place. Easily pull back the trigger and the net collapes down into a stowable size. Constructed of durable, knot-free netting.

| Description | Dimensions At Full Extension | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Small Folding Net, Ideal for Trout Fishing | 24" L x 12.5" W x 10" D | — | **12772-2** |
| Medium Folding Net, Ideal for a Variety of Applications | 47" L x 16" W x 16" D | — | **12773-2** |
| Large Folding Net, Ideal for Heavy Duty Applications | 81" L x 27" W x 27" D | — | **12774-2** |



12772



12773



12774

** -2 = Hang Tag

# SpillBuster™

Eliminate messy and potentially dangerous spills with this versatile spout that easily attaches to your oil and fluid bottles. On/off valve controls liquid flow. SpillBuster fits 1-quart, 1-gallon, and most 5-quart bottles. Removable cap seals shut.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| SpillBuster spout | — | **14584D1** |


14584D1

# Sealants

- Bonds to fiberglass, plastic, glass, and metal
- For use above and below water line

### Marine Silicone Sealant

Use when a non-permanent bond is desired. Cures to a flexible, durable silicone rubber.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Marine Silicone Sealant, Clear, 2.8 oz. | — | **30110-6** |



30110

### Marine Polyurethane Sealant

- Use when a permanent bond is desired
- For use above and below water line
- If installing an item that potentially needs to be removed, use Marine Silicone Sealant
- Permanently flexible and paintable
- Minimun shrinkage

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Polyurethane Sealant, White, 2.8 oz. | — | **30106-6** |



30106

# Epoxy Putty Stick

- Keep on board for fast emergency or permanent repairs on fiberglass, wood, metal, and plastic surfaces
- Forms a tenacious bond in minutes, even underwater!
- Could save you and your boat from harsh conditions

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Epoxy Putty Stick | — | **30121-6** |



30121

# Deluxe Deck Brush Kit

Kit includes:

- Soft brush with squeegee end for gentle, scratch-free cleaning
- Telescoping aluminum pole with flow-through design has water on/off switch and comfortable foam grips
- Nylon boat hook attachment

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Deck Brush Kit | — | **11807-2** |




11807

*† Must be ordered in standard pack quantities*
*** -2 = Hang Tag, D5 = Vinyl Bag, -6 = Blister, -7 = Clamshell*

# Spiral Watering Hose


- 3/4 inch end fittings
- Easy to store. No tangles, always kink-free.
- Weatherproof


11871

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 3/8" I.D. x 25' Long | — | **11871-7** |

# Prop Wrench Kit

Offers multiple sockets to fit from 17/32-inch to 1-1/4-inch, allowing consumers to service multiple props. Built of durable composite.


11370

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Wrench with up to 1-1/16 inch prop nuts | — | **11370-7** |

# Pontoon Replacement Latch

This durable lock set is a complete replacement kit for your pontoon's gate latch. Universal sizing fits square frames of 1, 1-1/8, and 1-1/4 inch on both left- and right-hinged gates. Secure closure stabilizes gate and prevents inward swinging. Includes mounting hardware for quick and easy installation.


11404

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Universal Replacement Gate Latch. 8-1/2" x 9-1/2" x 5-1/2" | — | **11404-6** |

# INTERIOR & BOATING ACCESSORIES

## Ultimate Rechargeable Fan

Unique and attractively styled 12-inch fan delivers ultra-quiet, powerful, and long-lasting performance. Plus it comes complete with three power options -- typical 110-volt to 12-volt adaptor, 12-volt accessory, and built-in long self-discharge battery pack – so it can be used almost anywhere. High air flow output and lightweight portability make this a practical and convenient addition for any marine, RV, camping, or recreational use.

- Three power options: 110-volt, 12-volt, or internal NiMH LSD battery pack
- Ultra-quiet design ensures cool air without excess noise
- Unique fan design offers high air flow output with three speed options
- Ideal for boating, camping, RVs, or home use

| Description | Dimensions | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Rechargeable Fan | 12" | White | — | **9040-4** |



9040

## Soft Grip Steering Wheel

Ideal steering wheel for bass boats, sport boats, and runabouts. Patented design provides a comfortable, and firm grip. Contemporary styling with soft, black PVC outer rim and high-impact, one-piece plastic inner core. Resists UV rays to prevent fading. Soft Grip is non-magnetic so it will not interfere with compass readings.
3-3/8 inches deep dish. Fits all standard 3/4-inch tapered shafts and conforms to ABYC P-22 and ISO 8848.

- 8314 NMMA "As Approved": 090070; CE Certificate WATT005
- 8315 NMMA "As Approved": 090071; CE Certificate WATT004

| Description | Center Cap | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 13"-diameter rim | — | **8314-1** | — |
| | Black plastic | — | **8315-4** |
| Center Cap | Black plastic | **8324-1** | — |



8314



8315
with cap

## Tiller Line Pulleys

Non-magnetic 300 series stainless steel body and strap with plastic sheave for wire rope tiller lines. Pulley strap included. Meets ABYC Standard P-18. Swivel pulley rotates 360° on vertical axis. Open eye design for easy installation. Simply mount the strap and attach the pulley. Shrouded body design keeps tiller line in sheave track.

| Description | Overall Length | Sheeve Groove Dia. | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Swivel | 4" | 2" | **2906-1** | **2906-3** |



2906

## Pulley System

Ideal for use in guiding anchor lines and more.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Pulley System | — | **2908-6** |



2908-6

## Tiller Line Clamp

Two screws lock plates together to hold tiller lines in place. Die-cast ZAMAK with chrome finish.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| For 3/16" to 1/4" dia. line | **8043-1** | **8043-3** |



8043

*** -3 = Skin Pack, -4 = Individual Carton, ** -2 = Hang Tag, -7 = Clamshell*

# Standard Glove Box

Plastic box and door are light-weight, yet sturdy. Door opens and closes easily on a stainless steel hinge pin and locks with a marine locking latch.

| Door Dimensions | Inside Dimensions | Installation Hole Size |
|---|---|---|
| 13-3/4" L x 5-1/2" H | 11-3/4" L x 4" H x 6-5/8" D | 12" L x 4-1/4" H |

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Black | **2638-1** | — |
| Replacement lock and keys | **2638-20-1** | — |



2638

# Letter & Number Kit

- 3-inch, waterproof vinyl, pressure-sensitive labels
- Resists fuel, fading, and scratches
- Kit contains: Four of each letter and number, plus twelve dashes totaling 148 pieces
- Meets USCG guidelines






14142

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| White, 148 pieces | — | **14141-7** |
| Black, 148 pieces | — | **14142-7** |

# Antenna Base

Marine-quality, corrosion-resistant materials. For whip antennas up to 8 feet long. 1"-14 threads (1-14UNS2A standard) to accept antennas with 1"-diameter screw mount–VHF Marine, CB, and Loran-C. Ratchet mechanism with locking bar allow fold-down plus 210° fore-to-aft and 210° side-to-side adjustments. Install with four 1/4-inch fasteners.

| Description | Height | Base Dimensions | Locking Bar Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Nylon Base | 4-1/4" | 3-1/2"W x 2-1/2"D | 3-7/8" | **12680-1** | **12680-3** |



12680

# Rope Ladder

White, five-step boarding ladder. Sturdy 11-3/4 inch blow molded steps. Textured step surface for sure footing. Steps connected by a nylon rope with top loop that quickly secures to cleat or railing.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Rope Ladder | — | **11865-4** |





11865

# BOAT HORNS & SAFETY PRODUCTS

## Low-Profile Horn


11475

Low profile, compact horn mounts almost anywhere and provides a powerful tone for boating safety. Meets ABYC standards for boats up to 16.4 ft. (5 meters). Meets USCG standards for boats up to 39.4 ft. (12 meters).
A completely sealed sound unit. Features a solid cover, diaphragm, vibration-dampening pad and mounting bracket. Pre-wired. For 12-volt DC systems only.

| Description | Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Chrome plastic | 4 1/2" L x 3" W x 1 3/4" H | **11475-1** | **11475-3** |

## Hidden Horn Kit


11477


Mounts below deck, behind dash, or behind console. Meets ABYC standards for boats up to 16.4 ft. (5 meters), and USCG standards for boats up to 39.4 ft. (12 meters). Heavy-duty marine construction. For 12-volt DC systems only.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 3" L x 3 1/4" W x 1 3/4" D | — | **11477-3** |

## Hidden Horn



Low profile drop-in horn with grills. Design allows easy installation. Easily retrofitted. Comes with black and white cover. 12-volt DC. ABYC compliant with A-16 standards.


11478

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Drop-In Hidden Horn, includes black and white cover | — | **11478-7** |

## Air Horns new

Perfect for boating, sporting events, camping, and bicycles.



118091

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| **Single Pack Air Horns** | | |
| 1.5 oz. | — | **118090-7** |
| 3.5 oz. | — | **118091-7** |
| 8 oz. | — | **118092-7** |
| **Multi-Pack Air Horns** | | |
| 1.5 oz., Double Pack | — | **118093-7** |
| 1.5 oz., Clip Strip (set of 6) | — | **118094-7** |
| 3.5 oz., Double Pack | — | **118095-7** |
| 8 oz., Double Pack | — | **118096-7** |
| **Refill Packs** | | |
| 8 oz. Refill | — | **118089-7** |

## Bellow Signal Horn


2460

Lung-powered horn does not use $CO_2$, Freon, or batteries. Designed for personal protection and safety on land and on water. Meets U.S. Coast Guard Rule 33 (Annex III) and Federal/EPA regulations.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 8" H x 31/2" W | **2460-1** | **2460-7** |

*** -3 = Skin Pack, -7 = Clamshell*

# PORTABLE LIGHTING

## Portable Spot Light

Compact 5-watt LED spot light can be stored most anywhere on the boat. Light output is 400 fixture lumens with 50,000 hours of life. Tough thermoplastic construction in safety yellow/black. Includes a 12-volt “cigarette-style” adaptor plug with fuse.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Compact Spot Light w/10' power cord | — | **11794-7** |



11794

## Portable Light Kit

Be seen and be safe with these compact and portable LED navigation lights. All new portable navigation lights are more durable, easier to use, and include Attwood's strongest mounting and pole configurations. Ideal for personal water craft, camping, and hunting. Kit includes red/green LED bow light, white LED stern light, quick-release mounts, pole, and hardware.

- New water-resistant bow and stern navigation lights
- Attwood's most durable, portable LED navigation light engines
- Sealed electronics, built to last in harsh conditions
- Sealed, shock-proof composite housing
- Shatter-proof polycarbonate lens
- 150+ hour run-time on three AAA batteries (not included)
- New telescoping and threaded poles
- New heavy-duty C-clamp and kayak pad mounting options

| Description | Finish | Pole Style | Mounting Style | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Clamp-On LED Light Kit | Marine Gray | Threaded | C-Clamp | — | **14190-7** |
| | Real Tree® Max-4 Camouflage | Threaded | C-Clamp | — | **14191-7** |
| | Marine Gray | Telescoping | C-Clamp | — | **14194-7** |
| | Real Tree® Max-4 Camouflage | Telescoping | C-Clamp | — | **14195-7** |
| Deck Mount LED Light Kit | Marine Gray | Telescoping | Optional screw-down or adhesive pad | — | **14192-7** |
| | Real Tree® Max-4 Camouflage | Telescoping | Optional screw-down or adhesive pad | — | **14193-7** |
| All-Craft Navigation LED Light Kit | Marine Gray | Threaded | C-Clamp, screw-down and adhesive pad | — | **14196-7** |
| | Real Tree® Max-4 Camouflage | Threaded | C-Clamp, screw-down and adhesive pad | — | **14197-7** |



14190

BOW STERN



14191

BOW STERN

*** -2 = Wire Tie Card, -4 = Individual Carton, -6 = Blister*

# BOATERS SAFETY ACCESSORIES

## Bailer Safety Kit

Kit Includes: waterproof emergency flashlight, bailer with easy-grip handle, 50 ft. marine rope with float, Pealess flat safety whistle with lanyard, and seamless “O” Ring.

| Description | Bulk Packaging | Aftermarket Packaging† |
|---|---|---|
| 5-Piece Kit | — | **11830-2** |
| Boat Bailer Only | — | **11831-2** |



11830

## Whistles–Ball & Flat

- A perfect signal whistle for attaching to life vests
- Lanyard included

| Description | Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Plastic Ball Type | 2-1/4" x 3/4" | — | **11866-6** |
| Plastic Flat Type | 1-7/64” x 2-51/64” x 5/16” | — | **11829-6** |



11866



11829

## Floating Key Buoy

- Water resistant
- Cover snaps tight for storage of small items
- Distinctive orange top for easy visibility

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Floating Key Buoy | — | **11875-7** |



11875

## Key Floats

Prevent loss of keys when dropped overboard. Three colors: orange, white and blue, with Attwood logo.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| PDQ Carton, 24-Piece | — | **11889D1** |




11889

*† -2 = Label, ** D1 = PDQ Display Carton, -2 = Hang Tag, -4 = Individual Carton, -7 = Clamshell*

# MIRRORS

Note: In some states and provinces, ski mirrors of a certain size/dimension, and/or an onboard observer may be required. Check local requirements.

## Wide View Ski Mirror

For installation on windshields 1/2-inch to 1-inch thick (or thinner with customer's own spacer). Provides extra-wide mirror for safe visibility. Molded plastic frame, polished convex mirror, and adjustable base (up-and-down or side-to-side, then secures in desired location). Includes Allen wrench.



13065

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 11-3/4" W x 4" H, Adjustable | — | **13065-4** |

## Chrome Ski Mirror

Universal mount installs on dash or windshield. Shatterproof, 180° convex mirror eliminates blind spots. Mirror is compact and constructed of lightweight, chrome plated ZAMAK. Mirror adjusts to any position up-and-down or side-to-side, then secures in desired location.



9083

| Description | Dimensions | Max. Windshield Thickness | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Perma-Plate®, Adjustable | 7-5/16" W x 2-1/2" H | 3/4" | — | **9083-7** |
| Chrome-plated, Adjustable | 7" W x 3-1/4" H | 1" | — | **13055-4** |



13055

## Clamp-On Ski Mirror

Universal mount fits up to ½-inch thick window frames and adjusts easily to meet most boat applications. Curved mirror provides a wide field of view. Soft touch mounting clamps protect windows and frames. Zinc plated hardware and powder coated shaft assembly.



13066

| Description | Dimensions | Max. Windshield Thickness | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Clamp-On Ski Mirror, Universal Mount | | 1/2" | — | **13066-7** |

*** A3 = Skin Pack (Pair), -4 = Individual Carton, -7 = Clamshell*

# DRINK HOLDERS

## Molded Plastic Gimballed Drink Holders

Self-leveling drink holders with slot for coffee cup handle. For boats, cars, and RVs. Molded plastic. Includes gimbaled surface-mounting bracket. Self-draining.

| Description | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 4" H x 4-3/8" W | White | — | **11631-4** |
| | Black | — | **11635-4** |



11631

## Recessed Drink Holders

Available in sizes for a variety of cans, bottles, and glasses. Each has holes for self-draining.

| Description | Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Regular, Black | 1-7/8" D x 3"-dia. | **11787-1** | — |
| Deep, Black | 2-7/8" D x 3"-dia. | **11788-1** | — |
| Large, Black | 3-1/8" D x 3-3/4"-dia. | **11789-1** | — |
| Large, White | 3-1/8" D x 3-3/4"-dia. | **11789W1** | **11789WD1** |
| Large, Stainless Steel | 3-1/8" D x 3-3/4"-dia. | **11845-1** | — |



11788


11789W

11845

## Formed Wire Gimballed Drink Holders

Formed, chrome-plated steel drink holders are ideal for boats, cars, and RVs. Includes a gimbaled surface-mounting bracket that keeps drinks level to prevent spills. Includes mounting screws.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Standard, ideal for 12-ounce cans | — | **11670-4** |
| Large, with slot for mug handle, includes cooler | — | **11672-4** |



11670

11672

## Fold-Up Drink Holders

Two easy-to-use, fold-up designs. Holds coffee mugs with a handle, 12-ounce cans, or drink insulators. Mount quickly and easily on boats or RVs. On dual-ring models, flip the small ring up to hold small drinks; for large drinks, flip the small ring down and use the large ring. When not in use, flip ring(s) down and close the cover for convenient storage. 7/8-inch closed depth. Four holes for #10 screws.

| Description | | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Dual Ring | Polycarbonate construction 4-5/8" H x 4-9/16" W x 4-3/4" D | Black | **2445-1** | **2445-7** |
| | | White | **2449-1** | **2449-7** |
| Single Rigid Ring | Molded ABS plastic 3-7/8" H x 3-3/4" W | Black | **11654-1** | **11654-3** |
| | | White | **11661-1** | **11661-3** |



2445

11654

## Can Cooler and Drink Holder

Holds 12-ounce cans with a cooler or handled mugs. Includes a can cooler.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Drink Holder | — | **11852-7** |



11852

*** D1 = PDQ Display Carton, -3 = Skin Pack (Pair), -4 = Individual Carton, -7 = Clamshell*

# STORAGE CADDIES

Storage caddies keep your boat organized. Easy-to-mount suction cups stay secure, even in rough conditions. Caddies can be mounted in back or on the bottom and can be permanently attached with screws. Non-corrosive white plastic.

## Cockpit Caddy

Great organizer for fishing gear and personal items. Has slots for fillet knife, pliers, and over 22 lures.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Cockpit Caddy | — | **11849-2** |



11849

## Cell Phone/GPS Caddy

Holds most handheld GPS units and cell phones with two storage compartments

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Cell Phone/GPS Caddy | — | **11850-2** |



11850

## Cruiser Caddy

Large storage space holds personal items and a beverage. Has slots for three lures and space for handled mug.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Cruiser Caddy | — | **11851-2** |



11851

## Boater's Storage Box

Keep your maps, electronics, and other equipment safe while on the water.

- Perfect for use on the boat, at the dock, at home, or in the field
- The lift out tray is great for organizing small items and the flip-up lid provides easy access to your stored items
- Flip latch provides a secure method to keep your belongings safe

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Safety Orange | — | **11834-1** |



11834

## Cargo Net

42-inch bungee cord netting keeps boating items and fishing gear secure. Easy to install in the bow or side bolster areas. The net height stretches from 10- to 18-inches. Eight lashing hooks and mounting hardware included.

| Description | Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Cargo Net | 42" wide x 10"—18" (stretched) | — | **11802-5** |



11802

*** -2 = Hang Tag, -4 = Individual Carton, -7 = Clamshell*

# Bottle Opener

- Made of 304 polished stainless steel, stamped and formed
- Fastens with #8 screws

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Bottle Opener 1-1/2" W x 3" H | — | **14136-6** |



14136

# Cooler Mounting Kit

- Cooler corners stay put with straps to prevent injury or boat and cooler damage
- Quick disconnect strap design
- Corrosion resistant
- Fastens with #8 screws

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Cooler Mounting Kit | — | **14137-7** |





14137

# Dry Case Personal Storage

Heavy duty case protects personal gear and electronics. Waterproof up to 80 ft. Strong locking clasp and hinges. Includes carrying lanyard.

| Description | Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Dry Case–Small | 5-1/4" x 4" x 1-1/2" | — | **11895-1** |
| Dry Case–Large | 7-1/4" x 4-3/4" x 1-5/8" | — | **11896-1** |



11896

# Waterproof Cases

- Waterproof design also keeps out dust, sand, and dirt
- Blow-up perimeter allows bag to float in water
- Transparent window allows use of most functions
- Includes break-away lanyard

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Cell Phone / GPS Case | — | **11832-2** |



11832

# Heavy-Duty Dry Bags

Heavy-duty, 500 denier PVC fabric construction in safety yellow with black accented components. Strong over-molded carry handle and lower draw straps for maximum compression.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Dry Bag–40 Liter | — | **11894-2** |
| Dry Bag–20 Liter | — | **11897-2** |




11894

# Large Dry Bag

- Heavy-duty, water-resistant PVC with laminated netting
- Minimum dimensions: 12-inch (30.5 cm) diameter x 21-inch (53.3 cm) long
- Perfect for boating, camping, ATV's, and snowmobiles

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Clear, heavy duty | — | **11887-2** |



11887

*** -2 = Hang Tag, -5 = Vinyl Cover, D5 = Vinyl Bag, -6 = Blister, -7 = Clamshell*

# ELECTRICAL ACCESSORIES

## Battery Boxes


9082


9065

Meet ABYC standard E-10 and U.S. Coast Guard Specification Number 183.420 as an OEM-installed battery hold-down system. Polypropylene construction for total acid resistance. Hold-down straps resist 350 lbs. of force, nearly four times the USCG requirement. Drop tested in temperatures ranging from -20°F to +120°F. Mounting hardware included.

**Small Battery Box**
For smaller batteries like Series 16 and those used in jet skis, power lawn, and garden equipment. Vented black battery box.


9067

**Standard Battery Box**
Vented and non-vented battery box for standard size, Series 24 batteries (10-1/8 inch maximum height).
**Note:** 9069 cover is non-vented and is not for marine use.
- Four cable openings, enlarged to .55 inch-diameter
- Larger handles with rolled edges
- Instructions molded inside cover

**Power Guard 27 Battery Box**
Vented black battery box for Series 27 batteries. (10-1/2 inch maximum height).
- Four cable openings, enlarged to .55 inch-diameter
- Larger handles with rolled edges
- Instructions molded inside cover


9084

**Large Battery Box**
Vented black battery box for larger applications (9-3/4 inch maximum battery height).

**Power Box, F27 Series**
- LED battery level indicator with one-touch test button
- Heavy duty non-corrosive black plastic box
- Hold-down strap included
- 12-volt DC accessory adapter port with 10-amp fuse built-in
- External terminals


9076

| Battery Box Description | Battery Series | Dimensions with Lid Installed | | Strap Length | Color/Style | Bulk Packaging† |
|---|---|---|---|---|---|---|
| | | Inside Dim. (L x W x H) | Outside Dim. (L x W x H) | | | |
| Small | U1 | 8-1/4" x 5-1/2" x 7-7/8" | 11" x 7-1/2" x 8-3/4" | 40" | Black, vented | **9082-1** |
| Standard | 24/24M/24F | 11-1/8" x 7-3/4" x 10-1/8" | 14" x 9-5/8" x 10-5/8" | 40" | Black, vented | **9065-1** |
| | | | | | Black, non-vented | **9069-1** |
| Power Guard 27 | 27/27F/27M | 13-7/8" x 7-1/4" x 10-1/2" | 16-7/8" x 9-5/8" x 10-7/8" | 40" | Black, vented | **9067-1** |
| Large | 29/31 | 15-7/16" x 7-1/8" x 9-3/4" | 18-3/4" x 9-1/4" x 10-1/4" | 38" | Black, vented | **9084-1** |
| Power Box | 27F | — | — | 44" | Black | **9076-1** |

*† Includes UPC Label*
*** -3 = Skin Pack*

# Battery Box Hold-Down Straps and Hardware

Straps are woven polypropylene with firm-grip buckles and are completely resistant to battery acid. Kit includes (4) #8, 3/4-inch screws and two footman clamps.

| Description | Fits Battery Box(es) | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Medium strap kit, 40" | 9065, 9065A, 9067, 9082, 9069 | **9013-1** | **9013-3** |
| Medium strap only, 40" | 9065, 9065A, 9067, 9082, 9069 | **9014-1** | **9014-3** |
| Long strap kit, 54" | 9084 | — | **9013A3** |
| Long strap only, 54" | 9084 | **9014A1** | **9014A3** |
| Mounting hardware only | — | **9006-1** | — |


9013

# Battery Tray with Straps

A simple-to-install battery holder that fits into limited spaces. For batteries up to 10-1/2 inches in height. Provide simple installation for changing or replacing batteries. The polypropylene hold-down strap has a positive locking, quick-disconnect buckle. Molded base mounts with four #10 panhead fasteners.

| Description | Inside Dimensions | Battery Series | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 24 Series | 7" L x 11" W | 24/24M | — | **9092-5** |
| 27 Series | 12-3/8" L x 7-1/8" W | 27/27M | — | **9093-5** |
| 29/31 Series | 12-7/8" L x 7" W | 29/31 | **9099-1** | **9099-5** |


9092

# Heavy-Duty Battery Trays

Made of non-corrosive black plastic. Includes adjustable height crossbar and stainless steel retaining bolts. Meet ABYC Standard E-10 and U.S. Coast Guard requirements. Install with #10 fasteners.

| Description | Inside Dimensions | Battery Series | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 24 Series | 10-7/16" L x 6-7/8" W | 24/24M | **9096-1** | **9096-5** |
| 27 Series | 12" L x 6-7/8" W | 27/27M | **9095-1** | **9095-5** |
| 29/31 Series | 13-1/16" L x 6-7/8" W | 29/31 | **9094-1** | **9094-5** |


9096

# Heavy-Duty Adjustable Battery Trays

Made of heavy-duty, non-corrosive, black plastic, this tray extends up to 9.5-inches, making it ideal for taller batteries. Includes adjustable-height crossbar and (2) retaining bolts. Contains no metal parts to corrode and no webbing straps to fade. Ergonomic nuts and bolts easily secure batteries. Meet ABYC Standard E-10 and USCG requirements.

- Rust-proof tray adjusts from 7 – 9.5-inches for taller batteries
- Meets ABYC Standard E-10 and US Coast Guard requirements
- Made in the USA

| Description | Inside Dimensions | Battery Series | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 24 Series Battery Tray | 10-5/8" x 6-3/4" | 24/24M/24F | **9097-1** | **9097-5** |
| 27 Series Battery Tray | 12-1/8" x 6-3/4" | 27/27M/27F | **9098-1** | **9098-5** |


9097

# Adjustable Battery Trays

Heavy-duty, non-corrosive black plastic. Includes adjustable-height crossbar and two retaining bolts. Meets ABYC Standard E-10 and U.S. Coast Guard requirements. Patented design. Install with #10 fasteners.

| Description | Inside Dimensions | Battery Series | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 24 Series Battery Tray | 10-5/8" x 6-3/4" x 8-1/4" | 24/24M | **9090-1** | **9090-5** |
| 27 Series Battery Tray | 12-1/8" x 6-3/4" x 8-1/4" | 27/27M | **9091-1** | **9091-5** |


9091

*** -3 = Skin Pack, -5 = Poly Bag*

# Battery Maintenance Charger

Fully-automatic on-board charger provides a 1.5-amp maintenance charge. Designed to maintain 12-volt batteries. Water-resistant with safety features, such as short circuit connection and reverse polarity protection. LED status indicators.

| Description | Specifications | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| On-Board Battery Charger | 1.5-amp, 12-volts, 1 bank operation | — | **11900-4** |


11900

# Battery Charger

Dual rated 12-and 6-volt battery charger can be used for all of your marine, automotive, RV, and sport applications. The charger is compact and perfect for your bench, garage, or shop use. LED indicators let you know that your battery is fully charged. Overcharge, short circuit, and reverse polarity protection provide years of worry-free use.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 12 / 6-volt, 6-amp / 2-amp Battery Charger | — | **11901-4** |


11901

# Polarized/Wing Nut Battery Terminals

Lead terminals with wing nuts and cadmium-plated bolts. Clamps are stamped with negative (-) or positive (+) sign.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Negative and positive, set | **14214-1** | **14215-6** |


14214/14215

# Battery Clips

Quick-connect battery clips for 12-volt electrical accessories. 10-amp rated, copper-plated construction with red and black handle grips. For use with wire up to 10-gauge.


| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Battery Clip Set, 10-amp | — | **14258-6** |


14258

# 4-Way Battery Selector Switch

Single-pole, triple-throw switch permits four connection modes: battery one, battery two, two batteries in parallel, or both off. Rated for 300-amps continuous at 6-volt DC and 150-amps continuous at 12-volt DC. For 6-volt to 32-volt D.C. systems. Includes alternator field circuit disconnect to prevent surges. Selector has positive click positions. Bakelite housing with copper washers, brass terminals, and brass nuts. Install with #10 screws.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 5-1/2" dia. x 2-3/4" deep | — | **14230-3** |
| Battery Clip, Individual, Black | **14258B1** | — |
| Battery Clip, Individual, Red | **14258R1** | — |



14230

# Battery Switch

Compact and heavy-duty battery switch with removable control knob to deter theft. 12-50-volts DC / 200-amps continuous / 300-amps intermittent / on-off-separate. For use with one battery.

- Ergonomic grips
- Removable walls for easy installation and access

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Battery Switch 12- to 50-volt DC, on/off | — | **14233-7** |


14233

# Dual Battery Selector Switch

Compact and heavy-duty battery switch with removable control knob to deter theft. 12-volts DC - Off / 1 / 1+2 / 2 12-volts DC / 220-amps continuous / 400-amps 5 min intermittent / off. For use with up to two batteries.

- Ergonomic grips
- Removable walls for easy installation and access

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Battery Switch 12-volt DC, off/1/1+2/2 — | — | **14234-7** |


14234

*** -3 = Skin Pack, -5 = Poly Bag*

# Toggle Switch Panels with Fuses

For installation of a fused marine electrical system. Sturdy bakelite panel with metal on/off toggle switches. For 12-volts DC only. Each switch rated at 5-amps. Fuse holders include 1/4-inch x 1-1/4-inch, 5-amp fuses. Fuses are bridged to a single hot feed connection. 4-1/2-inches wide x 1-1/2-inches deep. Four holes for #8 fasteners.

**Caution:** Do not use fuses rated over 5-amps.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 3-gang, 3-5/8" high, includes label for 6 functions | — | **14234-3** |
| 6-gang, 6-1/2" high, includes label for 12 functions | — | **14236-3** |



14234


14236

# In-Line Fuse Holders

**In-Line Fuse Holders**

Molded of heat-resistant, non-breakable plastic. Push together style is splash resistant. The fuse holder has spare fuse compartment. Supplied with two nickel plated brass fuses.

**In-Line Fuse Holders / ATO-ATC**

Water-resistant. Easy to install, easy to change ATO-ATC fuse holder. Used in most recreational vehicles. Comes with cap to protect fuse. Brass electrical contacts. Fuse included.

| Description | Wire Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **IN-LINE FUSE HOLDERS** | | | |
| 10-amp | 16-gauge | — | **14341-3** |
| 15-amp | 14-gauge | — | **14342-3** |
| 20-amp | 12-gauge | — | **14343-3** |
| 30-amp | 10-gauge | — | **14344-3** |
| 50-amp | 8-gauge | **14345-1** | **14345-3** |
| **IN-LINE FUSE HOLDERS / ATO-ATC** | | | |
| 10-amp | 16-gauge | — | **14346-6** |
| 30-amp | 12-gauge | — | **14347-6** |



14343


14346

# ATO/ATC Fuse Holder

Watertight, extra heavy-duty, and weatherproof. For use with fuses up to 30-amps. 12-gauge wire leads for easy hook-ups. Fuse not included.

| Description | Wire Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| ATO/ATC Fuse holder, 30-amp | 12-gauge | — | **14348-6** |


14348

# Liquid Electrical Tape

Protects electrical connections from moisture and corrosion. Adheres to metal, plastic, vinyl, rubber and composite surfaces. Cures in 24 hours, workable within 5-10 minutes.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Liquid Electrical Tape, Black, 4 oz., 118ML | — | **30111-6** |



30111

*** -3 = Skin Pack, -6 = Blister*

# Toggle Switches, Plastic Handle

Black, thermoplastic body with nylon mounting stem. Neoprene toggle seal. These toggle switches have silver contacts and 1/4-inch spade terminals. Rated for 5-amp load and 15-amp inductive load. For 12-volts DC only. Not external ignition protected. Includes a nickel-plated brass backup hex nut and thermoplastic, knurled face nut.

**On/Off Switches:** For lights, bilge pump, or blower requiring a simple on/off switch. Single-pole, single-throw contact.

**On/Off/On Switches:** For bilge pump, speed selector, or light that requires two power settings. Single-pole, double-throw contacts.


7589

| Installation Hole Size | Overall Dimensions | Depth Behind Panel | *Max. Panel Thickness |
|---|---|---|---|
| 1/2"-dia. | 1-3/8" L x 3/4" W" | 1-1/2" | 1/4" |

**Dimension using backup nut; 3/16-inch without backup nut.*


14386


| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| On/off switch | — | **7589-3** |
| On/off/on switch | — | **14386-3** |

# Toggle Switches, Metal Handle


These metal toggle switches have 1/4-inch spade terminals. Rated for 10-amps, 12-volts DC only. Plastic body and housing with metal toggle and ring. Not external ignition protected.

**On/Off Switches:** Single-pole, single-throw contact. For lights, bilge pumps, or blowers.

**On/Off/On Switches:** For bilge pump, speed selector, or light that requires two power settings. Single-pole, double-throw contacts.


14253

| Installation Hole Size | Overall Dimensions | Depth Behind Panel | Max. Panel Thickness |
|---|---|---|---|
| 3/8"-dia. | 1-1/8" L x 5/8" W" | 1-3/8" | 1/4" |


14255


| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| On/off switch | — | **14253-3** |
| On/off/on switch | — | **14255-3** |


# Push/Pull Switches

These switches have large easy-to-pull handles. They are commonly used for operating lights. 3/4 inch-diameter chrome-plated knob with brass case. Includes screw terminals for connection without a wire lug. For 12-volts DC only. Not external ignition protected.

**Two-position Switch, Off/On:** For operating one set of lights or another accessory.

**Three-position Switch, Off/On/On:** For operating running lights and anchor lights separately.


7563


7594

| Description | Installation Hole Size | Overall Dimensions | Depth Behind Panel | Max. Panel Thickness | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|
| Two-position | 3/8"-dia. | 3-1/8" L x 1-1/4" W | 1-1/2" | 1" | **7563-1** | **7563-6** |
| Three-position | 3/8"-dia. | 3-1/4" L x 1-1/2" W | 2" | 1" | **7594-1** | **7594-3** |

# 3-Position Rocker Switch

On/off/on switch for one or two accessories functions or lights. LED "On" light. Terminals are 1/4-inch tabs. Rated for 20-amp load. For 12-volt DC only. Sealed thermoplastic body for marine use.


14241

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| On/Off/On switch | — | **14241-6** |

*** -3 = Skin Pack, -6 = Blister*


# Heavy-Duty Trolling Motor Connectors

Use these connectors for quick, convenient connections between an electric trolling motor and a power source. 6 inch-long wire harnesses with butt connectors.

**Female Receptacle**
Female receptacle has weather cover and small face plate for flat surface mount. Two holes for #8 fasteners.

**Male Plug**
Male plug has wing-tabs for easy installation and removal.

| Plate Dimensions | Depth Behind Panel | Installation Hole Size |
|---|---|---|
| 2-9/16" W x 1-3/4" H | 2-1/4" | 1-1/8"-dia. |














| Description | | Wire Size | Volts | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Female receptacle, boat side | 3-Wire | 10-gauge | 12/24V | — | **7648-7** |
| | 2-Wire | 8-gauge | 12V | — | **14366-6** |
| Male plug, motor side | 3-Wire | 10-gauge | 12/24V | — | **7647-7** |
| | 2-Wire | 8-gauge | 12V | — | **14365-6** |
| Male/Female Kit | 3-Wire | 10-gauge | 12/24V | — | **7622-7** |

# Medium-Duty Trolling Motor Connectors

Use these molded rubber connectors for quick easy connections between an electric trolling motor and the power source. 5-inch long harness with butt connectors. Receptacle (14350) includes weather cover and small face plate for flat surface mount. 10-gauge wire. For 12-volts DC only. Two holes for #8 fasteners.

| Plate Dimensions | Depth Behind Panel | Installation Hole Size |
|---|---|---|
| 2-1/2" W x 1-3/4" H | 2-3/4" | 1-1/8"-dia. |








| Description | Wire Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Female receptacle, boat side | 10-gauge | — | **14350-3** |
| Male plug, motor side | 10-gauge | — | **14352-3** |

# Trolling Motor Quick Connect

Safe and easy quick disconnect system. For use where a plug and socket cannot be used. Heavy-duty, 10-gauge connector, 22-inches long. Replaces battery clips.

| Description | Wire Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2-Connector Kit | 10-gauge | — | **14367-6** |




** -3 = Skin Pack, -6 = Blister, -7=Clamshell*

# Boat Kill Switch Key Set

- Includes seven keys to fit Johnson, Evinrude, Mercury, Yamaha, Suzuki, Tohatsu and Honda kill switches
- Swivel snap hook prevents tangles
- Rust resistant stainless steel crimps
- Corrosion proof

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Kill switch keys and lanyard | — | **7591-6** |


7591

# LED Battery Meter

- The LED display indicates remaining battery charge.
- Ideal for marine, trolling motors, auto, farm, lawn, and garden.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 12 Volt, Battery Meter | — | **11863-7** |


11863

# Chart Light / Cigarette Lighter

Convenient chart light/cigarette lighter kit. The lighter element has an on/off switch for the chart light enclosed in the handle. 20-inch, 18-gauge wire harness with attached lug connectors and spade terminals. Three holes for #6 flathead fasteners. Black plastic face plate with white lettering, 3-inches wide x 1-3/4 inches high. Requires 2-1/2-inch depth behind panel. 1-1/8-inch dia. installation hole size. For 12-volt DC only.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Chart Light / Cigarette Lighter | — | **14267-3** |



14267

# 12-Volt Marine Outlet

Marine quality 12-volt outlet is designed for replacing or adding outlets in your boat, RV or camper.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Surface Mount, 12-Volt, Outlet | — | **11862-6** |


11862

# Battery Adapter

Brass and plastic accessory plug for use directly with the battery. 150 watts. Comes with 3 ft. of wire, 12-amps, 12-volts.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Battery Adapter, 12 volt | — | **11861-6** |


14258

*** -5 = Poly Bag, -6 = Blister, -7 = Clamshell*

# Circuit Breakers

A circuit breaker is an automatically operated electrical switch designed to protect an electrical circuit such as your trolling motor, or anything else electrical in your boat, from damage caused by overload or a short circuit.

| Description | | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 60-amp Breaker | Manual Reset with Ring Terminals | — | **14372-7** |
| 50-amp Breaker | Manual Reset | — | **7623-7** |
| | Auto Reset with Ring Terminals | — | **14371-6** |
| 40-amp Breaker | Manual Reset | — | **7624-7** |
| | Auto Reset with Ring Terminals | — | **14370-6** |
| 30-amp Breaker | Manual Reset | — | **7625-7** |
| 20-amp Breaker | Manual Reset | — | **7626-7** |







**Auto Reset Breaker**
Includes washers, nuts, mounting hardware & ring terminal.

# Ring Terminals, 8-Gauge

Two 5/16-inch dia. ring terminals for solderless connecting of 8-gauge wire to 12-volt batteries.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Negative and positive, set | — | **14360-6** |


14360

# Butt Connectors

Allow a solderless end-to-end connection between two conductors.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 8-ga. Butt Connector, 4-pack | — | **14359-6** |


14359

# Copper Wire

Stranded copper core is flexible for easy installation and allows the most current for quick starting. PVC insulation in the wire is resistant to cracking, abrasion, weather, oil, and acids.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 8-ga. Red/Black, 20', set | — | **14361-5** |


14361

# Johnny Ray Electrical Wiring Hole Cover

- Raises swivel mount overall height by 3/8-inch and provides a solid, secure mounting area on carpeted surfaces to allow easier push-button operation
- Hides wire routing underneath a swivel mount base
- Can be used under any push-button release style swivel mount
- Can be stacked in multiples to allow for additional clearances or bigger wiring

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Electrical Wiring Hole Cover | — | **94111-6** |


94111

*** -3 = Skin Pack, -6 = Blister, -7 = Clamshell*

# Johnny Ray Mounting Hardware

Stainless steel screws, bolts, and nuts for mounting a Johnny Ray Swivel to your boat


94112

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Mounting hardware assortment | — | **94112-6** |

# Transducer Mounting Plate

- Mounts easily with only two screws
- Easy to adjust, add, or replace transducers.
- Marine-grade polymer plate will not warp, corrode, or be affected by UV rays.


94110

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Transducer mounting plate and hardware | — | **94110-5** |

# Quick-Release Trolling Motor Mate Mounting Plate

For use with MinnKota® wireless trolling motors: AutoPilot, Grip Glide, Powerdrive, Terrova, RipTide ST and RipTide SP models

- Unique design eliminates tarp damage
- Easy on / easy off mounting – removes in seconds
- Exclusive locking feature
- Marine grade powder coat finish


94100

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Motor mate mounting plate and hardware | — | **94100-4** |

# Trol-Lock™ Motor Mount

- Pre-drilled for MotorGuide trolling motors
- 5-1/2 inch x 20-1/2 inch black powder coated base with 5-1/2 inch diameter mounting plates
- Perfect for fish-and-ski and pontoon boats
- Choice based on torque application (lbs. of thrust x shaft length = torque lb. – inches.)


5000

| Description | Max Torque | Bulk Packaging | Aftermarket Packaging† |
|---|---|---|---|
| For MotorGuide trolling motors with 07 and 16 mounts. Also retro fits 01and 15 mounts. Comes with glass filled plastic mounting pads and step pad covers. | 2,604 – lb.-in. | — | **5000** |

*† 5000/5650 = Individual Carton, Replacement Parts = Poly Bag** -4 = Individual Carton, -5-Poly Bag, -6 = Blister*

# PADDLESPORTS ACCESSORIES

## Canoe Paddles

**Aluminum Paddles**
Heavy aluminum and rugged plastic construction. Ergonomic grip design. Poly-protective shaft grip.

**Wooden Paddles**
Economical and lightweight. Palm grip. Varnish finish.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| **ALUMINUM PADDLES** | | |
| 3 ft. Length | **11773-1** | — |
| 4 ft. Length | **11764-1** | — |
| 4 ft. Length (Camouflage Green Blade) | **11759-1** | — |
| 5 ft. Length | **11765-1** | — |
| **WOODEN PADDLES** | | |
| 2-1/2 ft. Length | **11760-1** | — |
| 4 ft. Length | **11761-1** | — |
| 5 ft. Length | **11762-1** | — |



11759

11763 / 11764 / 11765

11760 / 11761 / 11762

## Stand-Up Paddle Board (SUP) Paddle

Paddle easily adjusts from 55-inches to 82-inches allowing families to share a SUP board. Constructed of heavy-gauge aluminum and engineered plastic components. Durable aluminum shaft with cupped 10° blade for increased efficiency and performance. Glass-filled ABS blade construction for long-term durability.

- Blade color – white
- Black, polypropylene grip
- Designed and engineered in the USA

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| SUP Paddle | — | **11772-1** |



11772

*** -1 = UPC/Product Label*

# Kayak Paddles

**Straight-Blade Paddles**
Heavy aluminum and rugged plastic construction. Two-piece breakdown design is ideal for storage and compact transport. Drip rings included. Soft foam grips.

**Asymmetrical Paddles**
Asymmetrical spoon blade paddles are designed to increase efficiency of stroke performance and reduce noise and blade flutter in the water. Made from heavy-duty aluminum and engineered plastic construction. Two-piece breakdown design with multiple angle positions that allow for customization for each paddler.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| **STRAIGHT KAYAK PADDLES** | | |
| 7 ft. Length | **11763-1** | — |
| 7-1/2 ft. Length | **11770-1** | — |
| 8 ft. Length | **11771-1** | — |
| **ASYMMETRICAL KAYAK PADDLES** | | |
| 7 ft. Length | **11768-2** | — |
| 7-1/2 ft. Length | **11766-1** | — |
| 8 ft. Length | **11769-1** | — |



11763 / 1170 / 11771



11766 / 11768 / 11769

# Vibrant Asymmetrical Paddles

Unique blade shape increases stroke efficiency and minimizes flutter in the water. The combination of performance and vibrant colors create an expressive kayaking experience. Paddle angles can be adjusted when attached together for a more customized stroke based on skill level for both left and right-hand users.

- Graphics and vibrant color on each blade
- Tested for performance and durability
- Stay dry with pre-attached drip rings

| Description | Color | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| 7 ft. Length | Orange-Red & White-Gray | — | **11756-2** |
| 7-1/2 ft. Length | White-Koi Blue & Key Lime | — | **11757-2** |
| Adjustable, 7 ft. – 7-1/2 ft. | Black | — | **11758-2** |



11756



11757



11758

*** -2 = Hang Tag*

# Telescoping Paddle

- Compact for easy storage
- Telescopes to 42" (1.06m)
- High impact plastic blade with corrosion-resistant aluminum pole

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Paddle, telescoping | — | **11828-1** |


11828

# Paddle Clips

Secures paddles for freeing up both hands or resting from paddling. Fits 1-inch diameter shafts.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Paddle Clips, 1" diameter | — | **11780-6** |


11780

# Kayak Handle Replacement Set

Tough but comfortable, designed kayak carry handles for replacement on most kayak types and brands. The contoured grip makes carrying your kayak easier and more comfortable. Easy installation. Durable, black plastic and strong, braided rope.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Kayak Handle Replacement Set, package of two | — | **11944-7** |


11944

# Deck Mount Paddle Holder

Installs on your kayak to add a secure location to quickly store your paddle. Securely holds paddles up to 1-1/2-inch diameter. Easy installation with two screws and rubber Well nuts (included).

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Deck Mount Paddle Keeper/Holder, black | — | **11942-7** |


11942

# Oarlock Shanks

Made from heavy-gauge steel with a bright zinc finish. Adjustable and very easy to install; no holes to drill, clamp-on easily. One pair.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| 1/2" Shank, Pair | — | **9146-6** |
| 9/16" Shank, Pair | — | **9145-6** |
| 5/8" Shank, Pair | — | **9144-6** |


9145

# Oarlock Sockets

These heavy-duty sockets are made of heavy gauge steel designed to provide years of rugged use. The unique angle design allows for secure attachment to the boat that can outlast most original equipment sockets. One pair.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 1/2" Socket, Pair | — | **9149-6** |
| 9/16" Socket, Pair | — | **9148-6** |
| 5/8" Socket, Pair | — | **9147-6** |


9148

# Oarlock Bushings

Convert 5/8-inch oarlock sockets to 1/2-inch and feature nylon construction for ease of use. One pair.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Oarlock Bushings, Pair | — | **9150-6** |


9150

*** -6 = Blister, -7 = Clamshell*

# Paddle Lanyards

Use the Standard Lanyard's sturdy clip or the Premium's velcro strap to secure your paddle and prevent dropping it overboard. Coiled bungee cord allows for advanced paddling with easy stowage.












| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Standard | — | **11909-7** |
| Premium | — | **11910-7** |
| Gear Accessory Leash, 36" | — | **11912-5** |

# Rescue Line Throw Bag

50 ft. of 3/8-inch floating polypropylene line for water rescues. High visibility red bag with wide, yellow reflective strip for improved visibility in low light conditions.




| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Rescue Line Throw Bag, 50 ft. | — | **11808-2** |

# Hand-Operated Bilge Pumps

Safely remove unwanted water, and other liquids from kayaks and other small boats.







| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Kayak Hand Bilge Pump, 18" | — | **11595-2** |
| Hand Bilge Pump, 25", 32" Hose | — | **11596-2** |

# Kayak Foot Braces

Lightweight design fits both sit-in and sit-on-top style kayaks. Trigger lock design allow for easy adjustment. Tracks use a universal mounting hole pattern. One pair. Mounting hardware not included.




| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| 15" Length, pair | **11940-1** | **11940-2** |
| 18" Length, pair | — | **11941-2** |

*** -2 = Hang Tag, -3 = Skin Pack*

# Kayak Skirt

Keep water out of the kayak with this universal-fit spray skirt made with polyurethane-coated 210 Denier nylon. Dual-side adjustability and PVC-sealed seams. Mesh bag included.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Kayak Skirt, Universal (up to 40" long and 22" wide opening) | — | **11776-5** |



11776

# Kayak Cockpit Cover

Universal-fit cover made with 210 Denier nylon. Has a 3/16-inch shock cord border and black, polypropylene clips.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Kayak Cockpit Cover, Universal (up to 40" long and 22" wide opening) | — | **11775-5** |



11775

# Sit-On-Top Kayak Seat

Attwood's adjustable kayak seat provides a padded seat cushion and ample back support. Universal sizing for all sit-on-top kayaks. Four adjustable straps for a custom fit. Quick-drying, UV-resistant fabric with corrosion-resistant hardware. Durable nylon covering with additional storage bag on back of seat.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Foldable, clip-on kayak seat - Black | — | **11778-2** |



11778

# Deck Plates

Allow addition of storage options to your canoe, kayak, or small boat. Screw out design. High-impact ABS plastic is durable, rugged, and weather-resistant.

| Description | Color | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 4"-dia. | White | #8 fasteners (6) | **12790-1** | **12790-3** |
| | Black | #8 fasteners (6) | **12791-1** | **12791-3** |
| 6"-dia. | White | #8 fasteners (6) | **12792-1** | **12792-5** |
| | Black | #8 fasteners (6) | **12793-1** | **12793-5** |
| 8"-dia. | White | #8 fasteners (6) | **12794-1** | — |



12793



12794

# Deck Plates with Storage Bag

Water-resistant deck plates provide storage on personal boats and watercrafts. Can be used as a replacement deck plate or extra boat storage. Available in 4-inch and 6-inch plates. Great for kayaks and small storage areas. Black plate with red storage bag. Includes toggle closure.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 4"-dia. | — | **11946-6** |
| 6"-dia. | — | **11947-6** |



11946

# Deck Storage Bag

Water-resistant console for storing your items. Features easy-to-access side pockets with zipper closure and exterior stretch cord storage with multiple D-rings. Mounts quickly to deck rigging.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Deck storage bag | — | **11756-4** |



11756

*** -2 = Hang Tag, -5 = Poly Bag, -6 = Blister, -7 = Clamshell*

# Crate Pack

Converts a standard 12-inch x 12-inch crate into a unique storage and PaddleSport fishing unit. Multiple pockets with Velcro® closures and D-rings for hanging gear. Heavy-duty 600 Denier and mesh construction. Designed to be used with Attwood rod holders (not included).

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Crate Pack | — | **11954-2** |



11954




# 30º Rod Holder

Ideal for kayak use. Closed end keeps water out. ABS plastic construction. Flush mounts easy with three ¼-inch screws (not included).

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 30º Rod Holder, closed end | — | **12704-2** |



12704




# Cockpit Sponge

Keeps the cockpit clean and dry by removing water and sand that bilge pumps leaves behind. Sponge features high capacity absorbing power and is resistant to chemicals. Floats and dries quickly. Easily cleaned. Handy lanyard included.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Cockpit Sponge | — | **11915-2** |




11915

*** -4 = Individual Carton, -5 = Poly Bag, -6 = Blister, -7 = Clamshell*

# PADDLESPORTS HARDWARE

## Pad Eyes

All pad eyes are pre-drilled with two mounting holes.




| Description | A | B | C | D | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|
| Cast Stainless Steel | 3/8"-diameter | 1-7/8" long | 1-3/8" | 1/2" | #10 fasteners (2) | **66105-1** | **66105-3, four** |
| Stamped Stainless Steel | 5/16"-diameter | 1-1/8" long | 3/4" | 5/16" | #6 fasteners (2) | — | **12955L3, pair** |
| | 1/2"-diameter | 1-7/16" long | 15/16" | 7/16" | #10 fasteners (2) | — | **12957L3, pair** |
| | 3/4"-diameter | 2-1/4" long | 1-3/4" | 11/16" | #10 fasteners (2) | — | **12959L3, pair** |
| Chromed bronze | 5/16"-diameter | 1-7/8" long | 1-3/8" | 1/2" | #10 fasteners (2) | **12988-1** | **12989-3, single** |
| White Nylon | 5/16"-diameter | 1-7/8" long | 1-7/16" | 5/16" | #10 fasteners (2) | — | **10603-3** |
| Black Nylon | 5/16"-diameter | 1-7/8" long | 1-7/16" | 5/16" | #10 fasteners (2) | — | **10604-3** |


10603


12959

## Deluxe Stainless Steel Fastener Kit

A variety of wood screws, machine screws, hex nuts, and washers sized from #6 through #10 in a compartmented, see-through plastic case with snap-close lid. Allows the kayaker or canoeist to modify and add accessories to their craft with the necessary hardware to hold up to harsh marine environments.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Deluxe fastener kit, 134 pieces | — | **12152-3** |


12152

## Deck Rigging Kit

Secures gear and create customized storage solutions. Also use to replace worn and broken components. Kit includes:

- Shock cord (8 ft. x ¼" diameter)
- Pad eye, 1-7/8" (6 quantity)
- "J" hook, 5/16" x 3/8" (2 quantity)
- Stainless Steel Screws, #8-32 (14 quantity)
- Stainless Steel Nylok Nut, #8-32 (14 quantity)
- Rivet, Aluminum, 6 quantity (riveter not included)


11781

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Deck Rigging Kit | — | **11781-7** |

## Round Deck Rigging Guides

These deck fittings mount flat to the deck creating a low-profile, snag-proof design. Mount with a single fastener. Accepts up to 1/4-inch shock cord in each of the four holes. Black nylon construction.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Round Deck Rigging Guide, package of four | — | **11943-7** |


11943

# Shock Cord

Replacement deck cords for worn and broken deck rigging. Perfect for securing boat covers and paddles or using as an attachment point for leashes and tethers.

| Description | Thickness | Bulk Packaging** | Aftermarket Packaging |
|---|---|---|---|
| 30 Feet | 1/4" | — | **11921-5** |
| | 3/16" | — | **11922-5** |



11921

# Deck Hardware Assortment Kit

Use with Deck Rigging Kit and ¼-inch Deck Rigging Cord. Includes (6) pad eyes, (6) J-hooks, and (6) pair terminal-end fittings for use with ¼-inch deck rigging cord.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Deck Hardware Assortment Kit | — | **11782-7** |



11782

# Nylon Cleats

Ideal for tying off an anchor or for temporary docking. Includes (2) strong 4-inch lightweight cleats. Pre-drilled for #12 screws.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Nylon Cleats, set | — | **11783-7** |



11783

# Zig-Zag Cleats

Makes a great primary cleat on kayaks, canoes, fishing boats and pontoons. Also good as a utility cleat on docks, piers, trailers, and more. 4-inch model handles rope up to 1/2-inch diameter. 3-inch and 3-1/2 inch models handle rope up to 3/8-inch diameter. One pair.

| Description | | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Zinc Plated, Pair | 3" | — | **11950-6** |
| | 4" | — | **11951-6** |
| Black Nylon, Pair | 3-1/2" | — | **11926-7** |



11950



11926

# Zig-Zag Fender Hanger

No need for knots in your fender lines. Keeps fenders in place with a simple system. Put line over rail and weave it through the zig-zag teeth.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Fender Hanger, pair w/ 4' fender lLines | — | **11952-7** |



11952

# PADDLESPORTS TRANSPORTATION & STORAGE

## Canoe Car-Top Carrier Kit

Simple, convenient kits for carrying canoes and small boats on car roof. Includes four supporting foam blocks that snap on boat's gunwale and help prevent scratches on car top. Two straps with adjusting buckles and clips. Includes 20 ft. of polypropylene rope and S-hooks to secure bow and stern to bumpers. Straps are sturdy poly web with vinyl-coated clips.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Car-Top Universal Canoe Carrier Kit | — | **11437-7** |


11437

## Kayak Car-Top Carrier Kit

Simple, convenient kits for carrying kayaks on car roof. Includes two supporting foam blocks to support kayak and help prevent scratches on car top. Two straps with adjusting buckles and clips. Straps are sturdy poly web with vinyl-coated clips.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Car-Top Kayak Carrier Kit | — | **11438-7** |


11438

## Kayak Roof Rack – J Style

Easy to install kayak carrier mounts securely and safely to most standard and aftermarket roof rack cross bars. J-style design allows for easy loading and unloading of kayaks. Durable powder-coated steel construction holds up to 120 lbs. Foam rubber protection pads and detailed instructions included.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Kayak Roof Rack Carrier Kit | — | **11441-4** |


114441

## Marine Quick Cinch

Ideal for tying down kayaks and canoes or for replacing worn boat cover cinches. Includes Quick Cinch, 8 ft. x ¼-inch rope and hook.

| Description | Bulk Packaging** | Aftermarket Packaging |
|---|---|---|
| Marine Quick Cinch, 8 ft. | — | **11798-6** |


119798

*** -2 = Hang Tag, -6 = Blister, -7 = Clamshell*

# Kayak/Canoe Cart

Haul your kayak easier than ever with Attwood's new Kayak/Canoe Cart, now with premium wheels! Enhanced large diameter wheels cannot deflate, simplifying transport over uneven terrain. Cart easily disassembles to fit into most kayak hitches. Holds up to 100 lb. loads.





11944

| Description | Bulk Packaging** | Aftermarket Packaging |
|---|---|---|
| Kayak & Canoe Cart | — | **11930-4** |

# Kayak Hoist System

Complete hoist system for kayaks, canoes, bikes, ladders, and more. Hooks and locking mechanisms safely hold up to 120 lbs. Easy lifting pulley system and 2-inch wide webbing hang straps. Includes all mounting hardware.



11953

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Kayak Hoist System | — | **11953-4** |

*** -2 = Hang Tag, -7 = Clamshell*

# TRAILERING PARTS & ACCESSORIES

## Trailer Guide Lights

Trailer guide lights aid in backing and maneuvering trailers at boat ramps and in tight areas. Waterproof, bright red, LED lights make it easy to identify trailer angle and position, even in low light conditions. Mount to trailer frame or guidepost with corrosion-resistant aluminum and steel mounting. Mounting hardware not included.

| Description | | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Trailer Guide Light Assembly | 51" L x 1/4" dia. | — | **14066-7** |


14066

## Submersible Trailer Light Kit

Complete kit includes a pair of 8-function stop/tail/turn lights, wiring harness, and license plate bracket. Applicable to trailers under 80-inches wide. Ideal for utility, snowmobile, camping, motorcycle, and boat trailers. Design conforms to applicable US FMVSS and Canadian CMVSS safety standards.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Submersible Kit | — | **14060-7** |


14060

## Low-Profile Submersible Trailer Light Kit

Low profile for trailers over 80-inches wide. The complete kit includes (2) multi-function lamps, wiring harness, license plate bracket, and mounting hardware. Ideal replacement lights for most boat trailers. Conforms to applicable U.S. FMVSS and Canadian CMVSS safety standards.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Low-Profile Submersible Trailer Light Kit | — | **14063-7** |


14063

## Submersible LED Trailer Light Kit

Complete kit includes (2) multi-functional (stop/tail/turn) submersible LED trailer lights, license plate bracket, wiring harness, and installation hardware. For use with trailers under 80-inches wide. Conforms to applicable U.S. FMVSS and Canadian CFMVSS standards.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Submersible LED Light Kit | — | **14065-7** |



14065

## LED Low-Profile Trailer Light Kit

Complete kit includes (2) multi-functional (stop/tail/turn) submersible low-profile LED trailer lights, license plate bracket, wiring harness, and installation hardware. Ideal replacement or upgrade for most trailers. Conforms to applicable U.S. FMVSS and Canadian CFMVSS standards.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Low-profile LED Light Kit | — | **14064-7** |
| Low-profile LED Light–Single Left | — | **14064LH-7** |
| Low-profile LED Light–Single Right | — | **14064RH-7** |



14064

## Side Marker Trailer Lights

Red or amber incandescent lights with an acrylic lens and ABS housing.
Includes 18-gauge wire socket assembly, pigtail, seal, and screws. Meets SAE AP2.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Amber | — | **14061-6** |
| Red | — | **14062-6** |

*** -5 = Poly Bag, -7 = Clamshell*


14061
14062

# Trailer Wiring Harness/Connectors

The most popular 4-way flat wiring harness kit for vehicles and trailers. Copper-stranded, color-coded wire and plastic molded terminals with four-prong trailer plug or vehicle socket. Both ends have 18-inch plug wire and 48-inch socket wire.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 18" plug and 48" socket | — | **7663-5** |
| 48" socket | — | **14017-3** |
| 12" plug | — | **14020-3** |


14017


14020

# Complete Trailer Wiring Kit

Kit Includes: (1) Receptacle and harness, 4 ft. (1.2 m), (1) plug and harness, 25 ft. (7.6 m), (4) blue quick connectors and (8) trailer wire attachment clips.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Complete Wiring Kit | — | **7621-7** |


7621

# Trailer Light Circuit Testers

The light indicators on this inline circuit tester show which circuit (taillights, ground, left-or-right signal) is having problems.


| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Circuit Tester, Inline | — | **14133-6** |


14133

# Trailer Safety Chain

Connects the trailer tongue to the trailer hitch on the towing vehicle for security and safety. Meets SAE specifications. Welded, solid steel with bright zinc-plated finish and hooks at both ends. Two chains required per trailer.


| Description | | Specifications | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Class II | Safety Chain with Spring Clips | 51" L x 1/4" dia. | — | **11011-7** |


11011

# Coupler Locking Pin

Quick connect and disconnect, to keep coupler from accidentally disengaging. Fits 2-inch and 3-inch couplers. Pin fits through coupler release handle to provide security and safety.


| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Solid zinc-plated steel, 2-1/4" W x 1-5/8" L | — | **11029-6** |


11029

# Coupler Security Lock

For maintenance-free trailer security. While this lock is in place, coupler cannot be used. Solid brass with rust-proof stainless steel shackle pin. Includes two keys.

| Description | Dimensions Shank Length | Diameter | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Coupler Security Lock | 5/8" | 1/4" | — | **12044-6** |


12044

*** -3 = Skin Pack, -5 = Poly Bag, -6 = Blister, -7 = Clamshell*

# Trailer Tongue Lift Handle

- Convenient handle for maneuvering trailer tongue
- Mounts easily to most trailer couplers

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Lift Handle | — | **11130-7** |


11130

# Non-Skid Pads

Precision 6-inch x 12-inch die-cut pads are simple to install on trailers, boats, and docking for additional safety. Rugged anti-slip surface is 100-grade coarse grit. A proven adhesive ensures long-lasting performance.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Non-Skid Pads, pair | — | **6260-4** |


6260

# Pontoon Storage Blocks

Great for fall and winter pontoon storage. Stable design keeps pontoon hull dry and off the ground. High-density, engineered composite protects pontoon surface. Conveniently stack together when not in use. Each block holds 4,000 lb. capacity. Lightweight and easy to use. Will not absorb moisture.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Pontoon Storage Blocks Set of 4 | — | **11401-4** |


11401

# Fold-Up Trailer Jacks

Fits 3-inch x 5-inch tongue. Swings up and out of the way. Corrosion-resistant, zinc-plated steel tubing. Swing-up jack has a convenient sidewind handle and a tough 6-inch diameter polypropylene wheel.

| Description | Travel Lift | Lift | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 1000 lbs. capacity, single wheel | 10" | 24" | — | **11127-4** |
| 1500 lbs. capacity, dual wheel | 12" | 26" | | **11126-4** |


11127 11126

# Trailer Jack Wheel Stop

For use with most trailer jacks with wheels

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Wheel lock | — | **11440-2** |


11440

*** -2 = Hang Tag, -4 = Individual Carton, -6 = Blister, -7 = Clamshell*

# Trailer Winches

Many factors affect the capacity of a winch in pulling a boat. As a rule of thumb, winches may be used to trailer boats up to two times the winch capacity. For example, a 1200-lb. capacity winch may be used to load boats up to 2,400-lbs.

**Caution:** Attwood winches are not intended for use as hoists; for lifting, supporting, or transporting people; nor for lifting loads over people.





11195


11149

**Dual Drive Winch—2,000 pound**
Dual drive enhances the pulling capacity by distributing the load equally to two sets of gears. Eliminates frame torque. 2,000-lb. load capacity with 4.1:1 gear ratio. Three-position pawl provides forward, neutral, and reverse operations. Black EDC finish. Molded, textured roller grip. Includes 2-inch x 20 ft. nylon web strap with zinc-plated snap hook.

**Single Drive Winch—1,200 pound**
Solid gear construction with precise gear tooth engagement. 1,200-lb. load capacity with 4.1:1 gear ratio. Three position pawl provides forward, neutral, and reverse operations. Black EDC finish. Molded, textured roller grip. Includes 20 ft. nylon web strap with zinc-plated snap hook.

| Description | Type | Gear Ratio | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 2000 lb. with 2" W x 20' L nylon strap | Dual | 4.1:1 | — | **11195-4** |
| 1200 lb. with 2" W x 20' L nylon strap | Single | 4.1:1 | | **11149-4** |

*See tie downs on Pages 161-162 for replacement winch straps, cable and rope.*

# Trailer Winch Straps



Winch straps, cables, and ropes are available to fit most winches, loads, and applications. A complete selection of winch products to meet every customer need and a variety of price points.

Selecting a winch strap, rope, or cable: NMMA, SAE, and BIA Standards require the minimum breaking strength of winch cable, rope, strap, and hook be at least 1.5 times the rated straightline pull of the winch. For example, if a winch rope has a breaking strength of 1,500 lbs., it can only be used on winches rated up to 1,000 lbs. All Attwood winch cables, ropes, and straps are rated for the winch on which they can be installed. Winch ropes, strap, and cable should have a minimum of four (4) complete wraps around the winch drum in the most extended position for launching or retrieving the boat.

You can depend on Attwood winch straps. They're easy to install and prevent tangling on winch drum. Built to be strong and durable. UV-resistant webbing with a special, heavy-duty, forged steel, snap hook. The extra-long throat is designed for easier attachment to bow eyes on boats. Two strap-end styles are available for easy, secure attachment to the winch drum. Rated for winches up to 2,000 lbs.


11141


11136

**Webbing:** Polyester webbing is one of the finest web strap materials available. Polyester does not stretch and offers excellent resistance to ultraviolet degradation from sunlight.

**Strap-End Styles:** Two styles available (1) Cut-End, and (2) Sewn-Loop End.

**Hook:** Heavy-duty, forged, zinc-plated steel snap hook. Spring-loaded closure for secure attachment. Extra-long throat for easy attachment.

| Description | Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Cut-end | 15 ft. | **11136-1** | **11136-7** |
| | 20 ft. | **11137-1** | **11137-7** |
| | 25 ft. | **11138-1** | **11138-7** |
| Sewn-loop end | 15 ft. | **11141-1** | **11141-7** |
| | 20 ft. | **11147-1** | **11147-7** |
| | 25 ft. | **11153-1** | **11153-7** |

*** -2 = Hang Tag, -4 = Individual Carton*

# Winch Cable, Heavy-Duty

3/16-inch-diameter galvanized 7 x 9 aircraft cable fitted with 4-1/2 inch long extra heavy-duty marine snap hook. Thimble prevents abrasion at the hook loop. Cable keeper included to secure cable to winch drum. For winches rated up to 2,600 lbs. Note: NMMA specifies a winch drum-to-cable diameter of 8-inches minimum.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 25 ft. long | — | **11003-5** |



11003

# Winch Ropes

**Nylon Winch Ropes**

Durable winch ropes are 3/8-inch-diameter nylon. Forged, zinc-plated steel hook. Strong, lightweight nylon absorbs shock and resists abrasion, mildew, and damage from most chemicals. For winches rated up to 1,200 lbs.

**Poly Winch Ropes**

Twisted polypropylene 3/8-inch diameter winch rope is economical, versatile, and easily spliced. Resistant to rot and mildew and is UV stabilized. For winches rated up to 1,200 lbs., not intended for other uses

| Description | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **NYLON WINCH ROPE** | | | |
| 3/8" x 25' Long | White | — | **11026-5** |
| **POLY WINCH ROPE** | | | |
| 3/8" x 20' Long | Black | — | **11739-2** |



11026



11739

** -2 = Hang Tag, -5 = Poly Bag

# BOW STOPS & ROLLERS

Road-ready bow stops, rollers, and roller brackets provide protective support for your boat's hull while it's on the trailer, and allow easier launching, centering, and retrieval of the boat. This assortment includes rollers, bow stops, and steel roller brackets. Rollers and bow stops are available in polymer or rubber.

| Rubber Rollers | Polymer Rollers |
|---|---|
| Non-marring prime rubber compound | Will not mark or discolor your boat |
| Economically priced | Resist cuts and abrasions |
| Original equipment replacements for most trailers | Have superior durability to outlast ordinary rollers |



11305

## Bow Stop, Polymer

Non-marring, resilient bow protection. Smooth finish allows easy centering. Polymer bow stops are rugged and dependable. Impervious to sunlight, chemicals, and fuels.

| Dimensions | Opening Size | Hole Diameter | Bulk Packaging** | Aftermarket Packaging |
|---|---|---|---|---|
| 2-3/4" H x 2-7/8" W x 3-1/2" D | 3" | 1/2" | **11305-1** | — |



11201



11200

## Bow Stops, Rubber

Molded rubber stops. Each is pre-drilled with 3/8-inch or 1/2-inch diameter hole.

| Dimensions | Hole I.D. | Bulk Packaging** | Aftermarket Packaging |
|---|---|---|---|
| 2" x 2" | 3/8" | **11200-1** | — |
| 3" x 3" | 1/2" | **11201-1** | — |
| 4" x 4" | 1/2" | **11202-1** | — |



11202

## Bow Rollers, Polymer

Non-marring, resilient bow protection. Smooth finish helps boat roll easily into place. Impervious to sunlight, chemicals, and fuels.

| Description | Dimensions | Hole I.D. | Bulk Packaging** | Aftermarket Packaging |
|---|---|---|---|---|
| Bow Roller | 3" O.D. x 3" L | 1/2" | **11310-1** | — |
| Bow Roller | 3" O.D. x 3" L | 1/2" | **11881-1** | — |
| Bow Roller | 4" O.D. x 4" L | 1/2" | **11880-1** | — |
| Bow Roller w/ Bells | 3-1/2" O.D. x 4" L | 1/2" | **11857-1** | — |



11310



11881



11857

*** -1 = UPC Label*

# Bow Rollers, Rubber

Durable protective molded rubber bow rollers.

| Description | Outside Diameter | Shaft Diameter | Bulk Packaging* | Aftermarket Packaging** |
|---|---|---|---|---|
| 3" length | 3" | 1/2" | **11205-1** | — |
| 4" length | 3-1/2" | 1/2" | **11209-1** | **11209-5** |


11205

# Spool/Keel Rollers, Polymer

Smooth, non-marring, resiliant protection. Impervious to sunlight, chemicals & fuels. Fits 1/2-inch diameter shafts.

| Dimensions | Outside Diameter | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|
| Spool/Keel Roller | 4" | **11315-1** | — |
| | 5" | **11317-1** | — |
| Keel Roller | 8" | **11319-1** | — |


11317


11319

# Keel Rollers, Heavy-Duty Rubber

These durable, protective rollers are for heavy-duty use. Molded rubber over a steel tube with nylon end inserts. The gradual inward taper and "V" cut eases loading and launching of heavier boats. Plastic inserts are included to protect from mounting hardware damage.

| Dimensions | Shaft Diameter | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|
| 8" length | 5/8" | **11215-1** | — |
| 10" length | 5/8" | **11216-1** | — |
| 12" length | 5/8" | **11217-1** | — |


11215

# Spool/Keel Rollers, Light-Duty Rubber

Durable and protective. Molded rubber with nylon inserts. 3-inch outside diameter.

| Dimensions | Shaft Diameter | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|
| 4" length | 5/8" | **11210-1** | — |
| 5-1/4" length | 5/8" | **11211-1** | — |


11210

# Groove Rib Roller, Polymer

Non-marking, durable and protective. For use with automatic adjusting roller systems. Nylon insert.

| Description | Dimensions | Shaft Diameter | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|---|
| Ribbed | 5" dia. x 3" W | 1-1/8" | **11882-1** | — |


11882

# Adjusting Rollers, Rubber

For use with automatic adjusting roller systems. Molded rubber. Smooth surface has steel insert; ribbed surface has nylon insert.

| Description | Dimensions | Shaft Diameter | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|---|
| Smooth | 4-1/4" L x 4-3/8" dia. | 3/4" | **11230-1** | — |
| Ribbed | 3" L x 4-1/4" dia. | 3/4" | **11232-1** | — |


11230

11232

** -1 = UPC Label*
*** -5 = Poly Bag*

# Roller Panel Brackets

Cross-member panel brackets are available for a variety of roller sizes. Long mounting slot allows adjustment. Brackets are pre-drilled with 5/8-inch-diameter holes for roller mount. Zinc-plated or galvanized steel.

| Dimensions Width Between Holes | Slots Size | Width Between Slots | Bulk Packaging** | Aftermarket Packaging |
|---|---|---|---|---|
| 4-1/4" | 2-1/2" | 2-3/8" | **11252-1** | — |
| 8-1/4" | 3" | 5-1/2" | **11254-1** | — |


11252

# Bunk Brackets

For mounting bunks. Slotted for vertical adjustments. Mounts with 1/2-inch (1.27 cm) bolt. 11-gauge galvanized steel.

| Length | Width | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|
| 8" | 2" | **11363-1** | — |
| 10" | 2" | **11364-1** | — |


11363

# Roller Offset Panel Brackets

Offset panel brackets with 8-inch slot for adjustment. Zinc-plated. For roller mount.

| Description | Length | Width Between Slots | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|---|
| Zinc-plated steel, Pair | 8" | 5/8" | **11260-1** | — |


11260

# Swivel Bolster Brackets

Heavy 11-gauge galvanized steel that is slotted for vertical adjustment. Non slip dimples for secure hold. 3.5-inch wide angle bracket pivots for angled or flat mounting of 2-inch x 6-inch bunk or bolster boards. Complete with nut and bolt for angle bracket. Mounts with 1/2-inch bolt.

| Size | Assembled | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|
| 8" | 9" | **11360-1** | — |
| 10" | 11" | **11361-1** | — |
| 12" | 13" | **11362-1** | — |


11360

# Roller Panel Spool/Keel Bracket Roller Assemblies

Complete spool/keel bracket and roller assembly. Mounts to trailer cross roller assemblies. Formed, zinc-plated steel panel bracket with 1/2-inch-wide slot for adjustment.

| Description | Included Parts | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Spool/keel | 11210 roller and 11252 bracket | — | **11220-3** |
| | 11211 roller and 11253 bracket | — | **11221-3** |



11220

** -1 = UPC Label*
*** -3 = Skin Pack*

# Keel Mounting Bracket

One piece roller bracket with 5-inch slot for vertical adjustment. Mounts with 1/2-inch bolt and is designed to be used with a 5/8-inch roller shaft.

| Size | Slot Center | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|
| 5" | 2-3/4" | **11370-1** | — |
| 10" | 8-3/16 | **11371-1** | — |
| 12" | 10-1/8" | **11372-1** | — |


11370

# Roller Shaft Sets

Roller shafts and matching pal nuts secure shaft in place on roller. Shaft and nuts are solid zinc-plated steel.


| Description | Length | Roller Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 5/8" dia. | 6-3/8" | 5-1/4" | — | **11282-3** |
| | 9-1/4" | 8" | — | **11283-3** |
| | 11-1/4" | 10" | — | **11284-3** |
| | 13-1/2" | 12" | — | **11285-3** |


11282

# Pal Nuts

5/8-inch zinc plated pal nuts to be used with 5/8-inch roller shafts.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Set of 8 | — | **11368-3** |


11368

# Roller Bracket U-Bolt Sets

Square bend-style U-bolts for roller brackets. Solid, zinc-plated steel with lock washers and nuts. All bolts are 7/16-inch diameter stock.

| Inside Width | Threads | Inside Height | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 3-1/8" | 2" | 3" | — | **11434-3** |
| 4-1/8" | 2" | 3" | — | **11436-3** |


11434

# Trailer Bunk Padding

12 ft. long roll of durable, weather-resistant polypropylene marine carpet material. Easy to cut and custom fit. Protects hull; eases loading and launching. Charcoal color; acrylic backing grips surface of trailer bunk boards or cradle. No excessive fuzz, static-free. Made for minimal water retention.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 8" wide | — | **11246-1** |
| 12" wide | — | **11247-1** |


11246


** -1 = UPC Label*
*** -1 = Product/UPC Label, -3 = Skin Pack*

# Boat Trailer Guide Protectors


Boat Trailer Guide Protectors simply slide over existing trailer guide posts to help protect boat from scratches and impact. These protectors not only protect your boat but enhance the look too. Made of closed-cell polyurethane foam with nylon cloth covers. Sold in pairs.



| I.D. | Length | Color | Bulk Packaging | Aftermarket Packaging† |
|---|---|---|---|---|
| 2" | 36" | Black | — | **105693BK** |
| 2-1/2" | 36" | Black | — | **105694BK** |
| | | Forest Green | — | **105694FG** |
| | | Navy | — | **105694NV** |
| | | Red | — | **105694RD** |
| | | Royal | — | **105694RB** |
| | | Silver | — | **105694SV** |
| | 48" | Black | — | **105695BK** |
| | | Forest Green | — | **105695FG** |
| | | Navy | — | **105695NV** |
| | | Red | — | **105695RD** |
| | | Royal | — | **105695RB** |
| | | Silver | — | **105695SV** |
| | 60" | Black | — | **105696BK** |
| | | Forest Green | — | **105696FG** |
| | | Navy | — | **105696NV** |
| | | Red | — | **105696RD** |
| | | Royal | — | **105696RB** |
| | | Silver | — | **105696SV** |


Black


Navy


Royal Blue


Forest Green


Red


Silver


10569_SV

# U-Bolt Style Tire Carrier

Square-bend U-bolt with bracket mounts tire on tongue or trailer frame. The frame must be between 2-inch x 2-inch square to 3-1/2-inch x 4-inch rectangular in size. Fits 4- or 5-lug hole rims. Extra-long 8-1/2-inch shaft fits 8-inch to 15-inch tires.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Zinc-plated steel | — | **11090-3** |


11090

*(Padlock not included.)*

*† Poly Bag*
*** -3 = Skin Pack*

# HubMate Wheel Bearing Protectors and Covers

HubMate bearing protectors replace dust cap in the wheel hub. The accessible grease fitting allows you to add grease without disassembling. Positive grease pressure keeps water and dirt out. Automatically lubricates, reducing wear and prolonging bearing life. Covers are custom-fitted PVC.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 1.78" Outer Hub I.D. | — | **11107-7** |
| 1.98" Outer Hub I.D. | — | **11108-7** |
| 1.98" Outer Hub I.D.—Stainless Steel | — | **11110-7** |




11108




11110


# Wheel Bearing Kits

Wheel bearing kits contain (1) grease seal, (1) cotter pin, (2) cones, and (2) cups. Sized according to outside spindle diameter.




1.....Grease Seal
2.....Inner Bearing Cone
3.....Inner Bearing Cup
4.....Hub
5.....Outer Bearing Cup
6.....Outer Bearing Cone
7.....Cotter Pin
8.....Spindel Nut
9.....Grease Cap
10.....HubMate Bearing Protector






11054

| Description | Outer Bearing O.D. A | Outer Hub I.D. B | Outer Bearing Cone | Outer Bearing Cup | Inner Bearing Cone | Inner Bearing Cup | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|
| Straight | 1" | 1.98 | L44643 | L44610 | same | same | — | **11054-6** |
| | 1-1/16" | 1.98 | L44649 | L44610 | same | same | — | **11057-3** |

# Wheel Bearing Protector Cover

Covers your bearing protectors to keep out dirt and grime and prevent grease from being thrown onto the trailer and wheels.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 1.98 Bearing Buddy Cover | — | **11124-6** |



11124

*** -3 = Skin Pack, -6 = Blister, -7 = Clamshell*

# Transom Savers

**We've got you covered**
A lifted outboard puts hundreds of foot-pounds of pressure on the transom, especially during trailering

**Protect your boat and engine**
- Support the cantilevered weight of the motor
- Stabilize engine and steering mechanism when trailering

**The Attwood Difference**
- Tough components — You'll get long life from our adjustable toggles with replaceable rubber pads
- Innovation — Our shock absorbing spring-loaded transom saver, is designed to reduce damaging effects of road shock. Works great for motors with hydraulic trim/tilt



Composite Head


Heavy-Duty Head


Roller Bracket

*All Aftermarket parts include both the Roller and Trailer Mount brackets*



Trailer Mount Bracket





SP-400-RB

| Description | Head Type | Mounting Bracket | Bulk Packaging | Aftermarket Packaging† |
|---|---|---|---|---|
| **ADJUSTABLE TRANSOM SAVERS** | | | | |
| 23"-35" | Composite | Roller | **400-R** | — |
| | | Trailer Mount | **400-B** | — |
| | | Roller/Trailer Mount | — | **SP-400-RB** |
| **HEAVY DUTY TRANSOM SAVERS** | | | | |
| 24"-36" | Heavy Duty | Roller | **4000-ADJ** | — |
| | | Trailer Mount | **4000-ADJ-B** | — |
| | | Roller/Trailer Mount | — | **SP-4000-ADJ-RB** |
| 32"-44" | Heavy Duty | Roller | **424-ADJ** | — |
| | | Roller/Trailer Mount | — | **SP-424-ADJ-RB** |
| 44"-56" | Heavy Duty | Roller | **436-ADJ** | — |
| | | Roller/Trailer Mount | — | **SP-436-ADJ-RB** |
| **SHOCK ABSORBING TRANSOM SAVERS** | | | | |
| 27"-36" | Heavy Duty | Roller/Trailer Mount | — | **SP-421-RB** |
| 31"-40" | Heavy Duty | Roller/Trailer Mount | — | **SP-429-RB** |
| **Replacement Parts** | | | | |
| Bolt on Bracket for Attwood Transom Savers | | | — | **SP-402** |
| Replacement Rubber Shocks for Heavy-Duty Head | | | — | **SP-410** |
| Replacement Toggle for Heavy-Duty Head | | | — | **SP-416** |



SP-4000-ADJ-RB

SP-421-RB

# Adjustable Transom Saver

Innovative design fits most trailers. Unique angle adjustment (patent pending) from 0-inch to 36-inch with 12-inch increments. Heavy-duty rubber pads and steel construction. Corrosion-resistant, black finish.



| Description | Head Type | Mounting Bracket | Bulk Packaging | Aftermarket Packaging† |
|---|---|---|---|---|
| 36"-60" | Heavy Duty | Trailer Mount | **460-ADJ** | — |

*† Clamshell*
*** Individual Carton*

# Lock N' Stow™

- Locks outboard motor in forward position while trailering, greatly reducing the damaging effects of road shock
- Doesn't tie engine's lower-unit to trailer, eliminating excessive pressure on hydraulic seals and scuff marks
- Small compact mount can be easily stored in just about any boat compartment
- Constructed of black powder-coated steel with stainless steel pins

| Description | Bulk Packaging | Aftermarket Packaging* |
|---|---|---|
| Fits: OMC, Bombardier 1989 to present, 100HP and up | — | **10309** |
| Fits: Mercury engines 200 OpitMax, 255 OptiMax, 225HP EFI, 250HP EFI | — | **10107** |
| Fits: Mercury engines 135 OptiMax, 150 OptiMax 175 OptiMax, 75HP-200HP EFI | — | **10108** |
| Replacement Bushing | — | **P10106** |


10107


10309

# TIE-DOWN STRAPS

## Quick-Release Transom Tie-Down Straps

When properly secured to transom eyes and trailer, transom straps reduces vertical and lateral movement to safely secure the boat to the trailer. They also reduce bouncing of the boat on the trailer pads or rollers. Available in 2-inch width for larger trailerable boats and 1 inch width for lighter boats.

**Webbing:** Strong webbing. Resists rot, oils, gasoline, and most chemicals.
**Buckle:** Quick-Release (Over-Center) buckle. Strong and secure, yet easy to use. Quicktightening. Cinch tight and secure by depressing buckle handle. Release by lifting the buckle handle.
**Hook:** Vinyl-Coated S-Hook to prevent scratching boat or trailer finish. Corrosion-resistant. Heavy-gauge.
**Special Features:** Protective pad behind buckle to prevent marring and scratches on gel coat and painted surfaces. Hook-N-Loop closure secures the buckle handle in the locked position.


Quick-Release Buckle with Hook-N-Loop Closure

| Description | Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2" Wide, sold in pairs | 2 ft. | **15230-1** | **15230-7** |
| | 3 ft. | **15231-1** | **15231-7** |
| | 4 ft. | **15232-1** | **15232-7** |
| | 5 ft. | **15233-1** | **15233-7** |
| | 6 ft. | **15234-1** | **15234-7** |
| 1" Wide, sold in pairs | 2 ft. | — | **15237-7** |
| | 3 ft. | — | **15238-7** |
| | 4 ft. | — | **15239-7** |


15230

## Ratcheting Transom Straps

Bolt-on ratchet for securing boats, motorcycles, ATVs, and more.
Features a button for easy adjustment and release.

| Description | Size | Capacity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Ratcheting Transom Straps | 6 ft. x 1-inch | 1,200 lb. | — | **15160-8** |
| | 5.5 ft. x 2-inches | 4,000 lb. | — | **15260-8** |


15160


15260

** Individual Carton*
*** Clamshell*

# Bow Strap

Bow straps secure the bow of the boat to the forward trailer member or tongue, and restricts vertical and backward movement of the boat on the rollers or pads. Reduces load on winch and winch strap. Use bow straps with transom or gunwale straps to provide a complete, secure tie-down system.

**Webbing:** Web fiber is strong and has excellent elasticity to absorb sudden shock loads. Resistant to abrasion, rot, oils, gasoline, grease, and many other chemicals.

**Buckle:** Cam buckle with push-button release. Quick and easy to use. Springloaded lock secures the web strap. Zinc-alloy plated finish. Sewn web end prevents the strap from pulling out of the buckle.

**Hook:** Contains one vinyl-coated S-Hook for attachment to bow eye. Vinyl coating prevents scratching boat or trailer finish. Corrosion-resistant. Heavy gauge.

**Special Features:** Strap end contains a sewn-loop to create an adjustable, slip harness for attachment to trailer tongue or frame.


15240

| Description | Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 1" Wide | 3 ft. | **15240-1** | **15240-7** |

# 3-Point Tie-Down Strap

3-Point Tie-Downs secure the transom of personal watercraft to the trailer with one strap. The strap contains three S-hooks; the two, sewn end hooks attach to trailer and the single, “free-floating” hook attaches quickly and easily to the stern of the PWC.

**Webbing:** Web fiber is strong and has excellent elasticity to absorb sudden shock loads. Resistant to abrasion, rot, oils, gasoline, grease, and many other chemicals.

**Buckle:** Cam buckle with push-button release. Quick and easy to use. Spring-loaded lock secures the web strap. Zinc-alloy plated finish. Sewn web end prevents the strap from pulling out of the buckle.

**Hook:** Contains three, vinyl-coated S-Hooks to protect the finish of the boat and trailer. Floating S-Hook allows for easy installation.


15241

| Description | Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 1" Wide | 94" | **15241-1** | **15241-7** |

# Quick-Release Gunwale Straps

Gunwale straps secure the entire aft section of the boat over the gunwale to the trailer and restrict vertical movement while on the road.

**Webbing:** Strong webbing. Resists rot, oils, gasoline, and most chemicals.
**Buckle:** Quick-Release (Over-Center) buckle. Strong and secure, yet easy to use. Quicktightening. Cinch tight and secure by depressing buckle handle. Release by lifting the buckle handle.
**Hook:** J-Hook with snap-closure for secure, easy attachment. Electrostatic Discharge Coating (EDC) finish to prevent corrosion. Heavy gauge.

*For ratchet straps used in gunwale applications, see the General Purpose Utility Strap section on the following page.*


15220

| Description | Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2" Wide | 10 ft. | **15220-1** | **15220-7** |
| | 13 ft. | **15221-1** | **15221-7** |
| | 16 ft. | **15222-1** | **15222-7** |
| | 20 ft. | **15223-1** | **15223-7** |

*** -7 = Clamshell*


# General Purpose Tie-Down Straps

General purpose straps are designed for a variety of applications. Use to secure cargo, motorcycles, bicycles, boats, and other loads. Available in a variety of lengths and styles.

**Webbing:** Excellent elasticity to absorb sudden shock loads. Resistant to abrasion, rot, oils, gasoline, grease, and many other chemicals.

**Buckle:** Easy-to-operate ratchet handle cinches and locks the web strap. Quick release; resists jamming from side loads. Zinc-alloy plated finish. Sewn web end prevents the strap from pulling out of the buckle.

**Hook:** J-Hook with snap-closure for secure, easy attachment. Electrostatic Discharge Coating (EDC) to prevent corrosion. Heavy gauge.





| Description | Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 1" Wide ratchet | 18 ft. | **15201-1** | **15201-7** |

# Rubber Tie-Down Straps

For a variety of tie-down applications. Black EPDM rubber straps with zinc-plated steel S-hooks on both ends. Lengths shown are relaxed and measured including hooks.

| Description | Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Rubber tie-down strap | 15" long | **10928-1** | **10928-3** |
| | 21" long | **10930-1** | — |




*** -3 = Skin Pack, -7 = Clamshell*






CLEATS & ACCESSORIES ..... 170-174
LIFT RINGS ..... 175
BOW EYES ..... 176
HAWSE PIPES ..... 177
HAND RAILS ..... 178
WATER SKI HARDWARE ..... 179-180
BIMINI STYLE CONVERTIBLE TOP ACCESSORIES ..... 181-185
HINGES ..... 186-188
SWIVEL HASPS ..... 188
HATCH & DOOR LOCKS ..... 189
HANDLES ..... 196
HATCH HARDWARE ..... 191
HOOKS ..... 192-193
OARLOCKS ..... 193
FASTENER KITS ..... 193
GAS SPRINGS & ACCESSORIES ..... 194-200


# HARDWARE

# CLEATS
## & ACCESSORIES

LIFETIME WARRANTY


# Neat Cleat

The Neat Cleat design offers what you've been asking for — a retractable cleat with a thin profile that installs easily on narrow gunwales.

- Beautiful, strong and durable – each stanchion is a 7/8" rod of solid Enhanced 316 Stainless Steel alloy
- Cleats stay up when pulled
- Backed by a lifetime warranty against corrosio

Installation is simple and quick – just drill twice with an appropriate size hole saw. Drainage receptacles (included) capture moisture and send it to the bilge via pitot tubing (not included). Attwood recommends using only stainless steel fasteners for stainless steel hardware.




| A | B | C | D | E | F | G | H | Installation | | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Total Length | Total Width | Above Deck Lowered | Above Deck Raised | Line Opening | Between Stan-chions | Thread Length | Install. Depth | Hole Saw Size | Max. Hull Thickness | | |
| **NEAT CLEAT** | | | | | | | | | | | |
| 4-1/2" | 1-5/16" | 1/2" | 1-5/8" | 1-1/4" | 1-3/4" | 1-3/4" | 3-1/8" | 1" | 1" | **66515-1** | **66515-7** |
| 6" | 1-1/2" | 1/2" | 1-5/8" | 1-1/4" | 2-1/4" | 1-3/4" | 3-1/8" | 1" | 1" | **66517-1** | **66517-7** |
| 8" | 1-15/16" | 3/4" | 2" | 1-3/8" | 2-13/16" | 2-1/4" | 3-3/4" | 1" | 1-1/2" | **66519-1** | — |
| 10" | 2-7/16" | 13/16" | 2-5/8" | 1-5/8" | 3-1/2" | 2-7/8" | 5-1/4" | 1" | 1-1/2" | **66538-1** | — |


66515

# Neat Cleat Accessories

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| **BACKING PLATES** | | |
| For 4-1/2" Neat Cleat | **66529-1** | — |
| For 6" Neat Cleat or Combo Cleat | **66531-1** | — |
| For 8" Neat Cleat or Combo Cleat | **66533-1** | — |
| **SPACERS** | | |
| For 4-1/2" Neat Cleat or Combo Cleat | **66615-1** | — |
| For 6" Neat Cleat or Combo Cleat | **66617-1** | — |


66529


*For our Stainless Steel Thru-Hulls and Scuppers see Pages 17-20.*

** -7 = Clamshell

# Flush Cleats

This cleat recesses flush to the deck for a clean, contemporary look at an affordable price. Two mounting styles include an exclusive stud-mounted cleat (patented). Water-resistant cleat recesses into cast body, and is captured with lubricated seals. Durable, enhanced cast 316 Stainless Steel construction and simple design assures long-life and dependable operation.

**Easy Installation**
- Includes backing plate
- Enhanced 316 Stainless Steel Alloy




LIFETIME WARRANTY



66510



66512

Countersunk Stud-mount

| Description | A | B | C | D | E | F | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|---|
| **COUNTERSUNK*** | | | | | | | | | |
| 4-1/2" Cleat | 5-1/4" | 4-1/2" | 3-1/8" | 2" | 1-5/8" | 1-7/16" | #10 fasteners (4) | **66510-1** | **66510-7** |
| 6" Cleat | 7" | 6" | 3-1/3" | 2" | 1-7/8" | 1-21/32" | 1/4" fasteners (4) | **66514-1** | **66514-7** |
| 8" Cleat | 8-1/2" | 7-3/4" | 3-7/8" | 2-13/16" | 3-1/2" | 2-1/8" | 1/4" fasteners (4) | **66522-1** | — |
| **STUD-MOUNT*** | | | | | | | | | |
| 4-1/2" Cleat | 5-1/4" | 4-1/2" | 3-1/8" | 2" | — | — | — | **66512-1** | — |
| 6" Cleat | 7" | 6" | 3-1/3" | 2-3/8" | — | — | — | **66516-1** | **66516-7** |
| 8" Cleat | 8-1/2" | 7-3/4" | 3-7/8" | 2-13/16" | — | — | — | **66524-1** | — |


** Countersunk models: Fasteners not included. Stud mount: Fasteners are included.*



# Folding Cleat

This Enhanced 316 Stainless Steel construction folding cleat locks down to the flush position when not in use, or easily flips up and locks in place when needed. Contemporary look for an economical price. Available with (flush-mount) and without (stud mount) visible holes for mounting.

LIFETIME WARRANTY




| Description | A Total Length | B Total Width | C Closed Position Height | D Open Position Height | E Opening | F Between Stan-chions | G Thread Length | Fasteners Included | Fastener(s) Required | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **FLUSH MOUNT** | | | | | | | | | | | |
| 4-1/2" Cleat | | | | | 90° | | | No | | **66586-1** | **66586-7** |
| 6" Cleat | | | | | 90° | | | No | | **66587-1** | **66587-7** |
| **STUD MOUNT** | | | | | | | | | | | |
| 4-1/2" Cleat | | | | | 90° | | | Yes | | **66588-1** | **66588-7** |
| 6" Cleat | | | | | 90° | | | Yes | | **66589-1** | **66589-7** |



66587



66589


*** -7 = Clamshell*

# Whitley Cleats

The innovative Whitley Cleat is an Attwood exclusive! The unique, offset design is inspired by contemporary Euro styles. Yet, for all its good looks, this sturdy cleat exceeds ABYC strength standards!

- Polished stainless finish provides an attractive, premium appearance for the finest boats
- Alloy is certified Enhanced 316 Stainless Steel. Acid and rinsing baths remove surface contaminants and produce a mirror-finish hydrous oxide film. Backed by a Lifetime Warranty against corrosion
- Stud mounting leaves no exposed fasteners to collect water or dirt
- Stainless steel locking nuts and washers are supplied to fit the concealed stainless steel studs





| Description | A | B | C | D | E | Stud Size | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|---|---|---|
| 6-1/2" long | 6-1/2" | 2-13/16" | 1-1/2" | 1-1/2" | 2" | 5/16" x 18 | **66062-1** | — |
| 8-1/2" long | 8-1/2" | 2-15/16" | 2" | 1-7/8" | 2-1/2" | 3/8" x 16 | **66063-1** | — |
| 10-1/2" long | 10-1/2" | 3-3/16" | 2-15/16" | 2-3/16" | 3" | 7/16" x 14 | **66064-1** | — |

# Contemporary Cleats

These beautiful cleats have a modern look and are priced to compete. The clean lines and well-defined surfaces are in tune with styling of today's boats. Thick stanchions offer hearty appearance and performance. Enhanced 316 Stainless Steel alloy. Guaranteed for life. Stainless locking nuts and washers included.





| Description | A | B | C | D | E | Stud Size | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|---|---|---|
| 6" long | 6" | 2-1/4" | 1" | 1-3/16" | 2" | 5/16" x 18 | **66054-1** | — |
| 8" long | 8" | 2-13/16" | 1-15/16" | 1-3/8" | 2-1/2" | 7/16" x 14 | **66055-1** | — |
| 10" long | 10" | 3-5/8" | 1-11/16" | 1-13/16" | 3" | 7/16" x 14 | **66056-1** | — |
| Spacers for 6" cleat | | | | | | | **66654-1** | — |




# Stud Mount Herreshoff Cleat

This cleat features the classic look of a traditional Herreshoff design plus all the advantages of a stud mount installation. Enhanced 316 Stainless Steel alloy. Guaranteed for life. Stainless locking nuts and washers included.





| Description | A | B | C | D | E | Stud Size | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|---|---|---|
| 4" long | 4" | 1-3/16" | 9/16" | 1" | 1-1/4" | 1/4" x 20 | **66334-1** | — |
| 6" long | 6" | 2-1/4" | 7/8" | 1-1/4" | 1-3/4" | 1/4" x 20 | **66335-1** | — |
| 8" long | 8" | 2-7/8" | 1-3/16" | 1-1/2" | 2" | 5/16" x 18 | **66336-1** | — |



# Herreshoff Cleats

Classic Herreshoff style cleat provides traditional styling, easy line tie-off, and corrosion-resistance. Made of Enhanced 316 Stainless Steel alloy. Four holes for required fasteners.







LIFETIME WARRANTY


| Description | A | B | C | D | E | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|
| 5" long | 5" | 2-9/64" | 1-1/2" | 1-1/8" | 1" | #10 fasteners (4) | **66398-1** | **66398-7** |
| 6" long | 6" | 2-1/4" | 1-7/8" | 1-1/4" | 1-9/64" | 1/4" fasteners (4) | **66009-1** | **66009L6** |
| 8" long | 8" | 2-27/32" | 2-3/16" | 1-1/2" | 1-11/32" | 1/4" fasteners (4) | **66010-1** | **66010L3** |
| 10" long | 10" | 3-3/4" | 2-11/16" | 1-7/8" | 11-1/16" | 5/16" fasteners (4) | **66011-1** | **66011L3** |
| 12" long | 12" | 3-7/8" | 2-3/4" | 2-3/16" | 1-15/16" | 5/16" fasteners (4) | **66012-1** | — |




66398

# Heavy-Duty Herreshoff Cleats

This heavy-duty Herreshoff is a wider, taller, and heavier version of the standard Herreshoff cleat. Made of Enhanced 316 Stainless Steel alloy. Four holes for required fasteners.




LIFETIME WARRANTY


| Description | A | B | C | D | E | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|
| 8" long | 8" | 2-9/64" | 1-1/2" | 1-1/8" | 1" | #10 fasteners (4) | **66110-1** | **66110-3** |
| 10" long | 10" | 2-1/4" | 1-7/8" | 1-1/4" | 1-9/64" | 1/4" fasteners (4) | **66111-1** | **66111-3** |
| 12" long | 12" | 2-27/32" | 2-3/16" | 1-1/2" | 1-11/32" | 1/4" fasteners (4) | **66112-1** | — |




66110

# Fender Cleat

Stainless steel. Easily secure fenders to your boat with a simple lift of this retractable cleat. Durable, enhanced cast 316 Stainless Steel construction and simple design assures longlife and dependable operation. Small 3-1/2" design.




LIFETIME WARRANTY



66502




| A Total Length | B Total Width | C Above Deck Lowered | D Above Deck Raised | E Max. Line Opening | F Install. Depth | Mounting Hole Distance | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|
| 3-1/2" | 1-3/16" | 9/16" | 1-3/8" | 3/4" | 1-7/8" | 1-11/16" | **66502-1** | **66502-7** |

*(Not for use for mooring, towing or lifting.)*

*** L3/-3 = Skin Pack*
*** -3 = Skin Pack, -6 = Blister, -7 = Clamshell*

# Chrome-Plated Zinc Cleats

These studded cleats have a modern look and are priced to compete. The clean lines and well-defined surfaces are in tune with styling of today's boats. Thick stanchions offer hearty appearance and performance.





| Description | A | B | C | D | E | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|
| 4-1/2" long | 4-1/2" | 1-11/16" | 1-5/8" | 1-1/16" | 1-3/16" | #8 fasteners (4) | **6244-1** | **12022-3** |
| | | | | | | | | **6244-6, pair** |
| 6" long | 6" | 2-7/32" | 2-3/32" | 1-11/32" | 1-1/2" | #10 fasteners (4) | **6245-1** | **12009-3** |
| | | | | | | | | **6245-6, pair** |


12022

# Cast Aluminum Cleats

Cast aluminum cleats, available in 4 popular sizes. Ideal for small boats and docks. Two holes for required fasteners."





| Description | A | B | C | D | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|
| 4-1/2" long, closed base | 4-1/2" | 2-7/32" | 3/4" | 1-1/2" | 1/4" fasteners (2) | **12120-1** | **12121-3** |
| 6" long, closed base | 6" | 1-3/8" | 7/8" | 1-13/32" | 1/4" fasteners (2) | **12124-1** | **12125-3** |
| 8" long, open base | 8" | 1-1/2" | 1-1/16" | 1-3/4" | 1/4" fasteners (2) | **12126-1** | **12127-3** |


12120

# Cast Iron Cleats

Cast iron dock cleat with galvanized finish, available in 2 popular sizes. Two holes for required fasteners.





| Description | A | B | C | D | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|
| 6" long | 6" | 1-3/8" | 7/8" | 1-3/16" | 1/4" fasteners (2) | **12100-1** | **12100L3** |
| 8" long | 8" | 1-7/8" | 1-1/8" | 1-5/8" | 3/8" fasteners (2) | **12102-1** | **12102L3** |


12100

# Nylon Cleats

Corrosion-resistant light weight cleats. Two holes for required fasteners.




| Description | A | B | C | D | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|
| 5" long | 5-1/16" | 1-29/64" | 23/32" | 1-1/64" | #12 fasteners (2) | **12110-1** | **12111L3** |
| 6-1/2" long | 6-13/32" | 1-21/32" | 13/16" | 1-7/32" | #12 fasteners (2) | **12112-1** | **12113L3** |
| 8" long | 7-15/16" | 1-51/64" | 15/16" | 1-3/8" | 1/4" fasteners (2) | **12114-1** | **12115L3** |


12110


*** L3/-3 = Skin Pack*

# LIFT RINGS

LIFETIME WARRANTY

## Lift Ring

Attwood's stern-mounted lift ring provides heavy-duty strength for boats lifted by davits, cranes or shore stations. Lifts a maximum vertical load of 12,000 lbs. Installs with 1/2" countersunk stainless steel screws and washers, which must be through-bolted with locking washers or locking nuts.





***Warning:*** *Lift rings are designed to lift a boat only when fastened to the boat structure. The maximum lifting load figures listed were determined by applying a test load in the direction of the eye shank axis, with the shank fixed in an immovable testing device. Listed lifting loads are for reference only.*




| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Stainless steel lift ring | **66120-1** | — |

## Flush Lift Rings





Flush lift ring with 3/4" I.D. handle fits most hatches, cabinets, and drawers. Maintains a flush appearance, neatly recesses for safety. Pre-drilled with four holes for required fasteners.

| Description | Flange Size | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Brass | 1-7/8" L x 1-1/2" W | #6 fasteners (4) | **3326-1** | **3326-3** |




## Large Flush Lift Ring, Brass




Large lifting ring allows a full grip. Provides strength for lifting large and heavy hatch covers. Flush appearance, neatly recessed for safety. Chrome-plated brass. Pre-drilled with four holes for #6 fasteners.

| Description | Flange Size | Handle Size | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Brass | 3" L x 2-1/4" W | 2" L x 3/4" I.D. ring | #6 fasteners (4) | **3325-1** | **3325-3** |





*** -3 = Skin Pack*

# BOW EYES

## Bow Eyes, Stainless Steel

Bow eyes have twin shanks to prevent twisting. These rugged bow eyes, when transom-mounted can function as a ski tow.

**Not to be used for lifting.**




| A | B | C | D | Face Plate Dimensions | Pull Strength (lbs.) | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|
| **WITH PLATED NUTS AND WASHERS** | | | | | | | |
| 5/16"-dia. | 3/8"-16 x 2-7/16" | 1-1/16" | 4-3/8" | 2-1/2" x 9/16" | 6,000 | **3396-1** | **3396-3** |
| 7/16"-dia. | 1/2"-13 x 3-1/4" | 1-9/16" | 5-5/8" | 2-3/4" x 3/4" | 12,000 | **3392-1** | **3392-3** |
| **WITH STAINLESS STEEL NUTS AND WASHERS** | | | | | | | |
| 5/16"-dia. | 3/8"-16 x 2-7/16" | 1-1/16" | 4-3/8" | 2-1/2" x 9/16" | 6,000 | **66263-1** | **66263L3** |
| 7/16"-dia. | 1/2"-13 x 3-1/4" | 1-9/16" | 5-5/8" | 2-3/4" x 3/4" | 12,000 | **66261-1** | **66261L3** |
| 7/16"-dia. | 1/2"-13 x 3-1/4" | 1-9/16" | 5-5/8" | 3-1/2" x 1-3/4" | 12,000 | **66262-1** | **66262-3** |


66262


*** -3 = Skin Pack*

# HAWSE PIPES

Enhanced 316 Stainless Steel alloy Hawse Pipes reduce deck and rope chafing when attaching dock lines to cleats mounted inside the cockpit. Available in a variety of shapes and sizes for different installation locations.

## Double-Sided Oval Hawse Pipe

Enhanced 316 Stainless Steel alloy Hawse Pipe. Two-piece construction provides a finished appearance for cock-pit and gunwale installation. For 1-1/2" minimum deck thickness.




LIFETIME WARRANTY




66224

| Description | Fastener Quantity | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Double-sided oval hawse pipe | #10 fasteners (4) | **66224-1** | — |

## Oval Hawse Pipes

Our most popular-sized Hawse Pipes. Available in two opening and flange sizes to fit your installation. Four holes for required #10 fasteners. Enhanced 316 Stainless Steel alloy.




LIFETIME WARRANTY



66127




66223

| Description | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 4-1/2" long x 2-1/4" wide oval | #10 fasteners (4) | **66127-1** | — |
| 4" long x 1-11/16" wide oval | #10 fasteners (4) | **66223-1** | **66223-3** |

## Rope/Deck Pipe

Use as an access lid to anchor chain and rope storage lockers. Cover is hinged and spring-loaded to stay shut without rattling. Cover can be locked in open position. Enhanced 316 Stainless Steel alloy.




LIFETIME WARRANTY



66008

| Description | Installation Hole Size | Fastener Quantity | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|
| 3-3/4" x 2-3/8" | 4-1/8" long x 2-3/4" oval | #10 fasteners (4) | **66008-1** | — |

*** -3 = Skin Pack*

# HAND RAILS

## Handrails, Stainless Steel

Exceed all ABYC H-41 requirements for Hand Rails. Standard and Flared configurations available.

| Description | Length | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Flared | 9" | **66HRD09-1** | — |
| | 12" | **66HRD12-1** | — |
| | 18" | **66HRD18-1** | — |
| | 24" | **66HRD24-1** | — |
| | 32" | **66HRD32-1** | — |
| | 36" | **66HRD36-1** | — |
| Standard | 9" | **66HR09-1** | — |
| | 12" | **66HR12-1** | — |
| | 18" | **66HR18-1** | — |
| | 24" | **66HR24-1** | — |
| | 32" | **66HR32-1** | — |
| | 36" | **66HR36-1** | — |

**Flared**



66HRD09



66HRD12



66HRD18

**Standard**



66HR09



66HR12




66HR18


*** -3 = Skin Pack*

## Flush Mount Ski Tow

This Enhanced 316 Stainless Steel alloy Ski Tow mounts flush to the transom and has no exposed fasteners. Offers a clean look and prevents snags. The elliptical hook accepts up to 5/8" tow line, but rises only 1/2" outward and blends perfectly with the circular body. Easy to install by drilling one 2-1/8" diameter hole with a hole saw. The wide flange covers a bead of sealant and large aluminum backing plate provides solid holding. Backing plate and stainless locking nuts included. Exceeds American Water Ski Association standards for strength. Patented. Backed by a limited lifetime warranty against corrosion.

LIFETIME WARRANTY






| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Stainless Ski Tow with 2-1/2" x 5" backing plate | **66448-1** | **66448-7** |


LIFETIME WARRANTY



66448

## Ski Tows

Constructed of 304 Stainless Steel for corrosion-resistance, these tows are ideal for PWC's, I/O's, and inboard ski boats. All welded seams are smoothed and the surface has a highly polished finish. Stainless steel mounting washers and nuts included. A wide, welded-on mounting ring meets the hull so no exterior mounting plate is needed. Exceeds American Water Ski Association standards.




LIFETIME WARRANTY



66449



66450, 66451

| Description | A | B | C | D | E | F | G | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|---|
| 2-1/2" Ring diameter | 4-1/2" | 3" | 1" | 2-1/8" | 3/8" | 3/8" | 2-1/2" | **66450-1** | **66450-5** |
| 3-1/2" Ring diameter | 6" | 3-13/16" | 2" | 3" | 1/2" | 7/16" | 3-1/2" | **66451-1** | **66451-5** |
| 2-1/2" Ring diameter, short shank | 2-7/8" | 1-1/2" | 1-5/16" | 2-1/8" | 3/8" | 3/8" | 2-1/2" | **66449-1** | — |

*** -5 = Poly Bag, -7 = Clamshell*

# Ski Pylons

**The Attwood Difference**

- Our heavy duty tow products will pull you anywhere you want to go
- We offer a wide range of configurations for swivel heads, posts, and bases
- Our towing products offer advanced features for durability and quality performance
- The Pro-Swivel has a 360° rotational head with a nylon bushing for smooth slalom pulling

**DO NOT use Ski Pylons to pull any recreational equipment that is tied to the tow rope such as water tubes, aquaplanes, wakeboards, etc.**



Pro-Swivel Head
with Through Bolt Clevis



923-009



96008

| Description | Post Dia. | Post Height | Post Base | Arm Dia. | Arm Length | Arm Base | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|---|
| **FIXED HEIGHT** | | | | | | | | |
| Stainless Steel | 1-1/4" | 36" | 2' x 4" Below Deck | 1" | 33"-56" | Perm. thru deck | **9436-S** | — |
| | 1-1/4" | 43" | 2' x 4" Below Deck | 1" | 33"-56" | Perm. thru deck | **9433-S** | — |
| | 2" | 45" | 6" Dia. SS | 1" | 33"-56" | Rem. Clev. Pin | **923-009** | — |
| | 1-1/2" | 23" | 2' x 4" SS Base | 1" | 33"-56" | Rem. Clev. Pin | **922-ADJ-S** | — |
| | | 29" | 3/4" Pin Base | 1" | 33"-56" | Rem. Clev. Pin | **903-008-T-S** | **SP-903-008-T-S** |
| | | 45" | 6" Dia. SS | 1" | 33"-56" | Rem. Clev. Pin | **903-009-S** | — |
| Aluminum | 1-3/4" | 34" | 1-3/4" Base | 1" | 33"-56" | Rem. Clev. Pin | **99340** | — |
| **ADJUSTABLE HEIGHT** | | | | | | | | |
| Stainless Steel | 2" | 34"-58" | 6" Dia. SS | 1" | 33"-56" | Rem. Clev. Pin | **923-009-ADJ** | **SP-923-009-ADJ** |
| | 1" | 28"-33" | Nylon Flush Mnt. | 1" | 33"-56" | Nylon Flush Mount | **96008** | **SP-96008** |
| | | 35"-52" | Nylon Flush Mnt. | 1" | 33"-56" | Nylon Flush Mount | **96009** | **SP-96009** |



6" Diameter
Stainless Steel Base
952



2" x 4"
Stainless Steel Base
512



Glass Filled Nylon
Flush Mount
827



Lynch Pin
Use with 3/4" Base
Plates SP-411



Deck Clevis
SP-922-X Deck Clevis Xtra Long
SP-910 Deck Clevis Set

# Ski Pylon Replacement Parts


| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Threaded Base, Polished Stainless Steel, 6" Diameter | — | **952** |
| Base, Stainless Steel, 2" x 4" | — | **512** |
| Quick Release Pin with Chain | — | **827** |
| Lynch Pin, for use with 3/4" Base Plates | — | **SP-411** |
| Deck Clevis, Set | — | **SP-910** |
| Hardware Kit for Ski Pylons | — | **SP-930** |



Hardware Kit
SP-969

*** Individual Carton*

# BIMINI STYLE
## CONVERTIBLE TOP ACCESSORIES




## STAINLESS STEEL BIMINI TOP FITTINGS

Enhanced 316 Stainless Steel alloy fittings for corrosion-resistant support system of bimini tops. “Heavy-duty" versions are available for larger top applications.

## Top Caps, Outside Eye End

Caps accommodate 1/4" bolt for connection to base or top slide. Models 66101 and 66103 include one 1/4"–28 cone-point set screw for connection to tubing.

| Description | | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 7/8" O.D. | With set screw | **66101-1** | **66101-3** |
| 1" O.D. | With set screw | **66103-1** | **66103-3** |

LIFETIME WARRANTY



66101

## Jaw Slide With Bolt

These jaw slides include one 1/4"–20 bolt for connection to the top cap. Includes one 1/4"–28 conepoint set screw for connection to tubing.

| Description | | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 7/8" O.D. | With set screw | **66100-1** | **66100-3** |
| 1" O.D. | With set screw | **66102-1** | **66102-3** |

LIFETIME WARRANTY



66102

*** -3 = Skin Pack*

# Deck Hinge and Top Cap Assembly, Heavy-Duty

LIFETIME WARRANTY

Heavy-duty deck hinge and top cap in one convenient assembly. Includes one 5/16"–18 bolt and one 1/4"–28 cone-point set screw for tubing installation. Two holes for required 1/4" fasteners.

| Description | Base Dimensions | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| 1" O.D. | 2-1/8" L x 1-1/16" W | **66154-1** | — |



66154

# Side-Mounted Deck Hinge

LIFETIME WARRANTY

These deck hinges feature a flat base for deck mounting and have two holes for #10 fasteners. Stainless steel pin is springloaded for easy top removal.

| Description | Base Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| With 1/4"-20 set screw | 2" x 7/8" | — | **66109-3** |




66109


** -3 = Skin Pack*

# Deck Hinges


These deck hinges feature a flat base for deck mounting and have two holes for #10 fasteners. Stainless steel pin is springloaded for easy top removal.




Straight
Spring-loaded pin




Angled
Removable Screw




Straight
Removable Screw



66220

LIFETIME WARRANTY



66222



66104

| Description | Base Dimensions | Fastens to Bimini Bow Top Cap with: | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Straight base | 2-1/4" x 11/16" | 1/4" spring-loaded pin | **66220-1** | **66220-3** |
| Straight base | 2-1/4" x 11/16" | 1/4"-20 removable screw | **66104-1** | **66104-3** |
| Angled base | 2-1/4" x 7/8" | 1/4"-20 removable screw | **66222-1** | **66222-3** |

# Rail Hinge

The concave base on these rail hinges can be mounted on 7/8" or 1" O.D. tubing. Two holes for required #10 fasteners. Stainless steel pin is spring-loaded for easy top removal.

LIFETIME WARRANTY



66200

| Description | Base Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| With removable 1/4" pin | 2-1/4" x 3/4" | — | **66200-3** |

*** -3 = Skin Pack*

# NYLON BOAT FITTINGS

Replacement Bimini Top fittings constructed of high impact, injection molded nylon with stainless steel nuts and bolts.

## Angle Hinge

Two holes for required #10 fasteners. With removable 1/4"–20 screw.

| Dimensions | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 2-1/2" L x 5/16" W | Black | — | **10610-3** |
| | White | — | **10600-3** |



10600

## Deck Hinge

Includes 1/4"-20 set screw.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| White | — | **10608-3** |



10608

## Jaw Slide

For 3/4" round tubing.

| Tubing Size | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 3/4" round | White | — | **10602-3** |
| 7/8" round | Black | — | **10613-3** |
| | White | — | **10612-3** |



10612

## Outside Eye

Accommodates 1/4" bolt for connection to base or top slide.

| Tubing Size | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 3/4" round | White | — | **10601-3** |
| 7/8" round | White | — | **10611-3** |



10611

## Inside Eye, for 1" Square Tubing

| Tubing Size | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 1" square | Black | — | **10620-3** |




10620

## Bimini Top Slider Kits

Provides slide adjustment for convenient use and storage of bimini top frames. Kit (10605-5) contains two high impact nylon jaw slides with stainless steel nuts and bolts, two 36" aluminum slider tracks, and four end caps.

| Description | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Complete kit | White | — | **10605-5** |
| Slide, top bracket White | White | — | **10622-3** |
| Right deck hinge Black | Black | — | **10623-3** |
| Left deck hinge Black | Black | — | **10624-3** |



10605

*** -3 = Skin Pack*

# Bimini Style Convertible Top Straps


1"-wide polyweb straps to replace lost or damaged top straps. Includes rust-resistant stainless steel spring snap hook and non-marring bow adjusting buckle.





| Description | Color | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 62" long | Black | — | **10627-7** |
| | White | — | **10628-7** |
| 78" long | Black | — | **10629-7** |
| | White | — | **10630-7** |
| 96" long | Black | — | **10634-7** |
| | White | — | **10633-7** |

# Tethered 1/4" Spring-Loaded Clevis Pin

For use with Attwood deck or rail mounted bimini top hinge fittings that use removable 1/4" spring-loaded clevis pins. This handy 1/4" spring-loaded clevis pin with lanyard allows the pin to be tethered to prevent loss of the pin when removed from the bimini top deck or rail hinge fitting.






| Description | Use With Attwood Deck or Rail Hinge | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Removeable tethered 1/4" Spring-loaded clevis pin | 66160, 66200 66220, 66383 | **66202-1** | **66202-3** |

# Tethered 1/4" Pull Pin


For use with Attwood deck or rail mounted bimini top hinge fittings. Spring-loaded ball retains the pin in place and needs only a push or pull motion for a quick connect or disconnect.




| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Tethered Pull-pin 1/4" | **66203-1** | — |

# Eye Straps

All eye straps are pre-drilled with two mounting holes.







| Description | A | B | C | D | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|
| Cast Stainless Steel | 3/8"-diameter | 1-7/8" long | 1-3/8" | 1/2" | #10 fasteners (2) | **66105-1** | **66105-3, four** |
| Stamped Stainless Steel | 5/16"-diameter | 1-1/8" long | 3/4" | 5/16" | #6 fasteners (2) | — | **12955L3, pair** |
| | 1/2"-diameter | 1-7/16" long | 15/16" | 7/16" | #10 fasteners (2) | — | **12957L3, pair** |
| | 3/4"-diameter | 2-1/4" long | 1-3/4" | 11/16" | #10 fasteners (2) | — | **12959L3, pair** |
| Chromed bronze | 5/16"-diameter, | 1-7/8" long | 1-3/8" | 1/2" | #10 fasteners (2) | **12988-1** | **12989-3, single** |
| White Nylon | 5/16"-diameter | 1-7/8" long | 1-7/16" | 5/16" | #10 fasteners (2) | — | **10603-3** |
| Black Nylon | 5/16"-diameter | 1-7/8" long | 1-7/16" | 5/16" | #10 fasteners (2) | — | **10604-3** |




*** -3 = Skin Pack, -7 = Clamshell*


# HINGES

## CAST STAINLESS STEEL HINGES

These hinges are cast from enhanced 316 stainless steel. They combine a great eurostyle look with a polished finish. Available in stud or countersunk mounting styles, these hinges look attractive on any vessel! Hinges are mirror polished to the highest specification in the industry and passivated to enhance surface finish and corrosion-resistance. The hinge pin design allows lid to open a full 180°.

### Round Hinge, Cast Stainless Steel

Smooth, full round plate design.




LIFETIME WARRANTY



66240


| Description | Fastener Quantity | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Counter-sunk | #12 fasteners (4) | **66240-1** | — |

## FLUSH HINGES

The unique double stud design of these hinges allows for a flush installation while still providing a full 180° swing. This makes them the perfect hinge for lazzerette or fish box covers in the cockpit sole.

### Flush Hinge, Round End, Stamped Stainless Steel

Our widest flush, 2-pin hinge. Six holes for required fasteners. Made of solid stamped stainless steel to provide years of maintenance free service.







66237

| Description | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Counter-sunk | #8 fasteners (6) | **66237-1** | **66237-3** |

### Flush Hinge, Square End, Stamped Stainless Steel

Square end 2-pin hinge with radiused corners. Six holes for required fasteners. Made of solid stamped stainless steel to provide years of maintenance free service.







66239

| Description | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Counter-sunk | #8 fasteners (6) | **66239-1** | **66239** |

### Strap Hinges, Stainless Steel

Durable stainless steel strap hinges, available in standard or reverse strap styles.




LIFETIME WARRANTY



66025

66434

66026

| Description | Strap Type | Dimensions | Fastener Quantity | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|
| **CAST STAINLESS STEEL** | | | | | |
| Four holes | Standard | 4" W x 1" L | #10 screws | **66025-1** | **66025-3** |
| | Reversed | 4-1/8" W x 1-1/16" W | #10 screws | **66434-1** | — |
| Six holes | Standard | 6" W x 1-1/16" L | #10 screws | **66026-1** | **66026-3** |

*** -3 = Skin Pack*

# Butt Hinge, Stainless Steel

Strap hinge design with rounded ends.

| Description | Fastener Quantity | Dimensions | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|
| Cast Stainless Steel | #10 fasteners (4) | 1-1/2" x 1-1/2" | **66163-1** | **66163-3** |
| | | 2" x 2" | **66164-1** | **66164-3** |



66163

# Butt Hinge, Chrome-Plated Zinc


Mounting holes are widely spaced for easy installation.

| Description | Dimensions | Fastener Quantity | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|
| Rounded | 2-7/8" x 1-1/2" | #8 fasteners (6) | — | **12000-3** |


12000

# Door Hinges, Stainless Steel

Durable cast stainless steel door hinges, available in a variety of lengths.




| Description | Dimensions | Fastener Quantity* | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|
| **CAST STAINLESS STEEL** | | | | |
| Six holes | 3" L x 1-1/2" W | #10 fasteners | **66028-1, pair** | **66028-3, pair** |
| | 4" L x 1-1/2" W | #10 fasteners | **66029-1, pair** | **66029-3, pair** |




66028



66029

# Door Hinges, Short Side, Stainless Steel

Durable cast stainless steel door hinges, available in a variety of lengths.




| Description | Strap Type | Dimensions | Fastener Quantity | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|
| Cast Stainless Steel | Standard | 3" L x 1-1/2" W | #10 fasteners (5) | **66021-1** | **66021-3, pair** |
| Stamped Stainless Steel | Standard | 2-13/16" L x 1-1/2" W | #8 fasteners (5) | **66391-1** | **66391-3** |




66391


66021

# Continuous Hinges, Stainless Steel

Single pin hinge for use on hatches and doors.





| Description | Hole Size | Open Size | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|
| 6 ft. | 1/4" dia holes | 72" L x 1-1/2" W | **12075HD** | — |
| 4 ft. | 1/4" dia holes | 48" L x 1-1/2" W | **12081HD** | — |


12081 12075

*** -3 = Skin Pack*
** Pin on top, † Offset*

# Take-Apart Motor Box Hinge, Non-Locking

For use on motor box or hatch cover. Take apart feature allows removal of cover for engine service or bilge access.






1329

| Description | Open Size | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Brass | 4" x 2" | #10 fasteners (4) | **1329-1** | **1329-3** |

# HATCH HINGES

For use on flush hatch covers to prevent cover from folding all the way backward. Cover remains upright when open. Hatch hinges feature a quick-release pin with safety ring so hatch can be completely removed without unscrewing the base.




# Hatch Hinge, Stainless Steel



66027

| Description | Open Size | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Cast Stainless Steel | 3-1/2" x 1-3/8" | #10 fasteners (4) | **66027-1** | **66027-3** |

# Gudgeon

316 Stainless Steel. Pre-drilled with three holes for required #10 fasteners.


66208


| Description | For Pin Diameter | Length | Width | Height | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|---|---|---|
| Brass | 5/16" | 4-1/2" | 1-1/4" | 1-5/16" | **66208-1** | — |

# SWIVEL HASPS

For storage compartments that need to be securely locked. Ideal for lockers, cupboards, chests, and hatch doors.

# Swivel Hasps, Stainless Steel

Accommodates padlocks with 1/4" dia. or smaller shackle. Swivel eye turns to secure the hasp and keep the compartment shut, even without use of a padlock. Stamped stainless steel construction with chrome finish.





66423
66425

| Description | Closed Size | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Flush mount | 3" x 1-1/8" | #8 fasteners (4) | **66423-1** | **66423-3** |
| 90° mount | 3" x 1-1/8" | #8 fasteners (4) | **66425-1** | **66425-3** |

*** -3 = Skin Pack*
*** A3/B3/-3 = Skin Pack*
** Square Edge, † Pullpin Hinge, Δ Reversed Pin, Ω Offset Hinge*

# HATCH & DOOR LOCKS

## Padlock Eye Clamps

For use on tackle, bait, and ice boxes that require draw-down pressure-tight seal. Also for hatch or motor box clamps. Accommodates padlocks with 1/4"-diameter or smaller shackle. Flush mount model 2012 has no exposed mounting screws. Chrome finish. Rugged, secure locking device with easy-to-use flip handle.


| Description | Closed Size | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Flush mount | 4-1/4" x 1-1/2" | #8 fasteners (4) | **2012A1** | **2012A3** |



2012A

## Barrel Bolt, Brass

Rugged, durable barrel bolt with easy slide action for any type door or hatch. Chrome-plated brass.





| Description | Mounting Area Length | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Brass | 2-7/8" | #6 fasteners (6) | **2007-1** | **2007L3** |



2007

## Slam Latches

Round slam latches fits up to 7/8" door thickness. Made of UV stable and corrosion resistant materials. Include stainless steel mounting hardware.




| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Stainless Steel | **66832-1** | — |




66832

## Pontoon Replacement Latch

This durable lock set is a complete replacement kit for your pontoon's gate latch. Universal sizing fits square frames of 1, 1-1/8, and 1-1/4 inch on both left- and right-hinged gates. Secure closure stabilizes gate and prevents inward swinging. Includes mounting hardware for quick and easy installation.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Universal Replacement Gate Latch. 8-1/2" x 9-1/2" x 5-1/2" | — | **11404-6** |




11404

*** A3/B3/-3 = Skin Pack*

# HANDLES

## Vinyl Grab Handles




Streamlined with a molded, hinged, built-in fastener cover system, an Attwood exclusive. A unique, grab handle that looks and works great on runabouts, fishing boats, jet boats, and RV's. Clean styling, shaped to fit your hand for a secure grip. This one-piece design eliminates the problem of loose caps which pop off over time and become lost. The covers are hinged on the base of the handle and are pushed closed after securing the mounting fasteners. Strong, polypropylene inner core with a molded vinyl cover withstands harsh marine environments. Install via thru-bolting or wood screws.


| Description | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| White | #12 fasteners (2) | **2050-1** | **2050-5** |
| Moon Rock | #12 fasteners (2) | **2052-1** | — |
| Gray | #12 fasteners (2) | **2053-1** | **2053-5** |
| Black | #12 fasteners (2) | **2054-1** | **2054-5** |




2050

## Flexible Grab Handles

Flexible grab handles for flush, flexible mounting. They can be mounted to a variety of irregular surfaces and angles on swim platforms, cockpits and companionways. Constructed from soft polypropylene webbing over a semi-rigid core. Available with or without an over-molded grip. Because of the soft, pliable webbing in these handles and the absence of any sharp edges, they are safe in areas where occupants might impact them. They meet the ABYC H-41 standard for strength: "withstand a load of 400 lbs. in any direction." All materials are non-corrosive, UV stable and mildew-resistant.




| Description | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Flexible grab handle w/over-molded grip | #12 fasteners (4) | **2061-1** | **2061-5** |
| Flexible grab handle w/over-molded grip, extended | #12 fasteners (4) | **2080-1** | — |



2061




2080

** -3 = Skin Pack, -5 = Poly Bag, -6 = Blister

# HATCH HARDWARE

## Flush Hatch Pulls

The new low profile flush hatch pull is an easy access handle for installation in lids, doors, compartments, and hatches. Handle is easy to grip, even with gloved hands. Made of glass filled propylene with black textured finish.





2027


2028

| Description | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Rectangular | #6 fasteners (4) | **2027-1** | **2027-7** |
| Round | #6 fasteners (4) | **2028-1** | — |

## Deck Plate/Inspection Port

For inspection and general access to valves and deck vents. Easy opening, screw-out design–no tools required. High impact ABS plastic with textured surface. Durable, rugged, weather-resistant. Flange is pre-drilled with six holes.


12793


12794

| Description | Color | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| 4"-dia. | White | #8 fasteners (6) | **12790-1** | **12790-3** |
| | Black | #8 fasteners (6) | **12791-1** | **12791-3** |
| 6"-dia. | White | #8 fasteners (6) | **12792-1** | **12792-5** |
| | Black | #8 fasteners (6) | **12793-1** | **12793-5** |
| 8"-dia. | White | #8 fasteners (6) | **12794-1** | — |

## Hatch Lift Spring, Stainless Steel

Deflecting spring holds hatch or motor box open, bends to close. Stainless steel, flush mounting.


12460

| Description | Fastener Quantity | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 7/16"-dia. x 8-3/4" | #8 fasteners (2) | **12460-1** | **12460-3** |

*** -3 = Skin Pack, -5 = Poly Bag, -7 = Clamshell*

# HOOKS

## Chain Link

For easy connection of anchor rope thimbles to anchor chain. Available in rugged stainless steel or zinc-plated steel construction material.

| Description | Diameter | Length | Maximum Safe Load† | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Stainless Steel | 3/16" | 2" | 1,000 lbs. | — | **12893L3** |
| | 1/4" | 2-1/4" | 2,000 lbs. | **12895-1** | **12895L3** |
| | 5/16" | 2-7/8" | 3,000 lbs. | — | **12891L3** |
| | 3/8" | 3-1/4" | 4,000 lbs. | — | **12889L3** |
| Zinc-Plated Steel | 3/16" | 2" | 600 lbs. | — | **12353-3** |
| | 7/32" | 2-1/4" | 1,000 lbs. | — | **12355-3** |
| | 5/16" | 3" | 2,000 lbs. | — | **12357-3** |




12891

## Marine Carabiner

Spring-loaded closure.

| Description | Length | Ring Diameter | Maximum Safe Load† | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Stainless Steel | 2-1/2" | 1/4" | 350 lbs. | **12412-1** | **12413L3** |
| | 3-1/8" | 5/16" | 575 lbs. | **12414-1** | **12415L3** |
| | 4-3/4" | 7/16" | 1,250 lbs. | — | **12419L3** |
| Zinc-Plated Steel | 2-1/2" | 1/4" | 300 lbs. | — | **12303-3** |
| | 3-1/2" | 3/8" | 600 lbs. | — | **12305-3** |
| | 3-1/8" | 5/16" | 700 lbs. | — | **7651-3** |



12415

## Utility Snap Hook

Zinc-plated steel with spring-loaded closures.

| Description | Length | Ring Diameter | Maximum Safe Load† | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| Light-duty | 4" | 1/4" | 500 lbs. | — | **7653L3** |
| Regular-duty | 3-1/2" | 5/8" | 1,000 lbs. | — | **12299-3** |
| Heavy-duty | 4" | 5/8" | 2,500 lbs. | — | **7640-3** |



7653 12299

7640

*† Maximum safe load is approximately half of maximum load or break strength.*
*Do not exceed maximum safe load. Do not use in applications where life or limb is at risk.*
*** -3 = Skin Pack*

# Eye Snap Hooks

With spring-loaded closure, for a variety of uses.

| Description | Closed Eye | Throat | Length | Eye Diameter | Maximum Safe Load† | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|---|---|
| Fixed Eye | Chrome-Plated Zinc | 3/8" | 3-1/4" | 1" | 200 lbs. | — | **12319-3** |
| Swivel Eye | Chrome-Plated Brass | 1/2" | 3" | 5/8" | 200 lbs. | **3460-1** | **3460-3** |



12319 3460

# Clamp-On Oarlocks

Zinc-plated steel resists rust. Oarlock fastens securely to oar with one adjustable bolt, no drilling required.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Shank 1/2"-dia. x 2" | — | **9146-3** |



9146

# FASTENER KITS

Handy kits contain a variety of the most commonly used stainless steel fasteners for marine projects. Fasteners are designed for installation of most Attwood products.

# Deluxe Fastener Kit

A variety of wood screws, machine screws, hex nuts, and washers sizes #6 through #10 in a compartmented, see-through plastic case with snap-close lid.

| Description | Includes | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Deluxe fastener kit | 134 pieces | — | **12152-3** |



12152

*† Maximum safe load is approximately half of maximum load or break strength.*
*Do not exceed maximum safe load. Do not use in applications where life or limb is at risk.*
*** L3/-3 = Skin Pack*

# GAS SPRINGS
## & ACCESSORIES

Attwood is partnered with Stabilus®, the world's leading supplier of gas springs and related products with over 100,000,000 units in the field. All Attwood springs are made with bio-degradable no hazard to water grade oil (WGK), making them the marine industry's most environmentally friendly gas springs. All springs pass ASTM B117, Attwood salt spray and a 30,000 cycle lifecycle test. Attwood springs come with support to ensure the proper spring for your specific application, including: marine, industrial, agricultural, pharmaceutical, food processing, and medical. Available in 6mm, 8mm and 10mm configurations between 10–200 lbs.

**Ni-Slide Series**
Attwood's widest selection of configurations and lengths. The industry's proven leader in value, quality and durability.

**Stainless Steel Series**
Attwood INOX Stainless Steel Series. Stainless steel shell and rod ensure corrosion-resistance and up to 30% lower cost than traditional stainless springs. All stainless steel series springs come with high-strength, corrosion-proof composite end fittings.

# OEM Gas Springs

| Length (inches) | | | | Ni-Slide Series | | Stainless Standard Series | |
|---|---|---|---|---|---|---|---|
| Extended | Compressed | Stroke | End Fitting Type | Available Output Force | Bulk Part No. | Available Output Force | Bulk Part No. |
| **6 x 15 - 6MM ROD x 15MM CYLINDER** | | | | | | | |
| 6.50 | 4.90 | 1.60 | 6.3mm Dia. Blade | 10-60 | **SL4-XX-1*** | — | — |
| 7.50 | 5.25 | 2.25 | 10mm Socket | 10-60 | **SL11-XX-1*** | 10-70 | **ST11-XX-1*** |
| 10.00 | 7.00 | 3.00 | 10mm Socket | 10-60 | **SL10-XX-1*** | 10-70 | **ST10-XX-1*** |
| 12.04 | 8.46 | 3.58 | 10mm Socket | 10-60 | **SL15-XX-1*** | 10-70 | **ST15-XX-1*** |
| 15.00 | 9.50 | 5.50 | 10mm Socket | 10-60 | **SL13-XX-1*** | 10-70 | **ST13-XX-1*** |
| 17.20 | 10.20 | 7.00 | 10mm Socket | 10-60 | **SL16-XX-1*** | — | — |
| 20.00 | 12.00 | 8.00 | 10mm Socket | 10-60 | **SL14-XX-1*** | 10-70 | **ST14-XX-1*** |
| **8 x 18 - 8MM ROD x 18MM CYLINDER** | | | | | | | |
| 7.50 | 5.25 | 2.25 | 10mm Socket | 20-120 | **SL31-XX-1*** | 20-120 | **ST31-XX-1*** |
| 10.00 | 7.00 | 3.00 | 10mm Dia. Blade | 20-120 | **SL1-XX-1*** | — | — |
| 10.00 | 7.00 | 3.00 | 10mm Socket | 20-120 | **SL30-XX-1*** | 20-120 | **ST30-XX-1*** |
| 10.50 | 7.50 | 3.00 | 10mm Socket | 20-120 | **SL32-XX-1*** | 20-120 | **ST32-XX-1*** |
| 12.04 | 8.46 | 3.58 | 10mm Socket | 20-120 | **SL35-XX-1*** | 20-130 | **ST35-XX-1*** |
| 15.00 | 9.50 | 5.50 | 10mm Dia. Blade | 20-120 | **SL2-XX-1*** | — | — |
| 15.00 | 9.50 | 5.50 | 10mm Socket | 20-120 | **SL33-XX-1*** | 20-150 | **ST33-XX-1*** |
| 17.20 | 10.20 | 7.00 | 10mm Socket | 20-120 | **SL36-XX-1*** | 20-150 | **ST36-XX-1*** |
| 18.50 | 11.00 | 7.50 | 10mm Socket | 20-120 | **SL18-XX-1*** | — | — |
| 20.00 | 12.00 | 8.00 | 10mm Dia. Blade | 20-120 | **SL3-XX-1*** | — | — |
| 20.00 | 12.00 | 8.00 | 10mm Socket | 20-120 | **SL34-XX-1*** | 20-150 | **ST34-XX-1*** |
| 23.00 | 13.12 | 9.87 | 10mm Socket | 30-120 | **SL38-XX-1*** | — | — |
| 26.30 | 16.10 | 10.20 | 10mm Socket | 20-120 | **SL37-XX-1*** | 20-150 | **ST37-XX-1*** |
| 27.00 | 15.20 | 11.80 | 10mm socket | — | — | 20-150 | **ST39-XX-1*** |
| **10 x 22 - 10MM ROD x 22MM CYLINDER** | | | | | | | |
| 20.20 | 12.30 | 7.90 | 13mm Socket | 30-240 | **SL20-XX-1*** | 30-200 | **STX20-XX-1*** |
| 20.20 | 12.30 | 7.90 | 10mm Socket | — | — | 30-200 | **ST20-XX-1*** |
| 26.30 | 16.10 | 10.20 | 10mm Socket | 30-180 | **SL25-XX-1*** | 30-200 | **ST25-XX-1*** |
| 26.97 | 15.20 | 11.77 | 10mm Socket | 30-180 | **SL26-XX-1*** | 30-200 | **ST26-XX-1*** |
| 28.00 | 16.50 | 11.50 | 10mm Socket | 30-180 | **SL27-XX-1*** | — | — |
| 30.91 | 17.13 | 13.78 | 10mm Socket | 30-180 | **SL28-XX-1*** | — | — |
| 36.30 | 21.10 | 15.20 | 13mm Socket | 30-180 | **SL29-XX-1*** | 30-200 | **STX29-XX-1*** |
| 36.30 | 21.10 | 15.20 | 10mm Socket | — | — | 30-200 | **ST29-XX-1*** |



**Composite / Metal End Fitting**
(Ni-Slide)



**NEW All Composite End Fitting**
(Stainless Steel)



**Ball Socket**
Stainless Steel
13mm Ball Socket



**Blade End**

**XX = Please specify output force ratings (lbs.) when ordering.*
*(Example: SL14-10-1 = with 10 lbs. of output force.)*


# Aftermarket Gas Springs

Popular replacement gas springs and mounting brackets for the aftermarket. Attwood has taken the guess-work out of deciding which gas springs and mounting brackets to offer your marine and RV customers. Packaged in see-through hanging packages, gas springs and mounting brackets can be plan-o-grammed together to provide an attractive one-stop display for convenient customer selection. Additional packaged gas spring sizes and output forces are available. Ask your Attwood sales rep or customer service associate for details.


| Length (inches) | | Stroke | End Fitting Type | Standard Output Force (lbs) | Ni-Slide Series Aftermarket Packaging** | Stainless Standard Series Aftermarket Packaging** |
|---|---|---|---|---|---|---|
| Extended | Compressed | | | | | |
| **6 x 15 - 6MM ROD x 15MM CYLINDER** | | | | | | |
| 10 | 7 | 3 | 10mm Socket | 40 | **SL10-40-5** | **ST10-40-5** |
| 15 | 9.5 | 5.5 | 10mm Socket | 20 | **SL13-20-5** | **ST13-20-5** |
| 15 | 9.5 | 5.5 | 10mm Socket | 60 | **SL13-60-5** | **ST13-60-5** |
| 17.2 | 10.2 | 7 | 10mm Socket | 30 | **SL16-30-5** | — |
| 20 | 12 | 8 | 10mm Socket | 20 | **SL14-20-5** | **ST14-20-5** |
| 20 | 12 | 8 | 10mm Socket | 30 | **SL14-30-5** | **ST14-30-5** |
| 20 | 12 | 8 | 10mm Socket | 40 | **SL14-40-5** | **ST14-40-5** |
| 20 | 12 | 8 | 10mm Socket | 50 | **SL14-50-5** | **ST14-50-5** |
| 20 | 12 | 8 | 10mm Socket | 60 | **SL14-60-5** | **ST14-60-5** |
| **8 x 18 - 8MM ROD x 18MM CYLINDER** | | | | | | |
| 7.5 | 5.25 | 2.25 | 10mm Socket | 20 | **SL31-20-5** | **ST31-20-5** |
| 7.5 | 5.25 | 2.25 | 10mm Socket | 30 | **SL31-30-5** | **ST31-30-5** |
| 7.5 | 5.25 | 2.25 | 10mm Socket | 40 | **SL31-40-5** | **ST31-40-5** |
| 10 | 7 | 3 | 10mm Diameter Blade | 20 | **SL1-20-5** | — |
| 10 | 7 | 3 | 10mm Diameter Blade | 40 | **SL1-40-5** | — |
| 10 | 7 | 3 | 10mm Socket | 20 | **SL30-20-5** | **ST30-20-5** |
| 10 | 7 | 3 | 10mm Socket | 40 | **SL30-40-5** | **ST30-40-5** |
| 10 | 7 | 3 | 10mm Socket | 60 | **SL30-60-5** | **ST30-60-5** |
| 10.5 | 7.5 | 3 | 10mm Socket | 20 | **SL32-20-5** | **ST32-20-5** |
| 10.5 | 7.5 | 3 | 10mm Socket | 30 | **SL32-30-5** | **ST32-30-5** |
| 12.04 | 8.46 | 3.58 | 10mm Socket | 20 | **SL35-20-5** | **ST35-20-5** |
| 12.04 | 8.46 | 3.58 | 10mm Socket | 30 | **SL35-30-5** | **ST35-30-5** |
| 12.04 | 8.46 | 3.58 | 10mm Socket | 40 | **SL35-40-5** | **ST35-40-5** |
| 12.04 | 8.46 | 3.58 | 10mm Socket | 50 | **SL35-50-5** | **ST35-50-5** |
| 15 | 9.5 | 5.5 | 10mm Diameter Blade | 40 | **SL2-40-5** | — |
| 15 | 9.5 | 5.5 | 10mm Socket | 20 | **SL33-20-5** | **ST33-20-5** |
| 15 | 9.5 | 5.5 | 10mm Socket | 30 | **SL33-30-5** | **ST33-30-5** |
| 15 | 9.5 | 5.5 | 10mm Socket | 40 | **SL33-40-5** | **ST33-40-5** |
| 15 | 9.5 | 5.5 | 10mm Socket | 50 | **SL33-50-5** | **ST33-50-5** |
| 15 | 9.5 | 5.5 | 10mm Socket | 60 | **SL33-60-5** | **ST33-60-5** |
| 17.2 | 10.2 | 7 | 10mm Socket | 20 | **SL36-20-5** | **ST36-20-5** |
| 17.2 | 10.2 | 7 | 10mm Socket | 30 | **SL36-30-5** | **ST36-30-5** |
| 17.2 | 10.2 | 7 | 10mm Socket | 40 | **SL36-40-5** | **ST36-40-5** |
| 17.2 | 10.2 | 7 | 10mm Socket | 50 | **SL36-50-5** | **ST36-50-5** |
| 17.2 | 10.2 | 7 | 10mm Socket | 60 | **SL36-60-5** | **ST36-60-5** |
| 17.2 | 10.2 | 7 | 10mm Socket | 70 | **SL36-70-5** | **ST36-70-5** |
| 17.2 | 10.2 | 7 | 10mm Socket | 80 | **SL36-80-5** | **ST36-80-5** |
| 17.2 | 10.2 | 7 | 10mm Socket | 90 | **SL36-90-5** | **ST36-90-5** |
| 20 | 12 | 8 | 10mm Diameter Blade | 60 | **SL3-60-5** | — |
| 20 | 12 | 8 | 10mm Socket | 20 | **SL34-20-5** | **ST34-20-5** |
| 20 | 12 | 8 | 10mm Socket | 30 | **SL34-30-5** | **ST34-30-5** |
| 20 | 12 | 8 | 10mm Socket | 40 | **SL34-40-5** | **ST34-40-5** |
| 20 | 12 | 8 | 10mm Socket | 50 | **SL34-50-5** | **ST34-50-5** |
| 20 | 12 | 8 | 10mm Socket | 60 | **SL34-60-5** | **ST34-60-5** |
| 20 | 12 | 8 | 10mm Socket | 80 | **SL34-80-5** | **ST34-80-5** |
| 20 | 12 | 8 | 10mm Socket | 90 | **SL34-90-5** | **ST34-90-5** |
| 20 | 12 | 8 | 10mm Socket | 120 | **SL34-120-5** | **ST34-120-5** |

*** -5 = Vinyl Bag*


# Threaded Studs




SL68-BS




SL69-BS



SL70-BS



SL64-BS



SL74SSBS

Used as an alternative to mounting brackets, threaded studs can be mounted directly to hatches or other mounting surfaces in applications where the mounting surface is made of metal or another material with the strength to withstand the forces of a gas spring attachment point

**Choice of Attachment Points and Finish**

Threaded studs are available with "Ball" or "Blade" gas spring attachment points, and a choice of materials, including zinc plated steel, or stainless steel.

| Finish | Length | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **WITH 10MM BALL END** | | | |
| Zinc Plated | 3/8" | **SL68-BS-1** | — |
| | 9/16" | **SL69-BS-1** | — |
| | 1" | **SL70-BS-1** | — |
| Stainless Steel | 3/4" | **SL75SSBS-1** | — |
| | 9/16" | **SL69SSBS-1** | **SL69SSBS-7** |
| **WITH 13MM BALL END** | | | |
| Zinc Plated | 19/32" | **SL64-BS-1** | — |
| Stainless Steel | 19/32" | **SL64SSBS-1** | — |
| | 1" | **SL74SSBS-1** | — |


SL68BS


SL70BS


SL64SSBS


# MOUNTING BRACKETS


Mounting Brackets are used as attachment points for gas springs on hatches and other mounting surfaces where:

- Mounting surface material is not strong enough to support direct attachment of gas spring using a threaded stud
- The angle and position of the attachment point requires the need for a mounting bracket

**Choice of Pem Attachment Ball Pem Points and Finish**

Mounting brackets are available with Blade Pem or Ball Pem gas spring attachment points, and a choice of materials and finishes, including zinc-plated steel (with or without black painted finish), stainless steel, or aluminum.




# Aftermarket Mounting Brackets

| Bracket Series No. | Style | Pem Type | Mounting Holes | Pem Direction | Finish | Aftermarket Packaging** |
|---|---|---|---|---|---|---|
| SL3H | Flat | Ball 10mm | 3 | Forward | Black Painted | **SL3HBP3-7** |
| SL40 | Flat | Ball 10mm | 2 | Forward | Black Painted | **SL40BP3-7** |
| | | | | | Stainless Steel | **SL40SSP3-7** |
| SL46 | 90° | Ball 10mm | 5 | Forward | Stainless Steel | **SL46SSP3-7** |
| SL50 | 90° | Ball 10mm | 2 | Forward | Black Painted | **SL50BP3-7** |
| | | | | | Stainless Steel | **SL50SSP3-7** |
| | | | | Reverse | Black Painted | **SL50BP3R-7** |
| SL58 | 90° | Ball 10mm | 2 | Forward | Black Painted | **SL58BP3-7** |
| | | | | | Stainless Steel | **SL58SSP3-7** |
| SL65 | 90° w/45° offset | Ball 10mm | 2 | Forward | Black Painted | **SL65BP3-7** |
| | | | | | Stainless Steel | **SL65SSP3-7** |


*** -7 = Clamshell*

*For line drawings and dimensions of the above brackets, see the "OEM Mounting Bracket" section, Pages 185-188.*

# OEM Mounting Brackets


## SL3H Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Blade 10mm | **SL3HP1-1** |
| | | Ball 10mm | **SL3HP3-1** |
| Black Painted | Forward | Ball 10mm | **SL3HBP3-1*** |
| Stainless Steel | Forward | Ball 10mm | **SL3HSSP3-1** |





## SL40 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Blade 10mm | **SL40P1-1** |
| | | Ball 10mm | **SL40P3-1** |
| Black Painted | Forward | Ball 10mm | **SL40BP3-1*** |
| Stainless Steel | Forward | Ball 10mm | **SL40SSP3-1*** |
| Stainless Steel, Black Painted | Forward | Ball 10mm | **SL40SSBP3-1** |





## SL46 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL46P3-1** |
| | Reverse | Ball 10mm | **SL46P3R-1** |
| Stainless Steel | Forward | Ball 10mm | **SL46SSP3-1*** |
| | Reverse | Ball 10mm | **SL46SSP3R-1** |
| Stainless Steel, Black Painted | Forward | Ball 10mm | **SL46SSBP3-1** |





## SL44 Left-Hand Crescent Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL44P3-1** |
| | Reverse | Ball 10mm | **SL44P3R-1** |
| Black Painted | Forward | Ball 10mm | **SL44BP3-1** |
| | Reverse | Ball 10mm | **SL44BP3R-1** |
| Stainless Steel | Forward | Ball 10mm | **SL44SSP3-1** |




## SL48 Right-Hand Crescent Bracket


| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL48P3-1** |
| | Reverse | Ball 10mm | **SL48P3R-1** |
| Black Painted | Reverse | Ball 10mm | **SL48BP3R-1** |
| Stainless Steel | Forward | Ball 10mm | **SL48SSP3-1** |




** Available in Clam Shell packaging*
*†Designed for weld-on applications, does not include screw holes.*
*Note: Bracket dimensions are the same with all "Pem" options. Dimensional drawings are shown with "Ball Pem" option.*


# SL50 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Blade 10mm | **SL50P1-1** |
| | | Ball 10mm | **SL50P3-1** |
| | Reverse | Ball 10mm | **SL50P3R-1** |
| Black Painted | Forward | Ball 10mm | **SL50BP3-1*** |
| | Reverse | Ball 10mm | **SL50BP3R-1*** |
| Stainless Steel | Forward | Blade 10mm | **SL50SSP1-1** |
| | | Ball 10mm | **SL50SSP3-1*** |
| | Reverse | Ball 10mm | **SL50SSP3R-1** |
| Stainless Steel (3 holes) | Forward | Ball 10mm | **SL50SSP3SB-1** |
| Aluminum† | Forward | Ball 10mm | **SL50AP3-1** |





# SL503 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL503HP3-1** |
| Black Painted | Forward | Ball 10mm | **SL503HBP3-1** |





# SL513H Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL513HP3-1** |
| | Reverse | Ball 10mm | **SL513HP3R-1** |
| Black Painted | Forward | Ball 10mm | **SL513HBP3-1** |
| | Reverse | Ball 10mm | **SL513HBP3R-1** |





# SL514H Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Stainless Steel | Forward | Ball 10mm | **SL514HSSP3-1** |





# SL52 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL52P3-1** |
| | Reverse | Ball 10mm | **SL52P3R-1** |
| Stainless Steel | Forward | Ball 10mm | **SL52SSP3-1** |
| | Reverse | Ball 10mm | **SL52SSP3R-1** |
| Black Painted | Reverse | Ball 10mm | **SL52BP3R-1** |




# SL54 Bracket


| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Blade 10mm | **SL54P1-1** |
| | | Ball 10mm | **SL54P3-1** |
| Black Painted | Forward | Ball 10mm | **SL54BP3-1** |
| | Reverse | Ball 10mm | **SL54BP3R-1** |
| Stainless Steel | Forward | Ball 10mm | **SL54SSP3-1** |




** Available in Clam Shell packaging*
*Note: Bracket dimensions are the same with all "Pem" options. Dimensional drawings are shown with "Ball Pem" option.*


# SL55 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL55P3-1** |
| | Reverse | Ball 10mm | **SL55P3R-1** |
| Black Painted | Forward | Ball 10mm | **SL55BP3-1*** |
| | Reverse | Ball 10mm | **SL55BP3R-1** |
| Stainless Steel | Forward | Ball 10mm | **SL55SSP3-1** |





# SL57 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL57P3-1** |
| Black Painted | Forward | Ball 10mm | **SL57BP3-1*** |
| Stainless Steel | Forward | Ball 10mm | **SL57SSP3-1** |
| | Reverse | Ball 10mm | **SL57SSP3R-1** |
| Stainless Steel, Black Painted | Forward | Ball 10mm | **SL57SSBP3-1** |





# SL58 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL58P3-1** |
| | Reverse | Blade 10mm | **SL58P1R-1** |
| | | Ball 10mm | **SL58P3R-1** |
| Black Painted | Forward | Ball 10mm | **SL58BP3-1*** |
| | Reverse | Ball 10mm | **SL58BP3R-1** |
| Stainless Steel | Forward | Ball 10mm | **SL58SSP3-1*** |
| | Reverse | Ball 10mm | **SL58SSP3R-1** |
| Stainless Steel, Black Painted | Reverse | Ball 10mm | **SL58SSBP3R-1** |





# SL59 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL59P325-1** |
| Black Painted | Forward | Ball 10mm | **SL59BP325-1** |





# SL60 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL60P3-1** |
| Black Painted | Forward | Ball 10mm | **SL60BP3-1** |




# SL61 & SL63 Bracket


| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 13mm | **SL63-BS-1** |
| | Reverse | Ball 13mm | **SL61-BS-1** |
| Black Painted | Forward | Ball 13mm | **SL63-BSB-1** |
| Stainless Steel | Forward | Ball 10mm | **SL66SSBS-1** |
| | Forward | Ball 13mm | **SL63SSBS-1** |
| | Reverse | Ball 13mm | **SL61SSBS-1** |




** Available in Clam Shell packaging*
*Note: Bracket dimensions are the same with all "Pem" options. Dimensional drawings are shown with "Ball Pem" option.*


# SL62 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL62P3-1** |
| | Forward | Ball 13mm | **SL62-BS-1** |
| Stainless Steel | Forward | Ball 13mm | **SL62SSBS-1** |





# SL65 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL65P3-1** |
| Black Painted | Forward | Ball 10mm | **SL65BP3-1*** |
| Stainless Steel | Forward | Ball 10mm | **SL65SSP3-1*** |
| Zinc-Plated | Forward | Ball 10mm | **SL65P325-1** |
| Black Painted | Forward | Ball 10mm | **SL65BP325-1** |





# SL72 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Stainless Steel | Forward | Ball 10mm | **SL72SSBS-1** |





# SL73 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Stainless Steel | Universal | Ball 10mm | **SL73SSBS-1** |





# SL76 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Stainless Steel | Forward | Ball 10mm | **SL76SSP3-1** |
| | Reverse | Ball 10mm | **SL76SSP3R-1** |




# SL77 Bracket

| Finish | Pem Direction | Pem Type | Bulk Packaging |
|---|---|---|---|
| Zinc-Plated | Forward | Ball 10mm | **SL77P3-1** |




** Available in Clam Shell packaging*
*Note: Bracket dimensions are the same with all "Pem" options. Dimensional drawings are shown with "Ball Pem" option.*






ABYC SEATING REQUIREMENTS ..... 202
SEATING OVERVIEW ..... 203-204
AERGO ..... 205-206
AVENIR SPORT & AVENIR ..... 207-208
SAS BENCH SEATING ..... 209
CENTRIC X TOUR ..... 210
CENTRIC X ..... 211-212
CENTRIC ..... 213-215
ATTWOOD CLASSIC ..... 216
VENTURE ..... 217
PROFORM ..... 218
FISHING SEATS ..... 219
278 SERIES PEDESTAL SYSTEMS ..... 220-221
238 SERIES 2-3/8" ..... 222-224
LAKESPORT 238 SERIES ..... 225-226
WEDGE 2" & 2-3/8" ..... 227
SNAP-LOCK 1.77" ..... 228
LOCK 'N-PIN 3/4" PIN ..... 229-231
PEDESTAL ACCESSORIES ..... 232-234


# SEATING SYSTEMS

# SWIVL-EZE®
## EXCEEDS THE HIGHEST STANDARDS

The American Boat & Yacht Council has established rigorous safety codes for seating hardware. Swivl-Eze welcomes these standards because we know seating is the critical interface between a boating passenger and a safe and comfortable boat. We exceed ABYC standards to ensure the strength and safety of every Swivl-Eze product.

# ABYC REQUIREMENTS REFERENCE GUIDE

**To make specifying simple, we've created an easy visual coding system. Throughout this catalog, each code shows the rating applied to individual hardware.**

- AO = Operator (Used at the helm/driver position)
- AN = Non-Operator (Not to be used at the helm/driver position)
- B = Not to be used at the helm/driver position for speeds not to exceed 5 mph

## ABYC H31 SEAT STANDARDS

**Go to attwoodmarine.com for updated requirements.**


**GENERAL REQUIREMENTS FOR ALL SEAT TYPES.** (AO, AN, B)

31.6.1 Provided with a means to preent unintentional detachment

31.8.7 Withstand static load of 450 lbs.

31.8.13.1 Adjustable height seats must withstand vertical dynamic test

**SPECIFIC REQUIREMENTS BASED ON SEAT TYPE (Catalog reference code)**




### TYPE A: NON-OPERATOR
***(Not to be used at the helm/driver position)***

31.7.3 Swivel locking mechanism must sustain torque of 30 ft. lbs.

31.3 A seat designed for occupancy while the vessel is underway at any speed

31.7.1 Employ a locking mechanism for each plane or axis of movement

31.7.4 Seats with fore/aft adjustment must sustain static load of 300 lbs. for 3 minutes in mid position

31.7.5 Seats with a vertical adjustment feature shall have a positive locking mechanism

31.8.3 Sustain 10 impacts of 225 lbs.

### TYPE A: OPERATOR
***(Used at the helm/driver position)***

31.7.6.1 Must have positive locking swivels which withstand 150 ft. lbs. of torque

31.7.6.2 All seats interchangeable with the operator's seat must meet the requirements of this section

31.3 A seat designed for occupancy while the vessel is underway at any speed

31.7.1 Employ a locking mechanism for each plane or axis of movement

31.7.4 Seats with fore/aft adjustment must sustain static load of 300 lbs. for 3 minutes in mid position

31.7.5 Seats with a vertical adjustment feature shall have a positive locking mechanism

31.8.3 Sustain 10 impacts of 225 lbs

### TYPE B
***(Not to be used at the helm/driver position)***

31.3 A seat designed for occupancy only at boat speeds not exceeding five miles per hour

31.8.3 Sustain dynamic loads at 1/2 the velocity required for Type A seats

**EXCEPTIONS:**

31.2.1 ABYC H31 standards do not apply to canoes, kayaks, sailboats, inflatables, race boats, tiller steered boats and boats rated for less than 10 horesepower or manual propulsion

# FIND A MATCH FOR EVERY BOATER'S STYLE OF COMFORT

Attwood introduces award-winning seating innovations, year after year. As the Attwood seating group grows, you can find the right seating style for every type of recreational boating, and every type of customer.

## BUCKET SEATING

For cruisers, runabouts, deck boats, and pontoon boats



### Aergo

- Designed to be comfortable in any seating position
- Includes our 4-G Mesh SAS suspension



### Avenir™

- Outstanding support, luxury, and styling
- Exclusive SAS™ Quad-Spring™ suspension offers unequalled shock absorption and comfort



### Molded Bucket Seat

- Made from high-impact plastic
- Comfortable, ergonomic design

## FOLDING SEATS

For all fishing boats and pontoon boats



### Centric X Tour

- Cutting edge styling
- Unmatched durability
- Advanced vinyl protection against stains, mildew, and abrasions



### Centric X

- Enhanced core for strength and durability
- Updated pattern styling
- Available with standard or premium accent colors



### Centric II™

- Ergonomically designed pan and back for ultimate comfort
- Seat pan designed for proper water drainage
- Large seating surfaces
- Folds flat for a cleaner look



### Centric™and Centric SAS ™

- Fold-down back allows unrestricted movement needed for active fishing



### Attwood Classic

- One-hand open/close feature
- Pinch-less hinge
- Available in white, camouflage, or gray



### Venture™

- The best ergonomic contouring for cool comfort, with or without upholstery
- Patented no-pinch folding hinge



### Low Back Fold Down Fishing Seats

- High impact plastic frame and aluminum hinges
- UV resistant
- Easy to clean vinyl



### Padded Flip Boat Seats

- Thick and comfortable padding
- Compact and lightweight

## BENCH SEATING

For cruisers, yachts, pontoon, and center console boats

### SAS Bench Bucket Seating

- Upholstery-ready platform that delivers what you need to create shock absorption seating
- Same technology and materials used in our award-winning SAS Quad-Spring seats



## CASTING SEAT

For all fishing boats and pontoon boats

- Offers support and comfort for long-term use
- Made with marine-grade vinyl
- Works with any casting seat application



# THE FACTORS OF SEATING COMFORT

What makes a seat comfortable? The answer becomes complex as boating becomes more specialized and boaters more sophisticated. As your seating expert, Attwood stays ahead of design trends. In the columns below we list the universal and specialized comfort factors you should look for in any seat you choose.

## UNIVERSAL FACTORS

### Contouring

- The seat's backrest follows the natural curve of the spine
- An upward curve at the back of the seat pan rotates the pelvis forward and properly positions the lumbar region
- A rounded front ("waterfall") edge reduces pressure on the thighs



Venture Fishing Seat is contouring in it's purest form

### Backrest Angle

- The seat relieves pressure by shifting upper body weight to the backrest, while not reducing support. This is done by angling the seat and seat mount
- Optimal seat pan-to-backrest angle is 95° -105° for passengers, 95° - 100° for drivers

### Seat Height

- Pedestal height is critical for comfort and driver's vision. If too low: weight shifts onto the sitting bones. If too high: weight shifts onto back of the thighs and into the spine
- Seat height should be adjustable within a 5" range — 14-1/2" to 19-1/2" above the deck

### Proper Dimensions

- Seats should fit a range of body sizes
- Attwood's seats accommodate body frames ranging from small (5th percentile female) to large (95th percentile male)

## SPECIALIZED FACTORS

### Shock Absorption

- Attwood was the first to create effective shock absorption that isolates the boater's spine from hull pounding. Attwood accomplishes this through our two revolutionary seating suspension systems. Both take a 4G hit without transferring shock to the rider by providing 3-inches of travel for a soft landing without bottoming out.



SAS™ Quad-Spring Suspension



4G Mesh SAS Suspension

### Cushioning

- On Attwood seats, the right amount of sculpted foam enhances the comfort and support already designed into the ergonomic contour
- If foam is too thick, the body "swims" without support, and movement is restricted
- If the foam is soft or thin, it "bottoms out," leading to discomfort or injury




### Breathability

- Venture folding fishing seats have ventilated seat back and pan to allow pass-through of air and water for increased comfort

### Accessories

- A flip-up bolster can add height and improve the field of vision for maneuvering




## SAS SHOCK ABSORBING SYSTEM

### SAS and 4G Mesh SAS Suspensions Provide Dynamic Comfort Underway and Static Comfort for Relaxing


### Dynamic Comfort

- While underway, both SAS suspension types absorb up to 4Gs of impact from waves and hull pounding.



**With Suspension**
Impact is absorbed by the suspension — not the boater.

**Without Suspension**
Repeated impact can cause pain and chronic disk injury.



### Static Comfort

Even while idle and sitting still, the SAS suspension adjusts to pressure and adds long term comfort.




**Conventional Seat**
Graphs show that conventional seats allow pressure points and impaired circulation around sharp "sitting bones".



**Seat with Suspension**
The Attwood suspensions have stretching action to minimize pressure points.

# AERGO
## SEATING

The Aergo seat was definitely designed with comfort in mind. Angled back and cut-out allow the user to get a comfortable back angle in any seating position. Arm cap is angled in to keep arms in seat. The back of the seat is pushed back to allow more seating area in the seat pan. A recessed arm area allows user to swing their leg over the side of the seat when turning to look behind the boat and the flip-up bolster allows additional height when trying to get the boat on plane. Aergo also possesses a feature that you expect in Attwood premium seating, the Mesh SAS Shock Absorbing System that absorbs up to 4Gs of shock.






Kit 98963-1

SAS SHOCK ABSORBING SYSTEM

# Aergo Fully Upholstered Seats

The Aergo seat was designed to be comfortable in any seating position. Features the 4G Mesh SAS shock absorbing system that absorbs up to 4Gs of shock. Available with 4 base colors and 12 accent color choices.

**To Specify Base Color:**
Specify one of the four base product numbers to indicate base color:

**To Specify Accent Color:**

Off-White Base Color = 98967_ _-2

Gray Base Color = 98968_ _-2

Bright-White Base Color = 98966_ _-2

Tan Base Color = 98969_ _-2

Fill in blanks with the alpha code for accent color:

*Example: Bright-White Base color with Red Accent = 98966RD-2*

| Description | Color | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Aergo Fully Upholstered with Flip-up Bolster | Off-White | — | **98967_ _-2** |
| Aergo Fully Upholstered with Flip-up Bolster | Bright-White | — | **98966_ _-2** |
| Aergo Fully Upholstered with Flip-up Bolster | Gray | — | **98968_ _-2** |
| Aergo Fully Upholstered with Flip-up Bolster | Tan | — | **98969_ _-2** |

Accent Colors

| Description | Code |
|---|---|
| Burgundy | BG |
| Red | RD |
| Yellow | YE |
| Beige | BE |
| Tan | TN |
| Gray | GY |
| Smoke | SM |
| Black | BK |
| Blue | BL |
| Green | GN |
| Off-White | OW |
| Bright-White | BW |

*For questions regarding Attwood's most up-to-date seating selections, or for assistance with your seating application, contact your Sales Representative or Attwood Customer Service (616.897.9241)*

# Aergo Seat Shell Kits

These Aergo Kits contain all the molded foam and plastic in one!
Our 4G Mesh SAS Shock Absorbing System and molded-in armrests give extra functional elements to the design and ergonomic comfort of this seat.

**Aergo Kit Components**

These kits contain the molded core, pan, and bolster plastic and foam pieces. You can choose either the standard kit, which contains standard bolster foam, or the large bolster kit which has larger bolster foam for added comfort during elevated seating.



Standard Bolster Foam – 98961



Large Bolster Foam – 98963

**Aergo 240 Kits**

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Aergo 240 Kit with standard bolster | **98961-1** | — |
| Aergo 240 Kit with large bolster | **98963-1** | — |



Standard Bolster Foam – 98990



Large Bolster Foam – 98991

**Aergo 220 Kits**

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Aergo 220 Kit with standard bolster | **98990-1** | — |
| Aergo 220 Kit with large bolster | **98991-1** | — |

# AVENIR™ SPORT & AVENIR™
## SEATING


Avenir is the world's first bolster seat with the award winning, patented SAS shock absorbing system. Avenir Sport has all the break-through features of the Avenir but with a more compact, low profile, sporty styling. It's ideal for smaller cockpits or any application where boater comfort and compact size are important.

**Seat Shell and Molded Foam**
Work together to provide ergonomic comfort and spinal support.

SAS SHOCK ABSORBING SYSTEM

**Arm Contour**
Stylish curve supports the arms in a natural, comfortable position.

**Flip-Up Bolster**
Bolster down creates rounded edge at front of seat and exceeds ABYC H-31 Type A Driver requirements. Up position holds the bolster at a 102°. angle with 7" height for improved maneuvering vision or when boat is off plane.





**Recessed Bottom Angle**
Rounded corners and recessed bottom angle minimize the bottom "footprint." Allows seat to swivel in confined spaces.

**No Exposed Hinges**
No ugly brackets or fasteners to color-match, pinch, or abrade.

# Avenir™ Sport Fully Upholstered Seats

Avenir™ Sport upholstered seats are trimmed out with a deep-tuck backrest, molded polyurethane foam, and marine grade vinyl upholstery. The side cutaway provides lower back ventilation. Seats include corrosion-resistant T-nuts for attachment to seat pedestals. Available with 4 base colors and 12 accent color options.

**To Specify Base Color:**
Specify one of the four base product numbers to indicate base color:

**To Specify Accent Color:**
Fill in blanks with the alpha code for accent color:




Off-White Base Color = 98437_ _-2

Gray Base Color = 98439 _ _-2

Bright-White Base Color = 98438 _ _-2


Tan Base Color = 98450 _ _-2


*Example: Bright-White Base color with Red Accent = 98438RD-2*

| Description | Color | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Avenir Sport Fully Upholstered with Flip-up Bolster | Off-White | — | **98437_ _-2** |
| Avenir Sport Fully Upholstered with Flip-up Bolster | Bright-White | — | **98438_ _-2** |
| Avenir Sport Fully Upholstered with Flip-up Bolster | Gray | — | **98439_ _-2** |
| Avenir Sport Fully Upholstered with Flip-up Bolster | Tan | — | **98450_ _-2** |

Accent Colors

| | Description | Code |
|---|---|---|
| | Burgundy | BG |
| | Red | RD |
| | Yellow | YE |
| | Beige | BE |
| | Tan | TN |
| | Gray | GY |
| | Smoke | SM |
| | Black | BK |
| | Blue | BL |
| | Green | GN |
| | Off-White | OW |
| | Bright-White | BW |



# AVENIR™ & AVENIR™ SPORT SEATING COMPONENTS

Avenir molded seating components have just four interlocking parts. This easy-to-install design, along with the universal hole pattern, reduces your upholstery and installation costs. Avenir uses marine-grade materials, a thermoplastic shell, and a stainless steel suspension grid with corrosion proof springs.

These components utilize a shell and backrest upholstery onsert which speeds up the upholstery of the seat shell and provide an easy means of adding stylish accent piece with deep-tuck seam. Onsert posts snap securely into the seat shell using foolproof clips for a quick and easy assembly.




## Complete Kits.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| **AVENIR SPORT KITS** | | |
| Avenir Sport Kit - Standard<br>Includes: ATT101, ATT102, ATT110, 7034, 7043, 7044 | **98201-1** | — |
| Avenir Sport Kit - Lumbar<br>Includes: 7033, ATT101, ATT102, ATT110, 7034, 7043, 7044 | **98202-1** | — |
| Avenir Sport Kit - Headrest<br>Includes: 7032, ATT101, ATT102, ATT109, 7034, 7043, 7044 | **98203-1** | — |
| **AVENIR MIDBACK KIT** | | |
| Avenir Midback Kit<br>Includes: 7040-1, 7023, 7041, 7043, 7044, 7060-1, ATT101, ATT102, ATT103 | **98204-1** | — |

## Upholstery Trim Rings


Avenir Upholstery Trim Rings provide a finished cap to cover seam where mesh and vinyl meet in ventilation holes at back of seat.




| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| **AVENIR MIDBACK TRIM RINGS** | | |
| Left Side Trim Ring, White Plastic | **7060-1** | — |
| Right Side Trim Ring, White Plastic | **7040-1** | — |

## Molded Foam Packs

Molded foam packs are contoured specifically to enhance an ergonomic design for maximum comfort and style. Eliminates labor-intensive and costly cut foam and provides a consistent shape that improves the quality of the upholstered seat.




| Description | For Use with Component | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| **AVENIR MIDBACK FOAM PACKS** | | | |
| Avenir Midback Backrest Foam | — | **ATT103** | — |
| **SEAT PAN FOAM PACKS** | | | |
| SAS Seat Pan | — | **ATT101** | — |
| **BOLSTER FOAM PACKS** | | | |
| Flip-up Bolster | — | **ATT102** | — |
| **AVENIR SPORT FOAM PACKS** | | | |
| Avenir Sport Backrest with Headrest | — | **ATT109** | — |
| Avenir Sport Backrest with Lumbar Option | — | **ATT110** | — |

*For questions regarding Attwood's most up-to-date seating selections, or for assistance with your seating application, contact your Sales Representative or Attwood Customer Service (616.897.9241)*

# SAS BENCH™ UPHOLSTERY-READY
## SEATING PLATFORMS

**Here's the ideal way to design-in SAS™ shock absorbing benefits in a Bench Seat.**
Available for OEM configuration.

- Use SAS Bench™ in helm, passenger, or single bench positions
- You can even gang it as a 2, 3, or 4-wide bench

SAS SHOCK ABSORBING SYSTEM

**Standards and Specifications**
All materials are marine-grade and designed for long lasting corrosion-resistance.

**Simple Installation**
The SAS Bench™ can be installed directly to the substrate through the bottom or front. The front lip is self-locating and can be attached to the substrate.



001004418

## SAS Bench Bucket™ Seating

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| SAS Bench Bucket™ Upholstery-Ready Seating Platform, Spring Grid Suspension | **001004418** | — |

*For questions regarding Attwood's most up-to-date seating selections, or for assistance with your seating application, contact your Sales Representative or Attwood Customer Service (616.897.9241)*

# CENTRIC X TOUR new
## SEATING

The Centric X Tour is the ultimate folding fishing seat. It offers cutting edge styling with unmatched durability. The Centric X Tour utilizes a SD Shock Dampening design, ideal for the roughest conditions. It also comes standard with *PERMA**GUARD*** and *PERMA**BLOK³*** technology! Base vinyls have *PERMA**GUARD*** and accent vinyls have *PERMA**BLOK³***.

PERMAGUARD®
- Offers superior stain resistance
- Unequaled resistance to scratches, scuffs and abrasion

PERMABLOK³®
- Protects against stains, mildew, and microorganisms




**To Specify Base Color:**
Specify one of the three base product numbers to indicate base color:

Platinum/Silver Geo Base/Accent Color = 97P07_ _ - 2

Tan/Cream Geo Base/Accent Color = 97P08 _ _ - 2

Black/Black Diamond Base/Accent Color = 97P02 _ _ - 2

**To Specify Premium Accent Color:**
Fill in blanks with the alpha code for accent color:


*Example: Platinum/Silver Geo Base color with Red Accent = 97G07RD-2*

| Description | Color | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Centric X Tour | Platinum/Silver Geo | — | **97P07_ _-2** |
| | Tan/Cream Geo | — | **97P08_ _-2** |
| | Black/Black Diamond | — | **97P02_ _-2** |


Seat Pan Designed for Proper Water Drainage


Folds Flat for a Cleaner Look



Optional 4G Seat Mesh SAS Suspension




**Accent Color Code**

| | |
|---|---|
| Black | BK |
| Burgundy | BG |
| Red | RD |
| Tangerine | TA |
| Lime Green | LG |
| Beige | BE |
| Navy | NV |

**Base Colors** + **Premium Accent Colors**




* PermaBlok³ ® and PermaGuard® are registered trademarks of Spradling Holdings, Inc.®

# CENTRIC X SEATING

new

Centric X now has a stronger and more durable core. The pattern styling is updated with advanced quality vinyls. The acrylic top coat provides anti-stain finish, UV stabilized pigments and is mildew resistant. Choose from standard or premium accent colors. Standard accent colors are the most popular options, or choose from premium accent colors to match specific boat color schemes.




**To Specify Base Color:**
Specify one of the four base product numbers to indicate base color:

- Dark Gray Base Color = 97S01 _ _ - 2
- Gray Base Color = 97S03 _ _ - 2
- Beige Base Color = 97S04 _ _ - 2
- Khaki Base Color = 97S06 _ _ - 2

**To Specify Standard or Premium Accent Color:**
Fill in blanks with the alpha code for accent color:


*Example: Dark GrayBase color with Red Accent = 97S01RD-2*

| Description | Color | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Centric X | Dark Gray | — | **97S01_ _ - 2** |
| | Gray | — | **97S03_ _ - 2** |
| | Beige | — | **97S04_ _ - 2** |
| | Khaki | — | **97S06_ _ - 2** |


Seat Pan Designed for Proper Water Drainage


Folds Flat for a Cleaner Look


Optional 4G Seat Mesh SAS Suspension




**Accent Color Code**

| | |
|---|---|
| Black | BK |
| Burgundy | BG |
| Red | RD |
| Beige | BE |
| Dark Gray | DG |
| Gray | GY |
| Khaki | KH |
| Blue | BL |
| Forrest Green | FG |
| White | WH |

| Base Colors | Standard Accent Colors | | Premium Accent Colors | |
|---|---|---|---|---|
| Dark Gray | DG | RD | BL | FG |
| | GY | BK | BG | WH |
| Gray | DG | RD | BL | FG |
| | GY | BK | BG | WH |
| Beige | BE | RD | BL | FG |
| | KH | BK | BG | WH |
| Khaki | BE | BK | BL | FG |
| | KH | RD | BG | WH |

# CENTRIC X SEAT COMPONENTS

These sleek, functional, and ergonomically designed seats provide the new look you've been looking for in folding fishing or helm seats! Just choose the base plastic kit that suits your functional needs. Then choose a stylish foam kit and complete your look.


98900


98910


98920

## Seat Shell Kits

Centric X seat shell kits contain all plastic components to assemble. Our options include special features such as our SAS Shock Absorbing System, and gray, dark gray, or duck base colors. Base pieces include corrosion-resistant T-nuts for pedestal attachment. Kits include assembly hardware.

| Description | For Use with Foam Pack | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Non-SAS, Gray | ATT200-1, ATT205-1, or ATT210-1 | **98900-1** | — |
| Non-SAS, Dark Gray | ATT200-1, ATT205-1, or ATT210-1 | **98908-1** | — |
| Non-SAS, Duck | ATT200-1, ATT205-1, or ATT210-1 | **98910-1** | — |
| SAS, Gray | ATT220-1 | **98920-1** | — |
| SAS, Dark Gray | ATT220-1 | **98928-1** | — |
| SAS, Duck | ATT220-1 | **98930-1** | — |

## Molded Foam Packs

Centric X molded foam kits come in a variety of shapes to fit your individual styling needs. SAS and Non-SAS foam kits are used with their corresponding plastic kits above.


ATT200


ATT205


ATT210

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Non-SAS Standard Foam Pack | **ATT200-1** | — |
| Non-SAS Flared Headrest Foam Pack | **ATT205-1** | — |
| Non-SAS Rounded Headrest Foam Pack | **ATT210-1** | — |
| SAS Standard Foam Pack | **ATT220-1** | — |


ATT220

*For questions regarding Attwood's most up-to-date seating selections, or for assistance with your seating application, contact your Sales Representative or Attwood Customer Service (616.897.9241)*

# CENTRIC
## SEATING

The popular Centric seat is a brilliant combination of style and sturdy support. The ergonomic contouring comforts and supports the spine and helps eliminate pressure points. The heavy-duty blow molded construction meets and exceeds ABYC H-31 impact standards.

**Concealed Hinge**
Patented pinch-proof hinge is molded into the shell. Lock-Down detent secures seat in the down position at speeds up to 70 mph.

**Raised Seat Pan Back**
Centric provides surprising support and comfort to your lower back and spine, unlike seats with traditional hinges that are open in the lower back.

**Side Bolsters**
Provide lateral support to help keep rider seated, even in rough seas and tight maneuvers.

**Compact Turning Diameter**
Centric fits in confined cockpits with a 23" turning diameter.




# Centric Fully Upholstered Seats new

The Centric seat comes with durable, blow molded seat core and a fresh new pattern.
The acrylic top is stain and mildew resistant and the pigments are UV stabilized.
The fully upholstered Centric exclusively offers white vinyl and camouflage polyester as options.

**To Specify Base Color:**
Specify one of the six base product numbers to indicate base color:

- Dark Gray Base Color = 96A01 _ _ - 2
- Gray Base Color = 96A03GY- 2
- Beige Base Color = 96A04 _ _ - 2
- Khaki Base Color = 96A06 _ _ - 2
- White Base Color = 96A05 _ _ - 2
- Camo Base Color = 96A09CA-2

**To Specify Standard Accent Color:**
Fill in blanks with the alpha code for accent color:

*Example: Dark Gray Base color with Red Accent = 96A01RD-2*

| Description | Color | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| Centric Fully Upholstered | Dark Gray | — | **96A01_ _ - 2** |
| | Gray | — | **96A03_ _ - 2** |
| | Beige | — | **96A04_ _ - 2** |
| | Khaki | — | **96A06_ _ - 2** |
| | White | — | **96A05_ _ - 2** |
| | Camo | — | **96A09_ _ - 2** |

| Base Colors | | Accent Colors | | | | |
|---|---|---|---|---|---|---|
| Dark Gray | + | DG | BK | BL | RD | GY |
| Khaki | + | KH | BK | BL | RD | BE |
| White | + | WH | BK | BL | RD | GY |
| Beige | + | BE | BK | BL | RD | KH |
| Gray | + | GY | | | | |
| Camo | + | CA | | | | |

**Accent Color Code**

Black ..... BK
Red ..... RD
Beige ..... BE
Dark Gray ..... DG
Gray ..... GY
Khaki ..... KH
Blue ..... BL
White ..... WH
Camo ..... CA

# CENTRIC SEATING COMPONENTS

With all of its features, Centric is surprisingly easy to upholster using our molded foam packs. Centric seat components consist of blow-molded fishing or helm seat cores, injection molded upholstery onserts for the backrest and seat back hinge cover, and molded foam packs.

## Seat Core Kits

Centric seat core kits include the seat pan with a choice of Mid-Back and High-Back backrest styles. Each seat includes a separate seatback onsert to cover and protect the hinge. Onsert can be applied and then upholstered over with the rest of the seatback or upholstered separate of the seatback as a means of providing an accent piece. Seat  cores include corrosion-resistant T-nuts for attachment to seat pedestals.

## Upholstery Onserts

The Upholstery Onserts speed up the upholstery of the backrest and provide an easy means of adding a stylish accent piece with deep-tuck seam. Onsert posts snap securely into seat core using foolproof clips for quick, easy assembly.

| Description | For Use with Foam Packs | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| **SEAT CORES AND ONSERTS** | | | |
| Mid-Back Core, Black | ATT001, ATT002, ATT007 | **98100-1** | — |
| High-Back Core, Black | ATT007, ATT008 | **98120-1** | — |
| Mid-Back Onsert | ATT009 | **7009-1** | — |
| High-Back Onsert | ATT008 | **7006-1** | — |
| Mid-Back II Onsert | ATT016 | **98124** | — |



98120



98100





7009



7006




98124

# Molded Foam Packs

Molded foam packs are contoured to enhance the ergonomic shape of Centric's seat core for maximum comfort and style. Eliminates labor-intensive and costly cut foam and provides a consistent shape that improves the quality of the upholstered seat. Centric foam packs are offered with a choice of integrated "hook and loop" or "onsert" upholstery methods.

**Hook and Loop**—Joins upholstery seam-to-foam to form a moderate tuck.

**Onserts**—provide a deep tucked seam depth by using a separate upholstered panel.



ATT001



ATT009




ATT008



ATT016

| Description | For Use with Component(s) | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| **BACKREST FOAM PACKS** | | | |
| Mid-Back, Hook & Loop | 98100 | **ATT001** | — |
| Mid-Back, w/Onsert | 98100, 7009 | **ATT009** | — |
| High-Back, w/Onsert | 98120, 7006 | **ATT008** | — |
| Mid-Back II Foam Pack | 98121, 98124 | **ATT016** | — |
| **SEAT PAN FOAM PACKS** | | | |
| Sport Weight Hook & Loop | 98100, 98200, 98120, 98121 | **ATT002** | — |
| Luxury Weight Hook & Loop | 98100, 98200, 98120, 98121 | **ATT007** | — |



ATT002



ATT007

*For questions regarding Attwood's most up-to-date seating selections, or for assistance with your seating application, contact your Sales Representative or Attwood Customer Service (616.897.9241)*

# ATTWOOD CLASSIC SEAT

The Attwood Classic Seat delivers the lofty comfort and styling typically associated with OEM seats, but at an attractive retail price. Its ergonomic design and carefully crafted upholstery provide an optimum blend of comfort and support for the active boater and fisherman. Users will appreciate the safety of the integrated pinch-less hinge and the added convenience of the one-hand open and close feature. With its comfort, style, and high-quality materials, it's easy to see why the Classic is the smart choice in seating. Available in Gray, Camouflage, and White.



98386



98387



98388

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Classic Seat, Two-Tone Gray, Vinyl | **98386-2** | — |
| Classic Seat, Camouflage, Polyester | **98387-2** | — |
| Classic Seat, White, Vinyl | **98388-2** | — |


# VENTURE
## FOLDING FISHING SEAT

The Venture folding fishing seat is designed to satisfy the widest possible range of boaters and boat builders. Mounts in any location on bass boats, aluminum fishing boats, fish'n ski, pontoon and deck boats. Its advanced styling distinguishes it from all other seats on the market.


**Ventilated**
Seat back and pan are ventilated to allow pass-through of air and water for increased comfort.


**Portability**
Venture quickly folds away to allow more room for activity and fishing excitement. Then it can be easily removed and transported using the built-in carry handle.



**Simple, Pinch-Proof Hinge and Lock**
Push-button release automatically locks the seat back in upright sitting position or the folded position for transport.




## Seat Shell Only

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Shell Only, White | **97100-001-1** | **97100-001-2** |
| Shell Only, Medium Gray | **97100-005-1** | **97100-005-2** |
| Shell Only, Olive | **97100-006-1** | **97100-006-2** |

# PROFORM
## SEATING

**Molded-In Support**
Designed into the contours of the seat back and pan, offering comfort with or without padding.

**Molded-In Color**
The high-impact polymer is strong and UV stable. Colors have been specially selected to coordinate with boat interiors, trim, carpet and vinyls

**Upholstery**
Marine grade fabric is UV stable and weather resistant.

**Foam Padding**
Minimized to reduce cost and water absorption yet provide comfort.

**Molded-In Drain Holes**
Eliminate standing water; no more “puddle sitting.”






**Pinch-Resistant Hinge**
Strong enough to withstand impact.



**Seat Back Lock**
Secures backrest in down position; no more vinyl straps and snaps.

**“Waterfall” Front Edge**
Gently minimizes pressure behind the knees.

**Curved Front Corners**
Permit easy, comfortable movement when driving, fishing or relaxing.

# PROForm Seats With Upholstered Onserts

Available in a variety of colors, seats include backrest and seat pan onserts upholstered with marine grade vinyl or Cordura 1000 denier nylon that use 1" thick foam for comfort. Onserts are installed with corrosion-resistant screws. Seats include corrosion-resistant T-nuts for attachment to seat pedestals.



7012-101



7012-004



7012-504



7012-104

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| **SEATS WITH UPHOLSTERED ONSERTS** | | |
| White PROForm Seat with White upholstered onserts | **7012-101-1** | **7012-101-4** |
| Light Gray PROForm Seat with Blue vinyl upholstered onserts | — | **7012-004-4** |
| Light Gray PROForm Seat with Red vinyl upholstered onserts | — | **7012-104-4** |
| Light Gray PROForm Seat with Gray vinyl upholstered onserts | **7012-504-1** | **7012-504-4** |
| Olive PROForm Seat with Shadow Grass Cordura nylon upholstered onserts | **7012-706-1** | **7012-706-4** |
| **SEATS WITH UPHOLSTERED ONSERTS AND OUTER BACK PANEL – FOR MORE FINISHED LOOK** | | |
| White PROForm Seat and Outer Back Panel with White vinyl upholstered onserts | **7022-101-1** | — |



7012-606

# FISHING
## SEATS

## Low-Back Padded Boat Seat

This seat features a high impact plastic frame and aluminum hinges. It is UV and mildew resistant with easy to clean vinyl and a standard seat hole mounting pattern. 7"W x 16"D x 16"H.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Low-Back Padded Boat Seat, Gray | — | **98395GY** |
| Low-Back Padded Boat Seat, White | — | **98395WH** |
| Low-Back Padded Boat Seat, Camo | — | **98395CAMO** |



98395WH

## Molded Bucket Seat

This one piece molded plastic boat seat is made from high-impact plastic. Seat includes mounting screws. 18"W x 21"D x 16"H.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Molded Boat Seat, Gray | — | **98390GY** |



98390GY

## Padded Boat Seat

This padded boat seat is a comfortable and convenient addition to your boat's seating. It features thick padding, making your activities comfortable for long periods of time. It's compact and lightweight design makes it easy to transport. 20"W x 17"D x 12"H.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Padded Boat Seat, Camo | — | **98391GNMX** |
| Padded Boat Seat, Gray | — | **98391GY** |

98391GV



98391GNMX

## Casting Seat

This casting seat is constructed with quality materials and workmanship. Made with marine-grade vinyl, it offers long-term support and comfort. A universal casting seat, it works with any casting seat application. Available in white, gray or camo. 15"W x 11"D x 6" H.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Casting Seat, White | — | **98505WH** |
| Casting Seat, Camo | — | **98505CA** |
| Casting Seat, Gray | — | **98505GY** |

98505WH



98505CA

98505GY

# 278 SERIES PRODUCTS

5 YEAR WARRANTY*

SWIVL-EZE®

## STRONG. STABLE.SMOOTH.

**Unmatched Strength.**
Heavy-duty casting easily supports popular oversized helm seats.


**Supreme Stability.**
A rigid mount and wider seat interface create ultimate pedestal robustness.

**Extra Smooth.**
Improved slider motion facilitates easy fore and aft movement.
Dampening gas spring on the 278 Air System absorbs impact.




**278 Pro System**
**Fixed Height Pedestal**


**278 Air System**
**Adjustable Height Pedestal**





**Dimensions of 278 Pro & 278 Air Systems**
NOTE: 278 Pro & 278 Air System components are not compatible with other seating systems.





**Base Dimensions**
Forward




**Mount Dimensions**




**Slider Dimensions**




* 5-year warranty applies only to 278 Series products, found on pages 220-221.

## 278 Air System (Adjustable Height Pedestal)

| Description | ABYC Code | Base Height | Slider Handle | Base Finish | Part Number |
|---|---|---|---|---|---|
| **BASES** (For total system height, add 1" to the base height.) | | | | | |
| 278 Air Pedestal Base, 3.75" Below Deck | AO | 8-11" | — | Gray | **278AOP0811-BD-1** |
| 278 Air Pedestal Base, 2.75" Below Deck | AO | 9-12" | — | Bright | **278AOM0912-BD-1** |
| 278 Air Pedestal Base, 2.75" Below Deck | AO | 9-12" | — | Gray | **278AOP0912-BD-1** |
| 278 Air Pedestal Base | AO | 12-15" | — | Gray | **278AOP1215-1** |
| 278 Air Pedestal Base | AO | 12-15" | — | Bright | **278AOM1215-1** |
| 278 Air Pedestal Base | AO | 15-19" | — | Gray | **278AOP1519-1** |
| 278 Air Pedestal Base | AO | 15-19" | — | Bright | **278AOM1519-1** |
| 278 Air Pedestal Base | AO | 19-23" | — | Gray | **278AOP1923-1** |
| 278 Air Pedestal Base | AO | 19-23" | — | Bright | **278AOM1923-1** |
| **SEAT MOUNTS** | | | | | |
| 278 Pro Mount, 3 degree | AO | — | — | — | **278AO3AM-1** |
| 278 Pro Mount, 0 degree | AO | — | — | — | **278AOZAM-1** |
| **278 MOUNTS WITH SLIDER** | | | | | |
| 278 AirGlide Slider, 0 degree | AO | — | Short | — | **278AOZAGS-1** |
| 278 AirGlide Slider, 0 degree | AO | — | Long | — | **278AOZAGL-1** |
| 278 AirGlide Slider, 3 degree | AO | — | Short | — | **278AO3AGS-1** |
| 278 AirGlide Slider, 3 degree | AO | — | Long | — | **278AO3AGL-1** |

## 278 Pro System (Fixed Height Pedestal)

| Description | ABYC Code | Base Height | Slider Handle | Base Finish | Part Number |
|---|---|---|---|---|---|
| 278 Pro Pedestal Base, Low Profile | AO | 5" | — | Bright | **278AOBT050-LP-1** |
| 278 Pro Pedestal Base | AO | 6" | — | Bright | **278AOBT060-1** |
| 278 Pro Pedestal Base | AO | 6" | — | Gray | **278AOGY060-1** |
| 278 Pro Pedestal Base | AO | 7" | — | Bright | **278AOBT070-1** |
| 278 Pro Pedestal Base | AO | 7" | — | Gray | **278AOGY070-1** |
| 278 Pro Pedestal Base | AO | 8" | — | Bright | **278AOBT080-1** |
| 278 Pro Pedestal Base | AO | 8" | — | Gray | **278AOGY080-1** |
| 278 Pro Pedestal Base | AO | 9" | — | Bright | **278AOBT090-1** |
| 278 Pro Pedestal Base | AO | 9" | — | Gray | **278AOGY090-1** |
| 278 Pro Pedestal Base | AO | 10" | — | Bright | **278AOBT100-1** |
| 278 Pro Pedestal Base | AO | 10" | — | Gray | **278AOGY100-1** |
| 278 Pro Pedestal Base | AO | 11" | — | Bright | **278AOBT110-1** |
| 278 Pro Pedestal Base | AO | 11" | — | Gray | **278AOGY110-1** |
| 278 Pro Pedestal Base | AO | 12" | — | Bright | **278AOBT120-1** |
| 278 Pro Pedestal Base | AO | 12" | — | Gray | **278AOGY120-1** |
| 278 Pro Pedestal Base | AO | 13" | — | Bright | **278AOBT130-1** |
| 278 Pro Pedestal Base | AO | 13" | — | Gray | **278AOGY130-1** |
| 278 Pro Pedestal Base | AO | 15" | — | Bright | **278AOBT150-1** |
| 278 Pro Pedestal Base | AO | 15" | — | Gray | **278AOGY150-1** |
| **SEAT MOUNTS** | | | | | |
| 278 Pro Mount, 3 degree | AN* | — | — | — | **278AN3PM-1** |
| 278 Pro Mount, 3 degree | AO | — | — | — | **278AO3PM-1** |
| **SEAT MOUNTS WITH SLIDER** | | | | | |
| 278 ProGlide Slider, 3 degree | AO | — | Short | — | **278AO3PGS-1** |
| 278 ProGlide Slider, 3 degree | AO | — | Long | — | **278AO3PGL-1** |
| 278 ProGlide Slider, 0 degree | AO | — | Short | — | **278AOZPGS-1** |
| 278 ProGlide Slider, 0 degree | AO | — | Long | — | **278AOZPGL-1** |
| 278 ProGlide Slider, 3 degree | AN* | — | Short | — | **278AN3PGS-1** |
| 278 ProGlide Slider, 3 degree | AN* | — | Long | — | **278AN3PGL-1** |

*For use in all non-helm positions.


278 Air Pedestal Base, Below Deck


278 Air Pedestal Base


278 Air Mount


278 AirGlide Slider, Short Handle


278 AirGlide Slider, Long Handle


278 Pro Pedestal Base, Low Profile


278 Pro Pedestal Base


278 Pro Mount, AN


278 Pro Mount, AO


278 ProGlide Slider, Short Handle


278 ProGlide Slider, Long Handle

# 238 SERIES 2-3/8"
# PRODUCTS











SWIVL-EZE®


### 238 Series has strength, style and corrosion-resistance:
- Pedestal tubes are hard-anodized aluminum
- All springs are stainless steel
- Bases are bead-blasted (to close aluminum porosity) and clear coated

### Smooth movement without wobble
- Slider has gear-tooth lock mechanism; locks solidly, disengages easily
- Slider rides smoothly on acetal linear bearings


### Clean style, ergonomic design
- Styling is clean and uncomplicated
- Handles are ergonomically designed to be easy on the hands and easy to reach

**Not recommended to interchange with other manufacturers' products**




| | | |
|---|---|---|
| A0 | Blue "A0" = | Type A/Operator OK for Helm/Driver position |
| AN | Green "AN" = | Type A/Non-Operator Not to be used at Helm/Driver position |
| B | Red "B" = | Type B Slow Speed Not to be used at Helm/Driver position For speeds not to exceed 5 mph |




*** -7 = Clamshell*

# Swivl-Eze 238 Pedestal Kits

Attwood's 2-3/8" pedestal kit is strong, durable, and corrosion resistant. The kit includes a 360 degree swivel seat mount, removable extension post, and 9" base. Available in satin aluminum or Realtree MAX-4 Camouflage.

| Description | ABYC Code | Req. Dia. Mounting Hole | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| **BASE PLATE: 9", SEAT MOUNT 5" X 5" ON CENTER** | | | | |
| Pedestal Kit with 9" Satin Post | A0 | 3" | — | **23809-7** |
| Pedestal Kit with 9" Camo Post | A0 | 3" | — | **23809C-7** |
| Pedestal Kit with 11" Satin Post | A0 | 3" | — | **23811-7** |
| Pedestal Kit with 11" Camo Post | A0 | 3" | — | **23811C-7** |
| Pedestal Kit with 13" Satin Post | A0 | 3" | — | **23813-7** |
| Pedestal Kit with 13" Camo Post | A0 | 3" | — | **23813C-7** |
| Pedestal Kit with 15" Satin Post | A0 | 3" | — | **23815-7** |
| Pedestal Kit with 15" Camo Post | A0 | 3" | — | **23815C-7** |


# 238 Series Seat Mounts

| Description | ABYC Code | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **SEAT MOUNTS WITHOUT SLIDER** | | | |
| Stainless Steel, 0° Tilt, Left Handle | A0 | **238140-1** | — |
| Stainless Steel, 3° Tilt, Left Handle | A0 | **238141-1** | — |
| Stainless Steel, 3° Tilt, Right Handle | A0 | **238142-1** | **238142-7** |
| Stainless Steel, 3° Tilt, Forward Handle | A0 | **238143-1** | **238143-7** |
| Plated Steel, 0° Tilt, Left Handle | A0 | **238150-1** | — |
| Plated Steel, 3° Tilt, Left Handle | A0 | **238151-1** | — |
| Plated Steel, 3° Tilt, Right Handle | A0 | **238152-1** | **238152-7** |
| Plated Steel, 3° Tilt, Forward Handle | A0 | **238153-1** | **238153-7** |
| **SEAT MOUNTS WITH ALUMINUM SLIDER** | | | |
| Plated Steel, 3° Tilt, Right Handle | A0 | **238162-1** | **238162-4** |
| Plated Steel, 0° Tilt, Right Handle | A0 | **238164-1** | — |










Slider Movement Range

# 238 Series Pedestals & Extension Posts

| Description | ABYC Code | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **FIXED HEIGHT BELL PEDESTALS (HEIGHT MEASURED FROM DECK TO TOP OF SEAT MOUNT)** | | | |
| 8" Height | AO | **238908-1** | **238908SM4*** |
| 10" Height | AO | **238910-1** | — |
| 11" Height | AO | **238911-1** | — |
| 12" Height | AO | **238912-1** | **238912SM4*** |
| 13" Height | AO | **238913-1** | — |
| 14" Height | AO | **238914-1** | — |
| 15" Height | AO | **238915-1** | **238915SM4*** |
| **FIXED HEIGHT EXTENSION POSTS (HEIGHT MEASURED FROM DECK TO TOP OF SEAT MOUNT)** | | | |
| 9" Height | AO | **238609-1** | **238609-3** |
| 10" Height | AO | **238610-1** | **238610-3** |
| 11" Height | AO | **238611-1** | **238611-3** |
| 12" Height | AO | **238612-1** | **238612-3** |
| 13" Height | AO | **238613-1** | **238613-3** |
| 14" Height | AO | **238614-1** | **238614-3** |
| 15" Height | AO | **238615-1** | **238615-3** |
| 17" Height | AO | **238617-1** | — |
| 25" Height | AO | **238625-1** | — |
| 30" Height | B | **238630-1** | — |
| 36" Height | B | **238636-1** | — |
| **PRO-POLE EXTENSION POSTS** - TYPE "B" (HEIGHT MEASURED FROM DECK TO TOP OF SEAT MOUNT)** | | | |
| 27" Height | B | **238027-1** | **238027-3** |
| **ADJUSTABLE HEIGHT POWER PEDESTALS (HEIGHT MEASURED FROM DECK TO TOP OF SEAT MOUNT)** | | | |
| 13" to 16-1/2" Height | AO | **238512-1** | **238512-4** |
| 19-1/2" to 23" Height | AO | **238522-1** | **238522-4** |
| 32-1/2" to 36" Height | B | **238542-1** | — |


238908


238609



238617


238512


238312


238322


238352



238333


238300

# 238 Series Socket Bases

Bases are interchangeable between LakeSport 238 Series and 238 Series.

| Description | ABYC Code | Req. Dia. Mounting Hole | Bulk Packaging* | Aftermarket Packaging† |
|---|---|---|---|---|
| Aluminum 9" Round, Clear Coat Finish | AO | 3" | **238312-1** | **238312-2** |
| Aluminum 9" D-Shaped, Clear Coat Finish | AO | 3" | **238322-1** | **238322-2** |
| Stainless Steel, 7" x 7", Square, Centered Hole | AO | 3" | **238333-1** | — |
| Aluminum 9" Cut Both Sides, Clear Coat Finish | AO | 3" | **238352-1** | — |
| **238 SERIES SOCKET BASE SPLASH GUARD** | | | | |
| Socket Splash Guard, Plastic | AO | — | **238300-1** | — |




** Includes Plated Steel Seat Mount (238152-1)*
*** -3 = Hang Tag, -3 = Skin Pack, -4 = Individual Carton*

# LAKESPORT 238 SERIES
## PRODUCTS

### The Swivl-Eze Difference
- These sturdy 2-3/8" diameter pedestal systems have all the strength and durability you need for years of family fishing enjoyment.
- Hard anodized aluminum pedestal tubes
- Bead blasted finish pounds the aluminum surface and closes up porosity
- All LakeSport™ 238 Series hardware is engineered to exceed ABYC standards

### Type A/Operator Models lead the industry with these features:
- Ergonomic positive-locking handle with stainless steel components




AO Blue "AO" = Type A/Operator OK for Helm/Driver position

AN Green "AN" = Type A/Non-Operator Not to be used at Helm/Driver position

B Red "B" = Type B Slow Speed Not to be used at Helm/Driver position For speeds not to exceed 5 mph

# LakeSport 2-3/8" Seat Mounts



818440



818441


828461

| Description | ABYC Code | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| **SEAT MOUNTS WITHOUT SLIDER INSTALLED HEIGHT: 5/8"** | | | |
| Aluminum, w/ Friction Control, 3° Tilt | AN | **818440** | **818440-3** |
| Aluminum, w/ Friction Control, 3° Tilt | AO | **818441** | **818441-3** |
| **SEAT MOUNTS WITH ALUMINUM SLIDER INSTALLED HEIGHT: 1"** | | | |
| Aluminum, w/ Friction Control, 3° Tilt | AO | **828461** | — |

# LakeSport 2-3/8" Extension Posts

For LakeSport seat mounts only

| Description | ABYC Code | Bulk Packaging | Aftermarket Packaging |
|---|---|---|---|
| **FIXED HEIGHT EXTENSION POSTS (HEIGHT MEASURED FROM DECK TO TOP OF SEAT MOUNT)** | | | |
| 6.5" Height, Anodized Finish | AN | **238665L1** | — |
| 10" Height, Anodized Finish | AN | **238610L1** | — |
| 11" Height, Anodized Finish | AN | **238611L1** | — |
| 13" Height, Anodized Finish | AN | **238613L1** | — |



238610L1

# LakeSport 2-3/8" Seat Pedestals



238813LSM



238911L



238909LSM1

| Description | ABYC Code | Bulk Packaging* | Aftermarket Packaging** |
|---|---|---|---|
| **HYDRAULIC POWER PEDESTALS W/ SEAT MOUNT (HEIGHT MEASURED FROM DECK TO TOP OF SEAT MOUNT)** | | | |
| 12" – 15" Adjustable Height, Anodized Finish | AO | **238813LSM1** | — |
| 25" – 32" Adjustable Height, Anodized Finish | B | **238833LSM1** | — |
| **FIXED HEIGHT BELL PEDESTALS (HEIGHT MEASURED FROM DECK TO TOP OF SEAT MOUNT)** | | | |
| 9" Height | AO | **238909L1** | — |
| 11" Height | AO | **238911L1** | — |
| 12" Height | AO | **238912L1** | — |
| 13" Height | AO | **238913L1** | — |
| **FIXED HEIGHT BELL PEDESTALS W/ SEAT MOUNT (HEIGHT MEASURED FROM DECK TO TOP OF SEAT MOUNT)** | | | |
| 9" Height | AN | **238909LSM1** | — |
| 13" Height | AN | **238913LSM1** | — |
| 16" Height | AN | **238916LSM1** | — |
| **ADJUSTABLE HEIGHT BELL PEDESTALS W/ SEAT MOUNT, MANUAL (HEIGHT FROM DECK TO TOP OF SEAT MOUNT)** | | | |
| 14"-20" Adjustable Height, Anodized | AN | — | **2385400** |
| 12-1/2"–15-1/2" Adj. Height, J-Slot, Anodized | AO | — | **2385405** |



2385400



2385405




238312



238322



238352



238333




238300

# LakeSport 2-3/8" Socket Bases

Bases are interchangeable between LakeSport 238 Series and 238 Series.

| Description | ABYC Code | Req. Dia. Mounting Hole | Bulk Packaging* | Aftermarket Packaging† |
|---|---|---|---|---|
| Aluminum 9" Round, Clear Coat Finish | AO | 3" | **238312-1** | **238312-2** |
| Aluminum 9" D-Shaped, Clear Coat Finish | AO | 3" | **238322-1** | **238322-2** |
| Stainless Steel, 7" x 7", Square, Centered Hole | AO | 3" | **238333-1** | — |
| Aluminum 9" Cut Both Sides, Clear Coat Finish | AO | 3" | **238352-1** | — |
| **238 SERIES SOCKET BASE SPLASH GUARD** | | | | |
| Socket Splash Guard, Plastic | AO | — | **238300-1** | — |




** Skin Pack*
*** Clamshell*

** Bulk with UPC*
*** Individual Carton*
*† -2 = Skin Pack*

# WEDGE 2" & 2-3/8"
# PRODUCTS

### Wedge shaped components slide in for a snug, stable fit

- Type B mounts are not designed to "lock" into post
- Engineered to prevent unintentional detachment


### Posts

- Heavy-duty bushing with peripheral bearing system and exclusive "crush ribs" are individually sized for exact fit
- Pedestals come in a few lengths, including patented "J-Slot" adjustable height
- Locking tab positively locks post to base
- Wedge™ bushing locks in with a tight, solid fit
- 2-Point stainless steel riveting strengthens the bushing

### Bases

- Strong base design has reinforcing ribs and improved profile to withstand the toughest conditions
- Bead blasting closes aluminum porosity. Brushing process provides long-lasting high-sheen finish

**Not recommended to interchange with other manufacturers' products**








AO — Blue "AO" = Type A/Operator OK for Helm/Driver position

AN — Green "AN" = Type A/Non-Operator Not to be used at Helm/Driver position

B — Red "B" = Type B Slow Speed Not to be used at Helm/Driver position For speeds not to exceed 5 mph




## Wedge 2" Seat Mounts

| Description | ABYC Code | Installed Height | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Cast Aluminum, Black E-Coat Steel, 3º Tilt | B | 3" | — | **SP-18914** |




SP-18914

## Wedge 2" Extension Posts

| Description | ABYC Code | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **2" FIXED HEIGHT POSTS** | | | |
| 11" Satin Anodized | B | — | **SP-28911** |
| 13" Satin Anodized | B | — | **SP-28913** |
| 25" Satin Anodized | B | — | **SP-28925** |





SP-28925 SP-28911 SP-37904

## Wedge 2-3/8" Extension Posts

| Description | ABYC Code | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **2-3/8" ADJUSTABLE HEIGHT POSTS - POWER PEDESTALS (W / INTEGRAL SEAT MOUNT)** | | | |
| 14" - 20" Satin Anodized | B | — | **SP-37904** |
| 24" to 30" Satin Anodized | B | — | **SP-37914** |

## Wedge 2" Base Plates

| Description | ABYC Code | Req. Dia. Mounting Hole | Depth Below Deck | Bulk Packaging | Aftermarket Packaging* |
|---|---|---|---|---|---|
| 9" Round, Brushed Aluminum | AO | 3.25" | 2" | — | **SP-68914** |




SP-68914

# SNAP-LOCK 1.77" PRODUCTS

SNAP-LOCK™




**Get the lock on quality. The 1.77" group delivers a great combination of value and performance**

- All Snap-Lock series components snap and hold together
- Posts are sturdy bright-anodized aluminum
- Seat mounts are E-coated for superior corrosion-resistance
- Available in wide choice of bases, sizes and materials

SWIVL-EZE®

AO Blue "AO" = Type A/Operator OK for Helm/Driver position


AN Green "AN" = Type A/Non-Operator Not to be used at Helm/Driver position

B Red "B" = Type B Slow Speed Not to be used at Helm/Driver position For speeds not to exceed 5 mph

### The Swivl-Eze Difference

- Seat mounts have been designed to permanently lock into the post in any swiveling position
- Meets ABYC H31.6.1
- All posts include a larger locking clip with a metal insert that allows the posts to lock into bases for added safety. Just press the button to release.
- Both the snap-lock and locking clip are engineered to prevent unintentional detachment
- Posts are sized on both ends for a precision fit

**Not recommended to interchange with other manufacturers' products**




## Snap-Lock 1.77" Seat Mounts

| Description | ABYC Code | Installed Height | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Black E-Coat Steel, 3º Tilt | AN | 2" | **19000** | **SP-19000** |




SP-19000


## Snap-Lock 1.77" Posts


| Description | ABYC Code | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **FIXED HEIGHT POSTS** | | | |
| 13 H, Clear Anodized | B | **29130** | **SP-29130** |
| **ADJUSTABLE HEIGHT POSTS - POWER PEDESTALS WITH INTEGRAL SEAT MOUNTS** | | | |
| 16-20" H, Clear Anodized | B | **39004** | **SP-39004** |
| 24"-30" H, Pro-Post, Clear Anodized | B | **39204** | **SP-39204** |




39004

## Snap-Lock 1.77" Base Plates




| Description | ABYC Code | Req. Dia. Mounting Hole | Depth Below Deck | Bulk Packaging | Aftermarket Packaging* |
|---|---|---|---|---|---|
| 7" x 7", Zinc Plated Steel | AO | 2.5" | 3" | **69772** | — |
| 7" x 7", Stainless Steel | AO | 2.75" | 3" | **69773** | **SP-69773** |
| 9" Round, Aluminum | AO | 2.5" | 3" | **67904** | **SP-67904** |




67904




69773

** Skin Pack*
*** Clamshell*

# LOCK'N-PIN 3/4" PIN PRODUCTS

LOCK'N PIN™

SWIVL-EZE®




**Swivl-Eze is the #1 supplier of 3/4" pin seating hardware. Here's why:**

- The 3/4" system gives you outstanding economical performance
- The design is proven by decades of experience
- Posts are available as fixed, manually adjustable or power adjustable
- Seat mounts, posts and bases are available in steel, aluminum or stainless steel

### The Swivl-Eze Difference

- The patented Lock'N-Pin system leads the industry in safety
- Lock'N-Pin prevents unintentional detachment for seat mounts, posts and bases
- Lock'N-Pin products exceed ABYC Standard H31.6.1

**Not recommended to interchange with other manufacturers' products**

AO — Blue "AO" = Type A/Operator OK for Helm/Driver position

AN — Green "AN" = Type A/Non-Operator Not to be used at Helm/Driver position

B — Red "B" = Type B Slow Speed Not to be used at Helm/Driver position For speeds not to exceed 5 mph

## Lock'N-Pin 3/4" Pedestal Packages

Includes Brushed alumium post, black E-coated seat mount with Spring & Base Plate.

| Description | ABYC Code | Post | Seat Mount | Base Plate | Bulk Packaging | Aftermarket Packaging* |
|---|---|---|---|---|---|---|
| 11" Post, 6"x8" SS Base Plate, Non-Threaded | B | 2114 | 1002 | 66839 | — | **96839** |
| 11" Post, 7"x7" SS Base Plate, Non-Threaded | B | 2114 | 1002 | 67739 | — | **97739** |
| 11" Post, 7"x7" SS Base Plate, Threaded | B | 2114-T | 1002 | 67739-T | — | **97739-T** |
| 13" Post, 7"x7" SS Base Plate, Threaded | B | 2134-T | 1002 | 67739-T | — | **977339-T** |
| Brushed Aluminum Finish Kit, 11" Post, 7"x7" Aluminum Base Plate, Non-Threaded | B | 2114 | 1002 | 67749 | — | **97749-7** |
| Camouflage Finish Kit, 11" Post, 7"x7" Aluminum Base Plate, Non-Threaded | B | 2114 | 1002 | 67749 | — | **97749C-7** |




97749-7 97749C-7

## Lock'N-Pin 3/4" Pin Seat Mounts

| Description | ABYC Code | Installed Height | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|
| Black E-Coated, 3° Tilt, 2-3/4" Steel Pin, w / Spring | B | 2" | **1002** | **SP-1002** |
| Black E-Coated, 3° Tilt, 2-1/2" Steel Pin | B | 1" | **1002-S** | — |
| All Stainless Steel, 3° Tilt, 2-3/4" Stainless Steel Pin | B | 1" | **1002-SS** | — |
| Cast Aluminum, 3° Tilt, 3" Stainless Steel Pin | B | 1" | **1063** | — |




1002





1002-SS

## Swivl-Eze 075 Pedestal Kits

Take the confusion out of buying pedestals with these convenient ¾" pin kits. Kits include seat mount, post and 7" x 7" base. Simply choose the appropriate post height and finish.

Attwood's ¾" pin kit is corrosion resistant, features a 360 degree swivel, a shock absorbing spring, and a removable pin post. Lock N' Pin technology features an all steel pin, increasing pedestal strength and durability. Available in brushed aluminum or Realtree MAX-4 camouflage.

| Description | ABYC Code | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **BASE PLATE: 7" x 7", SEAT MOUNT 5-1/4" X 5-1/4" ON CENTER** Add 3" to post height to get total height, measured from deck to seat | | | |
| 13" Brushed Aluminum Post | B | — | **97750-7** |
| 13" Realtree MAX-4 Camouflage Post | B | — | **97750C-7** |
| 16" Brushed Aluminum Post | B | — | **97751-7** |
| 16" Realtree MAX-4 Camouflage Post | B | — | **97751C-7** |




** Individual Carton ** Clamshell*

# Lock'N-Pin 3/4" Pin Posts

| Description | ABYC Code | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| **FIXED HEIGHT POSTS** | | | |
| 6" Hgt, 1.5" Dia., Brushed Aluminum, Non-Threaded, Steel Pin | B | **2064** | — |
| 11" Hgt, 1.5" Dia., Brushed Aluminum, Non-Threaded, Steel Pin | B | **2114** | **SP-2114** |
| 11" Hgt, 1.5" Dia., Brushed Aluminum, Threaded, Steel Pin | B | **2114-T** | **SP-2114-T** |
| 13" Hgt, 1.5" Dia., Brushed Aluminum, Non-Threaded, Steel Pin | B | **2134** | **SP-2134** |
| 13" Hgt, 1.5" Dia., Brushed Aluminum, Threaded, Steel Pin | B | **2134-T** | **SP-2134-T** |
| 13" Hgt, 1.5" Dia., Brushed Aluminum, Non-Threaded, SS Pin | B | **2134-SS** | — |
| 13" Hgt, 1.5" Dia., Brushed Aluminum, Threaded, SS Pin | B | **2134-T-SS** | — |
| 13" Hgt, 1.5" Dia., Polished SS, Offset Post 6", Threaded, SS Pin | B | **7153-T-SS** | **SP-7153-T-SS** |
| 16" Hgt, 1.5" Dia., Brushed Aluminum, Non-Threaded, Steel Pin | B | **2164** | **SP-2164** |
| 16" Hgt, 1.5" Dia., Brushed Aluminum, Threaded, Steel Pin | B | **2164-T** | **SP-2164-T** |
| 24" Hgt, 1.5" Dia., Brushed Aluminum, Pro-Post, Non-Threaded, Steel Pin | B | **2244** | **SP-2244** |
| 24" Hgt, 1.5" Dia., Brushed Aluminum, Pro-Post, Threaded, SS Pin | B | **2244-T-SS** | — |
| **ADJUSTABLE HEIGHT POSTS - MANUAL** | | | |
| 25"-31" Hgt, 1.5" Dia., Brushed Alum., Pro-Post, Non-Thread, Steel Pin | B | **2244-ADJ** | **SP-2244-ADJ** |
| 25"-31" Hgt, 1.5" Dia., Brushed Alum., Pro-Post, Threaded, Steel Pin | B | **2244-ADJ-T** | **SP-2244-ADJ-T** |
| **ADJUSTABLE HEIGHT POSTS - POWER PEDESTALS W/ INTEGRAL SEAT MOUNTS** | | | |
| 14"-17" Hgt, 1.77" Dia., Brushed Aluminum, Non-Threaded, Steel Pin | B | **3004** | **SP-3004** |
| 14"-17" Hgt, 1.77" Dia., Brushed Aluminum, Threaded, Steel Pin | B | **3004-T** | **SP-3004-T** |
| 24"-30" Hgt, 1.77" Dia., Brushed Alum., Pro-Post, Non-Thread., Steel Pin | B | **3204** | **SP-3204** |
| 24"-30" Hgt, 1.77" Dia., Brushed Alum., Pro-Post, Threaded, Steel Pin | B | **3204-T** | **SP-3204-T** |
| 24"-30" Hgt, 1.77" Dia., Brushed Alum., Pro-Post, Threaded, SS Pin | B | **3204-T-SS** | — |
| **ADJUSTABLE HEIGHT POSTS - POWER PEDESTALS FOR USE WITH 3/4" PIN SEAT MOUNTS** | | | |
| 15"-18" Hgt, 1.77" Dia., Brushed Aluminum, Non-Threaded, Steel Pin | B | **3004-R** | **SP-3004-R** |
| 15"-18" Hgt, 1.77" Dia., Brushed Aluminum, Threaded, Steel Pin | B | **3004-R-T** | **SP-3004-R-T** |
| 15"-18" Hgt, 1.77" Dia., Brushed Aluminum, Threaded, SS Pin | B | **3004-R-T-SS** | — |
| 24"-30" Hgt, 1.77" Dia., Brushed Aluminum, Non-Threaded, Steel Pin | B | **3204-R** | **SP-3204-R** |
| 24"-30" Hgt, 1.77" Dia., Brushed Aluminum, Threaded, Steel Pin | B | **3204-R-T** | **SP-3204-R-T** |
| 24"-30" Hgt, 1.77" Dia., Brushed Aluminum, Threaded, SS Pin | B | **3204-R-T-SS** | — |



2114-T 2114



7153-T-SS





3204-T 3004-R 2134-SS 2244-ADJ-T

*** Clamshell*

# Lock'N-Pin 3/4" Pin Bases

| Description | ABYC Code | Req. Dia. Mounting Hole | Depth Below Deck | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|---|---|
| **ZINC PLATED STEEL** | | | | | |
| 6" x 8", Non-Threaded, Bronze Bushing | B | 2.75" | 2.5" | **6682** | — |
| 6" x 8", Threaded, Bronze Bushing | B | 2.75" | 3.5" | **6682-T** | — |
| 7" x 7", Non-Threaded, Acetal Bushing | B | 2.75" | 2.5" | **67729** | — |
| 7" x 7", Threaded, Acetal Bushing | B | 2.75" | 3.5" | **67729-T** | **SP-67739-T** |
| 7" x 7", Threaded, Bronze Bushing | B | 2.75" | 3.5" | **6772-T** | — |
| 7" x 7", Offset Hole, Threaded, Acetal Bushing | B | 2.75" | 3.5" | **67729-SC-T** | — |
| **ALUMINUM** | | | | | |
| 6" x 8", Non-Threaded, Acetal Bushing | B | 3.5" | 2.5" | **6684** | — |
| 7" x 7", Non-Threaded, Acetal Bushing, Clear Coat | B | 3.5" | 2.5" | **67749** | **SP-67749** |
| **STAINLESS STEEL FINISH WITH STEEL LIP TUBE** | | | | | |
| 4" x 8", Non-Threaded, Acetal Bushing | B | 1.5" | 2.5" | **64839** | **SP-64839** |
| 4" x 8", Non-Threaded, Bronze Bushing | B | 1.5" | 2.5" | **6483** | — |
| 6" x 8", Non-Threaded, Acetal Bushing | B | 2.75" | 2.5" | **66839** | **SP-66839** |
| 7" x 7", Non-Threaded, Acetal Bushing | B | 2.75" | 2.5" | **67739** | **SP-67739** |
| 7" x 7", Non-Threaded, Bronze Bushing | B | 2.75" | 2.5" | **6773** | — |
| 7" x 7", Threaded, Bronze Bushing | B | 2.75" x | 3.5" | **6773-T** | — |
| 7" x 7", Offset Hole, Non-Threaded, Acetal Bushing | B | 2.75" | 2.5" | **67739-SC** | — |
| **ALL STAINLESS STEEL** | | | | | |
| 7" x 7", Non-Threaded, Acetal Bushing | B | 2.75" | 2.5" | **67739-SS** | — |
| 7" x 7", Non-Threaded, Bronze Bushing | B | 2.75" | 2.5" | **6773-SS** | — |





67729


67739-SC


67749


67739-SS


66839 67739


64839


6773

** *Skin Pack*

# ACCESSORIES
## PEDESTALS, SWIVELS & ADAPTERS

**Swivl-Eze has the boating experience to deliver all the accessories you want:**
- Seating accessories for retrofitting and improving
- Adapters to change a post installation or swivel location
- Table mounts to make boating more convenient and enjoyable


90720


91320


91320-ADJ

## Pedestals

**Little on price, big on performance**
- Exceptional durability
- Reinforced welded joints
- Black powder coated for a long lasting finish

| Description | Bulk Packaging | Aftermarket PackagingΔ |
|---|---|---|
| Pedestal, 7" | — | **90720** |
| Pedestal, 13" | — | **91320** |
| Adjustable Pedestal, 11-1/2" - 17-1/2" | — | **91320-ADJ** |


1872


17720

## Seat Swivels

| Description | Bulk Packaging | Aftermarket Packaging† |
|---|---|---|
| Zinc Plated, 0º Tilt, 4-Way Locking | **1872** | — |
| Black Powder Coated, 0º Tilt, 6-1/4" (10 p/Box) | — | **17720** |
| Black Powder Coated, 3º Tilt, 7" (10 p/Box) | — | **17721** |

*** Individual Carton*
*Δ Label*
*† PDQ Display*

# Seat Mounts

**Bench Style Seat Mounts**
- Great for mounting seats in jon boats
- Constructed of quality aluminum.

**The Angler™ Seat Mount**
- Ideal for use with Pro type seats
- Adjusts from flat to 22° or 45°

**Clamp-On Boat Seat Swivel**
- Adjusts from 7-1/2" - 18"
- Black powder coated swivel
- Fits most seat hole patterns

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| **BENCH STYLE SEAT MOUNTS** | | |
| Bench Style Kit: Seat Swivel, Seat Plate and 15" Rail | — | **15600-3*** |
| Bench Style Kit: Seat Plate an 15" Rails | — | **SP-15900**** |
| Bench Style Seat Plate Only | — | **SP-15100**** |
| Bench Style 30" Rails Only | — | **SP-15200**** |
| **THE ANGLER™ SEAT MOUNT** | | |
| Seat Mount | — | **1002-ADJ-3*** |
| **CLAMP-ON BOAT SWIVEL** | | |
| Boat Swivel | — | **15700-3*** |


15600


1002-ADJ-3


15700

# Quick Disconnect Seat Mount

Allows for easy attachment and removal of boat seats for ease in storage and care. Produced from durable engineered plastic and coated structural steel frame for years of use. Easy to install and use, mounts directly to existing seats and standard pedestals. Perfect for Jon boats, fishing boats, pontoons and more.

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Quick Disconnect Seat Mount, fits 6-1/4" (15.9 cm) swivel and plates | — | **11602D1** |
| Quick Disconnect Seat Mount, fits 7" (17.8 cm) swivel and plates | — | **11603D1** |


11602D1


I1603D1

# Shock Absorber

**Add comfort to your boating with our aluminum shock absorber**
- Made from tempered aluminum with stainless steel spring
- Fits all 5-¼ " x 5-¼ " standard hole patterns

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Shock Absorber | **1570** | — |


1570

** Individual Carton*
*** Poly Bag*

# Deck Slide

- Mounts directly to the boat deck
- 1-5/8" total height
- Constructed of strong aluminum
- Convenient front control operation

| Description | Bulk Packaging | Aftermarket Packaging |
|---|---|---|
| Deck Mounted Seat Slide | **815000** | — |


815000

# Swivl-Offset

Need more room to maneuver? The 6" Swivl-Eze offset allows additional seat clearance in any position.

| Description | Bulk Packaging | Aftermarket Packaging* |
|---|---|---|
| Swivl-Offset | — | **7062-3** |


7062

# Table Top Mount System

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Top Table Mount: 6" diameter round stainless steel with SS pin and cup washer. | **17510** | — |
| Brushed aluminum post with tension knob. Threaded for use in base. 25" | **17525** | — |
| 6" diameter round stainless steel base, threaded. Flush mounts to deck. Low profile. | — | **952** |


17510

17525

952

# Pedestal Pin Post Adapter

Converts 1.77" bases to accept 3/4" posts

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Adapter | — | **SP-14000** |


SP-14000






CATEGORY OVERVIEW ..... 236
BIMINI TOPS ..... 237-238
BOAT COVERS OVERVIEW ..... 239
ROAD READY OVERVIEW ..... 240
ROAD MAX OVERVIEW ..... 241
BOATERS BEST OVERVIEW ..... 242
HOW TO ORDER SEMI-CUSTOM FIT ..... 243
SEMI-CUSTOM COVERS ..... 244-251
BRANDED BOAT COVERS ..... 252-253
CUSTOM-FIT MOTOR COVERS ..... 254
MOTOR HOODS ..... 255
ACCESSORIES ..... 256-260


# BOAT COVERS & BIMINI TOPS

# TWO WAYS TO ORDER

**Frame, Fabric, & Boot Separates** ship in individual packages
- Help reduce inventory
- Shippable via UPS

**Pre-Assembled Bimini Top Packages** shipped ready to install
- Help eliminate assembly labor

# BIMINI TOP FRAMES

- Frames have multiple bow construction for strength and rigidity
- Main support legs have 7/8" diameter double wall aluminum tubes for extra strength and stability
- Pontoon frames are made of quality 1" and 1.25" square aluminum tubes to match the rail sizes of todays popular pontoon boats
- All mounting hardware is included

# BIMINI TOP FABRICS

Double needled seams are sewn 4-ply for extra strength with no exposed raw edges. Quality needle work and stitching thread help resist leakage along the seams.



## Premium Sunbrella Brand Acrylic Fabric



- The industries most trusted fabric
- Fabric won't fade, harden, crack, peel, or be affected by outdoor exposure
- The woven solution dyed acrylic is easy to clean and won't trap heat or moisture
- Superior color-fastness and fade-resistance because color is impregnated in the yarn
- Outstanding stain-resistance and cleanability
- Long lasting UV-resistance

**Acrylic Fabric Colors and Color Codes**

| | | | | |
|---|---|---|---|---|
| BEIGE ACRYLIC **BE** | GREEN ACRYLIC **GN** | BLACK ACRYLIC **BK** | GRAY ACRYLIC **GY** | RED ACRYLIC **RD** |
| BLUE ACRYLIC **BL** | NAVY ACRYLIC **NV** | TEAL ACRYLIC **TL** | BURGUNDY ACRYLIC **BG** | |

## Polyester Fabric

- Our most popular bimini top fabric
- Made of top-quality denim-backed polyester, these economical tops are completely waterproof and easy to clean.

**Polyester Fabric Colors and Color Codes**

| |
|---|
| GRAY POLYESTER **GRAY** |

# HOW TO ORDER

## Step 1: Plan Ahead

Pre-planning will help you select an Attwood Bimini Top that provides the correct area of shade and comfort for your boating enjoyment.

Select a Bimini Top size and plan a mounting point position so that the bimini will shade passengers when it is up and will also allow them to move when the frame is folded down.

When the frame is folded, you may need the optional Bimini Support Poles to elevate the frame and prevent it from obstructing the cockpit




## Step 2: Measure Your Boat

After determining your activity needs, measure your boat to determine the following dimensions:

Length — Measure the fore-to-aft length of the area you to want to shade.(Note: leave enough length behind and in front of the bimini top to secure the attachment straps).

Width — Measure the distance between mounting points where the frame attaches to the gunwale. IMPORTANT: Mounting points must be exactly the same distance fore and aft.

Height — Standing in the boat, measure straight up from the mounting point to reach the desired top height. This distance between mounting point and top height will be the frame height.

Consider how the top height will affect your movements. Be aware: the higher the top height, the less stable it may be on your boat.

## Step 3: Select A Frame and Fabric That Fits Your Boat

Frames and Fabric Tops are sold separately. Find the Fabric Code and Frame Size you want. ***Remember to add the Fabric Code to the end of the part number***.

## Order Example:


10340 = **Frame Only** that is 72" (6') long, 36" high, and 54"-60" wide.
340BL = **Blue Acrylic Top** Fabric that is 72" (6') long and 54"-60" wide.
340GY = **Gray Polyester Top** Fabric that is 72" (6') long, and 54"-60" wide.
10346XBL = **Pre-Assembled 3-Bow Frame and Blue Acrylic Top Fabric with Storage Boot** that is 72" (6') long, 48" high, and 54"-60" wide.

# BIMINI TOP
## FABRIC, FRAMES & ACCESSORIES

## 3-Bow Frame, Aluminum

Includes black nylon fittings and hardware for mounting to a flat surface.







| Dimensions Height | Length | Width | Frame Only | Top Fabric* Only |
|---|---|---|---|---|
| **36" HIGH** | | | | |
| | 72" | 54"-60" | **10340** | **340_** |
| | | 61"-67" | **10341** | **341_** |
| | | 68"-74" | **10342** | **342_** |
| | | 75"-81" | **10343** | **343_** |
| | | 82"-88" | **10344** | **344_** |
| | | 89"-96" | **10345** | **345_** |
| | | 97"-102" | **10377** | **375_** |
| **46" HIGH** | | | | |
| | 72" | 54"-60" | **10346** | **340_** |
| | | 61"-67" | **10347** | **341_** |
| | | 68"-74" | **10348** | **342_** |
| | | 75"-81" | **10349** | **343_** |
| | | 82"-88" | **10350** | **344_** |
| | | 89"-96" | **10351** | **345_** |
| | | 97"-102" | **10376** | **375_** |
| **60" HIGH** | | | | |
| | 72" | 54"-60" | **10363** | **340_** |
| | | 61"-67" | **10364** | **341_** |
| | | 68"-74" | **10365** | **342_** |
| | | 75"-81" | **10366** | **343_** |
| | | 82"-88" | **10367** | **344_** |
| | | 89"-96" | **10368** | **345_** |
| | | 97"-102" | **10375** | **375_** |

## 4-Bow Frame, Aluminum

Includes black nylon fittings and hardware for mounting to a flat surface.




| Dimensions Height | Length | Width | Frame Only | Top Fabric* Only |
|---|---|---|---|---|
| **54" HIGH** | | | | |
| | 96" | 54"-60" | **10352** | **352_** |
| | | 61"-67" | **10353** | **353_** |
| | | 68"-74" | **10354** | **354_** |
| | | 75"-81" | **10355** | **355_** |
| | | 82"-88" | **10356** | **356_** |
| | | 89"-96" | **10357** | **357_** |
| | | 97"-102" | **10374** | **374_** |

## Square Tube, 4-Bow Pontoon Bimini Tops

Pontoon Bimini Tops are available in two styles:
- Traditional Top with square-cut fabric
- Buggy Style Top with attractive fabric trim at the stern




### 1" Tubing

| Length | Width | Height | Frame Only | Top Fabric Only* |
|---|---|---|---|---|
| **TRADITIONAL** | | | | |
| 96" | 88"-96" | 48" | **10369** | **369_** |
| | 88"-96" | 48" | **10379†** | **379_**** |
| | 97"-102" | 48" | **10372** | **372_** |
| **BUGGY STYLE** | | | | |
| 96" | 88"-96" | 48" | **10369** | **370_** |
| | 88"-96" | 48" | **10379†** | **384_**** |
| | 97"-102" | 48" | **10372** | **373_** |
| 210" | 88"-96" | 48" | **10383** | **383_** |

## 2-Bow Bimini Tops



Perfect for smaller fishing boats, row boats, paddle-wheel boats, and other small craft. The 2-bow tops are sold complete with white denim-backed polyester top fabric, sturdy 7/8"-dia. aluminum tube frame, tie-down straps, black nylon fittings and hardware.

| Dimensions Length | Width | Height | Part Numbers Includes Frame & Gray Polyester Top |
|---|---|---|---|
| 66" | 53"-62" | 42" | **10337** |
| | 63"-73" | 42" | **10338** |

** Add Fabric Color Codes to the back of part number.*
*† Include pre-drilled hole for stern light. Includes wire and grommet.*
*** Pre-cut for stern light in both top and boot.*

# Bimini Top Storage Boots

These matching top boots, with non-corrosive zippers, help keep the Bimini Top clean and dry during storage. Note that these boots do not have an opening for light.



| Description | Bulk Packaging | Aftermarket Packaging* |
|---|---|---|
| 54"-60" | — | **10440_** |
| 61"-67" | — | **10441_** |
| 68"-74" | — | **10442_** |
| 75"-81" | — | **10443_** |
| 82"-88" | — | **10444_** |
| 89"-96" | — | **10445_** |
| 97"-102" | — | **10446_** |

**Premium Sunbrella Brand Acrylic Fabric Fabric Colors and Color Codes**

BEIGE ACRYLIC **BE** | GREEN ACRYLIC **GN** | BLACK ACRYLIC **BK** | GRAY ACRYLIC **GY** | RED ACRYLIC **RD**


BLUE ACRYLIC **BL** | NAVY ACRYLIC **NV** | TEAL ACRYLIC **TL** | BURGUNDY ACRYLIC **BG**

**Polyester Fabric and Color Codes**

GRAY POLYESTER **GRAY**

# Bimini Top Hardware

*See Pages 181-185 for Attwood's complete offering of stainless-steel and nylon Bimini Top hardware fittings.*



Jaw Slide | Deck Hinge | Top Cap—Outside Eye End | Top Straps | Pad Eye

# Bimini Support Poles

Bimini Top support poles are installed in place of your rear support straps. With the top folded down, the support poles brace the frame in a "radar arch" position above the motor or cockpit, allowing easy passage through the cockpit area. Includes two cut-to-length 7/8" x 40-1/2" poles, two deck mounts and all necessary fittings and hardware.



| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Aluminum Tubing, 7/8"-dia., 401/2" long with black nylon mounting hardware. | — | **10639-5** |

*Add Fabric Color Codes to the back of part number.
** -5 = Poly Bag

# BOAT COVERS

Attwood has you covered with the best range of boat covers for all uses. All of our covers are capable of being trailered. We give you extensive choices of universal-fit, semi-custom and custom-fit patterns, with the right fabrics and price points you need to satisfy all customers.

## Semi-Custom Fit Covers

Attwood offers four lines of semi-custom boat covers to provide the closer fit that's necessary for more demanding trailering applications. These are also excellent semi-custom fits for boaters who want a better fitting mooring and storage cover.



**Road Ready™**
10 oz. 100%
Cotton Canvas
Page 240



**Road Max™**
Poly-Cotton Blend
Page 241



**Boaters Best™**
Heavy-Duty
100% Polyester
Page 242

## Custom Fit Branded Covers

Our exclusive, custom-fit branded covers are a great way to show off the pride of boat ownership with the logo of the boat brand proudly displayed on both sides of the cover. Each cover is tailored to fit each specific boat model and includes features that make them exceptional trailering covers.



**Custom Branded Covers**
10 oz.
Poly-Cotton Blend
Page 252-253



# ROAD READY™
## SEMI-CUSTOM FIT BOAT COVERS

### Cotton Canvas

Road Ready is our economically priced semi-custom cover, constructed of cotton canvas for a perfect combination of breathability, water resistance and durability. It's an excellent cover for mooring and storage and, when tied down properly, it's ready for towing at highway speeds. (For highway trailering, Travel Strap Tie-down Kit (10637-5 ) is recommended).

Road Ready covers feature 10-ounce 100% cotton canvas that is treated to provide protection against damaging UV rays and mildew. This process eliminates bleaching of the fabric which can damage the fibers and weaken the cover. The fabric is treated with a water repellent finish and an extra mildew and UV inhibitor for added protection.

For lasting protection the Road Ready covers have sewn-in reinforcements and poly-web tie-down loops. Road Ready offers strength, quality materials and construction, and is backed by a 3-year limited warranty, making it a great value!

*For Specific Part No./Order Information, See Page 243 for "How To Order".*



10-ounce cotton canvas. Mineral-dyed for superior resistance to water penetration, UV, and mildew.



Braided rope sewn into hem. Tight fit keeps wind out when trailering.



1" polyweb loops sewn into each seam for convenient tie-down points.



Double-folded seams are sewn with leak-resistant, cotton-wrapped polyester thread.



Internal reinforcements sewn-in at critical stress points to resist abrasion. Non-windshield models have an easily applied reinforcement kit for custom protection from boat accessories.



Outboard models include a separate motor hood.



Order the Travel Strap Tie-Down Kit to make custom length trailering straps.



# ROAD MAX™
## SEMI-CUSTOM FIT BOAT COVERS

### Polyester/Cotton Blend

Road Max is a semi-custom trailering cover, constructed of a 10-ounce polyester-cotton blend fabric. The Road Max fabric combines the inherent advantages of cotton with the strength of polyester for a water repellent and durable yet breathable boat cover. Road Max covers include the Travel Strap Tie-Down Kit for even greater highway durability.

*For Specific Part No./Order Information, See Page 243 for "How To Order".*

The poly-cotton fabric used in Road Max is specially selected for strength and long life. In independent textile tests, this fabric proved to have a higher tensile strength, tear strength, and burst strength, and it is much less susceptible to abrasion (than similarly priced cotton fabric). Provides added strength for trailering. It has a lower air permeability rating, so this fabric is well suited to moderate, temperate environments. A great trailering cover and a great value. Road Max carries a 4-year limited warranty!



10-ounce cotton canvas. Mineral-dyed for superior resistance to water penetration, UV, and mildew.



Braided rope sewn into hem. Tight fit keeps wind out when trailering.



1" polyweb loops sewn into each seam for convenient tie-down points.



Double-folded seams are sewn with leak-resistant, cotton-wrapped polyester thread.



Internal reinforcements sewn-in at critical stress points to resist abrasion. Non-windshield models have an easily applied reinforcement kit for custom protection from boat accessories.



Outboard models include a separate motor hood.



Order the Travel Strap Tie-Down Kit to make custom length trailering straps.



# BOATERS BEST™
## SEMI-CUSTOM FIT BOAT COVERS

### Premium Heavy-Duty Polyester Canvas

Boaters Best is Attwood's premium, heavy-duty cover... the finest boat cover available anywhere! Constructed of 100% polyester, the rugged fabric is one of the strongest materials in any boat cover. Waterproof, color fast and delivers great outdoor durability. In independent lab tests, Boaters Best had the highest tear strength, burst strength and abrasion resistance of all tested fabrics. And it proved to be airtight. Beyond its outstanding material, we build Boaters Best with superior construction and needlework. Every cross seam is reinforced with web straps for high-speed trailering strength. It includes a factory-installed trailering strap kit with convenient quick-release buckles. So tough and durable, the Boaters Best warranty is now increased to a 6-YEAR limited warranty.

**Three Bold Colors!**
Order Boaters Best Premium Covers in your choice of 5 colors!
For Original Blue, just order the product number – no suffix needed.
For other colors, add suffix to end of the part number.

*Example: Boaters Best Burgundy = 10157BURG*

| Original Blue | Black | Gray |
|---|---|---|
| No Suffix | Suffix = BLACK | Suffix = GRAY |

*For Specific Part No./Order Information, See Page 243 for "How To Order".*



Constructed of 100% polyester fabric. Strong, color fast, waterproof.... great outdoor durability. Outstanding tear strength, burst strength, and abrasion resistance.



Strong braided draw rope sewn into the hem for a tight fit along the hull. Keeps the wind out when trailering.



For strength and convenience, Boaters Best includes 1" poly-web trailering straps that buckle to reinforcement straps. Convenient 1" quick release buckles make connections strong and installation/ removal fast.



Cross seams double-folded and double-sewn using superior thread. Quality needlework and unique, cotton-wrapped, polyester stitching thread helps resist leakage along the seams.



Internal reinforcements sewn in at critical stress points to resist abrasion. Models without a wind-shield include an easily applied reinforcement kit for custom protection from boat accessories.



Built for the long haul, every top seam is reinforced with 1" poly-web straps. These straps add strength and distribute stress to practically eliminate wind bagging and flutter while trailering.



Outboard models include a separate motor hood for a tailored fit.

# HOW TO ORDER
# SEMI-CUSTOM FIT TRAILERING COVERS

Follow this sequence to order the Road Ready™, Road Max™, or Boaters Best™ cover best matched to your boat.

## Order By Boat Description and Size

Find the right fit by matching your boat to the drawings and descriptions in "Trailering Cover Applications By Boat Type", Pages 256 through 263.

| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. |
|---|---|---|---|
| Walk-Through Deck Boat | 20' 6" | 102" | **17794** |

To fit a cover to your boat, follow these steps to find the correct length, beam, and description:

**A. Measure Length —** Measure in a straight, flat line from the tip of the bow to the farthest point aft that you intend to cover. This measurement should be taken through the center of the boat. Do not measure upward and over windshields, seats, etc.

**B. Measure Beam Width —** Measure in a straight, flat line from side to side at the widest point on the hull.

**Caution:** The location of beam width is not the same on all boats.

**C. Find Description —** Find the boat drawing and text description that most closely matches your boat. On your order, include the Silver Coat, Road Ready, Road Max, or Boaters Best cover part number.


## Order By Specific Builder and Boat Model


Find the right fit by matching your boat to the list of boat builders and models

| Builder's Model Number/ Name | Yr. | Approx Center Length | Approx. Beam Width | Road Ready™ Cotton | Road Max™ Cotton/ Poly | Boaters Best™ Polyester |
|---|---|---|---|---|---|---|
| **FOUR WINNS** | | | | | | |
| Horizon RX O/B | 97 | 18' | 96" | 17694 | 10137 | 10267 |

## Cover Stretch

Road Ready covers are made from quality, pre-shrunk 100% cotton. The cotton material allows these covers to stretch up to 6" in length or 4" across the beam. For example: An 18' long cover would fit approximate center lengths between 17' 6" to 18' 6". Silver Coat, Road Max, and Boaters Best covers contain synthetic fabrics that do not stretch. Please check charts for the closest match to your measured boat size.




# V-Hulls, Outboard

For outboard boat models with conventional and walk-through windshields. Includes separate motor hood.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| V-Hulls, O/B | 14'6" | 73" | **17708** | **10021** | — |
| | 15'6" | 81" | **17709** | **10022** | **10157** |
| | 16'6" | 82" | **17710** | **10023** | **10158** |
| | 17'6" | 86" | **17711** | **10025** | **10159** |
| | 18'6" | 91" | **17712** | **10026** | **10160** |
| | 19'6" | 93" | **17713** | **10027** | **10161** |
| | 20'6" | 96" | **17020** | **10028** | **10162** |
| | 21'6" | 102" | **17800** | **10071** | **10205** |



# V-Hulls, Inboard/Outboard

For inboard/outboard boat models with conventional and walk-through windshields.

| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| V-Hulls, I/O | 16'6" | 82" | **17722** | **10029** | — |
| | 17'6" | 85" | **17723** | **10030** | **10163** |
| | 18'6" | 91" | **17724** | **10032** | **10164** |
| | 19'6" | 93" | **17725** | **10033** | **10165** |
| | 20'6" | 96" | **17726** | **10034** | **10166** |
| | 21'6" | 96" | **17727** | **10035** | **10167** |
| | 22'6" | 96" | **17728** | **10036** | **10168** |



Original Blue
No Suffix

Black
Suffix = BLACK

Gray
Suffix = GRAY


*Aftermarket Packaging = Individual Carton*

*Δ Add suffix for Boaters Best colors!*
*Original Blue = No Suffix. Example: Gray = 10157GRAY.*

# Euro-Style V-Hulls, Outboard

For Euro-Style outboard boats with rounder, low-profile windshields and sleek rounded transom corners. Ideal for Bayliner, Maxum, Rinker, SeaRay, Chaparral, Stingray, and Four Winns style boats. Includes separate motor hood.

| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Euro-Style V-Hulls, O/B | 16'6" | 82" | **17692** | **10135** | — |
| | 17'6" | 88" | **17693** | **10136** | **10265** |
| | 18'6" | 96" | **17694** | **10137** | **10267** |
| | 19'6" | 100" | **17695** | **10138** | **10269** |



# Euro-Style V-Hulls, Inboard/Outboard

For Euro-Style inboard/outboards with rounder, low-profile windshields and sleek rounded transom corners. Ideal for Bayliner, Maxum, Rinker, SeaRay, Chaparral, Stingray, and Four Winns style boats.

| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Euro-Style V-Hulls, I/O | 16'6" | 82" | **17682** | **10140** | **10243** |
| | 17'6" | 88" | **17683** | **10141** | **10242** |
| | 18'6" | 96" | **17684** | **10142** | **10274** |
| | 19'6" | 100" | **17685** | **10143** | **10275** |
| | 20'6" | 102" | **17686** | **10144** | **10276** |
| | 21'6" | 102" | **17687** | **10145** | **10277** |
| | 22'6" | 102" | **17688** | **10146** | **10278** |
| | 23'6" | 102" | **17689** | **10147** | **10279** |
| | 24'6" | 102" | **17801** | **10072** | **10210** |
| | 25'6" | 102" | **17802** | **10073** | **10221** |



Original Blue
No Suffix

Black
Suffix = BLACK

Gray
Suffix = GRAY


*Aftermarket Packaging = Individual Carton*

*Δ Add suffix for Boaters Best colors!*
*Original Blue = No Suffix. Example: Gray = 10157GRAY.*

# Cuddy Cabins, Inboard/Outboard with Rails

Conventional styling for cuddy cabin boats with rails and full-width transoms.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Cuddy Cabins w/ Rails | 18'6" | 91" | **17585** | **10127** | **10255** |
| | 19'6" | 96" | **17586** | **10128** | **10256** |
| | 20'6" | 96" | **17587** | **10129** | **10257** |
| | 21'6" | 102" | **17588** | **10130** | **10258** |
| | 22'6" | 102" | **17589** | **10131** | **10259** |
| | 23'6" | 102" | **17590** | **10132** | **10261** |
| | 24'6" | 102" | **17591** | **10133** | **10263** |
| | 25'6" | 102" | **17592** | **10134** | — |



# Cuddy Cabins, Inboard/Outboard without Rails

For inboard/outboard boat models with conventional and walk-through windshields.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. |
|---|---|---|---|
| Cuddy Cabins w/o Rails | 18'6" | 91" | **17565** |
| | 19'6" | 96" | **17566** |
| | 20'6" | 96" | **17567** |
| | 21'6" | 96" | **17568** |
| | 22'6" | 96" | **17569** |
| | 23'6" | 100" | **17570** |
| | 24'6" | 100" | **17571** |
| | 25'6" | 100" | **17572** |



# Tri-Hulls, Outboard

For tri-hull boats with conventional and walk-through windshields. Includes separate motor hood.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Tri-Hulls, O/B | 14'6" | 72" | **17731** | **10040** | — |
| | 15'6" | 75" | **17732** | **10041** | — |
| | 16'6" | 80" | **17733** | **10042** | **10169** |
| | 17'6" | 82" | **17734** | **10043** | **10171** |
| | 18'6" | 86" | **17735** | **10044** | **10173** |



# Tri-Hulls, Inboard/Outboard

For tri-hull boats with conventional and walk-through windshields. Includes separate motor hood.

| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. |
|---|---|---|---|---|
| Tri-Hulls, I/O | 17'6" | 82" | **17442** | **10048** |
| | 18'6" | 86" | **17443** | **10049** |
| | 19'6" | 90" | **17444** | **10050** |



*Aftermarket Packaging = Individual Carton*

*Δ Add suffix for Boaters Best colors!*
*Original Blue = No Suffix. Example: Gray = 10157GRAY.*

Original Blue
No Suffix


Black
Suffix = BLACK

Gray
Suffix = GRAY

# Tournament Style Bass Boats, Outboard

For Triton, Skeeter, Ranger, Procraft, Hydra-Sports, Gambler, Stratos, and other wide transom bass boats. Covers are constructed for boats with trolling motors. Includes separate motor hood.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Tournament Bass Boats | 15' | 80" | **17768** | **10051** | — |
| | 15'6" | 80" | **17770** | **10052** | **10179** |
| | 16' | 84" | **17769** | **10060** | **10186** |
| | 16'6" | 84" | **17774** | **10054** | **10181** |
| | 18' | 88" | **17775** | **10056** | **10183** |
| Tournament Style Bass Boats, Wide | 16'6" | 89" | **17772** | **10053** | **10180** |
| | 17' | 90" | **17771** | **10099** | **10198** |
| | 17'6" | 90" | **17776** | **10055** | **10182** |
| | 18'6" | 90" | **17773** | **15411** | **15401** |
| | 19'6" | 90" | **17777** | **10057** | **10184** |
| | 20'6" | 96" | **17778** | **10058** | **10185** |
| | 21'6" | 96" | **17025** | **10059** | **10197** |



# Fish and Ski Boats, Outboard

For wide transom fish and ski boats with full walk-through windshields. Includes separate motor hood.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Fish and Ski Boats | 15'6" | 79" | **17578** | **10220** | — |
| | 16'6" | 79" | **17580** | **10109** | **17573** |
| | 17'6" | 84" | **17582** | **10110** | **17574** |
| | 18'6" | 88" | **17583** | **10111** | **17575** |
| | 19'6" | 90" | **17584** | **10112** | **17576** |
| | 20'6" | 96" | **17030** | **10113** | **17577** |
| | 21'6" | 96" | **17031** | **10292** | **17579** |



# Aluminum Bass / Modified-V Boats, Outboard

For Crestliner, Lowe, Lund, Princecraft, Triton, Tracker style boats. For modified-v bass boats with pedestal seats. Includes separate motor hood.

| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Aluminum Bass Boats / Modified V | 14'6" | 62" | **17740** | **10065** | **10193** |
| | 15'6" | 64" | **17742** | **10066** | **10194** |
| | 16'6" | 76" | **17744** | **10067** | **10195** |
| | 17'6" | 79" | **17748** | **10069** | **10204** |
| | 18'6" | 82" | **17750** | **10070** | **10206** |
| Aluminum Bass Boats / Modified-V, Wide | 15'6" | 70" | **17825** | **10074** | **10223** |
| | 16'6" | 82" | **17746** | **10068** | **10202** |
| | 17'6" | 84" | **17803** | **10075** | **10224** |
| | 18'6" | 92" | **17804** | **10076** | **10225** |
| | 19'6" | 92" | **17805** | **10077** | **10226** |
| | 20'6" | 96" | **17806** | **10078** | **10227** |
| | 21'6" | 96" | **17807** | **10079** | **10228** |



*Aftermarket Packaging = Individual Carton*

*Δ Add suffix for Boaters Best colors!*
*Original Blue = No Suffix. Example: Gray = 10157GRAY.*

Original Blue
No Suffix


Black
Suffix = BLACK

Gray
Suffix = GRAY

# Pro Style Bass Boats, Outboard

Specially patterned to fit high pedestal/pro style seats and other late-model bass boats. Unique design with built-in allowance for front-mounted electric trolling motors and/or other accessories. Includes separate motor hood.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Pro Style Bass Boats | 15'6" | 75" | **17760** | **10061** | **10187** |
| | 16'6" | 78" | **17762** | **10062** | **10188** |
| | 17'6" | 80" | **17761** | **10139** | **10203** |
| | 18'6" | 82" | **17764** | **10063** | **10192** |



# Bomber Style Bass Boats, Outboard

Designed for Bomber style boats. Includes separate motor hood for new, larger motors. Fits boats with fold-down seats.

| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. |
|---|---|---|---|
| Bomber Style Bass Boats | 15'6" | 66" | **17550** |
| | 16'6" | 74" | **17552** |
| | 17'6" | 74" | **17554** |



# Molded Bass Boat Covers

For basic molded bass boats without windshield. Ideal for Bass Hunter style boats.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. |
|---|---|---|---|
| Molded Bass Boats | 8'6" | 48" | **17610** |
| | 9'6" | 48" | **17600** |



# V-Hull Fishing Boats—Outboard

For Crestliner, Lowe, Lund, Princecraft, Triton, Tracker style boats. For basic V-hull boats without windshield. Includes separate motor hood.

| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| V-Hull Fishing Boats | 12'6" | 66" | **17453** | **10086** | **10207** |
| | 14'6" | 72" | **17454** | **10087** | **10208** |
| | 16'6" | 72" | **17455** | **10092** | **10211** |
| | 17'6" | 82" | **17714** | **10104** | **10215** |
| | 18'6" | 80" | **17811** | **10083** | **10232** |
| V-Hull Fishing Boats, Wide | 12'6" | 70" | **17808** | **10080** | **10229** |
| | 14'6" | 79" | **17809** | **10081** | **10230** |
| | 15'6" | 75" | **17457** | **10091** | **10209** |
| | 16'6" | 84" | **17456** | **10093** | **10212** |
| | 17'6" | 92" | **17810** | **10082** | **10231** |
| | 18'6" | 96" | **17716** | **10105** | **10218** |
| | 19'6" | 96" | **17812** | **10084** | **10233** |



*Aftermarket Packaging = Individual Carton*

*Δ Add suffix for Boaters Best colors!*
*Original Blue = No Suffix. Example: Gray = 10157GRAY.*

Original Blue
No Suffix


Black
Suffix = BLACK

Gray
Suffix = GRAY

# V-Hull Fishing Boats with Single Consoles, Outboard

For Crestliners, Lowe, Lund, Princecraft, Triton, Tracker style boats. For V-hull fishing boats with single console and a windshield. Includes separate motor hood that fits smaller outboard motors.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| V-Hulls w/Sngl. Console | 14'6" | 74" | **17813** | **10088** | **10234** |
| | 15'6" | 76" | **17814** | **10089** | **10235** |
| | 16'6" | 82" | **17459** | **15429** | **15428** |
| | 16'6" | 92" | **17719** | **10101** | **10216** |
| | 17'6" | 82" | **17461** | **10103** | **10214** |
| | 17'6" | 95" | **17718** | **10106** | **10219** |
| | 18'6" | 96" | **17815** | **10090** | **10236** |
| | 19'6" | 96" | **17787** | **10217** | **10240** |
| | 20'6" | 96" | **17816** | **10094** | **10237** |
| | 21'6" | 96" | **17817** | **10095** | **10238** |



# Jon Boat Covers

For basic flat bottom jon boats without windshield. Includes separate motor hood that fits smaller motors.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. |
|---|---|---|---|
| Jon Boats | 12'6" | 48" | **17818** |
| | 12'6" | 58" | **17819** |
| | 14'6" | 57" | **17040** |
| | 14'6" | 74" | **17044** |
| | 15'6" | 64" | **17042** |
| | 16'6" | 75" | **17046** |
| | 17'6" | 81" | **17048** |
| | 18'6" | 88" | **17820** |
| | 19'6" | 92" | **17821** |
| | 20'6" | 96" | **17822** |



# Offshore/Center Console Fishing Boat

Cover has unique, full cut design. Includes separate motor hood that fits larger motors.

| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Offshore/Center Consoles | 17'6" | 88" | **17736** | **10148** | **15402** |
| | 18'6" | 92" | **17780** | **15412** | **15403** |
| | 19'6" | 96" | **17737** | **10150** | **15404** |
| | 20'6" | 96" | **17738** | **10151** | **15405** |
| | 21'6" | 102" | **17739** | **10152** | **15406** |
| | 22'6" | 102" | **17741** | **10153** | **15407** |
| | 23'6" | 102" | **17782** | **10154** | **15408** |
| | 24'6" | 102" | **17783** | **10155** | **15409** |
| | 25'6" | 102" | **17784** | **10156** | **15410** |



*Aftermarket Packaging = Individual Carton*

*Δ Add suffix for Boaters Best colors!*
*Original Blue = No Suffix. Example: Gray = 10157GRAY.*

Original Blue
No Suffix


Black
Suffix = BLACK

Gray
Suffix = GRAY

# Bay Boats

Specifically patterned to fit center console bay style fishing boat with shallow draft hull.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. |
|---|---|---|---|
| Bay Boats | 18'6" | 88" | **10326** |
| | 19'6" | 96" | **10327** |
| | 20'6" | 102" | **10328** |



# Flats Boats

For basic flat bottom jon boats without windshield. Includes separate motor hood that fits smaller motors.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|
| Flats Boats | 16'6" | 90" | **10294** | **10296** |
| | 18'9" | 93" | **10295** | **10297** |



# Tournament Style Ski Boats, Inboard

Ideal for Correct Craft, Master Craft, Supra, American Skier, and Ski Supreme style boats.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Tournament Ski Boat | 19' | 80" | **17700** | **10010** | **15413** |
| | 19'6 | 89" | **17701** | **10011** | **15414** |
| | 20' | 90" | **17702** | **10012** | **15415** |
| | 20'6 | 90" | **17703** | **10013** | **15416** |
| | 21' | 92" | **17704** | **10014** | **15417** |
| | 21'6 | 94" | **17705** | **10015** | **15418** |



# Pontoon Boat Covers

Fits the entire deck area with adjustable transom lacing designed for custom fitting. Shock cord sewn into hem.

| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Pontoon Boats | 13'-14'11" | 96" | — | **10120** | **10250** |
| | 15'-16'11" | 96" | — | **10288** | **10329** |
| | 17'-18'11" | 102" | **17790** | **10114** | **10244** |
| | 19'-20'11" | 102" | — | **10289** | **10330** |
| | 21'-22'11" | 102" | **17791** | **10116** | **10245** |
| | 23'-24'11" | 102" | — | **10290** | **10331** |
| | 25'-26'11" | 102" | **17792** | **10117** | **10247** |
| | 27'-28'11" | 102" | — | **10291** | **10332** |



Original Blue
No Suffix

Black
Suffix = BLACK

Gray
Suffix = GRAY


*Aftermarket Packaging = Individual Carton*

*Δ Add suffix for Boaters Best colors!*
*Original Blue = No Suffix. Example: Gray = 10157GRAY.*

# Deck Boat Covers

Fits deck boats with lower rails.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. |
|---|---|---|---|
| Deck Boats | 18'6" | 96" | **17010** |
| | 19'6" | 96" | **17012** |
| | 20'6" | 96" | **17014** |
| | 21'6" | 96" | **17016** |
| | 22'6" | 96" | **17018** |



# Deck Boat Covers with Walk-Through Windshield

A great new cover for wider fiberglass Deck Boats with a walk-through windshield.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Walk-Through Deck Boats | 20'6" | 102" | **17794** | **10314** | **10201** |
| | 21'6" | 102" | **17795** | **10315** | **10189** |
| | 22'6" | 102" | **17796** | **10316** | **10190** |
| | 23'6" | 102" | **17797** | **10317** | **10191** |
| | 24'6" | 102" | **17798** | **10318** | **10199** |
| | 25'6" | 102" | **17799** | **10319** | **10200** |
| | 26'6" | 102" | **17823** | **10096** | **10239** |
| | 27'6" | 102" | **17824** | **10097** | **10241** |



# Deck Boat Covers with Side Console

Excellent fit for wider fiberglass Deck Boats with a side console.


| Boat Style | Approx. Center Length | Approx. Beam Width | Road Ready™ Cotton Cover No. | Road Max™ Poly/Cotton Cover No. | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|---|---|
| Side Console Deck Boats | 20'6" | 102" | **17879** | **10320** | **17888** |
| | 21'6" | 102" | **17880** | **10321** | **17889** |
| | 22'6" | 102" | **17881** | **10322** | **17890** |
| | 23'6" | 102" | **17882** | **10323** | **17891** |
| | 24'6" | 102" | **17883** | **10324** | **17892** |
| | 25'6" | 102" | **17884** | **10325** | **17893** |



# Inflatable Sport Boats

For basic inflatable sport boats. Includes built-in motor hood.

| Boat Style | Approx. Center Length | Approx. Beam Width | Boaters Best™ Polyester Cover No.Δ |
|---|---|---|---|
| Inflatable Sport Boats | 8'6" | 58" | **15420** |
| | 9'6" | 62" | **15421** |
| | 10'6" | 66" | **15422** |
| | 11'6" | 72" | **15423** |
| | 12'6" | 78" | **15424** |



*Aftermarket Packaging = Individual Carton*

*Δ Add suffix for Boaters Best colors!*
*Original Blue = No Suffix. Example: Gray = 10157GRAY.*

Original Blue
No Suffix

Black
Suffix = BLACK

Gray
Suffix = GRAY




# BRANDED BOAT COVERS
## CUSTOM FIT

### Polyester Cotton Blend

Introducing Attwood Custom Fit Branded Boat Covers. We have years of experience making custom boat covers for leading boat builders and are now offering these exclusive covers in the Aftermarket.

Custom-Fit branded covers are a great way to show off the pride of boat ownership with the logo of the boat brand proudly displayed on both sides of the cover. Custom fit covers look and fit far better than a typical universal or semi-custom fit cover. They hug each unique contour because they are tailored to fit the specific boat model. Because they fit so well, they trailer beautifully.

Custom Fit Branded Covers are constructed of 10-ounce polyester-cotton blend fabric that combines the inherent advantages of cotton with the strength of polyester for a water repellent and durable yet breathable boat cover.

Each cover is sewn with custom internal reinforcements and each cross seam is reinforced 1" polyweb seams to insure dependability along stress points. 1" quick release buckles are sewn-in for speed and convenience in securing to the boat. Braided draw rope in the hem for an incredibly secure fit against the hull. These custom-fit covers fit so well and are so durable that they are backed with a 3-year limited warranty.

*For Specific Part No./Order Information, See Page 253*



Premium water repellent marine grade fabrics and threads.



Strong braided drawrope sewn into the hem. Keeps wind out when trailering.



Cross seams are reinforced with 1" poly-web straps to ensure durability along stress points.



1" Poly-web straps with quick-release buckles for speed and convenience.



Custom internal reinforcements sewn-in at critical stress points to resist abrasion.




Durable yet flexible logo is designed not to peel or curl.

# Crestliner

Custom fit boat covers for Crestliner Boats with Crestliner logo on both sides.

| Boat Model | Year | Part No.** |
|---|---|---|
| 1400 Angler SC | '05-'06 | **100560** |
| 1600 Angler SC | '02-'05 | **100401** |
| 1600 Fish Hawk SC TM | '07-'10 | **100565** |
| 1650 Fish Hawk SC | '99-'10 | **100402** |
| 1650 Sport Angler WT | '05-'07 | **100558** |
| 1700 Fish Hawk SC TM | '07 | **100567** |
| 1750 Fish Hawk SC TM | '06-'10 | **100566** |
| 1750 Sportfish WT | '97-'05 | **100405** |
| 1800 Serenity WT TM | '05 | **100570** |
| 1850 Fish Hawk SC | '02-'10 | **100404** |
| 1800 Mirage WT | '07 | **100559** |
| 1850 Sportfish Tiller | '06 | **100564** |
| 1950 Sportfish WT | '05-'10 | **100568** |
| Tournament Series 192 SC TM | '03-'07 | **100563** |
| Tournament Series 202 WT TM | '00-'10 | **100562** |
| 1650 Fish Hawk Tiller | '06 | **100571** |





# Lund

Custom fit boat covers for Lund Boats with Lund logo on both sides.



| Boat Model | Year | Part No.** |
|---|---|---|
| **ADVENTURE SERIES** | | |
| 1440 V Rebel SS SC | '00-'04 | **100515** |
| 1440 V Rebel Tiller | '00-'04 | **100518** |
| 1450 Rebel SS SC | '05-'06 | **100542** |
| 1450 Rebel Tiller | '05-'06 | **100535** |
| 1660 Classic Tiller | '06-'08 | **100543** |
| 1600 Pro Sport WT | '97-'01 | **100537** |
| 1600 Pro Sport WT | '03-'04 | **100501** |
| 1650 Explorer SS SC | '99-'03 | **100551** |
| 1650 Rebel SS SC | '99-'05 | **100503** |
| 1650 Rebel DC | '99-'05 | **100500** |
| 1650 Rebel Tiller | '99-'05 | **100525** |
| 1675 Outfitter SS SC | '01-'03 | **100540** |
| 1675 Outfitter Tiller | '05 | **100541** |
| 1675 Pro Sport WT | '02 | **100502** |
| 1675 Explorer SS SC | '01-'10 | **100550** |
| 1700 Explorer WT | '04-'07 | **100548** |
| 1700 Pro Sport WT | '94-'10 | **100521** |
| 1700 Pro Guide, Outfitter Tiller | '98-'99 | **100531** |
| 1750 Outfitter SS SC | '05 | **100528** |
| 1750 Outfitter Tiller | '05 | **100524** |
| 1800 Fisherman WT | '00-'07 | **100505** |
| 1900 Pro Sport WT | '99-'01 | **100539** |
| 2000 Fisherman WT | '04-'07 | **100555** |
| Rebel, Pike 16 SS | '00-'05 | **100509** |
| Rebel, Pike 16 Tiller | '00-'05 | **100530** |
| 1650 V Rebel SS | '99-'05 | **100571** |

# Lowe

Custom fit boat covers for Lowe Boats with Lowe logo on both sides.

| Boat Model | Year | Part No.** |
|---|---|---|
| FM 165 S SC | '00-'10 | **100451** |
| FM 175 S SC | '04-'10 | **100452** |
| FS 165 WT | '04-'10 | **100453** |
| FS 175 WT | '04-'10 | **100454** |
| 170 W SC | '00-'05 | **100455** |
| 180 W SC | '00-'06 | **100456** |

| Boat Model | Year | Part No.** |
|---|---|---|
| A-12 | '95-'10 | **100533** |
| A-14 Tiller | '95-'10 | **100529** |
| WC-12 Tiller | '00-'04 | **100545** |
| WC-12 Tiller | '05-'10 | **100527** |
| WC-14, WC-14 DLX Tiller | '00-'04 | **100507** |
| WC-16 Tiller | '94-'04 | **100532** |
| WC-16 Tiller | '05-'10 | **100534** |
| **SPORT & FISH SERIES** | | |
| 1850 Tyee OB WT | '00-'10 | **100553** |
| **SPORTSMAN SERIES** | | |
| Mr. Pike 16 SC | '01-'06 | **100552** |
| Mr. Pike 17 SC | '04-'07 | **100549** |
| **WILDERNESS SERIES** | | |
| 1600 Alaskan SS SC | '03-'10 | **100519** |
| 1600 Alaskan Tiller | '03-'10 | **100522** |
| 1800 Alaskan SS SC | '03-'10 | **100523** |
| 1800 Alaskan Tiller | '03-'10 | **100526** |
| 2000 Alaskan DC | '03-'10 | **100510** |
| SSV-14 Tiller | '00-'10 | **100514** |
| SSV-16 Alaskan Tiller, 1650 V | '00-'10 | **100520** |
| SSV-18, SSV-18 Alaskan Tiller | '00-'10 | **100517** |
| SSV-18 Alaskan Tiller | '00-'10 | **100538** |
| SSV-20 Alaskan DC | '00 | **100508** |
| SSV-20 Alaskan SS SC | '00 | **100511** |
| SSV-20 Alaskan Tiller | '00 | **100516** |

*** Individual Carton*

# CUSTOM-FIT MERCURY®
## MOTOR COVERS

Show-Off Your Engine ...While You Keep it Under Cover

Attwood is pleased to introduce the new custom-fit covers for Mercury engines.The official Mercury logo is displayed in brilliant white against a sleek black background. These covers protect and fit far better than typical universal hoods... plus they show your Mercury pride on the road.

Constructed of 2-Ply Laminated Polyester
- The outer shell is tough, abrasion-resistant polyester
- Acrylic coating keeps the cover waterproof and UV-resistant
- The inside lining is a soft, non woven polyester backing that provides a cushioned barrier around the engine cowling
- A 1-inch polyweb strap in the bottom hem cinches the cover tight. Includes quick-release buckle for fast tightening and removal

*Note: Construction and shape of cover may vary due to different engine styles.*





Verado Only



All Others

| Engine Description* | Engine Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| 4-Stroke | 8-9.9HP | — | **105682** |
| 4-Stroke | 15HP, 20HP | — | **105683** |
| 4-Stroke EFI | 25HP, 30HP | — | **105676** |
| 4-Stroke EFI | 40HP, 50HP, 60HP | — | **105651** |
| Optimax 1.5L | 75HP, 90HP, 115HP, 125HP | — | **105635** |
| Optimax 2.5L | 135HP, 150HP, 175HP | — | **105636** |
| 2-Stroke 2.5L V-6 EFI<br>2.5L V-6 Carb<br>4-Stroke 1.7L<br>2-Stroke | 150HP, 200HP<br>150HP, 200HP<br>75HP, 90HP, 115HP<br>75HP, 90HP | — | **105637** |
| Optimax 3.0L<br>2-Stroke 3.0L EFI | 200HP, 225HP, 250HP<br>200HP, 225HP, 250HP | — | **105638** |
| Verado 4-Cylinder | 135HP, 150HP, 175HP, 200HP | — | **105648** |
| Verado | 200HP, 225HP, 250HP,<br>275HP, 300HP | — | **105639** |
| 150 4-Stroke | 150HP | — | **105762** |
| 2.1L | 75HP-115HP | — | **105777** |
| Verado Racing 400R | 400HP | — | **105782** |

** Mercury motor covers fit model year 2000 and newer engines.*
*** Individual Carton*

# Outboard Motor Hoods

Ideal for boats that require separate outboard motor protection. Attwood's motor hood has a draw rope sewn into the hem for a tight fit. Available in a choice of two durable marine-grade fabrics that offer years of outdoor use:

Silver Coat - Waterproof and lightweight, UV-stable, mildew-resistant synthetic fabric.

Heavy-Duty Canvas - Water-resistant, breathable fabric, treated with a water repellent and UV/mildew shield.



| Motor Size / Style | Hood Dimensions Length | Beam Width | Height | Silver Coat Polyester Cover No. | Road Ready™ Cotton Cover No. |
|---|---|---|---|---|---|
| Outboard Motor to 25 hp | 21" | 14" | 16" | — | **10540** |
| Outboard Motor 25-50 hp | 23" | 16" | 17" | — | **10542** |
| Outboard Motor 50-115 hp | 24" | 18" | 23" | — | **10543** |
| Outboard Motor 115-225 hp | 28" | 19" | 27" | — | **10544** |
| Outboard Motor 225-300 hp | 31" | 24" | 28" | **10515** | **10545** |

*Aftermarket Packaging = Vinyl Bag*

** = Vinyl Bag*
*** -5 = Poly Bag*

# BOAT COVER ACCESSORIES

## Travel Strap Tie-Down Kits

Travel Strap Tie-Down Kits are recommended for use with trailering boat covers, including Attwood's Road Ready™ and Road Max™ boat covers.

Provides boaters with six (6) 1 x 96 in. (2.54 x 243.84 cm) straps with sturdy and adjustable quick disconnect buckles. For use with any boat cover with sewn in loops.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Tie-down kit | — | **10637-5** |



10637

## Deluxe Boat Cover Support System

One of the best cover support systems on the market. Easily adjustable boat cover support keeps water from accumulating in center of cover. Extends the life of cover by as much as 50%.

Telescoping center pole (28" to 48"), polyweb straps, and bow spreader form a double ridge line under the cover. Pole rests on a rubber foot and the web straps attach to the stern with non-marring hooks.

- Aluminum pole: 1" diameter
- Polyweb straps: 1" wide, black



| Description | Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Boat cover support system | For boats up to 19' | — | **10795-4** |
| | For boats up to 22' | — | **10794-4** |

## Boat Cover Support System

Extend the life of your boat cover. The support system keeps water from accumulating in center and sagging in your cover. The rugged design outlasts most boat cover support systems.

- Includes: Top plate, bottom plate and tie down system. Wooden 2" x 4" is required, but not included



Top



Bottom

| Description | Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Cover support system | For boats up to 22' | — | **11886-4** |




11886

** -3 = Skin Pack, -4 = Individual Carton, -5 = Poly Bag

# Boat Cover Support Straps

For boats up to 19'. Extends the life of the boat cover by reducing standing water. Black adjustable 1" wide polyweb straps with non-marring hooks form a tight Y ridge line under the cover, from bow to stern.

- Shock cord is 18" long, 1/4" diameter







| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Black adjustable support strap | — | **10793-4** |

# Cover Support Bow Rail Connectors

Non-marring plastic connectors fasten support bows and snap over rail tubing or gunwale. Includes fasteners.




| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Bow rail connectors | — | **10710-3** |

# Cover Support Bow Sockets

Sockets for fiberglass, aluminum, and wood cover support bows. Constructed of ZAMAK, with plastic backing plate to protect boat finish. Two #10 fasteners required.




| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| ZAMAK bow sockets | | **10796-3** |

** -1 = UPC Label*
*** -3 = Skin Pack, -5 = Poly Bag, -6 = Blister*

# Cover Support Bows

Support bows create arch support for boat cover. Use with support sockets (10796-3) or support rail connectors (10710-3) ordered separately.

- Finished hardwood: 1-3/4" wide
- Coated fiberglass: 3/16" thick x 1-3/4" wide

| Description | Type | Size | Bulk Packaging* | Aftermarket Packaging |
|---|---|---|---|---|
| Cover support bows | Hardwood | 6' L, 70" beam | **10701-1** | — |
| | | 8' L, 92" beam | **10702-1** | — |
| | Fiberglass | 6' L, 70" beam | **10712-1** | — |
| | | 7' L, 81" beam | **10713-1** | — |
| | | 8' L, 92" beam | **10714-1** | — |



10701




10712


# Hardwood Adjustable Cover Support Bows

Kit has two 48" finished hardwood bows and a spring tension-grip buckle to adjust length. Fits inside beam up to 84". No need to cut and fit. Use with support sockets (10796-3) or support rail connectors (10710-3) ordered separately.

- Adjustable width: 60" to 84"



10700



| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| Adjustable cover support bows | — | **10700-5** |

# Boat Cover Repair Kit

Use to repair and reinforce all kinds of canvas and army duck. Kit contains high quality cover fabric, waterproof cement, and instructions.

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 10-ounce canvas repair kit | — | **10556-5** |




10556

** -1 = UPC Label*
*** -3 = Skin Pack, -5 = Poly Bag, -6 = Blister*

# "Rip Guard" Boat Cover Protectors

Protects cover from sharp edges. Ideal for trailering. Corrugated black vinyl tubing, slit to fit over windshield edges, corners, and walk-throughs.

| Description | Dimensions | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Corrugated black vinyl | 12" L, 11/4" inside dia. | — | **10708-5** |





10708

# Boat Cover Support Poles

Quick, easy boat cover center support. 1" diameter anodized aluminum pole telescopes to raise cover. Locks and unlocks with a twist. Rubber tips at both ends.

3-in-1 design allows you to minimize inventory! Three different tips snap on to the same adjustable pole to work with a variety of cover setups. Comes with pole, rubber cap, grommet tip, and male canvas snap. Pole adjusts from 37" to 64" using durable plastic knob.





| Description | Size | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|---|
| Adjustable support pole | Adjusts from 28" to 48" | — | **10704-5** |
| | Adjusts from 36" to 64" | — | **10705-5** |
| 3-in-1 adjustable support pole | Adjusts from 37" to 64" | — | **10707-5** |

*** -5 = Poly Bag, -7 = Clamshell*

# Canvas Fastener Kit, Nickel Plated Brass

Kit contains 47 pieces of canvas fastener hardware in a snap-closure box with dividers. Packaging displays open box and contents in a clear clam pack with label insert.

Kit Contains:

- Six fastener studs with wood screw threads
- Ten snap caps
- Ten snap sockets
- Ten snap studs
- Ten snap eyelets
- One attaching tool (2-piece)






12158

| Description | Bulk Packaging | Aftermarket Packaging** |
|---|---|---|
| 47 piece hardware kit | — | **12158-7** |






INDEX OF BOAT BUILDERS ..... 262
APPLICATION GUIDE ..... 263-348

# BOAT COVER APPLICATION GUIDE

# INDEX
## OF BOAT BUILDERS


Action Craft . . . . . 263
Adventure. . . . . 263
Aloha . . . . . 263
Alumacraft . . . . . 263
Alumaweld . . . . . 266
American Skier. . . . . 266
Angler . . . . . 267
Apex Marine. . . . . 267
Aqua Patio *See Godfrey* . . . . . 296
Aquasport . . . . . 267
Aquatron . . . . . 267
Armada . . . . . 267
Arriva . . . . . 267
Astro . . . . . 267
Astroglass . . . . . 268
Avalon . . . . . 268
Avanti. . . . . 269
Avenger . . . . . 269
Azure . . . . . 269
Baja . . . . . 269
Bass America *See Polar Kraft*. . . 317
Basscat . . . . . 270
Bassmasters: *See Jay Bee* . . . . . 299
Bay Hawk. . . . . 270
Bayliner . . . . . 270
Baymaster . . . . . 271
Beachcraft . . . . . 271
Bennington. . . . . 272
Bentley. . . . . 272
Berkshire Pontoons . . . . . 272
Blazer Boats. . . . . 273
Blue Fin . . . . . 273
Blue Water . . . . . 274
Blue Wave . . . . . 274
Bomber by Fiberking . . . . . 274
Boston Whaler . . . . . 274
Bravo (G. W. Invader). . . . . 275
Bryant Boats . . . . . 275
Bumble Bee . . . . . 275
Cajun . . . . . 275
Cajun Special . . . . . 276
Calabria . . . . . 276
Campion. . . . . 276
Caravelle . . . . . 277
Carlson: *See Glastron* . . . . . 294
Carolina Skiff . . . . . 278
Celebrity. . . . . 278
Centurion. . . . . 278
Century . . . . . 278
Champion. . . . . 279
Chaparral . . . . . 279
Charger . . . . . 280
Checkmate . . . . . 280
Cheetah . . . . . 281
Chris Craft . . . . . 281
Cimmarron. . . . . 282
Citation. . . . . 282
Cobalt. . . . . 282
Cobia . . . . . 282
Conroy: *See Glastron*. . . . . 294
Correct Craft . . . . . 283
Crest . . . . . 283
Crestliner . . . . . 284
Crownline. . . . . 286
Cruisers, Inc. . . . . 287
Cypress Cay. . . . . 287
Discovery Marine, Inc . . . . . 287
Dixie Boatworks. . . . . 287
Dolphin . . . . . 287
Donzi . . . . . 287
Doral . . . . . 288
Dura Nautique . . . . . 288
Duracraft . . . . . 288
Duro Boat. . . . . 288
Dynasty . . . . . 288
Dyna-Trak: *See Ebbtide* . . . . . 289
Ebbtide. . . . . 289
Epic . . . . . 290
Ercoa Industries, Inc . . . . . 290
Excel . . . . . 290
Fabuglass. . . . . 290
Falcon (by Thunderbird). . . . . 290
Fisher. . . . . 290
Forester . . . . . 291
Formula (by Thunderbird) . . . . . 292
Four Winns . . . . . 292
Fun Seeker. . . . . 292
G3 . . . . . 292
Galaxie. . . . . 294
Galaxy . . . . . 294
Gambler. . . . . 294
Gekko. . . . . 294
Generation III: *See G3 Boats* . . . 292
Genesis . . . . . 294
Glassmaster. . . . . 294
Glassport . . . . . 294
Glastron. . . . . 294
Godfrey . . . . . 296
Grady-White. . . . . 296
Harris-Kayot. . . . . 297
Hewes Craft . . . . . 297
Hurricane . . . . . 297
Hydra Sports . . . . . 298
Hydro Glass . . . . . 299
Hydro Stream. . . . . 299
Infinity . . . . . 299
Invader. . . . . 299
Javelin . . . . . 299
Jay Bee . . . . . 299
JC Pontoons . . . . . 300
Key West . . . . . 300
King Fisher. . . . . 300
Lake Raider . . . . . 301
Landau. . . . . 301
Larson . . . . . 301
Laser . . . . . 302
Legend. . . . . 302
Logic . . . . . 302
Lowe . . . . . 302
Lund. . . . . 305
Mach 1. . . . . 308
Magnum. . . . . 308
Mako . . . . . 308
Malibu . . . . . 308
Manatee. . . . . 308
Manitou (Triton Industries Inc). . . 309
Marada. . . . . 309
Marathon . . . . . 309
Mariah . . . . . 310
Marlin. . . . . 310
Master Craft. . . . . 310
Maxum. . . . . 310
Mckee Craft . . . . . 311
Meyers. . . . . 311
Mirage . . . . . 311
Mirro Craft . . . . . 311
Misty River. . . . . 312
Mitch Craft. . . . . 313
Monark. . . . . 313
Monterey Boats . . . . . 314
Moomba. . . . . 314
Nautique. . . . . 315
Nauticstar. . . . . 315
Nitro (by Tracker). . . . . 315
Norris Craft . . . . . 315
Nova. . . . . 316
Parti Kraft. . . . . 316
Pathfinder . . . . . 316
Performance . . . . . 316
Phoenix . . . . . 316
Playbouy . . . . . 316
Playcraft. . . . . 316
Polar Kraft . . . . . 317
Power Play. . . . . 318
Premier Marine . . . . . 318
Princecraft . . . . . 319
Procraft . . . . . 320
Pro-line . . . . . 321
Pursuit. . . . . 321
Quantum . . . . . 321
Quest . . . . . 321
Ranger . . . . . 322
Regal . . . . . 323
Reinell . . . . . 323
Rinker . . . . . 323
River Hawk. . . . . 324
Riviera Cruiser . . . . . 324
Robalo . . . . . 324
Roughneck: *See Lowe* . . . . . 302
Sabre . . . . . 324
Sanpan: *See Godfrey* . . . . . 296
Scout Boats . . . . . 324
Sea Ark . . . . . 325
Sea Chaser. . . . . 325
Sea Doo . . . . . 325
Sea Fox . . . . . 325
Sea Hunt . . . . . 325
Sea Nymph . . . . . 326
Sea Ox . . . . . 326
Sea Pro . . . . . 326
Sea Ray . . . . . 326
Sea Sport. . . . . 327
Sea Sprite . . . . . 327
Seasquirt . . . . . 328
Seaswirl. . . . . 328
Sierra Boats. . . . . 328
Silver King . . . . . 328
Silver Wave . . . . . 328
Skeeter. . . . . 329
Ski Sanger . . . . . 330
Ski Supreme . . . . . 330
Smoker-Craft . . . . . 330
Spectrum. . . . . 331
Splendor . . . . . 332
Sport-Craft. . . . . 332
Sprint (Fiber Sport, Inc.) . . . . . 332
Starcraft. . . . . 332
Starfire. . . . . 334
Starline. . . . . 335
Stealth Boats . . . . . 335
Stingray . . . . . 335
Stratos. . . . . 336
Summit . . . . . 336
Sun Chaser: *See Smoker Craft*. . 330
Sun Patio . . . . . 337
Sun Ray. . . . . 337
Sun Tracker . . . . . 337
Sunbird . . . . . 337
Suncruiser. . . . . 338
Sundancer . . . . . 337
Supra. . . . . 337
Sweetwater: *See Godfrey*. . . . . 296
Sylvan . . . . . 339
Tahoe. . . . . 340
Thompson . . . . . 341
Thunder Craft. . . . . 341
Thunderbird: *See Formula* . . . . . 292
Tide Craft. . . . . 341
Tigé . . . . . 341
Toyota . . . . . 341
Tracker. . . . . 341
Triton . . . . . 342
Triumph . . . . . 344
Troller. . . . . 344
Trophy . . . . . 344
Tuffy. . . . . 344
Venture . . . . . 344
Vip . . . . . 345
Viper . . . . . 345
Voyager . . . . . 345
Waco . . . . . 346
Wahoo . . . . . 346
Warrior. . . . . 346
Webbcraft . . . . . 346
Wellcraft. . . . . 346
Excursion. . . . . 347
Xpress . . . . . 347
Yamaha . . . . . 348
Yar-Craft. . . . . 348

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **ACTION CRAFT** | | | | | | |
| 1600 FlatsPro | 06-15 | 16' 2" | 84" | — | 10294 | 10296 |
| 1622 FlyFisher | 06-15 | 16' 2" | 84" | — | 10294 | 10296 |
| 1710 Hybrid FlyFisher | 06-15 | 17' 10" | 78" | — | — | — |
| 1720 FlyFisher | 06-15 | 17' 2" | 87" | — | — | — |
| 1802 FlatsPro | 06-15 | 18' 2" | 84" | — | 10295 | 10297 |
| 1820 FlatsMaster | 06-15 | 18' 2" | 84" | — | 10295 | 10297 |
| 1890 FlatsMaster | 06-15 | 18' 11" | 90" | — | 10295 | 10297 |
| 1910 Coastal Bay | 06-15 | 19' 5" | 100" | — | — | — |
| 2002 FLATSPRO | 06-15 | 20' 2" | 96" | — | — | — |
| 2020 FlatsMaster | 06-15 | 20' 2" | 96" | — | — | — |
| 2110 TE | 06-15 | 21' 2" | 100" | — | — | — |
| 2310 TE | 06-15 | 23' 7" | 100" | — | — | — |
| **ADVENTURE** | | | | | | |
| 180 | | 18' 0" | 85" | 17724 | 10032 | 10164 |
| 190 | | 19' 0" | 90" | 17725 | 10033 | 10165 |
| 200 | | 20' 0" | 96" | 17587 | 10129 | 10257 |
| Adventurer | | | | | | |
| Ventura I | | 25' 0" | 96" | 17792 | 10117 | 10247 |
| Ventura Special | | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Albermarle | | | | | | |
| 242 Center Console | 2007 | 23' 7" | 96" | 17782 | 10154 | 15408 |
| 248 XF | 2007 | 23' 7" | 96" | 17782 | 10154 | 15408 |
| 248 XF w/pulpit | 2007 | 25' 1" | 96" | 17787 | 10156 | 15410 |
| 268 XF | 2007 | 25' 10" | 102" | 17787 | 10156 | 15410 |
| 268 XF w/pulpit | 2007 | 28' 0" | 102" | — | — | — |
| 280 XF | 2007 | 27' 1" | 114" | — | — | — |
| 280 XF w/pulpit | 2007 | 29' 1" | 114" | — | — | — |
| **ALOHA** | | | | | | |
| DS 20 | 2000 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| DS 20 Fish 'N Party | 90-92 | 19' 0" | 96" | – | 10289 | 10330 |
| DS 24 | 1990 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| M 16 | 1990 | 12' 0" | 96" | — | — | — |
| M 18 Fish 'N Party | 1990 | 14' 0" | 96" | — | 101220 | 10250 |
| M 20 | 90-91 | 16' 0" | 96" | — | 10288 | 10329 |
| M 200 GS | 90-91 | 16' 0" | 96" | — | 10288 | 10329 |
| M 24 | 1990 | 20' 0" | 96" | — | 10289 | 10330 |
| M 240 GS | 1990 | 20' 0" | 96" | — | 10289 | 10330 |
| Silver Star 180 Fish 'N Party | 2000 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Silver Star 210 Fish 'N Party | 2000 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| SS 210 Family | 2000 | 19' 8" | 96" | 17790 | 10114 | 10244 |
| SS 210 Fish 'N Party | 2000 | 19' 8" | 96" | 17790 | 10114 | 10244 |
| SS 250 | 2000 | 24' 0" | 102" | 17791 | 10116 | 10245 |
| **ALUMACRAFT** | | | | | | |
| 1032 | 93-07 | 10' 0" | 48" | — | — | — |
| 1036 | 2015 | 10' 0" | 55" | — | — | — |
| 1045 | 1984 | 10' 0" | 45" | — | — | — |
| 1047 | 86-91 | 10' 0" | 47" | — | — | — |
| 1232 | 93-07 | 12' 0" | 48" | 17818 | — | — |
| 1236 | 93-15 | 12' 0" | 55" | 17040 | — | — |
| 1245 | 1984 | 12' 0" | 45" | 17818 | — | — |
| 1245 | 1986 | 12' 0" | 47" | 17818 | — | — |
| 1247 | 90-91 | 12' 0" | 47" | 17818 | — | — |
| 1257 | 84-91 | 12' 0" | 57" | 17819 | — | — |
| 1432 | 93-09 | 14' 0" | 48" | 17040 | — | — |
| 1436 | 13-15 | 14' 0" | 55" | 17040 | — | — |
| 1442 | 2015 | 14' 0" | 62" | 17044 | | |
| 1445 | 1984 | 14' 0" | 45" | 17040 | — | — |
| 1447 | 86-91 | 14' 0" | 47" | 17040 | — | — |
| 1448 | 93-15 | 14' 0" | 70" | 17040 | — | — |
| 1470 | 84-91 | 14' 0" | 70" | 17040 | — | — |
| 1474 | 1984 | 14' 0" | 74" | 17040 | — | — |
| 1542 | 93-15 | 15' 0" | 62" | 17042 | — | — |
| 1562 | 84-91 | 15' 0" | 62" | 17042 | — | — |
| 1648 | 2015 | 16' 0" | 70" | 17046 | | |
| 1670 | 84-91 | 16' 0" | 70" | 17046 | — | — |
| 1674 | 1984 | 16' 0" | 74" | 17046 | — | — |
| 1870 | 1984 | 18' 0" | 70" | 17820 | — | — |
| 1874 | 1984 | 18' 0" | 74" | 17820 | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **ALUMACRAFT-CONTINUED** | | | | | | |
| 1436 / Light Weight / Lite / LW | 93-15 | 14' 0" | 55" | 17040 | — | — |
| 1442 / AQ / LW / MV / NCS | 95-15 | 14' 0" | 62" | 17044 | — | — |
| 1442 AW | 1996 | 14' 0" | 63" | 17044 | — | — |
| 1448 / MV 1448 | 93-15 | 14' 0" | 70" | 17040 | — | — |
| 1448 LW | 96-02 | 14' 0" | 70" | 17044 | — | — |
| 1450 AW / MV 1450 AW | 96-05 | 14' 0" | 74" | 17044 | — | — |
| 1457 / MV 1457 | 84-91 | 14' 0" | 57" | 17040 | — | — |
| 1542 AW | 95-10 | 15' 0" | 63" | 17042 | — | — |
| 1542 AW / AW DD / NCS / MV 1542 | 95-13 | 15' 0" | 62" | 17042 | — | — |
| 1544 AW / AW DD / Special / AW Tunnel | 99-02 | 15' 0" | 65" | 17042 | — | — |
| 1562 / MV 1562 | 86-91 | 15' 0" | 62" | 17042 | — | — |
| 1648 / MV 1648 / MV 1648 LW / NCS | 93-15 | 16' 0" | 70" | 17046 | — | — |
| 1648 LW | 96-13 | 16' 0" | 70" | 17044 | — | — |
| 165 Bass Pro | 2002 | 16' 8" | 74" | 17748 | 10069 | 10204 |
| 1650 AW / MV 1650 / MV 1650 AW / AW DD / AW Deluxe / AW SC | 95-13 | 16' 0" | 74" | 17046 | — | — |
| 1670 / MV 1670 | 84-91 | 16' 0" | 70" | 17046 | — | — |
| 185 FS / V 185 | 96-97 | 18' 5" | 92" | 17713 | 10027 | 10161 |
| 1860 AW / MV 1860 AW / AW FF | 95-99 | 18' 0" | 86" | 17820 | — | — |
| 1860 Bay | 2015 | 18' 0" | 86" | 10326 | | |
| 1870 / MV 1870 | 84-91 | 18' 0" | 70" | 17820 | — | — |
| 195 Bay Invader | 2005 | 19' 4" | 92" | 17737 | 10150 | 15404 |
| 200 Fish N' Cruise | | 20' 0" | 96" | — | 10289 | 10330 |
| 2072 Bay | 2015 | 20' 0" | 94" | 10328 | | |
| Angler SC | 09-10 | 16' 0" | 65" | — | — | — |
| Angler Tiller | 09-10 | 16' 0" | 65" | — | — | — |
| Backtroller 14 | 84-98 | 14' 5" | 73" | 17454 | 10087 | 10208 |
| Backtroller 16 | 93-98 | 16' 2" | 73" | 17456 | 10093 | 10212 |
| Backtroller 16 | 89-92 | 16' 4" | 73" | 17456 | 10093 | 10212 |
| Backtroller 16 CS | 93-98 | 16' 2" | 73" | — | — | — |
| Backtroller 17 | 84-86 | 17' 5" | 74" | 17461 | 10103 | 10214 |
| Bandit V 170 | 1989 | 16' 10" | 74" | 17459 | 15429 | 15428 |
| Bandit V 170 | | 17' 2" | 80" | 17761 | 10139 | 10203 |
| Bass Pro 165 | 2002 | 16' 8" | 74" | 17748 | 10069 | 10204 |
| Classic 16 | 84-91 | 16' 3" | 73" | 17455 | 10092 | 10211 |
| Classic 165 CS | 14-15 | 16' 4" | 82" | 17459 | 15429 | 15428 |
| Classic 165 CS | 05-13 | 16' 5" | 82" | 17459 | 15429 | 15428 |
| Classic 165 Tiller | 05-10 | 16' 5" | 82" | 17455 | 10092 | 10211 |
| Classic 165 Tiller | 13-15 | 16' 4" | 82" | 17455 | 10092 | 10211 |
| Classic Camp 165 CS | 09-10 | 16' 5" | 82" | 17459 | 15429 | 15428 |
| Classic Camp 165 Tiller | 09-10 | 16' 5" | 82" | 17456 | 10093 | 10212 |
| Classic Deluxe | 94-98 | 16' 4" | 73" | 17459 | 15429 | 15428 |
| Classic Deluxe | 84-91 | 16' 3" | 73" | 17459 | 15429 | 15428 |
| Classic Deluxe 16 | 96-98 | 16' 4" | 72" | — | — | — |
| Competitor | 89-89 | 16' 4" | 79" | 17456 | 10093 | 10212 |
| Competitor 160 | 88-91 | 16' 4" | 79" | 17456 | 10093 | 10212 |
| Competitor 165 | 96-97 | 16' 5" | 81" | 17456 | 10093 | 10212 |
| Competitor 165 CS | 13-15 | 16' 7" | 87" | 17719 | 10101 | 10216 |
| Competitor 165 Sport | 13-15 | 16' 7" | 87" | 17711 | 10025 | 10159 |
| Competitor 165 Tiller | 13-15 | 16' 7" | 87" | 17810 | 10082 | 10231 |
| Competitor 170 | 95-97 | 16' 10" | 79" | 17714 | 10104 | 10215 |
| Competitor 170 | 93-94 | 16' 4" | 79" | 17456 | 10093 | 10212 |
| Competitor 170 CS | 95-97 | 16' 10" | 79" | 17718 | 10106 | 10219 |
| Competitor 170 CS | 93-94 | 16' 4" | 79" | 17459 | 15429 | 15428 |
| Competitor 170 Sport | 1997 | 16' 10" | 79" | 17710 | 10023 | 10158 |
| Competitor 175 CS | 13-15 | 17' 8" | 95" | 17718 | 10106 | 10219 |
| Competitor 175 Sport | 13-15 | 17' 8" | 95" | 17718 | 10106 | 10219 |
| Competitor 175 Tiller | 13-15 | 17' 8" | 95" | 17716 | 10105 | 10218 |
| Competitor 185 | 91-94 | 18' 4" | 88" | 17775 | 10056 | 10183 |
| Competitor 185 CS | 91-94 | 18' 4" | 88" | 17815 | 10090 | 10236 |
| Competitor 185 CS | 13-15 | 18' 8" | 95" | 17815 | 10090 | 10236 |
| Competitor 185 Sport | 13-15 | 18' 8" | 95" | 17815 | 10090 | 10236 |
| Competitor 185 Tiller | 13-15 | 18' 8" | 95" | 17716 | 10084 | 10233 |
| Competitor 190 | 95-97 | 18' 10" | 91" | 17712 | 10026 | 10160 |
| Competitor 190 CS | 95-97 | 18' 10" | 91" | 17787 | 10217 | 10240 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **ALUMACRAFT-CONTINUED** | | | | | | |
| Crappie Deluxe | 95-05 | 15' 0" | 64" | 17044 | — | — |
| Crappie Deluxe | 07-15 | 16' 0" | 70" | 17744 | 10067 | 10195 |
| Crappie Deluxe SS | 93-95 | 15' 0" | 64" | 17742 | 10066 | 10194 |
| Crappie Jon | 94-15 | 14' 0" | 64" | 17044 | — | — |
| Crappie Jon | 1991 | 14' 1" | 62" | 17740 | 10065 | 10193 |
| Crappie Jon Jr. | 93-97 | 13' 10" | 53" | — | — | — |
| Crappie Magnum | 98-99 | 17' 0" | 71" | 17048 | — | — |
| Crappie PF170 | 05-07 | 17' 0" | 74" | 17748 | 10069 | 10204 |
| Crappie Pro | 98-03 | 16' 8" | 74" | — | — | — |
| Crappie Pro | 1996 | 16' 8" | 71" | — | — | — |
| Crappie Pro 16 | 94-95 | 16' 0" | 71" | 17744 | 10067 | 10195 |
| Crappie Pro 17 | 1991 | 17' 0" | 72" | 17748 | 10069 | 10204 |
| Crappie Special | 2003 | 16' 8" | 74" | 17459 | 15429 | 15428 |
| Crappie SS | 1991 | 16' 0" | 70" | 17744 | 10067 | 10195 |
| Cruise 200 | 1993 | 20' 5" | 96" | — | 10289 | 10330 |
| Dominator | 93-98 | 16' 5" | 74" | 17710 | 10023 | 10158 |
| Dominator | 89-91 | 16' 4" | 74" | 17710 | 10023 | 10158 |
| Dominator 165 CS | 07-13 | 16' 8" | 91" | 17719 | 10101 | 10216 |
| Dominator 165 Sport | 09-13 | 16' 8" | 91" | 17719 | 10101 | 10216 |
| Dominator 175 CS | 07-15 | 17' 9" | 94" | 17815 | 10090 | 10236 |
| Dominator 175 Sport | 07-15 | 17' 9" | 94" | 17694 | 10137 | 10267 |
| Dominator 185 CS | 13-15 | 18' 9" | 94" | 17815 | 10090 | 10236 |
| Dominator 185 Sport | 13-15 | 18' 9" | 94" | 17713 | 10027 | 10161 |
| Dominator CS | 93-99 | 16' 5" | 74" | — | — | — |
| Dominator Tiller | 96-99 | 16' 4" | 74" | 17456 | 10093 | 10212 |
| Escape 145 Tiller | 14-15 | 14' 6" | 76" | 17809 | 10081 | 10230 |
| Escape 145 CS | 14-15 | 14' 6" | 76" | 17813 | 10088 | 10234 |
| Escape 165 CS | 14-15 | 16' 6" | 76" | 17459 | 15429 | 15428 |
| Escape 165 Tiller | 14-15 | 16' 6" | 76" | 17456 | 10093 | 10212 |
| Fish 200 | 91-93 | 20' 5" | 96" | — | 10289 | 10330 |
| Fish Hunter | 99-00 | 18' 0" | 86" | — | — | — |
| Fish N' Cruise 200 | 91-93 | 20' 5" | 96" | — | 10289 | 10330 |
| Fisherman 145 | 05-06 | 14' 6" | 70" | 17457 | 10091 | 10209 |
| Fisherman 145 | 2013 | 14' 10" | 73" | 17457 | 10091 | 10209 |
| Fisherman 145 CS | 09-13 | 14' 10" | 73" | 17813 | 10088 | 10234 |
| Fisherman 145 CS | 07-08 | 14' 6" | 71" | 17813 | 10088 | 10234 |
| Fisherman 145 LTD | 99-05 | 14' 6" | 70" | 17457 | 10091 | 10209 |
| Fisherman 145 Tiller | 07-08 | 14' 6" | 71" | 17454 | 10087 | 10208 |
| Fisherman 145 Tiller | 09-10 | 14' 10" | 73" | 17454 | 10087 | 10208 |
| Fisherman 150 | 93-98 | 14' 6" | 67" | 17457 | 10091 | 10209 |
| Fisherman 160 | 2013 | 16' 3" | 73" | 17710 | 10023 | 10158 |
| Fisherman 160 CS | 09-13 | 16' 3" | 73" | 17459 | 15429 | 15428 |
| Fisherman 160 Tiller | 09-10 | 16' 3" | 73" | 17455 | 10092 | 10211 |
| Invader 175 | 02-05 | 17' 5" | 88" | 17718 | 10106 | 10219 |
| Invader 185 | 02-05 | 18' 4" | 92" | 17815 | 10090 | 10236 |
| Invader 195 | 02-05 | 19' 4" | 92" | 17787 | 10217 | 10240 |
| Lite 1436 | 96-02 | 14' 0" | 55" | 17040 | — | — |
| Lunker 14 LTD | 1997 | 14' 6" | 67" | 17457 | 10091 | 10209 |
| Lunker 16 / 16 SS | 84-88 | 16' 4" | 73" | 17459 | 15429 | 15428 |
| Lunker 165 CS | 05-10 | 16' 6" | 76" | 17459 | 15429 | 15428 |
| Lunker 165 LTD | 02-07 | 16' 6" | 76" | 17459 | 15429 | 15428 |
| Lunker 165 LTD CS | 02-10 | 16' 6" | 76" | — | — | — |
| Lunker 165 LTD CS Tiller | 02-10 | 16' 6" | 76" | — | — | — |
| Lunker 165 Tiller | 05-09 | 16' 6" | 76" | — | — | — |
| Lunker 165 Yukon | 2005 | 16' 6" | 76" | — | — | — |
| Lunker DLX | 1997 | 14' 6" | 67" | 17454 | 10087 | 10208 |
| Lunker II | 2013 | 16' 6" | 76" | 17456 | 10093 | 10212 |
| Lunker II CS | 2013 | 16' 6" | 76" | 17459 | 15429 | 15428 |
| Lunker V-14 | 1998 | 14' 6" | 66" | 17454 | 10087 | 10208 |
| Lunker V-14 | 1997 | 14' 6" | 67" | 17454 | 10087 | 10208 |
| Lunker V-14 | 93-96 | 14' 2" | 66" | 17454 | 10087 | 10208 |
| Lunker V-14 | 1991 | 14' 6" | 66.5" | 17454 | 10087 | 10208 |
| LUNKER V-14 | 1986 | 14' 2" | 68" | 17454 | 10087 | 10208 |
| Lunker V-14 / Deluxe | 86-89 | 14' 2" | 68" | 17454 | 10087 | 10208 |
| Lunker V-14 LTD | 93-98 | 14' 6" | 66" | 17454 | 10087 | 10208 |
| Lunker V-14 LTD | 1991 | 14' 5" | 66.5" | 17454 | 10087 | 10208 |
| Lunker V-16 | 99-00 | 16' 6" | 76" | — | — | — |
| Lunker V-16 | 93-97 | 16' 6" | 68" | — | — | — |
| Lunker V-16 Deluxe | 1991 | 16' 6" | 68.5" | 17455 | 10092 | 10211 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **ALUMACRAFT-CONTINUED** | | | | | | |
| Lunker V-16 Deluxe | 86-89 | 16' 6" | 70" | 17455 | 10092 | 10211 |
| Lunker V-16 LTD | 95-96 | 16' 9" | 71" | — | — | — |
| Lunker V-16 LTD | 1993 | 16' 9" | 69" | — | — | — |
| Lunker V-16 LTD | 1991 | 16' 8" | 70" | — | — | — |
| Lunker V-16 LTD Mag Series | 98-00 | 16' 6" | 75" | 17455 | 10092 | 10211 |
| Lunker Yukon 165 | 02-09 | 16' 6" | 76" | 17459 | 15429 | 15428 |
| Magnum 165 | 98-05 | 16' 5" | 81" | 17714 | 10104 | 10215 |
| Magnum 165 CS | 97-05 | 16' 5" | 81" | 17459 | 15429 | 15428 |
| Magnum 175 | 02-05 | 17' 11" | 88" | 17716 | 10105 | 10218 |
| Magnum 175 CS | 03-05 | 17' 11" | 88" | 17718 | 10106 | 10219 |
| MV 1470 | 84-91 | 14' 0" | 70" | 17044 | — | — |
| MV 1544 | 99-10 | 15' 0" | 65" | 17044 | — | — |
| MV 1546 AW | 2015 | 15' 0" | 65" | 17742 | 10066 | 10194 |
| MV 1546 AW DD | 2015 | 15' 0" | 65" | 17742 | 10066 | 10194 |
| MV 1648 | 2015 | 16' 0" | 70" | 17744 | 10067 | 10195 |
| MV 1648 SS | 2015 | 16' 0" | 70" | 17744 | 10067 | 10195 |
| MV 1650 AW | 2015 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| MV 1650 AW CC / VB 1650 AW Tunnel CC | 02-15 | 16' 0" | 74" | — | — | — |
| MV 1650 AW SC | 2015 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| MV 1756 AW | 2015 | 17' 0" | 85" | 17803 | 10075 | 10224 |
| MV 1756 AW / VB 1756 AW Tunnel | 05-14 | 17' 0" | 83" | 17048 | — | — |
| MV 1756 AW CC | 05-14 | 17' 0" | 83" | 17736 | 10148 | 15402 |
| MV 1756 AW CC | 2015 | 17' 0" | 85" | — | — | — |
| MV 1756 AW RR / AW SC | 05-14 | 17' 0" | 83" | 17748 | 10069 | 10204 |
| MV 1756 AW SC | 2015 | 17' 0" | 85" | 17803 | 10075 | 10224 |
| MV 1848 | 1993 | 18' 0" | 70" | 17820 | — | — |
| MV 1860 AW | 95-10 | 18' 0" | 86" | 17048 | — | — |
| MV 1860 AW | 2015 | 18' 0" | 90" | 17804 | 10076 | 10225 |
| MV 1860 AW CC | 2015 | 18' 0" | 90" | — | — | — |
| MV 1860 AW CC / AW FF | 05-10 | 18' 0" | 86" | 17780 | 15412 | 15403 |
| MV 1860 AW SC | 2015 | 18' 0" | 90" | 17804 | 10076 | 10025 |
| MV 1860 AW SC / VB 1860 AW Tunnel SC | 05-14 | 18' 0" | 86" | 17815 | 10090 | 10236 |
| MV 1860 AW Special | 05-14 | 18' 0" | 86" | 17780 | 15412 | 15403 |
| MV 2072 AW | 09-15 | 20' 0" | 94" | 17806 | 10078 | 10227 |
| MV 2072 AW CC / AW FF | 02-09 | 20' 0" | 96" | 17738 | 10151 | 15405 |
| MV 2072 AW Deluxe / AW Tunnel / AW Tunnel FF / VB 2072 AW Tunnel | 02-13 | 20' 0" | 96" | 17822 | — | — |
| MV 2072 AW FF | 02-09 | 20' 0" | 96" | 17738 | 10151 | 15405 |
| MV 2072 AW FF | 2013 | 20' 0" | 94" | 17738 | 10151 | 15405 |
| MV 2072 AW SC | 05-07 | 20' 0" | 96" | 17738 | 10151 | 15405 |
| MV 2072 AW SC | 13-15 | 20' 0" | 94" | 17738 | 10151 | 15405 |
| MV 2072 AW SC / AW Tunnel SC | 05-07 | 20' 0" | 96" | 17738 | 10151 | 15405 |
| MV 2072 AW Tunnel | 02-09 | 20' 0" | 96" | 17738 | 10151 | 15405 |
| MV 2072 AW Tunnel | 13-14 | 20' 0" | 94" | 17738 | 10151 | 15405 |
| MV 2072 AW Tunnel CC | 2005 | 20' 0" | 96" | 17738 | 10151 | 15405 |
| MV 2072 AW Tunnel CC | 13-14 | 20' 0" | 94" | 17738 | 10151 | 15405 |
| MV 2072 AW Tunnel FF | 02-09 | 20' 0" | 96" | 17738 | 10151 | 15405 |
| MV 2072 AW Tunnel FF | 13-14 | 20' 0" | 94" | 17738 | 10151 | 15405 |
| MV Angler | 1991 | 16' 0" | 64" | 17744 | 10067 | 10195 |
| MV Angler | 1989 | 15' 7" | 69" | 17744 | 10067 | 10195 |
| MV Angler | 84-86 | 16' 0" | 67" | 17744 | 10067 | 10195 |
| MV Angler | 93-00 | 15' 11" | 69" | 17744 | 10067 | 10195 |
| MV Bandit / SS | 84-88 | 17' 5" | 72" | 17748 | 10069 | 10204 |
| MV Maverick | | 16' 4" | 72" | 17744 | 10067 | 10195 |
| MV Maverick | 95-00 | 16' 8" | 72" | 17748 | 10069 | 10204 |
| MV Maverick | 93-94 | 16' 8" | 71" | 17748 | 10069 | 10204 |
| MV Pro | | 16' 0" | 64" | 17744 | 10067 | 10195 |
| MV Super Bandit | 93-99 | 17' 8" | 75" | 17750 | 10070 | 10206 |
| MV Super Bandit | 1991 | 17' 8" | 74" | 17750 | 10070 | 10206 |
| MV Super Bandit | 1989 | 17' 8" | 76" | 17750 | 10070 | 10206 |
| MV Super Hawk / SS / XL | | 15' 0" | 58" | 17742 | 10066 | 10194 |
| MV Super Hawk CS | 93-02 | 15' 0" | 62" | 17742 | 10066 | 10194 |
| MV Super Hawk CS | 84-89 | 14' 11" | 62" | 17740 | 10065 | 10193 |
| MV Super Hawk CS AW Drop Deck | 98-00 | 15' 0" | 62" | 17742 | 10066 | 10194 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **ALUMACRAFT-CONTINUED** | | | | | | |
| MV Super Hawk SS | 1989 | 16' 0" | 70" | 17744 | 10067 | 10195 |
| MV Super Hawk SS | 84-86 | 14' 11" | 62" | 17740 | 10065 | 10193 |
| MV Super Hawk XL | 1989 | 17' 0" | 74" | 17748 | 10069 | 10204 |
| MV Tex / CS / CS DD MV Tex II / MV Tex III | 86-02 | 16' 0" | 70" | 17046 | — | — |
| MV Tex Special | 05-10 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| MV Tex Special CS | 89-02 | 16' 0" | 70" | 17744 | 10067 | 10195 |
| Navigator 165 Sport | 2013 | 16' 8" | 91" | — | — | — |
| Navigator 165 | 2005 | 16' 7" | 90" | 17456 | 10093 | 10212 |
| Navigator 165 - Classic | 00-05 | 16' 5" | 82" | 17714 | 10104 | 10215 |
| Navigator 165 CS | 07-10 | 16' 8" | 91" | 17716 | 10105 | 10218 |
| Navigator 165 CS | 00-05 | 16' 5" | 82" | 17459 | 15429 | 15428 |
| Navigator 165 CS - Classic | 00-05 | 16' 5" | 82" | 17459 | 15429 | 15428 |
| Navigator 165 CS Tiller | 00-03 | 16' 5" | 82" | 17714 | 10104 | 10215 |
| Navigator 165 Sport | 2005 | 16' 7" | 90" | — | — | — |
| Navigator 165 Tiller | 07-13 | 16' 8" | 91" | 17810 | 10082 | 10231 |
| Navigator 175 | 2005 | 17' 3" | 93" | 17810 | 10082 | 10231 |
| Navigator 175 CS | 07-13 | 17' 8" | 95" | 17716 | 10105 | 10218 |
| Navigator 175 CS | 2005 | 17' 3" | 93" | 17716 | 10105 | 10218 |
| Navigator 175 Sport | 2005 | 17' 6" | 93" | 17810 | 10082 | 10231 |
| Navigator 175 Sport | 07-13 | 17' 8" | 95" | 17810 | 10082 | 10231 |
| Navigator 175 Tiller | 07-10 | 17' 8" | 95" | 17810 | 10082 | 10231 |
| Navigator 185 CS | 2005 | 18' 7" | 96" | 17815 | 10090 | 10236 |
| Navigator 185 Sport | 2005 | 18' 7" | 96" | 17712 | 10026 | 10160 |
| PF 170 | 05-10 | 17' 0" | 74" | 17761 | 10139 | 10203 |
| PF 175 | 2013 | 17' 5" | 84" | 17803 | 10075 | 10224 |
| Phantom 185 Fish & Ski | 93-97 | 18' 5" | 91.75" | 17713 | 10027 | 10161 |
| Phantom AW | 2000 | 17' 4" | 81" | 17803 | 10075 | 10224 |
| Phantom V 170 | 93-94 | 17' 0" | 81" | 17803 | 10075 | 10224 |
| Phantom V 170 | 88-91 | 17' 2" | 80" | 17761 | 10139 | 10203 |
| Phantom V 170 | 95-00 | 17' 4" | 81" | 17803 | 10075 | 10224 |
| Phantom V185 | 1996 | 18' 5" | 91.75" | 17713 | 10027 | 10161 |
| 200 Fish N' Cruise | | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Sunclipper 240 / DLX | | 24' 0" | 96" | 17791 | 10116 | 10245 |
| Predator 17 AW | 96-97 | 17' 0" | 74" | 17748 | 10069 | 10204 |
| Predator 17 AW Deluxe | 98-99 | 17' 8" | 75" | 17750 | 10070 | 10206 |
| Pro 165 | 13-14 | 16' 0" | 74" | 17748 | 10069 | 10204 |
| Pro 17 | 84-86 | 17' 5" | 74" | 17461 | 10103 | 10214 |
| Pro 175 | 07-10 | 17' 5" | 88" | 17804 | 10076 | 10225 |
| Pro 175 | 2015 | 18' 5" | 86" | 17804 | 10076 | 10225 |
| Pro 185 | 13-14 | 18' 5" | 86" | 17804 | 10076 | 10225 |
| Pro 185 | 2015 | 17' 5" | 85" | 17804 | 10076 | 10225 |
| Prowler 165 | 2015 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| Prowler 175 | 2015 | 17' 0" | 85" | 17803 | 10075 | 10224 |
| Sportsman 175 | 1984 | 17' 5" | 85" | 17736 | 10148 | 15402 |
| Sunclipper 240 | 91-93 | 24' 5" | 96" | — | 10290 | 10331 |
| Sunclipper 240 / DLX | | 24' 0" | 96" | — | 10290 | 10331 |
| Sunfisher 16 | 1984 | 16' 1" | 77" | 17710 | 10023 | 10158 |
| Supreme 1610 | 1986 | 16' 10" | 79" | 17711 | 10025 | 10159 |
| T 12 S | 96-98 | 11' 10" | 53" | 17453 | 10086 | 10207 |
| T 12 S | 93-98 | 12' 0" | 55" | — | — | — |
| T 12 V | 13-14 | 12' 0" | 60" | — | — | — |
| T 12 V | 00-08 | 12' 1" | 60" | 17453 | 10086 | 10207 |
| T 14 | 93-98 | 13' 4" | 53" | 17454 | 10087 | 10208 |
| T 14 | 84-91 | 13' 5" | 53" | 17454 | 10087 | 10208 |
| T 14 S | 84-91 | 14' 0" | 55" | 17454 | 10087 | 10208 |
| T 14 S | 93-95 | 13' 11" | 55" | 17454 | 10087 | 10208 |
| T 14 S / SF | 96-98 | 14' 0" | 54" | 17454 | 10087 | 10208 |
| T 14 V | 13-15 | 14' 0" | 61" | 17454 | 10087 | 10208 |
| T 14 V | 99-08 | 14' 1" | 61" | 17454 | 10087 | 10208 |
| T 14 V | 07-10 | 14' 2" | 61" | 17454 | 10087 | 10208 |
| T 14 XL | 84-86 | 14' 4" | 65" | 17454 | 10087 | 10208 |
| T 16 XL | 1984 | 16' 5" | 66" | 17455 | 10092 | 10211 |
| T-12 | 93-98 | 11' 10" | 53" | — | — | — |
| T14 XL 15 / 20 | | 14' 4" | 65" | 17454 | 10087 | 10208 |
| T16 XL 15 / 20 | | 16' 4" | 65" | 17455 | 10092 | 10211 |
| Tournament Pro 170 | 2003 | 16' 10" | 81" | 17716 | 101005 | 10218 |
| Tournament Pro 170 CS | 98-03 | 16' 10" | 81" | 17459 | 15429 | 15428 |
| Tournament Pro 175 | 02-05 | 17' 11" | 96" | 17716 | 101005 | 10218 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **ALUMACRAFT-CONTINUED** | | | | | | |
| Tournament Pro 175 CS | 02-05 | 17' 11" | 96" | 17718 | 10106 | 10219 |
| Tournament Pro 175 CS | 97-00 | 17' 11" | 88" | 17718 | 10106 | 10219 |
| Tournament Pro 185 | 2015 | 18' 3" | 97" | 17713 | 10027 | 10161 |
| Tournament Pro 185 | 02-05 | 18' 11" | 96" | 17787 | 10217 | 10240 |
| Tournament Pro 185 CS | 07-10 | 18' 3" | 97" | 17815 | 10090 | 10236 |
| Tournament Pro 185 CS | 02-05 | 18' 11" | 96" | 17787 | 10217 | 10240 |
| Tournament Pro 185 Tiller | 07-08 | 18' 3" | 97" | 17716 | 10105 | 10218 |
| Tournament Pro 195 | 2015 | 19' 3" | 97" | 17713 | 10027 | 10161 |
| Tournament Pro 195 | 99-00 | 19' 7" | 95" | 1713 | 10027 | 10161 |
| Tournament Pro 195 | 1998 | 19' 4" | 94" | 1713 | 10027 | 10161 |
| Tournament Pro 195 CS | 99-00 | 19' 7" | 95 | 17787 | 10217 | 10240 |
| Tournament Pro 195 CS | 98-02 | 19' 4" | 94" | 17787 | 10217 | 10240 |
| Tournament Pro 195 CS | 07-15 | 19' 3" | 97" | 17787 | 10217 | 10240 |
| Tournament Pro Tiller | 98-02 | 16' 10" | 81" | 17714 | 10104 | 10215 |
| Tournament Pro Tiller | 96-00 | 17' 11" | 88" | 17716 | 10105 | 10218 |
| Tournament Pro Tiller 185 | 07-08 | 18' 3" | 97" | 17716 | 10105 | 10218 |
| Tournament Sport 175 | 03-05 | 17' 11" | 96" | 17694 | 10137 | 10267 |
| Tournament Sport 185 | 03-05 | 18' 11" | 96" | 17695 | 10138 | 10269 |
| Tournament Sport 185 | 07-10 | 18' 3" | 97" | 17713 | 10027 | 10161 |
| Tournament Sport 195 | 07-10 | 19' 3" | 97" | 17020 | 10028 | 10162 |
| Tournament Sport 195 CS | 07-08 | 19' 3" | 97" | 17787 | 10217 | 10240 |
| Trophy 165 | 2015 | 16' 8" | 91" | - | - | - |
| Trophy 165 | 2002 | 16' 11" | 81" | 17711 | 10025 | 10159 |
| Trophy 165 | 1997 | 16' 11" | 79" | 17711 | 10025 | 10159 |
| Trophy 170 | 93-96 | 16' 11" | 79" | 17710 | 10023 | 10158 |
| Trophy 170 | 86-91 | 16' 10" | 79" | 17711 | 10025 | 10159 |
| Trophy 170 I/O | 1989 | 16' 10" | 79" | 17723 | 10030 | 10163 |
| Trophy 170 LTD | 1993 | 16' 11" | 79" | 17710 | 10023 | 10158 |
| Trophy 175 | 02-05 | 17' 6" | 88" | 17693 | 10136 | 10265 |
| Trophy 175 | 1997 | 18' 0" | 82" | 17712 | 10026 | 10160 |
| Trophy 175 | 07-08 | 17' 9" | 94" | 17712 | 10026 | 10160 |
| Trophy 175 | 09-15 | 17' 8" | 94" | 17712 | 10026 | 10160 |
| Trophy 180 | 03-05 | 17' 10" | 96" | 17694 | 10137 | 10267 |
| Trophy 180 | 93-97 | 18' 0" | 82" | 17712 | 10026 | 10160 |
| Trophy 180 | 1991 | 18' 0" | 84" | 17712 | 10026 | 10160 |
| Trophy 180 | 1984 | 17' 6" | 95" | 17712 | 10026 | 10160 |
| Trophy 185 | 97-10 | 18' 10" | 90" | 17713 | 10027 | 10161 |
| Trophy 185 | 07-15 | 18' 8" | 98" | 17713 | 10027 | 10161 |
| Trophy 190 | 02-05 | 18' 10" | 96" | 17695 | 10138 | 10269 |
| Trophy 190 | 86-95 | 18' 10" | 90" | 17695 | 10138 | 10269 |
| Trophy 195 | 02-08 | 19' 10" | 96" | 17020 | 10028 | 10162 |
| Trophy 195 | 09-15 | 19' 8" | 98" | 17020 | 10028 | 10162 |
| Trophy 200 | 02-05 | 19 10" | 96" | 17020 | 10028 | 10162 |
| Trophy 205 | 07-15 | 20' 8" | 98" | 17800 | 10071 | 10205 |
| Trophy 70 I/O | | 16' 10" | 79" | 17723 | 10030 | 10163 |
| Trophy 70 O/B | | 16' 10" | 79" | 17711 | 10025 | 10159 |
| Trophy 75 / 180 | | 17' 5" | 85" | 17712 | 10026 | 10160 |
| Trophy 90 I/O | | 18' 10" | 90" | 17725 | 10033 | 10165 |
| Trophy 90 O/B | | 18' 10" | 90" | 17713 | 10027 | 10161 |
| Trophy Sport 165 | 99-02 | 16' 11" | 81" | 17693 | 10136 | 10265 |
| Trophy Sport 165 | 1998 | 16' 11" | 79" | 17693 | 10136 | 10265 |
| Trophy Sport 175 | 99-03 | 17' 6" | 88" | 17693 | 10136 | 10265 |
| Trophy Sport 175 | 1998 | 17' 3" | 87" | 17693 | 10136 | 10265 |
| V 170 Bandit | | 17' 2" | 80" | 17761 | 10139 | 10203 |
| V-12 | | 12' 4" | 58" | 17453 | 10086 | 10207 |
| V-14 | 93-08 | 14' 3" | 68" | 17454 | 10087 | 10208 |
| V-14 | 86-89 | 14' 2" | 68" | 17454 | 10087 | 10208 |
| V-14 | 1991 | 14' 2" | 66.5" | 17454 | 10087 | 10208 |
| V-14 | 07-10 | 14' 5" | 68" | 17454 | 10087 | 10208 |
| V-14 (15") | 13-15 | 14' 3" | 68" | 17454 | 10087 | 10208 |
| V-14 (20") | 13-15 | 14' 3" | 68" | 17454 | 10087 | 10208 |
| V-16 | 07-10 | 16' 9" | 70" | 17455 | 10092 | 10211 |
| V-16 | 93-15 | 16' 7" | 70" | 17455 | 10092 | 10211 |
| V-16 | 86-91 | 16' 6" | 70" | 17455 | 10092 | 10211 |
| V-16 (20") | 13-14 | 16' 7" | 70" | 17455 | 10092 | 10211 |
| V16 Split Seat | 96-02 | 16' 7" | 70" | 17455 | 10092 | 10211 |
| VB 1860 AW Tunnel / AW Tunnel FF / Special | 02-14 | 18' 0" | 86" | 17820 | — | — |
| V-Bow 1436 AW | 2000 | 14' 0" | 55" | 17040 | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **ALUMACRAFT-CONTINUED** | | | | | | |
| V-Bow 1650 AW Tunnel | 99-07 | 16' 0" | 74" | 17046 | — | — |
| V-Bow 1650 AW Tunnel CC | 02-05 | 16' 0" | 74" | — | — | — |
| V-Bow 1650 AW Tunnel Deluxe | 99-00 | 16' 0" | 74" | 17046 | — | — |
| V-Bow 1650 AW Tunnel SC | 05-13 | 16' 0" | 74" | 17459 | 15429 | 15428 |
| V-BOW 1756 AW TUNNEL | 05-07 | 17' 0" | 83" | 17048 | — | — |
| V-Bow 1756 AW Tunnel SC | 2005 | 17' 0" | 83" | — | — | — |
| V-Bow 1860 AW Tunnel | 97-07 | 18' 0" | 86" | 17820 | — | — |
| V-Bow 1860 AW Tunnel CC | 05-07 | 18' 0" | 86" | — | — | — |
| V-Bow 1860 AW Tunnel Deluxe | 97-00 | 18' 0" | 86" | 17820 | — | — |
| V-Bow 1860 AW Tunnel FF | 02-05 | 18' 0" | 86" | 17820 | — | — |
| V-Bow 1860 AW Tunnel SC | 2005 | 18' 0" | 86" | 17820 | — | — |
| V-Bow 1860 AW Tunnel SPL | 05-07 | 18' 0" | 86" | 17820 | — | — |
| V-Bow 2072 AW Tunnel | 1999 | 20' 0" | 96" | 17738 | 10151 | 15405 |
| Voyageur 175 CS | 2015 | 17' 10" | 87" | 17711 | 10025 | 10159 |
| Voyageur 175 Sport | 2015 | 17' 10" | 87" | 17718 | 10106 | 10219 |
| Voyageur 175 Tiller | 2015 | 17' 10" | 87" | 17716 | 10105 | 10218 |
| VS 170 | 05-10 | 17' 0" | 74" | 17748 | 10069 | 10204 |
| W 1436 | 84-89 | 14' 0" | 57" | 17040 | — | — |
| W 1440 | 84-89 | 14' 0" | 60" | 17040 | — | — |
| W 1448 | 1989 | 14' 0" | 70" | 17040 | — | — |
| W 1542 / MV | 84-89 | 15' 0" | 62" | 17042 | — | — |
| W 1648 / W 1648 MV | 84-89 | 16' 0" | 70" | 17046 | — | — |
| Water Fowler 15 / Water Fowler 15 Tunnel | 02-13 | 15' 0" | 65" | 17042 | — | — |
| Water Fowler 16 / Water Fowler 16 Tunnel | 02-15 | 16' 0" | 74" | 17046 | — | — |
| Yukon 165 | 02-07 | 16' 6" | 76" | — | — | — |
| Yukon 165 CS / Tiller | 07-09 | 16' 6" | 76" | 17459 | 15429 | 15428 |
| **ALUMAWELD** | | | | | | |
| 1436 / 1436 FSLB | 1998 | 14' 0" | 57" | 17040 | — | — |
| 1440 / D / FSLB | 1998 | 14' 0" | 63" | 17040 | — | — |
| 1450 FSLB / LO / HI / LOD / HID | 1998 | 14' 0" | 74" | 17044 | — | — |
| 15' Talon | 05-09 | 15' 7" | 78.75" | — | — | — |
| 1540 B / 1540 BS | | 15' 0" | 62" | 17742 | 10066 | 10194 |
| 1546 / D / FSLB | 1998 | 15' 0" | 67" | 17042 | — | — |
| 16' Drift Boat | 05-09 | 14' 9" | 78" | — | — | — |
| 16' Sport Skiff | 14-15 | 16' 2" | 77" | 17456 | 10093 | 10212 |
| 16' Talon | 12-15 | 16' 3" | 79.5" | — | — | — |
| 162 Intruder Forward Helm | | 16' 2" | 84" | 17682 | 10140 | — |
| 162 Open Model | | 16' 2" | 84" | 17772 | 10053 | 10180 |
| 1650 FSLB / LO / HI / LOD / HID / T | 1998 | 16' 0" | 74" | 17046 | — | — |
| 17' Drift Boat | 05-09 | 16' 9" | 82" | 17456 | 10093 | 10212 |
| 17' Flat Bottom | 2005 | 17' 1" | 94.5" | 17810 | 10082 | 10231 |
| 17' Free Drifter | 2009 | 17' 3" | 85.5" | 17810 | 10082 | 10231 |
| 17' Intruder Outboard | | 17' 2" | 86" | 17693 | 10136 | 10265 |
| 17' Pro Guide | 2005 | 16' 9" | 82" | — | — | — |
| 17' Stryker Sport | 05-09 | 17' 3" | 85.5" | — | — | — |
| 17' Super Vee LS | 05-09 | 17' 3" | 85.5" | 17736 | 10148 | 15402 |
| 17' Talon | 05-09 | 17' 3" | 80.5" | — | — | — |
| 170 F | | 17' 0" | 82" | 17736 | 10148 | 15402 |
| 1750 PFC | 1998 | 17' 0" | 71" | 17748 | 10069 | 10204 |
| 1756 D / T | 1998 | 17' 0" | 80" | 17048 | — | — |
| 18' Free Drifter | 12-15 | 18' 1" | 84" | 17716 | 10105 | 10218 |
| 18' Intruder Outboard | 04-09 | 18' 2" | 93" | 17694 | 10137 | 10267 |
| 18' Intruder Sportjet | 2009 | 18' 2" | 89" | — | — | — |
| 18' Intruder Sterndrive | 2005 | 18' 2" | 93" | 17684 | 10142 | 10274 |
| 18' Intruder Sterndrive | 2009 | 18' 2" | 89" | 17684 | 10142 | 10274 |
| 18' Intruder Sterndrive | | 18' 3" | 86" | 17684 | 10142 | 10274 |
| 18' Sport Skiff | 14-15 | 18' 2" | 83" | 17811 | 10083 | 10232 |
| 18' Stryker Sport | 12-15 | 18' 3" | 89" | 17712 | 10026 | 10160 |
| 18' Super Vee LT | 05-09 | 18' 3" | 86" | 17780 | 15412 | 15403 |
| 18' Talon | 12-15 | 18' 3" | 84.5" | — | — | — |
| 182' Intruder Forward Helm | | 18' 2" | 84" | 17684 | 10142 | 10274 |
| 182 Open Model | | 18' 2" | 84" | 17775 | 10056 | 10183 |
| 19' Free Drifter | 2009 | 19' 3" | 85.5" | — | — | — |
| 19' Intruder Outboard | | 19' 6" | 86" | 17695 | 10138 | 10269 |
| 19' Intruder Sterndrive | | 19' 3" | 86" | 17685 | 10143 | 10275 |
| 19' Stryker Sport | 05-09 | 19' 3" | 85.5" | 10150 | 15404 | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **ALUMAWELD-CONTINUED** | | | | | | |
| 20' Flat Bottom | 2009 | 20' 0" | 94.5" | — | — | — |
| 20' Free Drifter | 2009 | 20' 1" | 85.5" | — | — | — |
| 20' Free Drifter | 2015 | 20' 1" | 84 " | — | — | — |
| 20' Intruder Inboard Sport Jet | 2005 | 20' 1" | 98" | 17726 | 10034 | 10166 |
| 20' Intruder Outboard | 2012 | 20' 5" | 99.5" | 17020 | 10028 | 10162 |
| 20' Intruder Outboard | 05-09 | 20' 1" | 98" | 17020 | 10028 | 10162 |
| 20' Intruder Outboard | 14-15 | 22' 7" | 99.5" | — | — | — |
| 20' Intruder SJ Inboard | 12-14 | 20' 5" | 98" | 17726 | 10034 | 10166 |
| 20' Intruder Sportjet | 2009 | 20' 1" | 98" | 17726 | 10034 | 10166 |
| 20' Intruder Sterndrive | 2012 | 20' 5" | 99.5" | — | — | — |
| 20' Intruder Sterndrive | 05-09 | 20' 1" | 98" | 17726 | 10034 | 10166 |
| 20' Intruder Sterndrive | | 20' 4" | 93" | 17686 | 10144 | 10276 |
| 20' Intruder V8 Inboard | 2009 | 20' 1" | 98" | 17726 | 10034 | 10166 |
| 20' Intruder V8 Inboard | 2014 | 20' 5" | 98" | 17726 | 10034 | 10166 |
| 20' Sport Skiff | 14-15 | 20' 1" | 83" | — | — | — |
| 20' Stryker Sport | 12-15 | 20' 3" | 89" | 17020 | 10028 | 10162 |
| 20' Stryker Sport | 2009 | 20' 6" | 85.5" | 17020 | 10028 | 10162 |
| 20' Super Vee | 14-15 | 20' 3" | 93.5" | 17020 | 10028 | 10162 |
| 20' Super Vee LT | 2005 | 20' 3" | 95" | 17738 | 10151 | 15405 |
| 20' V8 Intruder Inboard | 12-14 | 20' 5" | 98" | 17726 | 10034 | 10166 |
| 20' V8 Intruder Inboard | 05-09 | 20' 1" | 98" | 17726 | 10034 | 10166 |
| 200' Intruder Sterndrive | | 20' 0" | 84" | 17686 | 10144 | 10276 |
| 21' Columbia | 14-15 | 21' 5" | 101" | 17800 | 10071 | 10205 |
| 21' Formula Vee Outboard | 2005 | 21' 4" | 102" | — | — | — |
| 21' Intruder Sterndrive | | 21' 4" | 93" | 17687 | 10145 | 10277 |
| 21' Super Vee Pro | 2005 | 21' 3" | 91" | 17739 | 10152 | 15406 |
| 21' Super Vee Pro | 14-15 | 21' 5" | 98" | 17800 | 10071 | 10205 |
| 21' Talon | 2005 | 21' 3" | 91" | — | — | — |
| 22' Formula Vee Outboard | 2012 | 22' 1" | 101" | — | — | — |
| 22' Formula Vee Outboard | 14-15 | 24' 3" | 101" | — | — | — |
| 22' Intruder Outboard | 2012 | 22' 5" | 99.5" | — | — | — |
| 22' Intruder Outboard | 14-15 | 24' 7" | 99.5" | — | — | — |
| 22' Intruder Outboard | 05-09 | 22' 1" | 98" | — | — | — |
| 22' Intruder Sterndrive | 2012 | 22' 5" | 99.5" | — | — | — |
| 22' Intruder Sterndrive | 05-09 | 22' 1" | 98" | — | — | — |
| 22' V8 Intruder Inboard | 2009 | 22' 1" | 98" | — | — | — |
| 22' V8 Intruder Inboard | 12-14 | 22' 5" | 98" | — | — | — |
| 23' Columbia | 14-15 | 23' 5" | 101" | — | — | — |
| 23' Formula Vee Outboard | 2005 | 23' 4" | 102" | — | — | — |
| 23' Super Vee Pro | 05-14 | 23' 5" | 98" | 17783 | 10155 | 15409 |
| 23' Talon | 2005 | 23' 5" | 98" | — | — | — |
| 24' Formula Vee Outboard | 2009 | 24' 4" | 102" | — | — | — |
| 24' Formula Vee Outboard | 2012 | 24' 1" | 101" | — | — | — |
| 24' Formula Vee Outboard | 14-15 | 26' 3" | 101" | — | — | — |
| 25' Columbia | 2014 | 25' 5" | 101" | — | — | — |
| 25' Pacific | 2012 | 25' 4" | 101" | — | — | — |
| 25' Super Vee Pro | 05-14 | 25' 5" | 98" | 17784 | 10156 | 15410 |
| 25' Talon | 2005 | 25' 5" | 98" | — | — | — |
| 27' Pacific | 2012 | 27' 4" | 101" | — | — | — |
| Blackhawk 180 | 12-15 | 20' 1" | 89" | 17020 | 10028 | 10162 |
| Blackhawk 20' | 2009 | 20' 1" | 89" | 17020 | 10028 | 10162 |
| Blackhawk 202 | 12-15 | 22' 1" | 89" | — | — | — |
| Bowrider | | 20' 3" | 95" | 17726 | 10034 | 10166 |
| Cowled | | 16' 8" | 82" | 17711 | 10025 | 10159 |
| H 50 | 1998 | 16' 0" | 71" | 17744 | 10067 | 10195 |
| H 51 | 1998 | 17' 0" | 75" | 17748 | 10069 | 10204 |
| Open Model | | 18' 3" | 94" | 17780 | 15412 | 15403 |
| Sportjet | 05-09 | 19' 3" | 85.5" | 11725 | 10033 | 10165 |
| Stryker SJ Inboard | 12-14 | 20' 3" | 90" | 17726 | 10034 | 10166 |
| Stryker V6 Inboard | 12-14 | 20' 3" | 90" | 17726 | 10034 | 10166 |
| V 15 | | 15' 0" | 65" | 17742 | 10066 | 10194 |
| V 42 | | 15' 10" | 65" | 17744 | 10067 | 10195 |
| V 48 | | 17' 0" | 72" | 17748 | 10069 | 10204 |
| V 50 | | 18' 0" | 79" | 17764 | 10063 | 10192 |
| V 56 | | 18' 0" | 81" | 17764 | 10063 | 10192 |
| **AMERICAN SKIER** | | | | | | |
| Volante / LTD. | | 20' 4" | 90" | 17686 | 10144 | 10276 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **ANGLER** | | | | | | |
| 17 Center Console Fisherman | | 16' 8" | 86" | **17736** | **10148** | **15402** |
| 170 CC / F | 96-02 | 16' 8" | 86" | **17736** | **10148** | **15402** |
| 18 Center Console Fisherman | | 18' 0" | 91" | **17780** | **15412** | **15403** |
| 180 CC / F | 96-02 | 18' 0" | 91" | **17780** | **15412** | **15403** |
| 19 Center Console Fisherman | | 19' 0" | 96" | **17737** | **10150** | **15404** |
| 19 Cuddy Cabin | | 18' 3" | 89" | **17585** | **10127** | **10255** |
| 20 Center Console Fisherman | | 20' 0" | 96" | **17738** | **10151** | **15405** |
| 20 Walkaround Cabin | | 20' 4" | 96" | **17587** | **10129** | **10257** |
| 204 CC / F | 96-02 | 20' 4" | 96" | **17738** | **10151** | **15405** |
| 204 WA | | 20' 4" | 96" | **17587** | **10129** | **10257** |
| 22 Center Console Fisherman | | 22' 0" | 96" | **17741** | **10153** | **15407** |
| 220 B | | 22' 0" | 102" | — | — | — |
| 220 B with bracket | | 24' 6" | 102" | — | — | — |
| 220 CC / F | 96-00 | 22' 0" | 96" | **17741** | **10153** | **15407** |
| 220 F with pulpit | | 24' 6" | 102" | — | — | — |
| 220 WA | | 22' 0" | 102" | — | — | — |
| 2200 Grande Bay | | 22' 0" | 102" | **17741** | **10153** | **15407** |
| Angler 17 | | 16' 8" | 86" | — | — | — |
| Angler 18 | | 18' 0" | 91" | — | — | — |
| Angler 19 | | 18' 8" | 96" | — | — | — |
| Angler 20 | | 20' 4" | 96" | — | — | — |
| Angler 22 | | 22' 0" | 102" | — | — | — |
| V-19 BR I/O | | 18' 3" | 89" | **17724** | **10032** | **10164** |
| V-19 BR O/B | | 18' 3" | 89" | **17712** | **10026** | **10160** |
| V-19 CC | | 18' 3" | 89" | **17585** | **10127** | **10255** |
| V-19 F | | 18' 8" | 96" | **17737** | **10150** | **15404** |
| V-21 BR | | 20' 1" | 96" | **17587** | **10129** | **10257** |
| V-21 CC | | 20' 1" | 96" | **17587** | **10129** | **10257** |
| V-22 F | | 22' 0" | 96" | **17741** | **10153** | **15407** |
| **APEX MARINE** | | | | | | |
| 613 | 13-15 | 13' 6" | 78" | — | — | — |
| 614 | 13-15 | 16' 4" | 72" | — | — | — |
| 615 | 13-15 | 15' 4" | 78" | — | — | — |
| 616 | 13-16 | 18' 0" | 72" | — | — | — |
| 713 | 13-15 | 13' 6" | 89.5" | — | **10120** | **10250** |
| 715 | 13-15 | 15' 4" | 89.5" | — | **10288** | **10329** |
| 818 | 2015 | 19' 9" | 96" | — | **10289** | **10330** |
| 820 | 13-15 | 20' 8" | 96" | — | **10289** | **10330** |
| 820 | 13-15 | 20' 8" | 96" | — | **10289** | **10330** |
| 820 | 2015 | 21' 1" | 96" | **17791** | **10116** | **10245** |
| 822 | 2015 | 22' 10" | 96" | **17791** | **10116** | **10245** |
| 822 | 2015 | 23' 3" | 96" | — | **10290** | — |
| 824 | 2015 | 25' 3" | 96" | **17792** | **10117** | **10247** |
| 7514 | 13-15 | 14' 8" | 91" | — | **10120** | **10250** |
| 7514 | 13-15 | 14' 8" | 91" | — | **10120** | **10250** |
| 7514 | 2015 | 14' 8" | 91" | — | **10120** | **10250** |
| 7516 | 13-15 | 16' 10" | 91" | — | **10288** | **10329** |
| 7516 | 13-15 | 16' 10" | 91" | — | **10288** | **10329** |
| 7516 | 13-15 | 16' 10" | 91" | — | **10288** | **10329** |
| 7518 | 13-15 | 19' 4" | 91" | — | **10289** | **10330** |
| 7518 | 13-15 | 19' 4" | 91" | — | **10289** | **10330** |
| 7518 | 13-15 | 19' 4" | 91" | — | **10289** | **10330** |
| 816 TT | 13-15 | 17' 6" | 96" | **17790** | **10114** | **10244** |
| 818 TT | 13-15 | 20' 0" | 96" | — | **10289** | **10330** |
| 820 TT | 13-15 | 21" 4" | 96" | **17791** | **10116** | **10245** |
| 822 TT | 2015 | 21' 4" | 96" | **17791** | **10116** | **10245** |
| 824 TT | 2015 | 25' 7" | 96" | **17792** | **10117** | **10247** |
| **AQUA PATIO: SEE GODFREY** | | | | | | |
| **AQUASPORT** | | | | | | |
| 165 Osprey | 2002 | 16' 1" | 72" | — | — | — |
| 165 Striper | 96-98 | 16' 1" | 72" | — | — | — |
| 170 Osprey | 2002 | 17' 0" | 82" | **17736** | **10148** | **15402** |
| 170 Striper | 1988 | 17' 0" | 82" | **17736** | **10148** | **15402** |
| 175 Osprey | 95-02 | 17' 5" | 81" | **17736** | **10148** | **15402** |
| 185 Striper | 1996 | 18' 10" | 93" | **17737** | **10150** | **15404** |
| 190 Osprey | 2002 | 19' 4" | 88" | **17737** | **10150** | **15404** |
| 195 Osprey DC | 2002 | 19' 7" | 93" | **17020** | **10028** | **10162** |
| 196 Osprey | 1988 | 19' 6" | 92" | **17737** | **10150** | **15404** |
| 200 CCP | | 20' 2" | 94" | **17738** | **10151** | **15405** |
| 200 Osprey | 96-02 | 19' 6" | 92" | **17738** | **10151** | **15405** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **AQUASPORT-CONTINUED** | | | | | | |
| 200 Striper | 1988 | 19' 6" | 92" | **17738** | **10151** | **15405** |
| 200 XF | | 20' 2" | 94" | **17738** | **10151** | **15405** |
| 205 Osprey | 1998 | 21' 9" | 99" | **17739** | **10152** | **15406** |
| 205 Osprey | 2002 | 21' 9" | 101" | **17739** | **10152** | **15406** |
| 215 Osprey Sport | 2002 | 23' 2" | 99" | **17782** | **10154** | **15408** |
| 215 DC | 1998 | 23' 2" | 99" | — | — | — |
| 215 Explorer | 96-02 | 21' 4" | 99" | — | — | — |
| 215 Striper | 1996 | 21' 10" | 92" | **17741** | **10153** | **15407** |
| 222 C | | 22' 2" | 96" | **17741** | **10153** | **15407** |
| 222 CCP | 1998 | 22' 2" | 96" | **17741** | **10153** | **15407** |
| 222 Express Fisherman | 1988 | 22' 2" | 96" | — | — | — |
| 222 Family Fisherman | | 22' 2" | 96" | — | — | — |
| 222 Osprey | 1988 | 22' 2" | 95" | **17741** | **10153** | **15407** |
| 222 Sandpiper | 1988 | 22' 2" | 96" | **17589** | **10131** | **10259** |
| 222 Walkthru | | 22' 2" | 96" | **177258** | **10036** | **10168** |
| 222 XF | | 22' 2" | 96" | — | — | — |
| 225 Explorer | 95-02 | 24' 0" | 102" | — | — | — |
| 225 Osprey | 95-02 | 24' 0" | 102" | — | — | — |
| 230 Tournament Cat | 2002 | 23' 0" | 102" | — | — | — |
| 250 C | 1988 | 24' 8" | 96" | **17784** | **10156** | **15410** |
| **AQUATRON** | | | | | | |
| 2350 | | 22' 10" | 100" | **17590** | **10132** | **10261** |
| 1600 O/B | | 15' 8" | 79" | **17710** | **10023** | **10158** |
| 1750 CC | | 17' 2" | 82" | **17736** | **10148** | **15402** |
| 1760 Bass | | 17' 6" | 84" | **17776** | **10055** | **10182** |
| 1800 Bow Rider | | 17' 8" | 84" | **17684** | **10142** | **10274** |
| 1800 CB | | 17' 9" | 85" | **17684** | **10142** | **10274** |
| 1800 LX / BR / I/O | | 17' 9" | 85" | **17684** | **10142** | **10274** |
| 1800 LX / BR / O/B | | 17' 9" | 85" | **17694** | **10137** | **10267** |
| 1950 LX / BR | | 19' 4" | 91" | **17725** | **10033** | **10165** |
| 2000 SC | | 19' 6" | 92" | **17587** | **10129** | **10257** |
| 2200 CLX | | 21' 7" | 98" | **17589** | **10131** | **10259** |
| 2200 WAC | | 21' 9" | 99" | **17589** | **10131** | **10259** |
| **ARMADA** | | | | | | |
| 170 SZ / 170 FZ | | 17' 6" | 93" | **17724** | **10032** | **10164** |
| 190 SE / 190 FE | | 18' 9" | 93" | **17725** | **10033** | **10165** |
| 190 SZ / 190 FZ | | 18' 9" | 93" | **17725** | **10033** | **10165** |
| 20 SE / 20 FE | | 19' 10" | 93" | **17587** | **10129** | **10257** |
| 20 SSE | | 19' 10" | 93" | **17686** | **10144** | **10276** |
| Tracer 16 SX | | 15' 9" | 79" | **17578** | **10108** | — |
| Tracer 18 CX | | 18' 2" | 86" | **17583** | **10111** | **17575** |
| Tracer 18 FX | | 18' 2" | 86" | **17775** | **10056** | **10183** |
| Tracer 18 SX | | 18' 2" | 86" | **17583** | **10111** | **17575** |
| Tracer A6 FX | | 15' 9" | 79" | **17762** | **10062** | **10188** |
| **ARRIVA** | | | | | | |
| 1800 O/B | 1991 | 18' 7" | 93" | **17694** | **10137** | **10267** |
| 2050 I/O | 1991 | 19' 8" | 88" | **17686** | **10144** | **10276** |
| **ASTRO** | | | | | | |
| 1236 A | 1997 | 12' 0" | 56" | **17819** | — | — |
| 1436 A | 1997 | 14' 0" | 56" | **17040** | — | — |
| 1442 A | 1997 | 14' 0" | 62" | — | — | — |
| 15 SC | 1991 | 15' 6" | 76" | **17814** | **10089** | **10235** |
| 15 SC O/B | | 15' 6" | 76" | **17770** | **10052** | **10179** |
| 1500 S Panfish / 1500 T Panfish | 1997 | 15' 5" | 62" | — | — | — |
| 1542 A | 1997 | 15' 0" | 62" | **17719** | **10101** | **10216** |
| 16 FX | 1996 | 16' 10" | 89" | **17719** | **10101** | **10216** |
| 1600 Fish / 1600 Panfish | 1997 | 16' 0" | 70" | **17459** | **15429** | **15428** |
| 162 Fish | 1997 | 15' 10" | 72" | **17770** | **10052** | **10179** |
| 162 Fish | 98-99 | 16' 2" | 82" | **17772** | **10053** | **10180** |
| 1648 A | 1997 | 16' 0" | 70" | **16528** | **17046** | — |
| 17 CC | 1994 | 16' 11" | 86" | **17736** | **10148** | **15402** |
| 17 CC | 1995 | 16' 11" | 87" | **17736** | **10148** | **15402** |
| 17 FS O/B / S 17 FS | 1991 | 16' 10" | 82" | **17580** | **10109** | **17573** |
| 17 FSX O/B | 92-93 | 16' 11" | 82" | **17582** | **10110** | **17574** |
| 17 SC O/B | 1991 | 16' 10" | 82" | **17776** | **10055** | **10182** |
| 17 SCX | 92-95 | 16' 11" | 84" | **17582** | **10110** | **17574** |
| 17 SCX O/B | 1991 | 16' 11" | 83" | **17776** | **10055** | **10182** |
| 1700 Fish | 1997 | 17' 0" | 76" | **17461** | **10103** | **10214** |
| 1700 SC / DC / DX | 97-99 | 17' 2" | 84" | **17776** | **10055** | **10182** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **ASTRO-CONTINUED** | | | | | | |
| 172 Fish | 97-99 | 17' 2" | 84" | **17776** | **10055** | **10182** |
| 172 FS | 98-99 | 17' 4" | 85" | **17582** | **10110** | **17574** |
| 18 DCX O/B | 91-95 | 18' 6" | 89" | **17773** | **15411** | **15401** |
| 18 FD O/B | 1991 | 18' 0" | 86" | **17775** | **10056** | **10183** |
| 18 FDX O/B | 1991 | 18' 6" | 89" | **17773** | **15411** | **15401** |
| 18 FS O/B | 1991 | 18' 1" | 86" | **17583** | **10111** | **17575** |
| 18 FSX | | 18' 8" | 88" | **17584** | **10112** | **17576** |
| 18 FSX O/B | 92-96 | 18' 8" | 86" | **17584** | **10112** | **17576** |
| 18 SC O/B | 1991 | 18' 1" | 86" | **17775** | **10056** | **10183** |
| 18 SCX | 93-95 | 18' 6" | 88" | **17773** | **15411** | **15401** |
| 1800 | 1999 | 18' 2" | 88" | **17583** | **10112** | **17576** |
| 1800 FS | 97-98 | 18' 5" | 87" | **17583** | **10111** | **17575** |
| 1800 SC / DC | 97-99 | 18' 2" | 88" | **17775** | **10056** | **10183** |
| 1850 SCX / DCX | | 18' 11" | 90" | **17773** | **15411** | **15401** |
| 19 CC | 95-96 | 19' 2" | 97" | **17737** | **10150** | **15404** |
| 19 FS O/B | | 19' 10" | 88" | **17584** | **10112** | **17576** |
| 1950 SL / SS | 2001 | 18' 11" | 96" | **17684** | **10142** | **10274** |
| 20 DCX O/B | 1993 | 19' 11" | 93" | **17778** | **10058** | **10185** |
| 20 FDX | 92-94 | 19' 11" | 95" | **17777** | **10057** | **10184** |
| 20 FDX O/B | 1991 | 19' 11" | 93" | **17778** | **10058** | **10185** |
| 20 FS | 1996 | 20' 2" | 91" | **17030** | **10113** | **17577** |
| 20 FSX O/B | | 19' 6" | 95" | **17584** | **10112** | **17576** |
| 20 FX | 1996 | 21' 10" | 96" | **17777** | **10057** | **10184** |
| 2000 | 1999 | 20' 4" | 91" | **17030** | **10113** | **17577** |
| 2000 FS | 1997 | 20' 2" | 91" | **17030** | **10113** | **17577** |
| 2000 SC / DC | 97-99 | 20' 4" | 91" | **17778** | **10058** | **10185** |
| 2050 FS | 1999 | 19' 6" | 93" | **17584** | **10112** | **17576** |
| 2050 SCX / DCX | | 20' 5" | 93" | **17778** | **10058** | **10185** |
| 21 CC | | 20' 2" | 102" | **17739** | **10152** | **15406** |
| 21 DCX | | 20' 6" | 95" | **17778** | **10058** | **10185** |
| 21 SCX | | 20' 6" | 95" | **17778** | **10058** | **10185** |
| 2100 Sportfish | 1998 | 21' 0" | 101" | **17739** | **10152** | **15406** |
| 2350 SD | 2002 | 23' 2" | 102" | **17797** | **10317** | **10191** |
| 475 / 475 DC | | 17' 2" | 84" | **17776** | **10055** | **10182** |
| F 18 | | 18' 4" | 89" | **17775** | **10056** | **10183** |
| F 20 | | 20' 1" | 91" | **17778** | **10058** | **10185** |
| S 15 B | | 15' 3" | 72" | **17760** | **10061** | **10187** |
| S 17 B | | 17' 2" | 82" | **17776** | **10055** | **10182** |
| S 18 B | | 17' 10" | 86" | **17775** | **10056** | **10183** |
| S 18 FS | | 17' 10" | 87" | **17583** | **10111** | **17575** |
| S 20 DC / S 20 B | | 20' 2" | 91" | **17778** | **10058** | **10185** |
| S 20 FS | | 20' 2" | 91" | **17020** | **10028** | **10162** |
| X 1850 FS | 1997 | 18' 8" | 88" | **17584** | **10112** | **17576** |
| X 1850 SC / DC | 97-99 | 18' 11" | 90" | **17773** | **15411** | **15401** |
| X 2000 | 97-98 | 20' 1" | 91" | **17778** | **10058** | **10185** |
| X 2050 FS | 1997 | 19' 6" | 95" | **17584** | **10112** | **17576** |
| X 2050 SC / DC | 97-99 | 20' 6" | 93" | **17778** | **10058** | **10185** |
| **ASTROGLASS** | | | | | | |
| 140 Series | | 14' 2" | 64" | **17742** | **10066** | **10194** |
| 142 V Series | 1986 | 14' 2" | 64" | **17550** | — | — |
| 151 Fish-N-Ski | 1986 | 15' 1" | 76" | **17770** | **10052** | **10179** |
| 151V Series | 1986 | 15' 1" | 76" | **17760** | **10061** | **10187** |
| 154 Series | 85-86 | 15' 4" | 74" | **17760** | **10061** | **10187** |
| 160 V Series | | 16' 0" | 80" | **17762** | **10062** | **10188** |
| 165 V Bass | 85-86 | 16' 6" | 80" | **17774** | **10054** | **10181** |
| 165 V Fish-N-Ski | 85-86 | 16' 6" | 80" | **17580** | **10109** | **17573** |
| 166 V Bass / 166V Rival | | 16' 6" | 82" | **17774** | **10054** | **10181** |
| 166 V Combo | | 16' 6" | 82" | **17580** | **10109** | **17573** |
| 175 Bass / 175 V Rival | 85-86 | 17' 6" | 84" | **17776** | **10055** | **10182** |
| 175 Fish-N-Ski | 85-86 | 17' 6" | 84" | **17582** | **10110** | **17574** |
| 178 V Bass / 178 V Rival | | 17' 8" | 86" | **17775** | **10056** | **10183** |
| 178V Combo | | 17' 8" | 86" | **17583** | **10111** | **17575** |
| 180 I/O | | 17' 9" | 86" | **17724** | **10032** | **10164** |
| 180 O/B | | 17' 9" | 86" | **17712** | **10026** | **10160** |
| 195 V Bass / 195 V Rival | 1986 | 19' 6" | 88" | **17777** | **10057** | **10184** |
| 195 V Combo | 1986 | 19' 6" | 88" | **17584** | **10112** | **17576** |
| **AVALON** | | | | | | |
| A-Fish 20' | 2013 | 20' 0" | 96" | — | **10289** | **10330** |
| A-Fish 22' | 2013 | 22' 0" | 96" | **17791** | **10116** | **10245** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **AVALON-CONTINUED** | | | | | | |
| A-Fish 24' | 2013 | 24' 0" | 96" | — | **10290** | **10331** |
| Ambassador 25' | 2013 | 25' 0" | 96.5" | **17792** | **10117** | **10247** |
| Ambassador 27' | 2013 | 27' 0" | 96.5" | — | **10291** | **10332** |
| C Fish 20' | 2013 | 20' 0" | 96 1/5" | — | **10289** | **10330** |
| C Fish 22" | 2013 | 22' 0" | 96 1/5" | **17791** | **10116** | **10245** |
| C Fish 24' | 2013 | 24' 0" | 96 1/5" | — | **10290** | **10331** |
| C RL 24' RL | 2013 | 24' 0" | 96.5" | — | **10290** | **10331** |
| C RL 26' RL | 2013 | 26' 0" | 96.5" | **17792** | **10117** | **10247** |
| Catalina 2185 | 2015 | 21' 5" | 102" | **17791** | **10116** | **10245** |
| Catalina 2185-3ET | 2015 | 21' 5" | 102" | **17791** | **10116** | **10245** |
| Catalina 2185-3WG | 2015 | 22' 6" | 102" | **17791** | **10116** | **10245** |
| Catalina 2385 | 2015 | 23' 5" | 102" | — | **10290** | **10331** |
| Catalina 2385-3ET | 2015 | 23' 5" | 102" | — | **10290** | **10331** |
| Catalina 2385-3WG | 2015 | 24' 6" | 102" | — | **10290** | **10331** |
| Catalina 24' QL | 2013 | 24' 0" | 96.5" | — | **10290** | **10331** |
| Catalina 2585 | 2015 | 25' 5" | 102" | **17792** | **10117** | **10247** |
| Catalina 2585 3-ET | 2015 | 25' 5" | 102" | **17792** | **10117** | **10247** |
| Catalina 2585-3WG | 2015 | 25' 6" | 102" | **17792** | **10117** | **10247** |
| Catalina 26' QL | 2013 | 26' 0" | 96.5" | **17792** | **10117** | **10247** |
| Catalina 2785 | 2015 | 27'5" | 102" | — | **10291** | **10332** |
| Catalina 2785-3ET | 2015 | 27'5" | 102" | — | **10291** | **10332** |
| Catalina 2785-3WG | 2015 | 28' 6" | 102" | — | **10291** | **10332** |
| Catalina Cruise 20' | 2013 | 20' 0" | 96.5" | — | **10289** | **10330** |
| Catalina Cruise 22' | 2013 | 22' 0" | 96.5" | **17791** | **10116** | **10245** |
| Catalina Cruise 24' | 2013 | 24' 0" | 96.5" | — | **10290** | **10331** |
| Catalina Entertainer 24' | 2013 | 24' 0" | 96.5" | — | **10290** | **10331** |
| Catalina Entertainer 26' | 2013 | 26' 0" | 96.5" | **17792** | **10117** | **10247** |
| DECO Sandbar 27' | 2013 | 27' 0" | 96.5" | — | **10291** | **10332** |
| DRL 22' | 2013 | 22' 0" | 96.5" | **17791** | **10116** | **10245** |
| DRL 24' | 2013 | 24' 0" | 96.5" | — | **10290** | **10331** |
| Eagle 14' | 2013 | 14' 0" | 84" | — | **10120** | **10250** |
| Eagle 1470 | 2015 | 15' 5" | 84" | — | **10288** | **10329** |
| Eagle 1470-3WG | 2015 | 16' 6" | 84" | — | **10288** | **10329** |
| Eagle 16' | 2013 | 16' 0" | 84" | — | **10288** | **10329** |
| Eagle 1670 | 2015 | 17' 5' | 84" | **17790** | **10114** | **10244** |
| Eagle 1670-3WG | 2015 | 18' 6" | 84" | **17790** | **10114** | **10244** |
| Eagle 1870 | 2015 | 19' 5" | 84" | — | **10289** | **10330** |
| Eagle 1870-3WG | 2015 | 20' 6" | 84" | — | **10289** | **10330** |
| Excalibur 27' EL | 2013 | 27' 0" | 96.5" | — | **10291** | **10332** |
| Excalibur 29' EL | 2013 | 29' 0" | 96.5" | — | — | — |
| GS 16' | 2013 | 16' 0" | 96" | — | **10288** | **10329** |
| GS 18" | 2013 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| GS 20' | 2013 | 20' 0" | 96" | — | **10289** | **10330** |
| GS 22" | 2013 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| GS Promo 1985 | 2015 | 19' 5" | 102" | — | **10289** | **10330** |
| GS Promo 1985-3WG | 2015 | 20' 6" | 102" | — | **10289** | **10330** |
| GS Promo 2185 | 2015 | 21' 5" | 102" | **17791** | **10116** | **10245** |
| GS Promo 2185-3ET | 2015 | 21' 5" | 102" | **17791** | **10116** | **10245** |
| GS Promo 2185-3WG | 2015 | 22' 6" | 102" | **17791** | **10116** | **10245** |
| GS Promo 2385 | 2015 | 23' 5" | 102" | — | **10290** | **10331** |
| GS Promo 2385-3ET | 2015 | 23' 5" | 102" | — | **10290** | **10331** |
| GS QL 18' | 2013 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| GS QL 20' | 2013 | 20' 0" | 96" | — | **10289** | **10330** |
| GS QL 22' | 2013 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| LS 1800-3WG | 2015 | 18' 6" | 96" | **17790** | **10114** | **10244** |
| LS 1880 | 2015 | 17' 5" | 96" | **17790** | **10114** | **10244** |
| LS 1900 | 2013 | 19' 0" | 96.5" | — | **10289** | **10330** |
| LS 2080 | 2015 | 19' 5" | 96" | — | **10289** | **10330** |
| LS 2080-3WG | 2015 | 20' 6" | 96" | — | **10289** | **10330** |
| LS 2100 | 2013 | 21' 0" | 96.5" | **17791** | **10116** | **10245** |
| LS 2280 | 2015 | 21' 5" | 96" | **17791** | **10116** | **10245** |
| LS 2280-3ET | 2015 | 21' 5" | 96" | **17791** | **10116** | **10245** |
| LS 2280-3WG | 2015 | 22' 6" | 96" | **17791** | **10116** | **10245** |
| LS 2300 | 2013 | 23' 0" | 96.5" | — | **10290** | **10331** |
| LS 2480 | 2015 | 23' 5" | 96" | — | **10290** | **10331** |
| LS 2480-3EG | 2015 | 23' 5" | 96" | — | **10290** | **10331** |
| LS 2480-3WG | 2015 | 24' 6" | 96" | — | **10290** | **10331** |
| LS 2500 | 2013 | 25' 0" | 96.5" | **17792** | **10117** | **10247** |
| LS Promo 2385-3WG | 2015 | 24' 6" | 102" | — | **10290** | **10331** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **AVALON-CONTINUED** | | | | | | |
| LSZ 2085 | 2015 | 19' 5" | 102" | — | 10289 | 10330 |
| LSZ 2085-3WG | 2015 | 20' 6" | 102" | — | 10289 | 10330 |
| LSZ 2285-3ET | 2015 | 21' 5" | 102" | 17791 | 10116 | 10245 |
| LSZ 2285-3WG | 2015 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| LSZ 2485 | 2015 | 23' 5" | 102" | — | 10290 | 10331 |
| LSZ 2485-3ET | 2015 | 23' 5" | 102" | — | 10290 | 10331 |
| LSZ 2485-3WG | 2015 | 24' 6" | 102" | — | 10290 | 10331 |
| LSZ 2685 | 2015 | 25' 5" | 102" | 17792 | 10117 | 10247 |
| LSZ 2685-3ET | 2015 | 25' 5" | 102" | 17792 | 10117 | 10247 |
| LSZ 2685-3WG | 2015 | 26'6" | 102" | 17792 | 10117 | 10247 |
| LSZ02285 | 2015 | 21' 5" | 102" | 17791 | 10116 | 10245 |
| Paradise 21' | 2013 | 21' 0" | 96.5" | 17791 | 10116 | 10245 |
| Paradise 23' | 2013 | 23' 0" | 96.5" | — | 10290 | 10331 |
| Paradise 2385 | 2015 | 24' 4" | 102" | — | 10290 | 10331 |
| Paradise 2385-3ET | 2015 | 24' 4" | 102" | — | 10290 | 10331 |
| Paradise 2385-3WG | 2015 | 25' 3" | | 17792 | 10117 | 10247 |
| Paradise 25' | 2013 | 25' 0" | 96.5" | 17792 | 10117 | 10247 |
| Paradise 2585 | 2015 | 26' 2" | | 17792 | 10117 | 10247 |
| Paradise 2585-3ET | 2015 | 26' 2" | | 17792 | 10117 | 10247 |
| Paradise 2585-3WG | 2015 | 27' 3" | | — | 10291 | 10332 |
| Paradise 27' | 2013 | 27' 0" | 96.5" | — | 10291 | 10332 |
| Paradise RC 25' | 2013 | 25' 0" | 96.5" | 17792 | 10117 | 10247 |
| Windjammer 20' | 2013 | 20' 0" | 96.5" | — | 10289 | 10330 |
| Windjammer 2185 | 2015 | 21' 5" | 102" | 17791 | 10116 | 10245 |
| Windjammer 2185-3ET | 2015 | 21' 5" | 102" | 17791 | 10116 | 10245 |
| Windjammer 2185-3WG | 2015 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| Windjammer 22' | 2013 | 22' 0" | 96.5" | 17791 | 10116 | 10245 |
| Windjammer 2385 | 2015 | 23' 5" | 102" | — | 10290 | 10331 |
| Windjammer 2385-3ET | 2015 | 23' 5" | 102" | — | 10290 | 10331 |
| Windjammer 2385-3WG | 2015 | 24' 6" | 102" | — | 10290 | 10331 |
| Windjammer 24' | 2013 | 24' 0" | 96.5" | — | 10290 | 10331 |
| Windjammer 2585 | 2015 | 25' 5" | 102" | 17792 | 10117 | 10247 |
| Windjammer 2585-3ET | 2015 | 25' 5" | 102" | 17792 | 10117 | 10247 |
| Windjammer 2585-3WG | 2015 | 26' 6" | 102" | 17792 | 10117 | 10247 |
| Windjammer 26' | 2013 | 26' 0" | 96.5" | 17792 | 10117 | 10247 |
| Windjammer 2785 | 2015 | 27' 5" | 102" | — | 102981 | 10332 |
| Windjammer 2785-3ET | 2015 | 27' 5" | 102" | — | 102981 | 10332 |
| Windjammer 2785-3WG | 2015 | 28" 6" | 102" | — | 102981 | 10332 |
| Windjammer Quad Lounger 24' QL | 2013 | 24' 0" | 96.5" | — | 10290 | 10331 |
| Windjammer Quad Lounger 26' QL | 2013 | 26' 0" | 96.5" | 17792 | 10117 | 10247 |
| **AVANTI** | | | | | | |
| 170 DL | 1985 | 16' 4" | 83" | 17710 | 10023 | 10158 |
| 170 DLI / SS | 1985 | 16' 3" | 83" | 17722 | 10029 | — |
| 170 FS | 1985 | 16' 3" | 83" | 17710 | 10023 | 10158 |
| 175 FS | 1985 | 17' 6" | 91" | 17712 | 10026 | 10160 |
| 175 FSI | 1985 | 17' 6" | 91" | 17724 | 10032 | 10164 |
| 176B O/B | 1985 | 17' 2" | 82" | 17711 | 10025 | 10159 |
| 190 DLI | 1985 | 19' 0" | 91" | 17725 | 10033 | 10165 |
| **AVENGER** | | | | | | |
| 150 O/B | | 15 ' 11" | 79" | 17722 | 10029 | — |
| 152 Ski / Bass | | 15' 11" | 79" | 17578 | 10220 | — |
| 163 O/B | | 16' 7" | 85" | 17710 | 10023 | 10158 |
| 165 O/B | | 16' 7" | 85" | 17723 | 10030 | 10163 |
| 169 | | 17' 0" | 87" | 17723 | 10030 | 10163 |
| 169 Family Bowrider | | 17' 0" | 87" | 17775 | 10056 | 10183 |
| 182 Bass Boat | | 18' 3" | 87" | 17775 | 10056 | 10183 |
| 182 Ski Bass | | 18' 3" | 87" | 17711 | 10025 | 10159 |
| 183 O/B | | 18' 3" | 87" | 17775 | 10056 | 10183 |
| 184 Bass | | 18' 3" | 87" | 1080 | 10026 | 10162 |
| 200 Bowrider / 200 O/B | | 20' 1.5" | 89" | 17778 | 10058 | 10185 |
| 201 | | 20' 1.5" | 89" | 17726 | 10034 | 10166 |
| 202 Ski Bass | | 20' 2" | 89" | 17778 | 10058 | 10185 |
| 210 Cuddy Cabin | | 20' 10" | 96" | 17588 | 10130 | 10258 |
| 220 Day Cruiser | | 22' 2" | 95" | 17588 | 10130 | 10258 |
| 221 Day Cruiser | | 21' 4" | 94" | 17588 | 10130 | 10258 |
| 222 O/B Day Cruiser | | 21' 4" | 94" | 17590 | 10132 | 10261 |
| 230 Day Cruiser | | 22' 6" | 94" | — | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **AZURE** | | | | | | |
| AX 262 | 2006 | 25' 6" | 102" | 17802 | 10073 | 10221 |
| AZ 188 | 2007 | 18' 0" | 94" | 17684 | 10142 | 10274 |
| AZ 200 | 06-07 | 20' 0" | 102" | 17686 | 10144 | 10276 |
| AZ 210 | 2006 | 20' 6" | 102" | 17686 | 10144 | 10276 |
| AZ 211 | 2006 | 22' 11" | 102" | 17688 | 10146 | 10278 |
| AZ 220 | 2007 | 22' 0" | 102" | 17688 | 10146 | 10278 |
| AZ 228 | 06-07 | 21' 8" | 102" | 17687 | 10145 | 10277 |
| AZ 238 | 06-07 | 23' 0" | 102" | 17689 | 10147 | 10279 |
| AZ 240 | 06-07 | 24' 0" | 102" | 17801 | 10072 | 10210 |
| AZ 258 | 06-07 | 25' 0" | 102" | 17802 | 10073 | 10221 |
| AZ 259 | 2007 | 25' 0" | 102" | 17802 | 10073 | 10221 |
| AZ 261 | 2006 | 25' 6" | 102" | 17802 | 10073 | 10221 |
| **BAJA** | | | | | | |
| 180 Islander | 96-98 | 18' 1" | 94" | 17684 | 10142 | 10274 |
| 180 Islander | 1985 | 17' 6" | 90" | 17724 | 10032 | 10164 |
| 186 EES / Sport O/B | 1990 | 18' 6" | 85" | 17694 | 10137 | 10267 |
| 188 Islander I/O | 1991 | 18' 11" | 94" | 17685 | 10143 | 10275 |
| 190 DSR I/O | 1990 | 18' 7" | 85" | 17684 | 10142 | 10274 |
| 190 DSR I/O (w/platform) | 1990 | 20' 4" | 85" | 17686 | 10144 | 10276 |
| 190 ES I/O | 1990 | 18' 7" | 85" | 17684 | 10142 | 10274 |
| 190 ES I/O (w/platform) | 1990 | 20' 4" | 85" | 17686 | 10144 | 10276 |
| 190 Islander | 1989 | 18' 7" | 85" | 17684 | 10142 | 10274 |
| 190 Islander w/platform | 1989 | 20' 4" | 85" | 17686 | 10144 | 10276 |
| 192 Islander | 98-08 | 19' 2" | 95" | 17685 | 10143 | 10275 |
| 192 Islander w/platform | 2005 | 20' 7" | 95" | 1686 | 10144 | 10276 |
| 196 ESS | 1990 | 19' 6" | 87" | 17685 | 10143 | 10275 |
| 20 Outlaw | 96-98 | 20' 4" | 85" | 17686 | 10144 | 10276 |
| 20 Outlaw | 2004 | 20' 4" | 94" | 17687 | 10145 | 10277 |
| 20 Outlaw w/platform | 03-08 | 21' 11" | 94" | 17688 | 10146 | 10278 |
| 200 Islander | 1985 | 19' 6" | 96" | 17726 | 10034 | 10166 |
| 202 Islander | 04-08 | 20' 4" | 94" | 17726 | 10034 | 10166 |
| 202 Islander w/platform | 04-08 | 21' 11" | 94" | 17728 | 10036 | 10168 |
| 208 Islander I/O | 91-95 | 21' 0" | 100" | 17687 | 10145 | 10277 |
| 212 Islander | 98-03 | 21' 4" | 100" | 17687 | 10145 | 10277 |
| 220 Islander | 1985 | 21' 7" | 96" | 17728 | 10036 | 10168 |
| 23 Islander OB | 2015 | 23' 6" | 102" | 17689 | 10147 | 10279 |
| 23 Islander OB w/platform | 2015 | 26' 0" | 102" | 17802 | 10073 | 10021 |
| 23 Outlaw | 06-15 | 23' 6" | 100" | 17689 | 10147 | 10279 |
| 23 Outlaw w/platform | 06-15 | 24' 8" | 100" | 17801 | 10072 | 10210 |
| 232 Islander | 98-02 | 23' 2" | 100" | 17689 | 10147 | 10279 |
| 232 Performance | 2004 | 23' 4" | 90" | 17689 | 10147 | 10279 |
| 242 Islander | 04-05 | 24' 2" | 102" | 17801 | 10072 | 10210 |
| 242 Islander | 2006 | 25' 9.5" | 102" | 17801 | 10072 | 10210 |
| 242 Islander w/platform | 2006 | 25' 10" | 102" | 17802 | 10073 | 10021 |
| 242 Islander w/platform | 04-05 | 25' 9.5" | 102" | 17802 | 10073 | 10021 |
| 245 Performance | 04-09 | 24' 5" | 102" | 17801 | 10072 | 10210 |
| 247 Islander | 09-15 | 24' 5" | 102" | 17802 | 10073 | 10021 |
| 247 Islander w/platform | 2015 | 26' 2" | 102" | 17802 | 10073 | 10021 |
| 25 Outlaw | 04-06 | 25' 0" | 98" | 17802 | 10073 | 10021 |
| 26 Outlaw | 2015 | 26' 0" | 100" | 17802 | 10073 | 10021 |
| 26 Outlaw w/platform | 2015 | 27' 8" | 100" | — | 10291 | 10332 |
| 277 Islander | 2015 | 27' 5" | 102" | — | 10291 | 10332 |
| 278 Performance | 2015 | 27' 5" | 102" | — | 10291 | 10332 |
| Angler 164 | 1986 | 16' 2" | 82" | 17772 | 10053 | 10180 |
| Angler 170 | 89-89 | 16' 8" | 85" | 17774 | 10054 | 10181 |
| Angler 184 | 1986 | 18' 4" | 85" | 17775 | 10056 | 10183 |
| Fish-N-Ski 164 | 85-89 | 16' 2" | 82" | 17580 | 10109 | 17573 |
| Fish-N-Ski 184 | 85-89 | 18' 4" | 85" | 17583 | 10111 | 17575 |
| Fish-N-Ski 186 | 1998 | 18' 6" | 85" | 17583 | 10111 | 17575 |
| Fish-N-Ski 200 | 86-89 | 20' 3" | 86" | 17778 | 10058 | 10185 |
| Force 200 | 85-88 | 19' 6" | 96" | 17587 | 10129 | 10257 |
| Force 220 | 85-87 | 21' 7" | 96" | 17589 | 10131 | 10259 |
| Force 250 | 85-87 | 25' 0" | 96" | 17592 | 10134 | — |
| Hammer X 22 | 2009 | 22' 7" | 84" | — | — | — |
| Sport 160 O/B | 1985 | 16' 2" | 82" | 17710 | 10023 | 10158 |
| Sport 164 O/B | 85-88 | 16' 2" | 82" | 17710 | 10023 | 10158 |
| Sport 170 | 86-88 | 16' 8" | 85" | 17711 | 10025 | 10159 |
| Sport 190 I/O (w/platform) | 1989 | 20' 4" | 85" | 17686 | 10144 | 10276 |
| Sport 196 | 88-89 | 19' 6" | 87" | 17685 | 10143 | 10275 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **BAJA-CONTINUED** | | | | | | |
| Sport Fisherman 186 | 1991 | 18' 6" | 89" | 17685 | 10143 | 10275 |
| Sunsport I/O 170 | 1985 | 16' 8" | 85" | 17723 | 10030 | 10163 |
| Sunsport I/O 174 | 85-89 | 17' 4" | 86" | 17723 | 10030 | 10163 |
| Sunsport I/O 184 | 85-87 | 18' 4" | 85" | 17724 | 10032 | 10164 |
| Sunsport I/O 186 | 85-89 | 18' 6" | 85" | 17724 | 10032 | 10164 |
| Sunsport I/O 190 | 85-87 | 19' 3" | 87" | 17725 | 10033 | 10165 |
| Sunsport I/O 196 | 88-89 | 19' 6" | 87" | 17685 | 10143 | 10275 |
| Sunsport I/O 210 | 88-89 | 20' 10" | 87" | 17687 | 10145 | 10277 |
| Sunsport O/B 160 | 1985 | 16' 1" | 80" | 17733 | 10042 | 10169 |
| Sunsport O/B 164 | 85-88 | 16' 2" | 82" | 17710 | 10023 | 10158 |
| Sunsport O/B 170 | 1985 | 16' 8" | 85" | 17711 | 10025 | 10159 |
| Sunsport O/B 174 | 85-89 | 17' 4" | 86" | 17711 | 10025 | 10159 |
| Sunsport O/B 184 | 85-87 | 18' 4" | 85" | 17712 | 10026 | 10160 |
| Sunsport O/B 190 | 85-89 | 19' 3" | 87" | 17713 | 10027 | 10161 |
| SVF 170 | 1990 | 16' 8" | 85" | 17774 | 10054 | 10181 |
| SVR 174 | 1990 | 17' 4" | 86" | 17723 | 10030 | 10163 |
| SVR 186 | 1990 | 18' 6" | 85" | 17724 | 10032 | 10164 |
| SVR 210 I/O | 1990 | 20' 10" | 87" | 17687 | 10145 | 10277 |
| TC 22 | 1996 | 21' 7" | 98" | 17688 | 10146 | 10278 |
| Twilighter 190 | | 19' 3" | 87" | 17725 | 10033 | 10165 |
| **BASS AMERICA: SEE POLAR KRAFT** | | | | | | |
| **BASSCAT** | | | | | | |
| 60 Vee / Dlx. | 1983 | 16' 2" | 79" | 17762 | 10062 | 10188 |
| 1600 Vee 'N Ski / Dlx. | 1983 | 16' 0" | 75" | 17762 | 10062 | 10188 |
| 1800 Vee 'N Ski / Dlx. | 1983 | 18' 0" | 81" | 17764 | 10063 | 10192 |
| A16 | 1999 | 16' 2" | 76" | 17744 | 10067 | 10195 |
| A17 | 99-00 | 17' 2" | 76" | 17748 | 10069 | 10204 |
| A18 | 99-00 | 18' 2" | 76" | 17750 | 10070 | 10206 |
| Bay Cat | 04-08 | 21' 7" | 100" | 17782 | 10154 | 15408 |
| Bay Cat | 2011 | 21' 7" | 83" | 17782 | 10154 | 15408 |
| Bay Cat | 2015 | 21' 7" | 99" | 17025 | 10059 | 10197 |
| Calico | 1991 | 18' 0" | 90" | 17583 | 10111 | 17575 |
| Calico | 13-15 | 18' 6" | 99" | 17583 | 10111 | 17575 |
| Caracal / Caracal II | 1991 | 17' 0" | 89" | 17776 | 10055 | 10182 |
| Caracal | 2015 | 19' 8" | 96" | 1777 | 10057 | 10184 |
| Caracal Pro | 1991 | 17' 2" | 89" | 17776 | 10055 | 10182 |
| Caracal Ski | 1991 | 17' 2" | 89" | 17582 | 10110 | 17574 |
| Classic | 99-02 | 19' 0" | 92" | 17773 | 15411 | 15401 |
| Cougar | 99-09 | 20' 4" | 94" | 17778 | 10058 | 10185 |
| Cougar Advantage | 99-15 | 20' 4" | 94" | 17778 | 10058 | 10185 |
| Cougar FTD | 99-15 | 20' 4" | 94" | 17778 | 10058 | 10185 |
| Eyra | 1999 | 17' 11" | 92" | 17775 | 10056 | 10183 |
| Eyra | 12-15 | 20' 2" | 94.5" | 17775 | 10056 | 10183 |
| Jaguar | 99-08 | 20' 4" | 94" | 17778 | 10058 | 10185 |
| Jaguar | 11-15 | 21' 5" | 94" | 17025 | 10059 | 10197 |
| Margay | 12-15 | 17' 7" | 90" | 17776 | 10055 | 10182 |
| Margay / Margay II | 1991 | 16' 9" | 79" | 17774 | 10054 | 10181 |
| Pantera Classic | 04-08 | 19' 1" | 94" | 17777 | 10057 | 10184 |
| Pantera Classic | 09-14 | 19' 1" | 93" | 17777 | 10057 | 10184 |
| Pantera Classic | 00-02 | 19' 0" | 92" | 17777 | 10057 | 10184 |
| Pantera II | 06-15 | 19' 1" | 93" | 17777 | 10057 | 10184 |
| Pantera II | 1991 | 19' 0" | 92" | 17777 | 10057 | 10184 |
| Pantera III | 99-02 | 19' 3" | 93" | 17777 | 10057 | 10184 |
| Pantera III | 2004 | 19' 4" | 94" | 17777 | 10057 | 10184 |
| Pantera IV | 04-08 | 19' 5" | 94. 5" | 17777 | 10057 | 10184 |
| Pantera IV | 09-15 | 19' 5" | 94" | 17777 | 10057 | 10184 |
| Pantera Pro | | 19' 0" | 91" | 17773 | 15411 | 15401 |
| Pantera Pro | 1991 | 19' 0" | 92" | 17773 | 15411 | 15401 |
| Pantera Ski | | 19' 0" | 91" | 17584 | 10112 | 17576 |
| Phelix | | 15' 9" | 79" | 17770 | 10052 | 10179 |
| Phelix | 2011 | 17' 1" | 64" | — | — | — |
| Phelix | 04-07 | 17' 1" | 65" | — | — | — |
| Phelix | 2015 | 17' 0" | 64" | — | — | — |
| Puma | 04-15 | 20' 4" | 94" | 17778 | 10058 | 10185 |
| Puma Advantage | 11-14 | 20' 4" | 94" | 17778 | 10058 | 10185 |
| Puma FTD | 2015 | 20' 4" | 94" | 17778 | 10058 | 10185 |
| Sabre | 96-08 | 18' 1" | 92" | 17775 | 10056 | 10183 |
| Sabre | 11-15 | 18' 1" | 93" | 17773 | 15411 | 15401 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **BASSCAT-CONTINUED** | | | | | | |
| Sabre | 91-99 | 18' 0" | 90" | 17773 | 15411 | 15401 |
| Sabre | 00-02 | 18' 0" | 91" | 17773 | 15411 | 15401 |
| Sabre FTD | 08-11 | 18' 1" | 92" | 17775 | 10056 | 10183 |
| Sabre FTD | 13-15 | 18' 1" | 93" | 17775 | 10056 | 10183 |
| Skiff Cat 16 | 11-15 | 15' 10.5" | 80.25" | — | — | — |
| Skiff Cat 18 | 11-15 | 17' 10.5" | 80.25" | — | — | — |
| **BASSMASTERS: SEE JAY BEE** | | | | | | |
| **BAY HAWK** | | | | | | |
| 172 | 1987 | 17' 2" | 82" | 17736 | 10148 | 15402 |
| 180 | 1987 | 18' 0" | 92" | 17780 | 15412 | 15403 |
| 200 | 1987 | 20' 2" | 90" | 17738 | 10151 | 15405 |
| **BAYLINER** | | | | | | |
| 1401 Capri | 94-95 | 14' 1" | 72" | 17708 | 10021 | — |
| 1401 Capri LS | | 14' 1" | 71" | 17708 | 10021 | — |
| 1410 Trophy Fish-N-Ski O/B | 1986 | 13' 6" | 70" | 17708 | 10021 | — |
| 1500 Capri BR I/O | 88-89 | 14' 8" | 70" | 17709 | 10022 | 10157 |
| 160 Bowrider | 2015 | 16' 2" | 86" | 17692 | 10135 | — |
| 160 Capri | 2002 | 16' 2" | 86" | 17692 | 10135 | — |
| 160 Runabout | 03-13 | 16' 2" | 86" | 17692 | 10135 | — |
| 1600 Capri BR I/O | 96-97 | 16' 1" | 82" | 17710 | 10023 | 10158 |
| 1600 Capri LS | 96-97 | 16' 1" | 83" | 17692 | 10135 | — |
| 1600 Capri LSV | 1998 | 16' 0" | 83" | 17692 | 10135 | — |
| 1604 Capri CL | 94-95 | 15' 7" | 82" | 17710 | 10023 | 10158 |
| 1650 Capri Bowrider | 1986 | 15' 7" | 82" | 17682 | 10140 | — |
| 170 Bowrider | 13-15 | 17' 6" | 83" | 17693 | 10136 | 10265 |
| 170 Outboard | 2012 | 17' 6" | 83" | 17693 | 10136 | 10265 |
| 1700 Bowrider | | 16' 10" | 84" | 17711 | 10025 | 10159 |
| 1700 Capri / 1702 Capri | 1989 | 16' 10" | 84" | 17711 | 10025 | 10159 |
| 1700 Capri Bowrider | 87-89 | 16' 10" | 84" | 17682 | 10140 | — |
| 1700 Capri LS | 94-97 | 17' 0" | 84" | 17693 | 10136 | 10265 |
| 1700 Capri O/B | 1989 | 16' 10" | 84" | 17693 | 10136 | 10265 |
| 1700 Cuddy | 87-88 | 16' 10" | 84" | 17693 | 10136 | 10265 |
| 1702 Capri Cuddy | 1989 | 16' 10" | 84" | 17693 | 10136 | 10265 |
| 1703 Trophy CC | 97-98 | 17' 1" | 83" | 17736 | 10148 | 15402 |
| 1704 Capri SF | 96-97 | 17' 0" | 84" | 17582 | 10110 | 17574 |
| 1704 Cobra | | 17' 4" | 90" | 17776 | 10055 | 10182 |
| 1709 Cobra | | 17' 4" | 90" | 17711 | 10025 | 10159 |
| 1710 Trophy Center Console | 1988 | 17' 4" | 84" | 17736 | 10148 | 15402 |
| 174 Ski N Fish | 10-11 | 17' 6" | 83" | 17582 | 10110 | 17574 |
| 175 Bowrider | 11-15 | 17' 6" | 83" | 17683 | 10141 | — |
| 175 Capri | 2002 | 17' 7" | 83" | 17684 | 10142 | 10274 |
| 175 Runabout | 04-08 | 17' 6" | 84" | 17684 | 10142 | 10274 |
| 1750 BR I/O | 88-89 | 16' 10" | 84" | 17683 | 10141 | — |
| 1750 Capri / 1750 Capri LSV | 98-02 | 17' 7" | 83" | 17684 | 10142 | 10274 |
| 1750 Capri BR I/O | 98-00 | 16' 10" | 84" | 17683 | 10141 | — |
| 1750 Capri DX | 2000 | 17' 7" | 83" | 17684 | 10142 | 10274 |
| 1750 Capri I/O | 98-00 | 16' 10" | 84" | 17723 | 10030 | 10163 |
| 1750 Capri LS | 94-97 | 17' 0" | 84" | 17683 | 10141 | — |
| 1750 Capri LSV | 98-00 | 17' 7" | 83" | 17684 | 10142 | 10274 |
| 1770 Capri L-Drive I/O | 1989 | 16' 10" | 84" | 17683 | 10141 | — |
| 180 Bowrider | 13-15 | 18' 0" | 90" | 17694 | 10137 | 10267 |
| 180 Capri | 2002 | 18' 0" | 90" | 17694 | 10137 | 10267 |
| 180 Outboard | 11-12 | 18' 0" | 90" | 17694 | 10137 | 10267 |
| 180 Runabout | 2006 | 18' 2" | 90" | 17684 | 10142 | 10274 |
| 180 Runabout | 2006 | 18' 2" | 90" | 17684 | 10142 | 10274 |
| 1800 Capri BR I/O | 1990 | 17' 10" | 84" | 17694 | 10137 | 10267 |
| 1800 Capri LS | 96-97 | 18' 4" | 86" | 17694 | 10137 | 10267 |
| 1800 Capri LSV | 98-00 | 17' 7" | 83" | 17694 | 10137 | 10267 |
| 1800 Cobra O/B | 98-00 | 17' 10" | 87" | 17694 | 10137 | 10267 |
| 1802 Capri LSV | 98-00 | 17' 7" | 83" | 17585 | 10127 | 10255 |
| 1802 Capri Cuddy O/B | 1990 | 17' 10" | 84" | 17694 | 10137 | 10267 |
| 1804 Capri LSV | 98-00 | 17' 7" | 83" | 17694 | 10137 | 10267 |
| 1810 Bass | 1988 | 17' 10" | 87" | 17776 | 10055 | 10182 |
| 1810 Ski N Fish | 1988 | 17' 10" | 87" | 17582 | 10110 | 17574 |
| 1810 Trophy Fish-N-Ski O/B | 1988 | 17' 10" | 87" | 17583 | 10111 | 17575 |
| 184 Capri Fish-n-Ski | 2002 | 18' 0" | 90" | 17694 | 10137 | 10267 |
| 184 Runabout | 04-05 | 18' 0" | 90" | 17694 | 10137 | 10267 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **BAYLINER-CONTINUED** | | | | | | |
| 184 Ski N Fish | 10-12 | 18' 0" | 91" | 17583 | 10111 | 17575 |
| 184 Ski N Fish | 2002 | 18' 0" | 90" | 17583 | 10111 | 17575 |
| 185 Bowrider | 2007 | 18' 0" | 95" | 17684 | 10142 | 10174 |
| 185 Bowrider | 09-15 | 18' 0" | 91" | 17684 | 10142 | 10174 |
| 185 Capri | 2002 | 18' 0" | 90" | 17684 | 10142 | 10274 |
| 185 Capri Sport | 2002 | 18' 0" | 90" | 17684 | 10142 | 10274 |
| 185 Runabout | 07-08 | 18' 0" | 91" | 17694 | 10137 | 10267 |
| 185 Runabout | 05-06 | 18' 2" | 93" | 17694 | 10137 | 10267 |
| 1850 Capri BR I/O | 1990 | 17' 10" | 84" | 17684 | 10142 | 10274 |
| 1850 Capri SE / LS / SS | 96-00 | 18' 4" | 89" | 17684 | 10142 | 10274 |
| 1854 Capri SF | 96-97 | 18' 4" | 86" | 17583 | 10111 | 17575 |
| 1870 Capri BR I/O | 1990 | 17' 10" | 84" | 17684 | 10142 | 10274 |
| 190 Bowrider | 13-15 | 19' 5" | 95" | 17695 | 10138 | 10269 |
| 190 Deck Boat | 13-15 | 18' 7" | 97" | — | — | — |
| 1900 Capri / 1902 BR I/O | 1989 | 18' 11" | 88" | 17713 | 10027 | 10161 |
| 1900 Capri / 1902 Cuddy O/B | | 18' 7" | 88" | 17586 | 10128 | 10256 |
| 1900 Capri BR I/O | 1989 | 18' 11" | 88" | 17685 | 10143 | 10275 |
| 1900 Cuddy | 86-88 | 18' 7" | 88" | 17586 | 10128 | 10256 |
| 1901Capri Ski / 1901 Capri Ski O/B | 1989 | 19' 3" | 87" | 17713 | 10027 | 10161 |
| 1903Trophy Center Console | 97-98 | 18' 11" | 92" | 17737 | 10150 | 15404 |
| 1904 Capri SF | 1998 | 18' 4" | 88" | 17586 | 10128 | 10256 |
| 192 Classic Cuddy | 2006 | 18' 9" | 91" | 17585 | 10127 | 10255 |
| 192 Cuddy | 07-08 | 19'4 | 95" | 17586 | 10128 | 10256 |
| 192 Discovery Cuddy | 07-13 | 19' 4" | 95" | 17586 | 10128 | 10256 |
| 192 Runabout Classic | 04-06 | 18' 9" | 91" | 17586 | 10128 | 10256 |
| 194 Ski & Fish | 2009 | 19' 0" | 95" | 17685 | 10143 | 10275 |
| 195 / 195 Sport | 2002 | 18' 10" | 94" | 17685 | 10143 | 10275 |
| 195 Bowrider | 13-15 | 19' 5" | 95" | 17685 | 10143 | 10275 |
| 195 Bowrider | 04-12 | 19' 0" | 95" | 17685 | 10143 | 10275 |
| 195 Capri | 2002 | 18' 10" | 94" | 17685 | 10143 | 10275 |
| 195 Capri Sport | 2002 | 18' 10" | 94" | 17685 | 10143 | 10275 |
| 195 Discovery Bowrider | 07-12 | 18' 9" | 91" | 17684 | 10142 | 1024 |
| 195 Runabout | 06-08 | 19' 0" | 95" | 17685 | 10143 | 10275 |
| 195 Runabout Classic | 04-06 | 18' 9" | 91" | 17685 | 10143 | 10275 |
| 195 Sport | 2002 | 18' 10" | 94" | 17685 | 10143 | 10275 |
| 195 Sport Bowrider | 2002 | 18' 10" | 94" | 17685 | 10143 | 10275 |
| 1950 Bowrider | 86-88 | 18' 7" | 88" | 17684 | 10142 | 10274 |
| 1950 Capri / 1970 BR I/O | 1989 | 18' 11" | 88" | 17725 | 10033 | 10165 |
| 1950 Capri CL | 94-02 | 18' 8" | 90" | 17685 | 10143 | 10275 |
| 1950 Capri Cuddy | 1989 | 18' 11" | 88" | 17586 | 10128 | 10256 |
| 1950 Capri Cuddy | 86-88 | 18' 7" | 88" | 17585 | 10127 | 10255 |
| 1952 Classic Cuddy | 94-02 | 18' 8" | 90" | 17586 | 10128 | 10256 |
| 1952 Classic Cuddy | 2002 | 18' 9" | 91" | 17585 | 10127 | 10255 |
| 1952 Classic Cuddy | 1989 | 18' 11" | 88" | 17586 | 10128 | 10256 |
| 1954 Capri CL | 96-02 | 18' 8" | 90" | 17685 | 10143 | 10275 |
| 1954 Capri Classic Fish-n-Ski | 2002 | 18' 9" | 91" | 17584 | 10112 | 17576 |
| 196 Discovery | 2013 | 18' 9" | 91" | 17584 | 10112 | 17576 |
| 197 Deck Boat | 06-12 | 18' 7" | 97" | — | — | — |
| 197 Deck Boat Outboard | 2007 | 18' 7" | 97" | — | — | — |
| 1970 Capri Bowrider | 1989 | 18' 11" | 88" | 17684 | 10142 | 10274 |
| 2000 Capri Bowrider | 1993 | 20' 1" | 90" | 17686 | 10144 | 10276 |
| 2000 Capri BR I/O | 1990 | 19' 10" | 88" | 17686 | 10144 | 10276 |
| 2001 Arriva BR O/B | 1990 | 19' 7" | 96" | 17695 | 10138 | 10269 |
| 2002 Capri Cuddy I/O | 1990 | 19' 10" | 88" | 17686 | 10144 | 10276 |
| 204 Bowrider Ski & Fish | 2009 | 20' 5" | 98" | 17030 | 10113 | 17577 |
| 205 Runabout | 04-08 | 20' 4" | 96" | 17686 | 10144 | 10276 |
| 2050 Capri Bowrider | 93-94 | 20' 2" | 90" | 17686 | 10144 | 10276 |
| 2050 Capri BR I/O | 1990 | 19' 10" | 88" | 17686 | 10144 | 10276 |
| 2050 Capri CL | 2000 | 19' 7" | 90" | 17686 | 10144 | 10276 |
| 2050 Capri SE / SS / LS | 96-00 | 20' 6" | 92" | 17686 | 10144 | 10276 |
| 2052 Capri LS | 96-98 | 20' 6" | 92" | 17587 | 10129 | 10257 |
| 2052 Capri CL | 1998 | 19' 7" | 90" | 17587 | 10129 | 10257 |
| 2052 Capri Cuddy I/O | 96-00 | 19' 10" | 88" | 17587 | 10129 | 10257 |
| 2052 Capri LS | 96-98 | 20' 6" | 92" | 17587 | 10129 | 10257 |
| 2070 Capri BR I/O | 1990 | 19' 10" | 88" | 17587 | 10129 | 10257 |
| 2072 Capri Cuddy I/O | 1990 | 19' 10" | 88" | 17587 | 10129 | 10257 |
| 210 Classic Cuddy | 06-08 | 20' 9" | 96" | 17587 | 10129 | 10257 |
| 210 Deck Boat | 13-15 | 20' 7" | 102" | 17879 | 10320 | 17888 |
| 210 Discovery Cuddy | 07-09 | 20' 9" | 96" | 17587 | 10129 | 10257 |
| 210 Runabout Classic | 04-08 | 20' 9" | 96" | 17588 | 10130 | 10258 |
| 2109 Rendezvous | 2002 | 21' 3" | 99" | 17880 | 10321 | 17889 |
| 212 Capri | 2002 | 21' 3" | 98" | 17588 | 10130 | 10258 |
| 212 Classic Cuddy | 2006 | 20' 6" | 98" | 17587 | 10129 | 10257 |
| 215 Bowrider | 10-15 | 20' 6" | 98" | 17686 | 10144 | 10276 |
| 215 Capri | 2002 | 20' 10" | 98" | 17687 | 10145 | 10277 |
| 215 Capri Sport | 2002 | 20' 10" | 98" | 17687 | 10145 | 10277 |
| 215 Deck Boat | 13-15 | 20' 7" | 102" | 17879 | 10320 | 17888 |
| 215 Discovery Bowrider | 07-09 | 20' 9" | 97" | 17586 | 10144 | 10276 |
| 215 Runabout Classic | 04-06 | 20' 9" | 97" | 17687 | 10145 | 10277 |
| 2150 Capri / 2152 Cuddy I/O | 96-02 | 20' 7" | 96" | 17588 | 10130 | 10258 |
| 2150 Capri BR I/O | 96-02 | 20' 7" | 96" | 17727 | 10035 | 10167 |
| 2150 Cuddy | 86-87 | 20' 7" | 96" | 17588 | 10130 | 10258 |
| 2159 Rendezvous | 2002 | 21' 3" | 99" | 17880 | 10321 | 17889 |
| 217 Deck Boat | 07-12 | 20' 7" | 102" | 187879 | 10320 | 17888 |
| 219 Deck Boat | 03-06 | 21' 2" | 102" | 17795 | 10315 | 10189 |
| 222 Classic Cruiser | 03-06 | 22' 3" | 97" | 17589 | 10131 | 10259 |
| 225 Bowrider | 07-09 | 22' 1" | 102" | 17688 | 11046 | 10279 |
| 225 Runabout | 04-08 | 22' 0" | 102" | 17689 | 10147 | 10279 |
| 225 Runabout Classic | 2006 | 22' 0" | 102" | 17688 | 10146 | 10278 |
| 2250 Capri BR I/O | 1990 | 21' 7" | 96" | 17589 | 10131 | 10259 |
| 2250 Capri LS / SS | 1995 | 22' 7" | 101" | 17689 | 10147 | 10279 |
| 2252 Capri Cuddy I/O | 1990 | 21' 7" | 96" | 17589 | 10131 | 10259 |
| 2252 Capri LS | 1996 | 20' 2" | 90" | 17587 | 10129 | 10257 |
| 2309 Rendezvous | 1994 | 22' 5" | 95" | 17881 | 10322 | 17890 |
| 235 Bowrider | 10-13 | 22' 6" | 102" | 17688 | 11046 | 10279 |
| 2350 Capri LS / SS | 97-00 | 22' 6" | 101" | 17689 | 10147 | 10279 |
| 2352 Capri LS | 97-00 | 22' 6" | 101" | 17590 | 10132 | 10261 |
| 2359 Rendezvous | 1994 | 22' 5" | 95" | 17881 | 10322 | 17890 |
| 237 Deck Boat | 07-09 | 23' 1" | 103" | 17882 | 10323 | 17891 |
| 242 Classic Cruiser | 03-06 | 23' 9" | 102" | 17591 | 10133 | 10263 |
| 245 Bowrider | 07-09 | 24' 4" | 102" | 17801 | 10072 | 10210 |
| 245 Cruiser | 03-06 | 24' 0" | 101" | 17591 | 10133 | 10263 |
| 245 Cruiser | 09-13 | 24' 1" | 101" | 17591 | 10133 | 10263 |
| 245 Runabout | 2008 | 24' 4" | 102" | 17801 | 10072 | 10210 |
| 2450 Arriva Bowrider | 1990 | 23' 9" | 102" | 17801 | 10072 | 10210 |
| 2452 Arriva Cuddy | 1990 | 23' 9" | 102" | 17571 | — | — |
| 2459 Rendezvous | 2002 | 24' 0" | 99" | 17883 | 10324 | 17892 |
| 249 DECK BOAT | 03-06 | 24' 2" | 102" | 17883 | 10324 | 17892 |
| 255 Cruiser | 2013 | 25' 1" | 102" | — | — | — |
| 266 Discovery | 2013 | 25' 7" | 102" | — | — | — |
| 642 Overnighter | 2015 | 24' 1" | 101" | 17591 | 10133 | 10263 |
| Element | 2015 | 16' 2" | 89" | 17683 | 10136 | 10265 |
| **BAYMASTER** | | | | | | |
| 1650 | 2004 | 16' 4" | 78" | — | — | — |
| 1850 | 2004 | 18' 5" | 96" | — | 10326 | — |
| 1900 | 2004 | 18' 10" | 102" | — | — | — |
| 2150 | 2004 | 21' 5" | 96" | — | — | — |
| 15 Scooter | 2004 | 14' 10" | 78" | — | — | — |
| 17 Bay Master | 2004 | 16' 6" | 87" | — | — | — |
| 19 Bay Master | 2004 | 19' 3" | 87" | — | 10327 | — |
| 22 Bay Master | 2004 | 21' 7" | 96" | — | — | — |
| 22 Bravo | 2004 | 21' 7" | 96" | — | — | — |
| **BEACHCRAFT** | | | | | | |
| 160 Silverado | | 15' 8" | 79" | 17710 | 10023 | 10158 |
| 170 Mirage I/O | | 16' 2" | 81" | 17722 | 10029 | — |
| 170 Mirage O/B | | 16' 2" | 81" | 17710 | 10023 | 10158 |
| 173 Escort I/O | | 17' 3" | 87" | 17723 | 10030 | 10163 |
| 175 Sunbow | | 16' 9" | 82" | 17723 | 10030 | 10163 |
| 179 Kutlass | | 17' 5" | 88" | 17724 | 10032 | 10164 |
| 180 Cimmaron / Sundance | | 16' 9" | 82" | 17723 | 10030 | 10163 |
| 185 Funrunner | | 18' 4" | 90" | 17724 | 10032 | 10164 |
| 190 Mako | | 18' 4" | 90" | 17724 | 10032 | 10164 |
| 191 ST | | 18' 6" | 88" | 17725 | 10033 | 10165 |
| 192 Magnum | | 18' 6" | 96" | 17725 | 10033 | 10165 |
| 194 Angler | | 19' 0" | 94" | 17725 | 10033 | 10165 |
| 195 Offshore Cuddy | | 19' 0" | 96" | 17586 | 10128 | 10256 |
| 215 Kutlass | | 20' 9" | 95" | 17588 | 10130 | 10258 |
| 220 D'Elegante | | 20' 9" | 96" | 17588 | 10130 | 10258 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **BENNINGTON** | | | | | | |
| 1650 FSi | 2006 | 16' 0" | 102" | — | 10288 | 10329 |
| 1650 GLi | 2006 | 16' 0" | 102" | — | 10288 | 10329 |
| 1850 FS | 2006 | 18' 0" | 102" | 17790 | 10114 | 10244 |
| 1850 GL | 2006 | 18' 0" | 102" | 17790 | 10114 | 10244 |
| 2050 FSi | 2006 | 20' 0" | 102" | — | 10289 | 10330 |
| 2050 GL | 2006 | 20' 0" | 102" | — | 10289 | 10330 |
| 2050 GS | 2006 | 20' 0" | 102" | — | 10289 | 10330 |
| 2050 RL | 2006 | 20' 0" | 102" | — | 10289 | 10330 |
| 2075 FSi | 2006 | 20' 0" | 102" | — | 10289 | 10330 |
| 2075 GL | 2006 | 20' 0" | 102" | — | 10289 | 10330 |
| 2075 GS | 2006 | 20' 0" | 102" | — | 10289 | 10330 |
| 2080 RL | 2006 | 20' 0" | 102" | — | 10289 | 10330 |
| 225 GL | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2250 GE | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2250 GS | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2250 GSi | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2250 RFS | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2250 RL | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2250 RSi | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2275 FSi | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2275 GE | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2275 GL | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2275 GS | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2275 RL I/O | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2275 RL I/O w/platform | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2280 RL | 2006 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 2575 GE | 2006 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 2575 GL | 2006 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 2575 RFi | 2006 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 2575 RFS | 2006 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 2575 RFS I/O | 2006 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 2575 RFS I/O w/platform | 2006 | 28' 0" | 102" | — | 10291 | 10332 |
| 2575 RL I/O | 2006 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 2575 RL I/O w swim platform | 2006 | 28' 0" | 102" | — | 10291 | 10332 |
| 2575 RLTD | 2006 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 2575 RLTD I/O | 2006 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 2575 RLTD I/O w/platform | 2006 | 28' 0" | 102" | — | 10291 | 10332 |
| 2575 RLX | 2006 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 2875 RL | 2006 | 28' 0" | 102" | — | 10291 | 10332 |
| 2875 RLTD I/O | 2006 | 28' 0" | 102" | — | 10291 | 10332 |
| 2875 RLX | 2006 | 28' 0" | 102" | — | 10291 | 10332 |
| 2875 RLX I/O | 2006 | 28' 0" | 102" | — | 10291 | 10332 |
| G 22 Fishing | 2015 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| G 22 Stern Radius | 2015 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| Q 25 Dinette | 2015 | 25' 6" | 102" | 17792 | 10117 | 10247 |
| R 23 Stern Lounge | 2015 | 23' 6" | 102" | | 10290 | 10331 |
| R 25 Dinette | 2015 | 25' 6" | 102" | 17792 | 10117 | 10247 |
| S 20 Cruise | 2015 | 19' 6" | 102" | — | 10289 | 10330 |
| S 20 Fishing | 2015 | 19' 6" | 102" | — | 10289 | 10330 |
| SX 20 Cruise | 2015 | 19' 6" | 102" | — | 10289 | 10330 |
| SX 20 Fishing | 2015 | 19' 6" | 102" | — | 10289 | 10330 |
| SX 21 Cruise | 2015 | 20' 6" | 102" | — | 10289 | 10330 |
| SX 22 Fishing | 2015 | 21' 6" | 102" | 17791 | 10116 | 10245 |
| SX 22 Stern Radius | 2015 | 21' 6" | 102" | 17791 | 10116 | 10245 |
| SX 24 Dinette | 2015 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| SX 24 Stern Lounge Dinette | 2015 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| **BENTLEY** | | | | | | |
| 140 Lil Bentley Cruise | 2015 | 14' 6" | 102" | | | |
| 180 Fish n Cruise | 2007 | 10' 0" | 102" | 17790 | 10114 | 10244 |
| 180 Lil Bentley Cruise | 2015 | 17' 6" | 102" | 17790 | 10114 | 10244 |
| 184 4 Point | 2007 | 18' 0" | 102" | 17790 | 10114 | 10244 |
| 200 Cruise | 07-15 | 20' 0" | 102" | — | 10289 | 10330 |
| 200 Fish | 07-15 | 20' 0" | 102" | — | 10289 | 10330 |
| 203 4 Pint | 2007 | 20' 0" | 102" | — | 10289 | 10330 |
| 203 Cruise | 07-15 | 20' 0" | 102" | — | 10289 | 10330 |
| 203 Fish | 07-15 | 20' 0" | 102" | — | 10289 | 10330 |
| 204 4 Point | 2007 | 20' 0" | 102" | — | 10289 | 10330 |
| 220 Cruise | 2015 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 220 Elite Admiral | 2015 | 22' 0" | 102" | 17791 | 10116 | 10245 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **BENTLEY-CONTINUED** | | | | | | |
| 220 Elite Rear Lounger | 2015 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 220 Encore Elite Cruise | 2015 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 220 Fish | 2015 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 223 Cruise | 2015 | 20' 0" | 102" | 17791 | 10116 | 10245 |
| 223 Elite Admiral | 2015 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 223 Elite Rear Lounger | 2015 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 223 Encore Elite Cruise | 2015 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 223 Fish | 2015 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 240 Cruise / 240 Cruise RE | 07-15 | 24' 0" | 102" | — | 10290 | 10331 |
| 240 Fish / 24 Fish RE | 07-15 | 24' 0" | 102" | — | 10290 | 10331 |
| 243 4 Point | 07-15 | 24' 0" | 102" | — | 10290 | 10331 |
| 243 Cruise | 07-15 | 24' 0" | 102" | — | 10290 | 10331 |
| 243 Fish | 07-15 | 24' 0" | 102" | — | 10290 | 10331 |
| 244 4 Point | 07-15 | 24' 0" | 102" | — | 10290 | 10331 |
| 250 Elite Admiral | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 250 Elite Real Lounger | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 250 Encore Elite Cruise | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 250 Party Cruise | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 253 Elite Admiral | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 253 Elite Rear Lounger | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 253 Encore Elite Cruise | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 253 Encore Presidential | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 253 Party Cruise | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| **BERKSHIRE PONTOONS** | | | | | | |
| 170 C-13 | 2015 | 17' 5" | 102" | 17790 | 10114 | 10244 |
| 171 FC-13 / FC-13B | 2015 | 17' 5" | 102" | 17790 | 10114 | 10244 |
| 172 A-13 | 2015 | 17' 5" | 102" | 17790 | 10114 | 10244 |
| 190 CI LD-12 | 2013 | 19' 9" | 102" | — | 10289 | 10330 |
| 190 CL LSR / LSR-A | 2013 | 19' 9" | 102" | — | 10289 | 10330 |
| 190 CL-13 / CL-13 | 205 | 20' 5" | 102" | — | 10289 | 10330 |
| 190 CL-13 / GC -13B | 2015 | 20' 5" | 102" | — | 10289 | 10330 |
| 191 FC LSR / LSR-A | 2013 | 19' 9" | 102" | — | 10289 | 10330 |
| 191 FC-13 / FC-13B | 2015 | 20' 5" | 102" | — | 10289 | 10330 |
| 192 A LSR / LSR-A | 2013 | 19' 9" | 102" | — | 10289 | 10330 |
| 192 A-13 | 2015 | 20' 5" | 102" | — | 10289 | 10330 |
| 192 A-13 / A-13B | 2015 | 20' 5" | 102" | — | 10289 | 10330 |
| 200 CL | 2013 | 20' 7" | 102" | — | 10289 | 10330 |
| 200 CL BP3 | 2013 | 21' 0" | 102" | 17791 | 10116 | 10245 |
| 210 CL BP3 LTD | 2013 | 22' 1" | 102" | 17791 | 10116 | 10245 |
| 210 CL CLT | 2013 | 21' 9" | 102" | — | — | — |
| 210 CL LSR / LSR-A | 2013 | 21' 7" | 102" | 17791 | 10116 | 10245 |
| 210 CL-13 / CL-13B | 2015 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 210 CL-13 / CL-13B | 2015 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 210 CL-13 / CL-13B / CL BP3-13 | 2015 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 211 FC BP3 LTD | 2013 | 22' 1" | 102" | 17791 | 10116 | 10245 |
| 211 FC LDT | 2013 | 21' 9" | 102" | 17791 | 10116 | 10245 |
| 211 FC LSR / LSR-A | 2013 | 21' 7" | 102" | 17791 | 10116 | 10245 |
| 211 FC-13 / FC-13B | 2015 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 211 FC-13 / FC-13B / FC TT-13 | 2015 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 211 RFC-13 / RFC-13B | 2015 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 211 RFX-13 / RFX-13B | 2015 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 212 A LSR / LSR-A | 2013 | 21' 7" | 102" | 17791 | 10116 | 10245 |
| 212 A LTD | 2013 | 21' 9" | 102" | 17791 | 10116 | 10245 |
| 212 A PB3 LTD | 2013 | 22' 1" | 102" | 17791 | 10116 | 10245 |
| 212 A-13 / A-13B | 2015 | 20' 5" | 102" | — | 10289 | 10330 |
| 212 A-13 / A-13B | 2015 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 220 CL | 2013 | 22' 5" | 102" | 17791 | 10116 | 10245 |
| 220 CL BP3 | 2013 | 22' 10" | 102" | 17791 | 10116 | 10245 |
| 223 SL / SLS | 2013 | 22' 5" | 102" | 17791 | 10116 | 10245 |
| 223 SL BP3 / SLX BP3 | 2013 | 22' 10" | 102" | 17791 | 10116 | 10245 |
| 230 CL BPT LTD | 2013 | 24' 1" | 102" | — | 10290 | 10331 |
| 230 CL LSR / LSR-A | 2013 | 23' 7" | 102" | — | 10290 | 10331 |
| 230 CL LTD | 2013 | 23' 9" | 102" | — | 10290 | 10331 |
| 230 CL-13 / CL BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 230 CL-13 / CL-13B / CL BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 230 CL-13 / CL-13B / CL BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 230 CLE-13 / CLE-13B / CLE BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 230 E-13 / E BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **BERKSHIRE PONTOONS-CONTINUED** | | | | | | |
| 230 E-13 / E-13B / E BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 230 PT-13 / PT BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 231 FC BP3 LTD / RFC BP3 LTD | 2013 | 24' 1" | 102" | — | 10290 | 10331 |
| 231 FC LTD / RDF LTD | 2013 | 23' 9" | 102" | — | 10290 | 10331 |
| 231 FC13 / FC-13B | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 231 FC-13 / FC-13B / FC BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 231 RFC-13 / RFC-13B | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 231 RFC-13B / BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 231 XB-13 / XB BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 232 A BP3 LTD / CCF BP3 LTD | 2013 | 24' 1" | 102" | — | 10290 | 10331 |
| 232 A LTD / CCF LTD | 2013 | 23' 9" | 102" | — | 10290 | 10331 |
| 232 A-13 / A-13B /A BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 233 RFX -13 / RFX-13B / RFX BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 233 RFX-12 / RFX BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 233 SL BP3 LTD / SLX BP3 LTD | 2013 | 24' 1" | 102" | — | 10290 | 10331 |
| 233 SL LTD / SLX LTD | 2013 | 23' 9" | 102" | — | 10290 | 10331 |
| 233 SLX-12 / SLX BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 233 SLX-13 / SLX-13B / SLX BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 234 PT -13 / PT BP3-13 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| 234 PT BP3 LTD | 2013 | 24' 1" | 102" | — | 10290 | 10331 |
| 234 PT LTD | 2013 | 23' 9" | 102" | — | 10290 | 10331 |
| 240 CL / CLO | 2013 | 24' 5" | 102" | — | 10290 | 10331 |
| 240 CL BP3 / CLO BP3 | 2013 | 24' 10 " | 102" | — | 10290 | 10331 |
| 241 XB | 2013 | 24' 5" | 102" | — | 10290 | 10331 |
| 241 XB BP 3 | 2013 | 24' 10" | 102" | — | 10290 | 10331 |
| 243 SLX | 2013 | 24' 5" | 102" | — | 10290 | 10331 |
| 243 SLX BP3 | 2013 | 24' 10" | 102" | — | 10290 | 10331 |
| 250 CL BP3 LDT | 2013 | 27' 0" | 102" | — | 10291 | 10332 |
| 250 CL LTD | 2013 | 26' 8" | 102" | — | 10291 | 10332 |
| 250 CL-13 / CL BP3-13 | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 250 CL-13 / CL-13B / CL BP3-13 | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 250 E-13 / E-13B / E PB3-13 | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 250 E-13 / E-13B / E PB3-13 | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 250 PT -13 / PT BP3-13 | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 250 Sport BP3-13 | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 251 FRC-13 / RFC-13B / RFC BP3-13 | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 251 XB-13 | 2015 | 25' 0 | 102" | 17792 | 10117 | 10247 |
| 253 RFX-13 / RFX BP3-13 | 2015 | 25' 0 | 102" | 17792 | 10117 | 10247 |
| 253 RFX-13 / RFX-13B / RFX BP3-13 | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 253 SLX-13 / SLX BP3-13 | 2015 | 25' 0 | 102" | 17792 | 10117 | 10247 |
| 253 SLX-13 / SLX-13B / SLX BP3-13 | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 254 PT BPT3 LTD / PTUDS BP3 LTD | 2013 | 27' 0" | 102" | — | 10291 | 10332 |
| 254 PT LTD | 2013 | 26' 8" | 102" | 17792 | 10117 | 10247 |
| 254 PT-13 / PT PBE-13 | 2015 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 260 CL / E | 2013 | 26' 5" | 102" | 17792 | 10117 | 10247 |
| 260 CL BP3 / E BP3 | 2013 | 26' 10" | 102" | 17792 | 10117 | 10247 |
| 261 XB / SLX | 2013 | 26' 5" | 102" | 17792 | 10117 | 10247 |
| 261 XB BP3 / SLX BP3 | 2013 | 26' 10" | 102" | 17792 | 10117 | 10247 |
| 270 CL-13 / CL BP3-13 | 2015 | 26' 6" | 102" | 17792 | 10117 | 10247 |
| 273 SLX-13 / SLXBP3-13 | 2015 | 26' 6" | 102" | 17792 | 10117 | 10247 |
| 293 SLX BP3-13 | 2015 | 27' 10" | 102" | — | 10291 | 10332 |
| **BLAZER BOATS** | | | | | | |
| 180 EXT | 98-99 | 18' 0" | 88" | 17775 | 10056 | 10183 |
| 180 Pro V | 11-15 | 18' 0" | 88" | 17744 | 10067 | 10195 |
| 1860 Bay Boat | 2015 | 18' 6" | 92" | 10326 | — | — |
| 190 EXT / Pro V | 96-12 | 19' 1" | 91" | 17777 | 10057 | 10184 |
| 190 Pro V | 2015 | 19' 1" | 92" | 17787 | 10217 | 10240 |
| 1900 Bay Boat | 2015 | 18' 8" | 92" | 10326 | — | — |
| 1960 Blazer Bay | 12-15 | 19' 6" | 92" | 10327 | — | — |
| 202 EXT / DC | 98-99 | 20' 2" | 92" | 17778 | 10058 | 10185 |
| 202 Extended Deck | 97-99 | 20' 2" | 92" | 17778 | 10058 | 10185 |
| 202 Pro V | 96-98 | 20' 2" | 92" | 17778 | 10058 | 10185 |
| 202 Pro V | 2015 | 20' 5" | 92" | 17778 | 10058 | 10185 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **BLAZER BOATS-CONTINUED** | | | | | | |
| 2020 Blazer Bay Boat | 2015 | 20' 2" | 100" | 10328 | — | — |
| 210 EXT | 98-99 | 21' 2" | 92" | 17025 | 10059 | 10197 |
| 210 Pro V | 11-12 | 21' 2" | 95" | 17455 | 10092 | 10211 |
| 2170 Blazer Bay | 12-15 | 21' 7" | 92" | — | — | — |
| 2200 Blazer Bay | 12-15 | 22' 0" | 92" | — | — | — |
| 2220 Blazer Bay Fisherman | 12-15 | 22' 2" | 102" | — | — | — |
| 2220 Blazer Bay Professional | 2012 | 22' 2" | 102" | — | — | — |
| 2220 Blazer Bay Professional | 2015 | 22' 2" | 100" | — | — | — |
| 2400 Blazer Bay | 12-15 | 23' 10" | 102" | — | — | — |
| 2400 Blazer Bay Professional | 2015 | 23' 10" | 102" | — | — | — |
| 2420 Blazer Bay | 2006 | 24' 2" | 102" | — | — | — |
| 2420 Blazer Bay Professional | 2015 | 24' 2" | 100" | — | — | — |
| 625 Pro Elite | 11-15 | 20' 6" | 93" | 17455 | 10092 | 10211 |
| Blazer Tri-Hull | | 14' 8" | 65" | 17731 | 10040 | — |
| VL 100 | | 15' 7" | 72" | 17768 | 10051 | 10188 |
| VL 120 | | 16' 2" | 78" | 17774 | 10054 | 10181 |
| VL 60 | | 14' 6" | 62" | — | — | — |
| VLX 120 | | 16' 2" | 78" | 17769 | 10060 | 10186 |
| VLX 125 | 96-99 | 16' 8" | 80" | 17774 | 10054 | 10181 |
| VLX 150 | 96-99 | 17' 8" | 88" | 17776 | 10055 | 10182 |
| VLX 150 Walk-Thru | | 17' 8" | 88" | 17776 | 10055 | 10182 |
| VLX 200 | | 19' 0" | 92" | 17777 | 10057 | 10184 |
| VLX Fish and Ski | | 17' 8" | 88" | 17582 | 10110 | 17574 |
| **BLUE FIN** | | | | | | |
| Bass Avenger 16 | | 16' 0" | 74" | 17744 | 10067 | 10195 |
| Bass Dominator 1609 | 1988 | 15' 7" | 63" | 17744 | 10067 | 10195 |
| Bass Dominator 1709 O/B | 1988 | 16' 7" | 74" | 17762 | 10062 | 10188 |
| Columbian 13 | 1987 | 12' 7" | 62" | 17454 | 10087 | 10208 |
| Fisherman 12 | 85-86 | 12' 2" | 53" | 17453 | 10086 | 10207 |
| Laker | 85-86 | 16' 1" | 66" | 17455 | 10092 | 10211 |
| Pro Fisherman 14 | 1986 | 14' 2" | 65" | 17454 | 10087 | 10208 |
| Pro Fisherman 15 | 1987 | 14' 10" | 65" | 17455 | 10092 | 10211 |
| Pro Fisherman 16 | 1986 | 16' 1" | 66" | 17455 | 10092 | 10211 |
| Profish 1509 | 1988 | 14' 11" | 74" | 17760 | 10061 | 10187 |
| Prospector 14 | 85-86 | 14' 2" | 65" | 17454 | 10087 | 10208 |
| Prospector 16 | 85-86 | 16' 1" | 66" | 17455 | 10092 | 10211 |
| Royale 18 | 1985 | 18' 0" | 86" | 17712 | 10026 | 10160 |
| Royale 18 Sea King I/O | 1985 | 18' 0" | 86" | 17724 | 10032 | 10164 |
| Royale 18 Sea King O/B | 1985 | 18' 0" | 86" | 17712 | 10026 | 10160 |
| Royale 18 Sportsman | 1985 | 18' 0" | 86" | 17712 | 10026 | 10160 |
| Royale 18 Super Hawk | 1985 | 18' 1" | 78" | 17712 | 10026 | 10160 |
| Royale 19 Sportsman I/O | 86-87 | 19' 0" | 87" | 17725 | 10033 | 10165 |
| Royale 19 Sportsman O/B | | 19' 0" | 87" | 17713 | 10027 | 10161 |
| Royale 19 Super Hawk | | 19' 0" | 87" | 17737 | 10150 | 15404 |
| Royale 21 Sea King / Sportsman / Super Hawk | 1985 | 21' 1" | 88" | 17727 | 10035 | 10167 |
| Royale 6300 / Royale 18 | | 18' 0" | 86" | 17712 | 10026 | 10160 |
| Royale 6400 / Royale 21 | | 21' 1" | 88" | 17727 | 10035 | 10167 |
| Royale 6500 | | 18' 0" | 86" | 17724 | 10032 | 10164 |
| S 150 /BT | 1986 | 15' 1" | 75" | 17456 | 10093 | 10212 |
| S 150 Dual Console | | 15' 1" | 75" | 17709 | 10022 | 10157 |
| S 170 / BT | | 17' 0" | 76" | 17711 | 10025 | 10159 |
| S 170 Dual Console | | 17' 0" | 76" | 17711 | 10025 | 10159 |
| Sea King 18 I/O | | 18' 0" | 86" | 17724 | 10032 | 10164 |
| Sea King 18 O/B | | 18' 0" | 86" | 17712 | 10026 | 10160 |
| Sea King 19 O/B | 1986 | 19' 0" | 87" | 17713 | 10027 | 10161 |
| Sea King 19 I/O | 1986 | 19' 0" | 87" | 17725 | 10033 | 10165 |
| Sea King 21 / Victorian 21 | 1986 | 21' 1" | 88" | 17727 | 10035 | 10167 |
| Seagull 14 T Series | 85-89 | 14' 2" | 65" | 17454 | 10087 | 10208 |
| Seagull 15 | 1987 | 14' 10" | 65" | 17457 | 10091 | 10209 |
| Seahawk 16 | | 16' 1" | 67" | 17710 | 10023 | 10158 |
| SP / PH 6800 | | 18' 1" | 78" | 17712 | 10026 | 10160 |
| SP / PH 6900 | | 16' 2" | 76" | 17710 | 10023 | 10158 |
| Sportsman 16 | 85-86 | 16' 2" | 76" | 17710 | 10023 | 10158 |
| Sportsman 17 | 1987 | 17' 0" | 76" | 17711 | 10025 | 10159 |
| Sportsman 1700 O/B | 1988 | 17' 1" | 76" | 17711 | 10025 | 10159 |
| Sportsman 18 | 85-86 | 18' 1" | 78" | 17712 | 10026 | 10160 |
| Sportsman 1900 O/B | 1988 | 18' 10" | 82" | 17713 | 10027 | 10161 |
| Sportsman 1950 I/O | 1988 | 18' 10" | 82" | 17725 | 10033 | 10165 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **BLUE FIN-CONTINUED** | | | | | | |
| Super Hawk 16 | | 16' 2" | 76" | 17710 | 10023 | 10158 |
| Super Hawk 1606 O/B | 85-88 | 15' 10" | 77" | 17760 | 10061 | 10187 |
| Super Hawk 18 | 1985 | 18' 1" | 78" | 17764 | 10063 | 10192 |
| Super Hawk Royale 21 | | 21' 1" | 88" | 17727 | 10035 | 10167 |
| Super Sport | 85-86 | 14' 7" | 56" | 17454 | 10087 | 10208 |
| Voyager 1300 | 1988 | 12' 7" | 63" | 17453 | 10086 | 10207 |
| Voyager 1500 | 1988 | 14' 11" | 63" | 17457 | 10091 | 10209 |
| **BLUE WATER** | | | | | | |
| Astro I/O | 94-95 | 16' 11" | 88" | 17683 | 10141 | — |
| Astro O/B | 94-95 | 16' 11" | 88" | 17693 | 10136 | 10265 |
| Blazer | 96-99 | 16' 2" | 81" | 17682 | 10140 | — |
| Eagle | 94-95 | 18' 3" | 90" | 17684 | 10142 | 10274 |
| Executive | | 18' 6" | 96" | 17725 | 10033 | 10165 |
| Falcon BR | 94-99 | 17' 5" | 81" | 17683 | 10141 | — |
| Fish & Ski 172 | | 17' 6" | 91" | 17582 | 10110 | 17574 |
| Fish & Ski 192 | | 19' 6" | 96" | 17584 | 10112 | 17576 |
| Hawk | 94-95 | 16' 2" | 81" | 17682 | 10140 | — |
| Marque 22 BR | 94-96 | 22' 0" | 102" | 17688 | 10146 | 10278 |
| Marque 22 Cuddy | 94-99 | 22' 0" | 102" | 17569 | — | — |
| Mirage | 96-99 | 20' 4" | 89" | 17700 | 10010 | 15413 |
| Monte Carlo BR | 96-99 | 20' 2" | 96" | 17686 | 10144 | 10276 |
| Monte Carlo Cuddy | 94-99 | 20' 2" | 96" | 17567 | — | — |
| Overnighter | 94-95 | 18' 6" | 96" | 17566 | — | — |
| Pro-Am | 94-95 | 20' 5" | 85" | 17686 | 10144 | 10276 |
| Pro-Fish 161 | 94-95 | 16' 6" | 85" | 17774 | 10054 | 10181 |
| Pro-Fish 161 DC | 94-95 | 16' 6" | 85" | 17711 | 10025 | 10159 |
| Pro-Fish 171 | 1994 | 17' 6" | 91" | 17775 | 10056 | 10183 |
| Pro-Fish 171 DC | 1994 | 17' 6" | 91" | 17583 | 10111 | 17575 |
| Pro-Fish 172 | 94-95 | 17' 6" | 91" | 17582 | 10110 | 17574 |
| Pro-Fish 192 | 94-95 | 19' 6" | 96" | 17584 | 10112 | 17576 |
| Pro-Fish 192 DC | 94-95 | 19' 6" | 96" | 17584 | 10112 | 17576 |
| Riviera | 94-99 | 19' 2" | 96" | 17685 | 10143 | 10275 |
| Shadow | 1999 | 18' 0" | 94" | 17684 | 10142 | 10274 |
| Spirit | 94-95 | 15' 6" | 75" | 17692 | 10135 | — |
| **BLUE WAVE** | | | | | | |
| 1900 STL | 2015 | 19' 0" | 96" | 10327 | — | — |
| 1902 Evolution | 2015 | 19' 2" | 98" | 10327 | — | — |
| 2000 Pure Bay | 2015 | 19' 7" | 96" | 10327 | — | — |
| 2200 STL | 2015 | 22' 2" | 96" | — | — | — |
| 2400 Pure Bay | 2015 | 24' 5" | 102" | — | — | — |
| 2200 Pure Bay | 2015 | 21' 4" | 102" | — | — | — |
| 2000 Pure Bay | 2015 | 19' 7" | 96" | 10327 | — | — |
| **BOMBER BY FIBERKING** | | | | | | |
| Bassmaster / Pro | 1984 | 15' 0" | 69" | 17760 | 10061 | 10187 |
| Bassmaster II | | 16' 4" | 80" | 17774 | 10054 | 10181 |
| Champion | 1984 | 16' 6" | 84" | 17711 | 10025 | 10159 |
| Classic / Classic II O/B | 1984 | 16' 0" | 76" | 17710 | 10023 | 10158 |
| Classic I/O | 1984 | 16' 4" | 80" | 17722 | 10029 | — |
| Cobra 17 I/O | 1984 | 17' 0" | 81" | 17761 | 10139 | 10203 |
| Commander | 1988 | 18' 5" | 90" | 17725 | 10033 | 10165 |
| Commander 180 / II I/O | 1984 | 17' 6" | 85" | 17724 | 10032 | 10164 |
| Commander 180 / II O/B+F1424 | 1984 | 17' 6" | 85" | 17712 | 10026 | 10160 |
| Cougar | 1984 | 15' 2" | 73" | 17760 | 10061 | 10187 |
| Cougar Combo | 1984 | 15' 2" | 73" | 17578 | 10108 | — |
| Crappie Mate | | 16' 0" | 76" | 17580 | 10109 | 17573 |
| Crappie Mate | 1988 | 15' 9" | 80" | 17580 | 10109 | 17573 |
| Delta 160 / Twin / Combo | 1988 | 15' 9" | 80" | 17762 | 10062 | 10188 |
| Magnum Pro | | 16' 6" | 84" | 17774 | 10054 | 10181 |
| Pro Master | 1984 | 16' 0" | 76" | 17762 | 10062 | 10188 |
| Pro Master II | 1984 | 16' 4" | 80" | 17774 | 10054 | 10181 |
| Raider | | 16' 0" | 76" | 17762 | 10062 | 10188 |
| Sandpiper | 1984 | 15' 2" | 73" | 17709 | 10022 | 10157 |
| Sportmaster | | 15' 0" | 69" | 17709 | 10022 | 10157 |
| Sportsman | | 15' 0" | 69" | 17552 | — | — |
| Starfire | 1984 | 17' 6" | 85" | 17775 | 10056 | 10183 |
| Starfire Combo | 1984 | 17' 6" | 85" | 17582 | 10110 | 17574 |
| Sunchaser | | 16' 6" | 84" | 17580 | 10109 | 17573 |
| Sunchaser II | 1984 | 16' 4" | 80" | 17774 | 10054 | 10181 |
| Ultra 200 | 1988 | 19' 8" | 90" | 17777 | 10057 | 10184 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **BOSTON WHALER** | | | | | | |
| 11 Super Sport | 92-00 | 14' 4" | 66" | — | — | — |
| 110 Sport | 05-14 | 11' 4" | 66" | — | — | — |
| 110 Tender | 05-15 | 11' 4" | 66" | — | — | — |
| 13' Sport | 2000 | 13' 3" | 71" | — | — | — |
| 130 Sport | 02-15 | 13' 3" | 71" | — | — | — |
| 130 Sport | 2007 | 11' 4" | 66" | — | — | — |
| 130 Super Sport | 09-14 | 13' 3" | 70" | — | — | — |
| 14' Dauntless | 1999 | 14' 3" | 75" | — | — | — |
| 14' Dauntless | 2000 | 14' 5" | 76" | — | — | — |
| 15' Dauntless | 97-98 | 15' 1" | 76" | — | — | — |
| 15' Rage | 1997 | 15' 4" | 77" | — | — | — |
| 150 Montauk | 07-15 | 15' 5" | 78" | — | — | — |
| 150 Sport | 05-07 | 15' 5" | 78" | — | — | — |
| 150 Super Sport | 09-15 | 15' 4" | 78" | — | — | — |
| 16' Dauntless | 99-02 | 16' 3" | 85" | — | — | — |
| 160 Dauntless | 03-07 | 16' 3" | 85" | 17736 | 10148 | 15402 |
| 160 Ventura | 02-03 | 16' 3" | 85" | 17692 | 10135 | — |
| 17' Dauntless | 1995 | 16' 7" | 74" | 17736 | 10148 | 15402 |
| 17' Dauntless DC | 1997 | 17' 0" | 84" | 17711 | 10025 | 10159 |
| 17' Montauk | 96-03 | 16' 7" | 74" | — | — | — |
| 17' Newport | 1974 | 16' 7" | 74" | 17736 | 10148 | 15402 |
| 17 Outrage | 96-99 | 17' 6" | 84" | 17736 | 10148 | 15402 |
| 17' Outrage | 1992 | 17' 3" | 80" | 17736 | 10148 | 15402 |
| 17' Standard | 97-00 | 16' 7" | 74" | — | — | — |
| 170 Dauntless | 12-15 | 17' 0" | 82" | — | — | — |
| 170 Montauk | 04-15 | 17' 0" | 82" | 17736 | 10148 | 15402 |
| 170 Super Sport | 14-15 | 17' 0" | 82" | — | — | — |
| 18' Dauntless | 98-00 | 18' 2" | 96" | 17780 | 1512 | 15403 |
| 18 Outrage | | 18' 6" | 86" | 17737 | 10150 | 15404 |
| 18' Outrage | 2000 | 18' 4" | 99" | 17737 | 10150 | 15404 |
| 18' Outrage | 1996 | 18' 5" | 84" | 17737 | 10150 | 15404 |
| 18' Rage | 1997 | 18' 5" | 84" | 17684 | 10142 | 10274 |
| 18 Ventura | 98-99 | 18' 2' | 96" | 17694 | 10137 | 10267 |
| 180 Dauntless | 11-15 | 18' 1" | 97" | 17780 | 15412 | 15403 |
| 180 Dauntless | 02-07 | 18' 6" | 96" | 17737 | 10150 | 15404 |
| 180 Ventura | 02-09 | 18' 6" | 96" | 17695 | 10138 | 10269 |
| 19' Outrage | 92-95 | 18' 6" | 86" | 17737 | 10150 | 15404 |
| 190 Montauk | 07-15 | 19' 0" | 96" | 17737 | 10150 | 15404 |
| 190 Nantucket | 05-09 | 18' 10" | 96" | 17737 | 10150 | 15404 |
| 190 Outrage | 07-15 | 18' 10" | 96" | 17737 | 10150 | 15404 |
| 20' Outrage | 97-98 | 19' 8" | 100" | 17738 | 10151 | 15405 |
| 20' Ventura | 98-99 | 19' 8" | 100" | 17695 | 10138 | 10269 |
| 200 Dauntless | 07-11 | 20' 6" | 101" | 17738 | 10151 | 15405 |
| 205 Conquest | 2007 | 20' 3" | 100" | 17587 | 10129 | 10257 |
| 205 Eastport | 2005 | 20' 3" | 100" | 17590 | 10132 | 10261 |
| 21' Conquest | 98-00 | 20' 7" | 100" | 17587 | 10129 | 10257 |
| 21 Outrage | 96-98 | 20' 9" | 102" | 17739 | 10152 | 15406 |
| 21' Outrage | 99-00 | 20' 7" | 102" | 17739 | 10152 | 15406 |
| 210 Dauntless | 14-15 | 21' 3" | 102" | — | — | — |
| 210 Montauk | 12-15 | 21' 4" | 102" | — | — | — |
| 210 Outrage | 02-07 | 20' 6" | 100" | 17739 | 10152 | 15406 |
| 22' Outrage O/B | 96-99 | 22' 3" | 89" | 17741 | 10153 | 15407 |
| 220 Dauntless | 02-03 | 22' 3" | 102" | 17741 | 10153 | 15407 |
| 220 Dauntless | 05-07 | 22' 5" | 102" | 17741 | 10153 | 15407 |
| 220 Outrage | 09-15 | 22' 5" | 102" | 17782 | 10154 | 15408 |
| 23' Conquest | 98-00 | 22' 7" | 102" | 17589 | 10131 | 10259 |
| 23' Outrage | 98-02 | 22' 7" | 102" | 17782 | 10154 | 15408 |
| 230 Dauntless | 09-11 | 23' 6" | 102" | 17782 | 10154 | 15408 |
| 230 Outrage | 2002 | 22' 7" | 102" | — | — | — |
| 235 Conquest | 2005 | 24' 9" | 102" | 17592 | 10134 | — |
| 235 Conquest | 07-11 | 25' 2" | 102" | 17592 | 10134 | — |
| 24 Outrage | 96-99 | 23' 10" | 102" | 17783 | 10155 | 15409 |
| 240 Outrage | 03-07 | 23' 9" | 102" | 17783 | 10155 | 15409 |
| 25' Outrage O/B | 96-99 | 24' 7" | 96" | 17784 | 10156 | 15410 |
| 250 Outrage | 09-15 | 24' 6" | 108" | 17784 | 10156 | 15410 |
| 255 Conquest | 05-11 | 26' 11" | 105" | — | — | — |
| GTX 18 | 1986 | 18' 6" | 86" | 17725 | 10033 | 10165 |
| Tender II | 92-00 | 11' 4" | 60" | — | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **BRAVO (G. W. INVADER)** | | | | | | |
| 1900 | | 19' 1" | 100" | **17685** | **10143** | **10275** |
| 2100 | | 20' 6" | 102" | **17687** | **10145** | **10277** |
| 180ES / 180 ESS | | 18' 3" | 96" | **17685** | **10143** | **10275** |
| 200 ES / 200 ESC | | 20' 4" | 93" | **17686** | **10144** | **10276** |
| Indy 175 | | 17' 3" | 88" | **17683** | **10141** | — |
| Indy 180 | | 18' 3" | 93" | **17684** | **10142** | **10274** |
| **BRYANT BOATS** | | | | | | |
| 160 | | 16' 5" | 79" | **17692** | **10135** | — |
| 206 | 06-08 | 20'6" | 102" | **17686** | **10144** | **10276** |
| 210 | 2008 | 21' 0" | 96" | **17687** | **10145** | **10277** |
| 219 | 06-08 | 21' 9" | 102" | **17688** | **10146** | **10278** |
| 219 | 06-08 | 21' 9" | 102" | **17688** | **10146** | **10278** |
| 239 | 08-09 | 23' 11" | 102" | **17689** | **10147** | **10279** |
| 240 | 06-08 | 24' 3" | 102" | **17801** | **10072** | **10210** |
| 245 | 2009 | 24' 6" | 102" | — | — | — |
| 246 | 09-15 | 24' 6" | 102" | **17801** | **10072** | **10210** |
| 255 | 08-13 | 25' 5" | 102" | **17802** | **10073** | **10221** |
| 270 | 06-08 | 27' 0" | 105" | — | — | — |
| 179 | 1995 | 17' 9" | 86" | **17684** | **10142** | **10274** |
| 180 | | 18' 1" | 92" | **17684** | **10142** | **10274** |
| 182 Limited | 97-00 | 18' 2" | 96" | **17684** | **10142** | **10274** |
| 188 | 2002 | 18' 11" | 96" | **17685** | **10143** | **10275** |
| 189 Limited | 1995 | 19' 3" | 96" | **17685** | **10143** | **10275** |
| 190 | 06-09 | 18' 11" | 96" | **17685** | **10143** | **10275** |
| 190 w/platform | 04-09 | 21' 3" | 96" | **17687** | **10145** | **10277** |
| 193 | 96-97 | 19' 3" | 96" | **17685** | **10143** | **10275** |
| 196 Limited | 98-00 | 19' 6" | 96" | **17685** | **10143** | **10275** |
| 198 | 2002 | 20' 0" | 96" | **17686** | **10144** | **10276** |
| 198 | 2015 | 19' 8" | 96" | **17686** | **10144** | **10276** |
| 198 Walkabout w/platform | 13-15 | 19' 8" | 96" | **17686** | **10144** | **10276** |
| 200 Walk through | 2004 | 20' 0" | 96" | **17686** | **10144** | **10276** |
| 200 walk through w/platform | 2004 | 22' 5" | 96" | **17689** | **10147** | **10279** |
| 206 w/platform | 06-08 | 22' 8" | 102" | **17688** | **10146** | **10278** |
| 209 Limited | 1995 | 21' 3" | 98" | **17687** | **10145** | **10277** |
| 210 CT | 2015 | 21' 0" | 96" | **17686** | **10144** | **10276** |
| 210 w/platform | 08-15 | 21' 0" | 96" | **17687** | **10145** | **10277** |
| 210 Walkthrough w/platform | 13-15 | 21' 0" | 96" | **17687** | **10145** | **10277** |
| 212 | | 20' 3" | 98" | **17687** | **10145** | **10277** |
| 212 Limited | 1997 | 21' 2" | 98" | **17687** | **10145** | **10277** |
| 214 Cuddy Cabin | 04-06 | 21' 4" | 102" | **17588** | **10130** | **10258** |
| 214 Cuddy Cabin w/platform | 04-08 | 23' 8" | 102" | **17572** | — | — |
| 214 Limited | 98-04 | 21' 4" | 102" | **17687** | **10145** | **10277** |
| 214 Limited Cuddy | 99-02 | 23' 2" | 102" | **17570** | — | — |
| 214 Wakeboard | 2004 | 21' 4" | 102" | — | — | — |
| 214 Wakeboard w/platform | 2004 | 23' 8" | 102" | — | — | — |
| 214 Walk through | 2004 | 21' 4" | 102" | **17687** | **10145** | **10277** |
| 214 Walk through w/platform | 2004 | 23' 8" | 102" | **17797** | **10317** | **10191** |
| 219 w/platform | 06-08 | 23' 11" | 102" | **17689** | **10147** | **10279** |
| 220 w/platform | 13-15 | 22' 0" | 102" | **17688** | **10146** | **10278** |
| 232 Limited | 97-04 | 23' 2" | 102" | **17689** | **10147** | **10279** |
| 232 w/platform | 2004 | 25' 7" | 102" | **17798** | **10318** | **10199** |
| 233 Cuddy Cabin | 08-13 | 23' 3" | 102" | **17689** | **10147** | **10279** |
| 233 w/platform | 12-15 | 23' 3" | 102" | **17689** | **10147** | **10279** |
| 233 X Walkabout w/platform | 13-14 | 23' 3" | 102" | — | — | — |
| 234 Deck boat | 2004 | 23' 4" | 102" | **17797** | **10317** | **10191** |
| 234 Deck boat w/platform | 2004 | 25' 10" | 102" | **17799** | **10319** | **10200** |
| 236 Deck Boat | 06-08 | 23' 4" | 102" | **17797** | **10317** | **10191** |
| 236 Deck Boat w/platform | 06-08 | 25' 10" | 102" | **17802** | **10073** | **10221** |
| 240 w/swim platform | 06-08 | 26' 6" | 102" | — | — | — |
| 268 w/platform | 09-15 | 26' 8" | 102" | — | — | — |
| 270 w/platform | 06-08 | 29' 2" | 105" | — | — | — |
| Calandra | 2015 | 23' 4" | 102" | **17689** | **10147** | **10279** |
| Speranza | 2015 | 21 ' 4" | 102" | **17687** | **10145** | **10277** |
| Sportabout | 2015 | 19' 4" | 102" | **17685** | **10143** | **10275** |
| **BUMBLE BEE** | | | | | | |
| 154 | 2002 | 15' 3" | 69" | **17760** | **10061** | **10187** |
| 160 Series | 1999 | 16' 4" | 82" | **17774** | **10054** | **10181** |
| 174 Fish-N-Ski | | 17' 4" | 78" | **17761** | **10139** | **10203** |
| 180 Pro Sport | 97-02 | 18' 0" | 90" | **17775** | **10056** | **10183** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **BUMBLE BEE-CONTINUED** | | | | | | |
| 180 Pro Vee | 97-02 | 18' 0" | 90" | **17775** | **10056** | **10183** |
| 180 SS | 1997 | 18' 0" | 90" | **17583** | **10111** | **17575** |
| 200 Pro Sport | 97-02 | 20' 4" | 90" | **17778** | **10058** | **10185** |
| 200 Pro Vee | 97-02 | 20' 4" | 90" | **17778** | **10058** | **10185** |
| 2100 Prosport | 2002 | 21' 6" | 90" | **17025** | **10059** | **10197** |
| 2100 Super Vee | 2002 | 21' 6" | 90" | **17025** | **10059** | **10197** |
| 254 Series | 99-02 | 15' 4" | 74" | **17760** | **10061** | **10187** |
| 270 Pro FD | 2002 | 16' 4" | 82" | **17774** | **10054** | **10181** |
| 278 Pro FD | 2002 | 17' 8" | 82" | **17776** | **10055** | **10182** |
| 280 Pro FD | | 18' 0" | 84" | **17775** | **10056** | **10183** |
| 290 Prosport | 200-02 | 19' 1" | 90" | **17777** | **10057** | **10184** |
| 290 SuperVee | 99-02 | 19' 1" | 90" | **17777** | **10057** | **10184** |
| 300 Ultimate | 1999 | 20' 4" | 90" | **17778** | **10058** | **10185** |
| Bee 15 | | 15' 0" | 62" | **17550** | — | — |
| King Bee | | 17' 5" | 77" | **17776** | **10055** | **10182** |
| Stinger II | 97-02 | 15' 3" | 69" | **17550** | — | — |
| Super Bee / Super Fish-N-Ski | | 16' 01" | 77" | **17762** | **10062** | **10188** |
| Trooper | 2002 | 15' 5" | 72" | **17760** | **10061** | **10187** |
| V 154 | | 17' 0" | 74" | **17760** | **10061** | **10187** |
| V 160 / V 160 FD | 1997 | 16' 4" | 82" | **17772** | **10053** | **10180** |
| V 174 | | 17' 4" | 78" | **17761** | **10139** | **10203** |
| V 178 | 96-97 | 17' 8" | 80" | **17776** | **10055** | **10182** |
| V-15 | 1997 | 15' 4" | 74" | **17770** | **10052** | **10179** |
| V-16 | 1997 | 16' 4" | 82" | **17774** | **10054** | **10181** |
| V-17 | 1997 | 17' 8" | 82" | **17776** | **10055** | **10182** |
| Vanguard | | 19' 0" | 91" | **17685** | **10143** | **10275** |
| **CAJUN** | | | | | | |
| 1550 Angler | | 15' 9" | 74" | **17770** | **10052** | **10179** |
| 162 ZS | 1990 | 16' 1" | 77" | **17762** | **10062** | **10188** |
| 165 ZW | 1990 | 16' 8" | 80" | **17580** | **10109** | **17573** |
| 168 Espirit Sport | 1989 | 16' 7" | 80" | **17710** | **10023** | **10158** |
| 170 Combo Adventure | 1995 | 17' 0 | 80" | **17582** | **10110** | **17574** |
| 1700 Espirit | 96-97 | 17' 0" | 84" | **17582** | **10110** | **17574** |
| 173 Espirit I/O | 1989 | 17' 3" | 94" | — | — | — |
| 174 ZW | 1990 | 17' 4" | 80" | **17582** | **10110** | **17574** |
| 175 D Fishing Machine | 1986 | 17' 6" | 88" | **17583** | **10111** | **17575** |
| 175 Espirit / 1750 Espirit O/B | 86-90 | 17' 6" | 88" | **17712** | **10026** | **10160** |
| 175 S Fishing Machine | 1986 | 17' 6" | 88" | **17775** | **10056** | **10183** |
| 178 ZW | 1990 | 17' 6" | 88" | **17583** | **10111** | **17575** |
| 180 Combo Adventure | 1995 | 18' 0" | 80" | **17583** | **10111** | **17575** |
| 1800 Angler Pro | 1995 | 18' 0" | 92" | **17775** | **10056** | **10183** |
| 1800 Espirit | 96-97 | 18' 0" | 90" | **17583** | **10111** | **17575** |
| 185 D / Elias Fishing Edition | 1990 | 18' 6" | 88" | **17584** | **10112** | **17576** |
| 185 Espirit / 1850 Espirit O/B | 86-90 | 18' 6" | 88" | **17713** | **10027** | **10161** |
| 185 Fishin' Machine / 1850 Fishin' Machine | 89-90 | 18' 6" | 88" | **17773** | **15411** | **15401** |
| 1900 Espirit | 1995 | 19' 0" | 88" | **17584** | **10112** | **17576** |
| 195 Espirit | 89-90 | 19' 6" | 94" | **17726** | **10034** | **10166** |
| 195 Espirit I/O | 1989 | 19' 6" | 94" | **17725** | **10033** | **10165** |
| 195 Fishin' Machine / 1950 Fishin' Machine | 89-90 | 19' 6" | 94" | **17777** | **10057** | **10184** |
| 1950 Espirit I/O | | 19' 6" | 94" | **17726** | **10034** | **10166** |
| 1950 Espirit O/B | 1990 | 19' 6" | 94" | **17584** | **10112** | **17576** |
| 2000 Espirit | 1997 | 20' 8" | 95" | **17030** | **10113** | **17577** |
| 2000 Espirit | 1995 | 20' 0" | 94" | **17584** | **10112** | **17576** |
| 2000 Striper | | 20' 0" | 94" | **17738** | **10151** | **15405** |
| 2100 Striper | | 21' 0" | 96" | **17739** | **10152** | **15406** |
| Aerodyne | | 19' 6" | 90" | **17777** | **10057** | **10184** |
| Blazer Bonanza | 1989 | 16' 0" | 72" | **17762** | **10062** | **10188** |
| Blazer I / II | | 15' 10" | 72" | **17762** | **10062** | **10188** |
| Brute I / II / III | | 17' 6" | 83" | **17775** | **10056** | **10183** |
| Cutlass | 1989 | 16' 0' | 72" | **17762** | **10062** | **10188** |
| Demon Combo / Bonanza | 1989 | 16' 0' | 70" | **17580** | **10109** | **17573** |
| Demon I | 1986 | 15' 10" | 70" | **17762** | **10062** | **10188** |
| Demon II | 1986 | 15' 10" | 70" | **17578** | **10108** | — |
| Demon Pro | 1989 | 16' 0" | 70" | **17762** | **10062** | **10188** |
| Deux Voie I | | 16' 8" | 80" | **17774** | **10054** | **10181** |
| Deux Voie II | | 17' 6" | 83" | **17776** | **10055** | **10182** |
| Encore Combo / II / 165 | 1986 | 16' 1" | 80" | **17580** | **10109** | **17573** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CAJUN-CONTINUED** | | | | | | |
| Espirit | | 16' 8" | 86" | 17774 | 10054 | 10181 |
| Espirit Basstactics | | 17' 6" | 88" | 17583 | 10111 | 17575 |
| Espirit Encore | 1986 | 16' 1" | 80" | 17580 | 10109 | 17573 |
| Espirit Encore Combo | 1986 | 16' 7" | 80" | 17580 | 10109 | 17573 |
| Espirit Encore Pro | 1986 | 16' 7" | 80" | 17774 | 10054 | 10181 |
| Espirit Grand Prix | 89-90 | 19' 6" | 94" | 17777 | 10057 | 10184 |
| Fiero / Ferio Combo / Fiero RB | 1989 | 16' 1" | 76 ¾" | 17722 | 10029 | |
| Fishing Machine | 1989 | 18' 5" | 88" | 17775 | 10056 | 10183 |
| Fishing Machine II / III | | 18' 5" | 88" | 17583 | 10111 | 17575 |
| Fishmaster 1900 | | 19' 0" | 86" | 17737 | 10150 | 15404 |
| Fishmaster 1550 | 1995 | 15' 6" | 66" | — | — | — |
| Fishmaster 1550 | 1997 | 16' 6" | 74" | — | — | — |
| Fishmaster 1650 | 1995 | 16' 6" | 86" | 17736 | 10148 | 15402 |
| Fishmaster 1850 | 96-97 | 18' 6" | 94" | 17737 | 10150 | 15404 |
| Fishmaster 1850V | 95-96 | 18' 6" | 94" | 17737 | 10150 | 15404 |
| Fishmaster 1950 | | 19' 6" | 96" | 17738 | 10151 | 15405 |
| Fishmaster 2100 | 1997 | 21' 9" | 92" | 17741 | 10153 | 15407 |
| Fishmaster 2100 | 1995 | 21' 0" | 96" | 17739 | 10152 | 15406 |
| Fishmaster 2300 | 1995 | 23' 0" | 96" | 17782 | 10154 | 15408 |
| Fishmaster 2300 | 1997 | 24' 2" | 94" | 17783 | 10155 | 15409 |
| Maverick I | 86-89 | 16' 6" | 85" | 17774 | 10054 | 10181 |
| Maverick II | 1986 | 16' 6" | 85" | 17774 | 10054 | 10181 |
| Maverick Maxima | 1989 | 17' 6" | 88" | 17776 | 10055 | 10182 |
| Pro 150 / MVP 150 | | 15' 3" | 79" | 17768 | 10051 | — |
| Pro 160 | | 16' 6" | 82" | 17774 | 10054 | 10181 |
| Pro 170 | | 17' 0" | 80" | 17582 | 10110 | 17574 |
| Pro 180 | | 18' 0" | 80" | 17583 | 10111 | 17575 |
| Pro Adventure 160 | 1995 | 16' 6" | 82" | 17580 | 10109 | 17573 |
| Pro Adventure 171 | 1995 | 17' 1" | 86" | 17582 | 10110 | 17574 |
| Pro Advenutre 150 | 1995 | 15' 3" | 79" | 17768 | 10051 | — |
| Pro Sport 150 | 1990 | 15' 3" | 79" | 17768 | 10051 | — |
| Pro Sport 160 | 1990 | 16' 0" | 72" | 17762 | 10062 | 10188 |
| Pro Sport 168 | 1990 | 16' 6" | 85" | 17774 | 10054 | 10181 |
| Pro Sport 178 | 1990 | 17' 6" | 88" | 17776 | 10055 | 10182 |
| Pro Staff | 1990 | 18' 6" | 88" | 17774 | 10054 | 10181 |
| Pursuit I | 1986 | 16' 4" | 85" | 17774 | 10054 | 10181 |
| Pursuit I Special | | 17' 6" | 83" | 17776 | 10055 | 10182 |
| Pursuit II / III | 1986 | 16' 4" | 85" | 17580 | 10109 | 17573 |
| Ragin Cajun | | 16' 8" | 86" | 17774 | 10054 | 10181 |
| Ragin Cajun 155 | 1997 | 15' 3" | 79" | 17770 | 10052 | 10179 |
| Ragin Cajun 171 | 1997 | 17' 1" | 89" | 17776 | 10055 | 10182 |
| Ragin Cajun 175 | 1997 | 17' 11" | 89" | 17775 | 10056 | 10183 |
| Ragin Cajun 185 | 1997 | 18' 8" | 89" | 17773 | 15411 | 15401 |
| Ragin Cajun 205 | 1997 | 20' 8" | 92" | 17778 | 10058 | 10185 |
| Ragin Cajun Combo | 1990 | 17' 1" | 86" | 17776 | 10055 | 10182 |
| Ragin Cajun I | 1986 | 17' 1" | 86" | 17776 | 10055 | 10182 |
| Ragin Cajun II / Ragin Cajun III | 1995 | 17' 1" | 86" | 17582 | 10110 | 17574 |
| Ragin Cajun Pro | 1990 | 17' 1" | 86" | 17776 | 10055 | 10182 |
| Ragin Cajun Sport | 1990 | 17' 1" | 86" | 17776 | 10055 | 10182 |
| Ragin Cajun X | 1995 | 17' 8" | 91" | 17776 | 10055 | 10182 |
| Ragin Cajun XL | 1995 | 18' 6" | 86" | 17775 | 10056 | 10183 |
| Ragin Cajun XXL | 95-96 | 20' 0" | 91" | 17778 | 10058 | 10185 |
| Ragin II / III | 1986 | 17' 1" | 86" | 17582 | 10110 | 17574 |
| RB 162 / 162 ZW | 1990 | 16' 1" | 77" | 17580 | 10109 | 17573 |
| Scrambler I / II / III | | 16' 8" | 76" | 17774 | 10054 | 10181 |
| Tournament Grand Prix | 1990 | 19' 6" | 94" | 17777 | 10057 | 10184 |
| Venture I | | 15' 6" | 66" | 17550 | — | — |
| Venture II | | 15' 1" | 59" | 17550 | — | — |
| **CAJUN SPECIAL** | | | | | | |
| Marsh Runner 1644 | 2002 | 16' 0" | 69" | 17744 | 10067 | 10195 |
| Super Sports 1600 | 2002 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| Super Sports 1700 | 2002 | 17' 0" | 74" | 17748 | 10069 | 10204 |
| Super Sports 1800 | 2002 | 18' 0" | 78" | 17750 | 10070 | 10206 |
| **CALABRIA** | | | | | | |
| CA / AIR | 99-02 | 20' 0" | 87" | 17702 | 10012 | 15415 |
| Cal Air | 2006 | 21' 6" | 87" | — | — | — |
| Cal Air Pro V | 2006 | 23' 6" | 102" | — | — | — |
| Cal Air Pro V2 | 2006 | 21' 6" | 98" | — | — | — |
| Pro Comp / XTS | 99-02 | 20' 0" | 87" | 17702 | 10012 | 15415 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CALABRIA-CONTINUED** | | | | | | |
| Shortline Comp | 99-02 | 19' 0" | 80" | 17700 | 10010 | 15413 |
| Sport Comp VTS | 2006 | 23' 6" | 102" | — | — | — |
| Sport Comp XTS | 2006 | 21' 6" | 87" | — | — | — |
| Sport Comp / XTS | 99-02 | 20' 0" | 87" | 17702 | 10012 | 15415 |
| **CAMPION** | | | | | | |
| Allante 160 | | 16' 0" | 79" | 17710 | 10023 | 10158 |
| Allante 170 | 1994 | 17' 2" | 86" | 17723 | 10030 | 10163 |
| Allante 180 | 1994 | 18' 0" | 86" | 17724 | 10032 | 10164 |
| Allante 185 BR I/O | 1994 | 17' 8" | 87" | 17724 | 10032 | 10164 |
| Allante 185 BR O/B | 1994 | 17' 8" | 87" | 17712 | 10026 | 10160 |
| Allante 185 Cuddy O/B | 1994 | 17' 8" | 87" | 17711 | 10025 | 10159 |
| Allante 185 I/O | 1994 | 17' 8" | 87" | 17724 | 10032 | 10164 |
| Allante 185 O/B | 1994 | 17' 8" | 87" | 17712 | 10026 | 10160 |
| Allante 190 | 1994 | 19' 1" | 92" | 17725 | 10033 | 10165 |
| Allante 195 BR | 1994 | 19' 1" | 92" | 17725 | 10033 | 10165 |
| Allante 195 CC | 1994 | 19' 1" | 92" | 17586 | 10128 | 10256 |
| Allante 200 Cuddy | 1994 | 20' 2" | 92" | 17567 | — | — |
| Allante 233 Cuddy | 1994 | 23' 0" | 97" | 17570 | — | — |
| Allante 485 OB | 2015 | 16.' 1" | 84" | 17692 | 10135 | — |
| Allante 505 I/O | 98-02 | 16' 7" | 83" | 17683 | 10141 | — |
| Allante 505 O/B | 98-02 | 16' 7" | 83" | 17693 | 10136 | 10265 |
| Allante 505 OB | 2015 | 16' 7" | 82" | 17692 | 10135 | — |
| Allante 505 SLR / 505 SLRi | 1999 | 16' 7" | 83" | 17693 | 10136 | 10265 |
| Allante 505i | 2015 | 17' 1" | 82" | 17683 | 10141 | 10242 |
| Allante 535 I/O | 98-02 | 17' 8" | 92" | 17684 | 10142 | 10274 |
| Allante 535 O/B | 98-02 | 17' 8" | 92" | 17694 | 10137 | 10267 |
| Allante 535 OB | 2015 | 17' 10" | 92" | 17694 | 10137 | 10267 |
| Allante 535i | 2015 | 17' 10" | 92" | 17683 | 10141 | 10242 |
| Allante 545 | 2002 | 18' 2" | 90" | 17684 | 10142 | 10274 |
| Allante 545 | 2015 | 18' 0" | 92" | 17684 | 10142 | 10274 |
| Allante 565 I/O | 98-02 | 18' 9" | 92" | 17685 | 10143 | 10275 |
| Allante 565 O/B | 98-02 | 18' 9" | 92" | 17695 | 10138 | 10269 |
| Allante 565 SLR / 656 SLRi | 1999 | 18' 9" | 92" | 17695 | 10138 | 10269 |
| Allante 595 OB BR | 2015 | 21' 0" | 98" | 17695 | 10138 | 10269 |
| Allante 595 OB SC | 2015 | 21' 0" | 98" | 17695 | 10138 | 10269 |
| Allante 625 | 00-02 | 20' 6" | 92" | 17686 | 10144 | 10276 |
| Allante 625 LSRi | 1999 | 20' 6" | 92" | 17686 | 10144 | 10276 |
| Allante 625i Bow Rider / Allante 625i SC | 2003 | 20' 8" | 90" | 17686 | 10144 | 10276 |
| Allante 645i BR | 2015 | 25' 0" | 102" | 17802 | 100763 | 10221 |
| Allante 645i SC | 2015 | 25' 0" | 102" | 17802 | 100763 | 10221 |
| Allante 705 | 98-02 | 23' 3" | 101" | 17570 | — | — |
| Allante 705 SLRi | 1999 | 23' 3" | 102" | 17570 | — | — |
| Allante 705i BR | 2015 | 26' 2" | 102" | — | — | — |
| Allante 705i SC | 2015 | 26' 2" | 102" | — | — | — |
| Allante LS 645i Bow Rider | 2004 | 23' 1" | 102" | 17570 | — | — |
| Allante LS 645i BR / Allante LS 645i SC | 03-04 | 23' 1" | 102" | 17570 | — | — |
| Allante LS 705i SC | 02-04 | 24' 0" | 102" | 17571 | — | — |
| Allante S 485 BR | 02-04 | 16' 1" | 78" | 17692 | 10135 | — |
| Allante S 505i BR | 02-04 | 16' 7" | 79" | 17692 | 10135 | — |
| Allante S 535 BR | 02-04 | 17' 10" | 92" | 17565 | — | — |
| Allante S 545iBR | 02-04 | 18' 2" | 92" | 17684 | 10142 | 10274 |
| Allante S 565 BR | 02-04 | 19' 2" | 92" | 17567 | — | — |
| Allante S 565 SC | 02-04 | 19' 2" | 92" | 17567 | — | — |
| Allante S 565i BR / Allante S 656i SC | 02-04 | 19' 4" | 92" | 17567 | — | — |
| Chase 180 | 1994 | 18' 0" | 86" | 17724 | 10032 | 10164 |
| Chase 190 I/O | 1994 | 19' 1" | 92" | 17713 | 10027 | 10161 |
| Chase 190 O/B | 1994 | 19' 1" | 92" | 17713 | 10027 | 10161 |
| Chase 233 | 1994 | 23' 0" | 97" | 17570 | — | — |
| Chase 500 OB | 2015 | 16' 7" | 82" | 17692 | 10135 | |
| Chase 501i | 2015 | 17' 1" | 82" | 17683 | 10141 | 10242 |
| Chase 530 OB | 2015 | 17' 10" | 92" | 17683 | 10136 | 10265 |
| Chase 550i | 2015 | 20' 2" | 92" | 17686 | 10144 | 10276 |
| Chase 550i BR | 03-04 | 18' 2" | 92" | 17695 | 10138 | 10269 |
| Chase 580 | 98-02 | 18' 9" | 92" | 17695 | 10138 | 10269 |
| Chase 580 BR | 2004 | 19' 2" | 92" | 17695 | 10138 | 10269 |
| Chase 580 OB | 2015 | 19' 2" | 92" | 17695 | 10138 | 10269 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CAMPION-CONTINUED** | | | | | | |
| Chase 580i BR | 02-04 | 19' 4" | 92" | 17695 | 10138 | 10269 |
| Chase 600 OB BR | 2015 | 20' 0" | 98" | — | — | — |
| Chase 600 OB SC | 2015 | 20' 0" | 98" | — | — | — |
| Chase 600i SC | 2015 | 21 ' 6" | 98" | 17686 | 10144 | 10276 |
| Chase 650i BR | 2015 | 25' 1" | 102" | 17802 | 10073 | 10221 |
| Chase 650i BR / Chase 650i SC | 03-04 | 23' 1" | 102" | 17689 | 10147 | 10279 |
| Chase 650i SC | 2015 | 25' 1" | 102" | 17802 | 10073 | 10221 |
| Chase 700i BR | 2015 | 26' 2" | 102" | — | — | — |
| Chase 700i SC | 2015 | 26' 2" | 102" | — | — | — |
| Cortez 165 I/O | 1994 | 16' 2" | 85" | 17722 | 10029 | — |
| Cortez 165 O/B | 1994 | 16' 2" | 85" | 17710 | 10023 | 10158 |
| Discovery 210 CC | | 20' 6" | 94" | 17588 | 10130 | 10258 |
| Discovery 210 Sedan | | 20' 6" | 94" | 17588 | 10130 | 10258 |
| Explorer 165 | 1994 | 16' 2" | 85" | 17736 | 10148 | 15402 |
| Explorer 185 | 1994 | 17' 11" | 92" | 17780 | 15412 | 15403 |
| Explorer 190 | 1994 | 19' 1" | 92" | 17737 | 10150 | 15404 |
| Explorer 492 CC | 2015 | 17' 5" | 85" | 17780 | 15412 | 15403 |
| Explorer 492 CC / Explorer 492 SC | 2004 | 17' 5" | 90" | 17780 | 15412 | 15403 |
| Explorer 492 SLR | 1999 | 16' 2" | 85" | 17780 | 15412 | 15403 |
| Explorer 542 SC | 2015 | 19' 6" | 92" | 17586 | 10128 | 10256 |
| Explorer 542 SC / Explorer 42 SC O/B | 02-04 | 20' 3" | 92" | 17587 | 10129 | 10257 |
| Explorer 552i SC | 1996 | 18' 8" | 91" | 17588 | 10130 | 10258 |
| Explorer 552i SC | 02-04 | 21' 3" | 92" | 17588 | 10130 | 10258 |
| Explorer 552i SC | 2015 | 19' 6" | 92" | 17586 | 10128 | 10256 |
| Explorer 582 CC | 02-04 | 20' 8" | 92" | 17739 | 10152 | 15406 |
| Explorer 582 SLR | 1999 | 19' 1" | 92" | 17739 | 10152 | 15406 |
| Explorer 602 CC | 03-04 | 22' 3" | 92" | 17782 | 10154 | 15408 |
| Explorer 602b SC / 602i SC I/O | 03-04 | 23' 1" | 92" | 17782 | 10154 | 15408 |
| Explorer 602i SC | 03-15 | 23' 1" | 92" | 17782 | 10154 | 15408 |
| Explorer 622 WA / 622i WA I/O | 02-04 | 23' 6" | 96" | 17782 | 10154 | 15408 |
| Explorer 622i SD | 02-04 | 23' 6" | 96" | 17782 | 10154 | 15408 |
| Fishing Machine 165 | | 16' 2" | 85" | 17736 | 10148 | 15402 |
| Fishing Machine 190 | | 19' 1" | 92" | 17737 | 10150 | 15404 |
| Horizon 180 CC | | 17' 8" | 87" | 17585 | 10127 | 10255 |
| Horizon 180 I/O | | 17' 8" | 87" | 17724 | 10032 | 10164 |
| Horizon 180 O/B | | 17' 8" | 87" | 17712 | 10026 | 10160 |
| Sorrento 155 O/B | | 15' 1" | 79" | 17709 | 10022 | 10157 |
| **CARAVELLE** | | | | | | |
| 17 EBo Bowrider | 2015 | 16' 8" | 85" | 17682 | 10140 | 10243 |
| 17 EBo Fish & Ski | 2015 | 16' 8" | 85" | 17682 | 10140 | 10243 |
| 175 Bowrider | 1998 | 17' 4" | 85" | 17683 | 10141 | — |
| 1750 SE F/S | 1995 | 17' 4" | 85" | 17683 | 10141 | — |
| 176 Bowrider | 2004 | 17' 4" | 86" | 17683 | 10141 | — |
| 176 BR/FS | 2000 | 17' 4" | 86" | 17683 | 10141 | — |
| 176 Fish & Ski | 2004 | 17' 4" | 86" | 17683 | 10141 | — |
| 18 EBi Bowrider | 2015 | 18' 2" | 86" | 17684 | 10142 | 10274 |
| 18 EBi Fish & Ski | 2015 | 18' 2" | 86" | 17583 | 10111 | 17575 |
| 181 Classic | 1997 | 17' 6" | 87" | 17736 | 10148 | 15402 |
| 182 Bowrider | 2009 | 18' 2" | 96" | 17684 | 10142 | 10274 |
| 186 Bowrider | 02-09 | 18' 0" | 96" | 17684 | 10142 | 10274 |
| 186 Fish & Ski | 2002 | 18' 0" | 96" | 17684 | 10142 | 10274 |
| 187 LS Bowrider | 2004 | 18' 0" | 96" | 17684 | 10142 | 10274 |
| 187 LS Fish & Ski | 2004 | 18' 0" | 96" | 17684 | 10142 | 10274 |
| 188 BR/FS | 98-00 | 18' 0" | 96" | 17684 | 10142 | 10274 |
| 19 EBo Bowrider | 2015 | 18' 9" | 85" | 17684 | 10142 | 10274 |
| 19 Ebo Fish & Ski | 2015 | 18' 9" | 85" | 17583 | 10111 | 17575 |
| 190 Center Console | 2004 | 19' 1" | 87" | 17737 | 10150 | 15404 |
| 1900 SE BR | 95-97 | 19' 0" | 92" | 17685 | 10143 | 10275 |
| 1900 SE Cuddy | 95-97 | 19' 0" | 92" | 17586 | 10128 | 10256 |
| 1900 SE F/S | 1995 | 19' 0" | 92" | 17685 | 10143 | 10275 |
| 191 Classic | 1997 | 19' 1" | 87" | 17737 | 10150 | 15404 |
| 192 SS Bowrider | 2004 | 19' 6" | 96" | 17685 | 10143 | 10275 |
| 195 Center Console | 2002 | 19' 0" | 92" | 17586 | 10128 | 10256 |
| 196 Bowrider w/platform | 2009 | 19' 11" | 96" | 17685 | 10143 | 10275 |
| 20 EBi Bowrider | 2015 | 20' 1" | 96" | 17686 | 10144 | 10276 |
| 20 EBi Fish & Ski | 2015 | 20' 1" | 96" | 17030 | 10113 | 17577 |
| 200 Center Console | 2004 | 19' 8" | 99" | 17685 | 10143 | 10275 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CARAVELLE-CONTINUED** | | | | | | |
| 206 Bowrider w/platform | 2009 | 22' 4" | 102" | 17888 | 10146 | 10278 |
| 207 LS Bowrider | 2004 | 20' 4" | 102" | 17687 | 10145 | 10277 |
| 207 LS Fish & Ski | 2004 | 20' 4" | 102" | 17687 | 10145 | 10277 |
| 209 Bowrider | 95-02 | 20' 6" | 102" | 17686 | 10144 | 10276 |
| 209 Center Console | 2000 | 20' 6" | 102" | 17588 | 10130 | 10258 |
| 210 Center Console | 02-04 | 21' 0" | 102" | 17739 | 10152 | 15406 |
| 210 Walk Around | 2004 | 21' 0" | 102" | 17782 | 10154 | 15408 |
| 212 SS Bowrider | 2004 | 21' 0" | 96" | 17687 | 10145 | 10277 |
| 217 Bowrider | 2009 | 21' 5" | 102" | 17687 | 10145 | 10277 |
| 218 LS Deck boat | 2004 | 21' 0" | 102" | 17795 | 10315 | 10189 |
| 230 Center Console | 97-04 | 23' 3" | 102" | 17782 | 10154 | 15408 |
| 230 Walk Around I/O | 2004 | 23' 3" | 102" | 17782 | 10154 | 15408 |
| 230 Walk Around O/B | 2004 | 23' 3" | 102" | 17782 | 10154 | 15408 |
| 232 SS Bowrider | 2004 | 23' 0" | 100" | 17689 | 10147 | 10279 |
| 232 SS Sport Cabin | 2004 | 23' 0" | 100" | 17570 | — | — |
| 237 Bowrider | 2099 | 23' 5" | 102" | 17689 | 10147 | 10279 |
| 24 EBi Bowrider | 2015 | 23' 8" | 102" | 17689 | 10147 | 10279 |
| 242 Bowrider w/platform | 2009 | 25' 11" | 102" | 17802 | 10073 | 10221 |
| 242 LS Bowrider | 2004 | 23' 7" | 102" | 17689 | 10147 | 10279 |
| 25 DCBL i-toon | 2015 | 25' 3" | 99" | 17802 | 10073 | 10221 |
| 25 DCRL i-toon | 2015 | 25' 3" | 99" | 17802 | 10073 | 10221 |
| 25 FCCL i-toon | 2015 | 25' 3" | 99" | 17802 | 10073 | 10221 |
| 280 Center Console | 2004 | 28' 0" | 105" | — | — | — |
| Classic 1750 BR / 1750 SE BR | 91-95 | 17' 4" | 85" | 17683 | 10141 | — |
| Classic 1900 BR / Fish & Ski | 91-92 | 18' 8" | 87" | 17685 | 10143 | 10275 |
| Classic 1900 CC | 1991 | 18' 8" | 87" | 17586 | 10128 | 10256 |
| CX 18 Bowrider | 2009 | 18' 2" | 86" | 17684 | 10142 | 10274 |
| Elegante' 1900 BR | 1991 | 18' 8" | 87" | 17685 | 10143 | 10275 |
| Elegante' 2000 BR | 91-92 | 20' 2" | 91" | 17686 | 10144 | 10276 |
| Elegante' 2000 CC | 91-92 | 20' 2" | 91" | 17587 | 10129 | 10257 |
| Elegante' E181 | | 17' 3" | 91" | 17723 | 10030 | 10163 |
| Elegante' E194 | 1989 | 18' 9" | 91" | 17725 | 10033 | 10165 |
| Elegante' EC195 | | 18' 9" | 91" | 17586 | 10128 | 10256 |
| Elegante' ES190 | 1989 | 18' 8" | 91" | 17725 | 10033 | 10165 |
| Elegante' ES202 | 1989 | 20' 2" | 91" | 17726 | 10034 | 10166 |
| Elegante' ESC206 | 1989 | 20' 2" | 91" | 17587 | 10129 | 10257 |
| Interceptor 20 PBi | 2015 | 19' 8" | 96" | 17685 | 10143 | 10275 |
| Interceptor 24 PCi | 2015 | 24' 5" | 100" | 17801 | 10072 | 10210 |
| Interceptor 24 SST | 2015 | 24' 5" | 100" | 17801 | 10072 | 10210 |
| Interceptor 212 / FS | 97-02 | 21' 0" | 96" | 17687 | 10145 | 10277 |
| Interceptor 232 BR / SC | 95-02 | 23' 0" | 100" | 17689 | 10147 | 10279 |
| Key Largo 160 Center Console | 2015 | 15' 10" | 82" | — | — | — |
| Key Largo 168 Bay Center Console | 2015 | 18' 6" | 91" | 17780 | 15412 | 15403 |
| Key Largo 180 Bay Center Console | 2015 | 17' 10" | 90" | 17736 | 10148 | 15402 |
| Key Largo 1800 Center Console | 2015 | 17' 10" | 90" | 17736 | 10148 | 15402 |
| Key Largo 186 Bay Center Console | 2015 | 16' 8" | 86" | — | — | — |
| Key Largo 2100 WA Cuddy | 2015 | 21' 0" | 102" | 17739 | 10152 | 15406 |
| Key Largo 2100 WI Center Console | 2015 | 21' 0" | 102" | 17739 | 10152 | 15406 |
| Key Largo 220 Bay Center Console | 2015 | 22' 3" | 102" | 17741 | 10153 | 15407 |
| Key Largo 23 WA Cuddy | 2015 | 23' 3" | 102" | 17782 | 10154 | 15408 |
| Key Largo 2300 WI Center Console | 2015 | 23' 3" | 102" | 17782 | 10154 | 15408 |
| Key Largo 236 WI Center Console | 2015 | 23' 6" | 102" | 17782 | 10154 | 15408 |
| Legend 2000 | | 19' 7" | 92" | 17686 | 10144 | 10276 |
| Legend 209 BR | 96-98 | 20' 6" | 102" | 17687 | 10145 | 10277 |
| Legend 209 Cuddy | 96-98 | 20' 6" | 102" | 17588 | 10130 | 10258 |
| Legend 2100 BR | | 21' 0" | 98" | 17687 | 10145 | 10277 |
| Legend 2100 CC | | 21' 0" | 98" | 17588 | 10130 | 10258 |
| Razor 216 Fish & Ski | 2015 | 21' 3" | 99" | 17031 | 10292 | 17579 |
| Razor 219 UU | 2015 | 21' 3" | 99" | 17791 | 10116 | 10245 |
| Razor 236 FR | 2015 | 25' 3" | 99" | 17792 | 10117 | 1247 |
| Razor 237 UR | 2015 | 23' 3" | 99" | 17792 | 10117 | 1247 |
| Razor 239 W-toon | 2015 | 23' 3" | 99" | — | 10290 | 10331 |
| Razor 246 Fish & Ski | 2015 | 25' 3" | 99" | — | 10290 | 10331 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CARAVELLE-CONTINUED** | | | | | | |
| Razor 246 FR | 2015 | 25' 3" | 99" | — | 10290 | 10331 |
| Razor 247 UR | 2015 | 25' 3" | 99" | — | 10290 | 10331 |
| Razor 247 UU | 2015 | 25' 3" | 99' | — | 10290 | 10331 |
| Razor 249 E | 2015 | 25' 3" | 99" | — | 10290 | 10331 |
| Royale 2350 CC | 91-92 | 23' 2" | 96" | 17590 | 10132 | 10261 |
| Royale RC 205 | 1989 | 20' 4" | 96" | 17587 | 10129 | 10257 |
| Royale RC 225 | 1989 | 22' 3" | 96" | 17589 | 10131 | 10259 |
| Viva V170 | | 16' 9" | 85" | 17723 | 10030 | 10163 |
| Viva V173 | 1989 | 17' 3" | 91" | 17723 | 10030 | 10163 |
| Viva V180 | | 17' 11" | 85" | 17724 | 10032 | 10164 |
| **CARLSON: SEE GLASTRON** | | | | | | |
| **CAROLINA SKIFF** | | | | | | |
| 19 Ultra Elite SS | 2011 | 18' 11" | 97" | — | — | — |
| 21 Ultra Elite SS | 2011 | 20' 11" | 97" | — | — | — |
| 23 Ultra Elite SS | 2011 | 22' 11" | 100" | — | — | — |
| 25 Ultra Elite SS | 2011 | 25' 0" | 100" | — | — | — |
| DLV 178 | 2006 | 17' 2" | 96" | — | — | — |
| DLV 178 | 2011 | 17' 0" | 96" | — | — | — |
| DLV 198 | 06-11 | 19' 0" | 96" | — | — | — |
| DLV 218 | 06-11 | 21' 10" | 96" | — | — | — |
| DLV 238 | 06-11 | 22' 10" | 96" | — | — | — |
| DLV 258 | 06-11 | 24' 10" | 96" | — | — | — |
| DLX 1455 | 2006 | 13' 11" | 66.5" | — | — | — |
| DLX 1655 | 06-11 | 15' 10" | 67" | — | — | — |
| DLX 1765 | 06-11 | 16' 11" | 77" | — | — | — |
| DLX 1780 | 06-11 | 17' 2" | 93" | — | — | — |
| DLX 1965 | 06-11 | 18' 11" | 77" | — | — | — |
| DLX 1980 | 2006 | 19' 2" | 93" | — | — | — |
| DLX 2180 | 06-11 | 20' 10" | 93" | — | — | — |
| DLX 2390 EW | 2006 | 22' 10" | 103" | — | — | — |
| DLX 2480 | 06-11 | 23' 10" | 93" | — | — | — |
| DLX 2590 EW | 2006 | 24' 10" | 103" | — | — | — |
| DLX 2790 EW | 2006 | 27' 1" | 103" | — | — | — |
| J 1450 | 2006 | 13' 8" | 64" | — | — | — |
| J 1650 | 2006 | 15' 8" | 64" | — | — | — |
| JV 13 | 2006 | 12' 10" | 64" | — | — | — |
| JV 13TH | 2011 | 12' 8" | 64" | — | — | — |
| JV 15 | 2006 | 14' 10" | 64" | — | — | — |
| JV 15CC | 2011 | 14' 8" | 64" | — | — | — |
| JV 15TH | 2011 | 14' 8" | 64" | — | — | — |
| JV 17 | 06-11 | 16' 8" | 64" | — | — | — |
| JVX 16CC | 2011 | 15' 10" | 78" | — | — | — |
| JVX 16SC | 2011 | 15' 10" | 78" | — | — | — |
| JVX 18CC | 2011 | 17' 9" | 78" | — | — | — |
| JVX 18SC | 2011 | 17' 9" | 78" | — | — | — |
| JVX 20CC | 2011 | 20' 0" | 78" | — | — | — |
| V 1655 | 2006 | 15' 8" | 66" | — | — | — |
| V 1765 | 2006 | 16' 8" | 76" | — | — | — |
| V 1965 | 2006 | 18' 8" | 76" | — | — | — |
| V 1980 | 2006 | 19' 0" | 92" | — | — | — |
| V 2380 | 2006 | 22' 8" | 92" | — | — | — |
| **CELEBRITY** | | | | | | |
| 170 V BR / 175 | 85-87 | 16' 10" | 90" | 17723 | 10030 | 10163 |
| 176 V BR | 1985 | 17' 6" | 92" | 17724 | 10032 | 10164 |
| 180 BR | 97-02 | 17' 9" | 92" | 17684 | 10142 | 10274 |
| 180 BR | 91-96 | 18' 2" | 92" | 17684 | 10142 | 10274 |
| 180 BR-SS-MP / 181 BR | | 18' 0" | 86" | 17724 | 10032 | 10164 |
| 180 V BR / 180 CX | | 18' 0" | 92" | 17724 | 10032 | 10164 |
| 181 BR | 2002 | 17' 9" | 92" | 17694 | 10137 | 10267 |
| 183 V BR | 1987 | 18' 0" | 92" | 17724 | 10032 | 10164 |
| 188 V BR / Super Sport | 1985 | 18' 8" | 96" | 17725 | 10033 | 10165 |
| 188 V Cuddy | 1985 | 18' 8" | 96" | 17586 | 10128 | 10256 |
| 190 BR | 97-02 | 18' 6" | 96" | 17685 | 10143 | 10275 |
| 190 BR | 95-96 | 18' 10" | 96" | 17685 | 10143 | 10275 |
| 190 BR-SS-MP | | 18' 10" | 92" | 17725 | 10033 | 10165 |
| 190 BR-Teak | | 18' 10" | 92" | 17725 | 10033 | 10165 |
| 190 V BR / 190 SS / 190MP | 1987 | 19' 0" | 96" | 17725 | 10033 | 10165 |
| 190 V Cuddy Cabin | 1987 | 19' 0" | 96" | 17586 | 10128 | 10256 |
| 1900 Fish Hawk | 93-95 | 18' 3" | 96" | 17780 | 15412 | 15403 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CELEBRITY-CONTINUED** | | | | | | |
| 200 BR | 97-02 | 19' 3" | 102" | 17685 | 10143 | 10275 |
| 200 BR / CC | 91-93 | 19' 9" | 96" | 17726 | 10034 | 10166 |
| 200 BR / SS | 94-96 | 19' 7" | 102" | 17686 | 10144 | 10276 |
| 208 BR / CC | 1993 | 20' 8" | 102" | 17687 | 10145 | 10277 |
| 210 BR | 1994 | 20' 8" | 102" | 17687 | 10145 | 10277 |
| 210 BR-MP | | 20' 3" | 96" | 17726 | 10034 | 10166 |
| 210 Cuddy | 94-96 | 20' 8" | 102" | 17568 | — | — |
| 210 Cuddy-Teak | | 20' 3" | 96" | 17587 | 10129 | 10257 |
| 210 V BR / Cuddy | 1995 | 20' 5" | 96" | 17588 | 10130 | 10258 |
| 220 BR | 1990 | 21' 5" | 96" | 17687 | 10145 | 10277 |
| 220 BR | 96-02 | 22' 1" | 102" | 17688 | 10146 | 10278 |
| 220 Cuddy | 94-02 | 22' 1" | 102" | 17569 | — | — |
| 220 Cuddy Cabin | 91-93 | 21' 5" | 96" | 17588 | 10130 | 10258 |
| 230 BR | 94-95 | 23' 0" | 102" | 17689 | 10147 | 10279 |
| 230 BR-MP | | 21' 6" | 96" | 17728 | 10036 | 10168 |
| 230 BR-Teak | | 21' 6" | 96" | 17728 | 10036 | 10168 |
| 230 Cuddy | 1995 | 23' 0" | 102" | 17570 | — | — |
| 230 Cuddy-MP | 91-93 | 23' 1" | 96" | 17590 | 10132 | 10261 |
| 240 BR | 97-00 | 23' 4" | 102" | 17689 | 10147 | 10279 |
| 240 Cuddy | 93-95 | 24' 0" | 102" | 17571 | — | — |
| 240 Cuddy | 97-02 | 23' 4" | 102" | 17570 | — | — |
| 250 BR-SS-Teak | | 22' 5" | 96" | 17589 | 10131 | 10259 |
| 250 Cuddy-SS-Teak | | 22' 5" | 96" | 17589 | 10131 | 10259 |
| **CENTURION** | | | | | | |
| Avalanche C4 | 2009 | 22' 0" | 100" | — | — | — |
| Carbon Pro | 2014 | 20' 1" | 91" | — | — | — |
| Concourse C4 | 2009 | 23' 0" | 100" | — | — | — |
| Cyclone - Eclipse V | 2002 | 21' 6" | 91" | — | — | — |
| Cyclone C4 | 2009 | 20' 9" | 102" | — | — | — |
| Eclipse | 00-02 | 20' 9" | 93" | 17704 | 10014 | 15417 |
| Elite | 00-01 | 21' 6" | 94" | 17705 | 10015 | 15418 |
| Elite Bow Rider | 97-01 | 21' 6" | 94" | 17705 | 10015 | 15418 |
| Elite V C4 | 2009 | 21' 6" | 100" | — | — | — |
| Elite V C4 Air Warrior | 2009 | 21' 6" | 93" | — | — | — |
| Elite V-Drive | 97-02 | 21' 6" | 94" | — | — | — |
| Enzo SD 220 | 2009 | 21' 8" | 102" | — | — | — |
| Enzo SV 220 | 2009 | 21' 8" | 102" | — | — | — |
| Enzo SV 230 | 2009 | 23' 0" | 102" | — | — | — |
| Enzo SV 240 | 2009 | 24' 0" | 102" | — | — | — |
| Escalade | 2009 | 22' 0" | 100" | — | — | — |
| Escalade C4 | 2009 | 22' 0" | 100" | — | — | — |
| Extreme | 1966 | 19' 5" | 86" | 17701 | 10011 | 15414 |
| Falcon Air Warrior | 2009 | 20' 9" | 102" | — | — | — |
| Falcon Sport | 96-00 | 20' 2" | 88" | 17702 | 10012 | 15415 |
| Falcon V Air Warrior | 2009 | 20' 9" | 102" | — | — | — |
| Falcon/Falcon BR | | 20' 2" | 89" | 17702 | 10012 | 15415 |
| Heritage | 1996 | 20' 4" | 86" | 17703 | 10013 | 15416 |
| Hurricane - Elite V | 2002 | 21' 6" | 94" | — | — | — |
| La Point | 1996 | 19' 5" | 86" | 17701 | 10011 | 15414 |
| Lightning C4 | 2009 | 21' 6" | 93" | — | — | — |
| Sport Bowrider | 00-02 | 20' 4" | 88" | 17703 | 10013 | 15416 |
| T5 | 2009 | 20' 8" | 93" | — | — | — |
| Tornado - Elite | 2002 | 21' 6" | 100" | — | — | — |
| Tru Trac | | 19' 5" | 86" | 17701 | 10011 | 15414 |
| Tru Trac II | | 19' 0" | 80" | 17700 | 10010 | 15413 |
| Tru Trac IV | | 19' 5" | 86" | 17701 | 10011 | 15414 |
| Typhoon | 2002 | 23' 0" | 102" | — | — | — |
| Typhoon C4 | 2009 | 23' 0" | 100" | — | — | — |
| Warrior Barefoot Comp | 1996 | 20' 2" | 84" | 17702 | 10012 | 15415 |
| **CENTURY** | | | | | | |
| 170 Bow Rider O/B | 1994 | 17' 2" | 86" | 17692 | 10135 | — |
| 170 LX | 1992 | 17' 6" | 88" | 17683 | 10141 | — |
| 1701 Inshore | 2015 | 17' 2" | 80" | 17736 | 10148 | 15402 |
| 1720 Center Console | 1994 | 17' 0" | 80" | 17736 | 10148 | 15402 |
| 1791 Center Console | 2005 | 17' 2" | 86" | 17736 | 10148 | 15402 |
| 18 Resorter | 85-95 | 17' 7" | 84" | 17724 | 10032 | 10164 |
| 180 Bow Rider | 1994 | 17' 2" | 86" | 17683 | 10141 | — |
| 180 Bronco | 1986 | 18' 2" | 85" | 17724 | 10032 | 10164 |
| 180 LX | 1992 | 18' 4" | 90" | 17684 | 10142 | 10274 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CENTURY-CONTINUED** | | | | | | |
| 1800 Center Console | 1994 | 18' 5" | 84" | 17780 | 15412 | 15403 |
| 1801 Center Console | 2005 | 17' 10" | 92" | 17780 | 15412 | 15403 |
| 19 Bow Rider | | 18' 4" | 90" | 17684 | 10142 | 10274 |
| 190 Arabian / XL | 1995 | 18' 9" | 95" | 17685 | 10143 | 10275 |
| 190 Cuddy | 1994 | 18' 6" | 90" | 17585 | 10127 | 10255 |
| 1900 Center Console without pulpit | 1997 | 19' 0" | 96" | 17737 | 10150 | 15404 |
| 1902 Bay Boat | 02-05 | 18' 4" | 96" | 17737 | 10150 | 15404 |
| 200 Arabian | 85-92 | 19' 1" | 87" | 17725 | 10033 | 10165 |
| 2000 Bow Rider | 1986 | 17' 10" | 91" | 17724 | 10032 | 10164 |
| 2000 Center Console | 2005 | 20' 2" | 100" | 17739 | 10152 | 15406 |
| 2000 Center Console | 1994 | 20' 6" | 99" | 17739 | 10152 | 15406 |
| 2000 Sport LX | 85-91 | 17' 10" | 91" | 17724 | 10032 | 10164 |
| 2001 Inshore | 2015 | 20' 0" | 93" | 17738 | 10151 | 15405 |
| 210 Arabian / XL | 1995 | 21' 3" | 96" | 17687 | 10145 | 10277 |
| 210 Bow Rider | 1994 | 20' 11" | 96" | 17687 | 10145 | 10277 |
| 210 Cuddy | 1994 | 20' 11" | 99" | 17588 | 10130 | 10258 |
| 210 LX | 1992 | 21' 0" | 96" | 17687 | 10145 | 10277 |
| 2100 Center Console without pulpit | 1997 | 20' 6" | 99" | 17739 | 10152 | 15406 |
| 2101 Bay Boat | 2005 | 21' 2" | 100" | 17739 | 10152 | 15406 |
| 2180 Center Console | 1994 | 21' 8" | 96" | 17741 | 10153 | 15407 |
| 2200 Center Console | 2005 | 22' 0" | 102" | 17741 | 10153 | 15407 |
| 2200 Walkaround | 2015 | 22' 0" | 102" | 17741 | 10153 | 15407 |
| 2201 Bay Boat | 1998 | 21' 8" | 97" | 17741 | 10153 | 15407 |
| 2202 Bay Boat | 2005 | 22' 0" | 102" | 17741 | 10153 | 15407 |
| 230 Bow Rider | 1994 | 22' 6" | 92" | 17688 | 10146 | 10278 |
| 232 Bow Rider | 1994 | 23' 4" | 102" | 17689 | 10147 | 10279 |
| 2500 LX / CLX | 88-92 | 19' 9" | 96" | 17686 | 10144 | 10276 |
| 3000 Bow Rider | 85-91 | 18' 11" | 96" | 17725 | 10033 | 10165 |
| 3000 Cuddy Cabin | | 18' 11" | 96" | 17586 | 10128 | 10256 |
| 3000 Sport LX | 85-86 | 18' 11" | 96" | 17725 | 10033 | 10165 |
| 3500 Bowrider LX | 1986 | 20' 2" | 96" | 17726 | 10034 | 10166 |
| 3500 Cuddy Cabin | 86-91 | 20' 2" | 96" | 17587 | 10129 | 10257 |
| 4500 LX / CLX | 85-92 | 23' 4" | 102" | 17590 | 10132 | 10261 |
| 5500 CLX | 1992 | 25' 0" | 102" | 17592 | 10134 | — |
| Bronco LTD | 86-88 | 18' 1" | 84" | 17724 | 10032 | 10164 |
| Century Tournament Skier | 85-92 | 21' 1" | 90" | 17687 | 10145 | 10277 |
| Coronado | 85-97 | 21' 11" | 95" | 17728 | 10036 | 10168 |
| Fury | 1988 | 16' 1" | 84" | 17722 | 10029 | — |
| Mustang Bow Rider / LX / CLX | 1985 | 19' 7" | 87" | 17686 | 10144 | 10276 |
| Palomino LTD | 86-88 | 19' 7" | 88" | 17587 | 10129 | 10257 |
| Rivera 6 Meter | 85-92 | 19' 8" | 88" | 17686 | 10144 | 10276 |
| Sabre | 88-92 | 21' 6" | 96" | 17728 | 10036 | 10168 |
| **CHAMPION** | | | | | | |
| 181 SX | 99-00 | 18' 0" | 90" | 17583 | 10111 | 17575 |
| 186 FNS | 99-00 | 18' 6" | 90" | 17773 | 15411 | 15401 |
| 187 Elite | 99-00 | 18' 7" | 90" | 17773 | 15411 | 15401 |
| 190 SX | 99-00 | 19' 0" | 90" | 17584 | 10112 | 17576 |
| 193 Elite | 99-00 | 19' 3" | 90" | 17777 | 10057 | 10184 |
| 202 FNS | 99-00 | 20' 2" | 90" | 17778 | 10058 | 10185 |
| 203 Elite | 99-00 | 20' 3" | 90" | 17778 | 10058 | 10185 |
| Fish-N-Ski | | 16' 8" | 86" | 17774 | 10054 | 10181 |
| Fish-N-Ski Torun. | | 18' 4" | 86" | 17775 | 10056 | 10183 |
| Fish-N-Ski Torun. | | 17' 6" | 86" | 17776 | 10055 | 10182 |
| Fish-N-Ski Torun. | | 20' 1" | 86" | 17778 | 10058 | 10185 |
| Mean 16 | 99-00 | 16' 0" | 85" | 17772 | 10053 | 10180 |
| Super Fisherman | | 16' 4" | 88" | 17774 | 10054 | 10181 |
| Super Vee | | 15' 6" | 86" | 17772 | 10053 | 10180 |
| Super Vee | | 16' 8" | 86" | 17774 | 10054 | 10181 |
| Super Vee | | 18' 4" | 86" | 17775 | 10056 | 10183 |
| Super Vee | | 17' 6" | 86" | 17776 | 10055 | 10182 |
| Tournament 171 | 99-00 | 17' 1" | 90" | 17776 | 10055 | 10182 |
| Tournament 181 | 99-00 | 18' 1" | 90" | 17775 | 10056 | 10183 |
| Tournament 186 | 99-00 | 18' 6" | 90" | 17773 | 15411 | 15401 |
| Tournament 191 | 99-00 | 19' 1" | 92" | 17777 | 10057 | 10184 |
| Tournament 202 | 99-00 | 20' 2" | 90" | 17778 | 10058 | 10185 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CHAPARRAL** | | | | | | |
| 1600 SL O/B | 1991 | 16' 5" | 74" | 17692 | 10135 | — |
| 162 / XL | 1989 | 15' 4" | 74" | 17709 | 10022 | 10157 |
| 170 XL | | 16' 6" | 86" | 17723 | 10030 | 10163 |
| 177 V BR | | 16' 6" | 86" | 17711 | 10025 | 10159 |
| 178 XL | 1989 | 16' 6" | 86" | 17723 | 10030 | 10163 |
| 178 XL O/B | 1989 | 17' 8" | 86" | 17694 | 10137 | 10267 |
| 18 H2O Ski & Fish | 13-15 | 18' 4" | 90" | 17583 | 10111 | 17575 |
| 18 H2O Sport | 13-15 | 18' 4" | 90" | 17583 | 10111 | 17575 |
| 180 / 185 SL | 93-95 | 17' 7" | 91" | 17684 | 10142 | 10274 |
| 180 LE / SSE | 96-02 | 18' 3" | 86" | 17684 | 10142 | 10274 |
| 180 SSi | 2007 | 18' 3" | 82" | 17700 | 10010 | 15413 |
| 180 SSi w/platform | 2007 | 19'11" | 82" | 17701 | 10011 | 15414 |
| 1800 / 1850 SL I/O | 91-93 | 17' 10" | 91" | 17684 | 10142 | 10274 |
| 1800 SL O/B | 91-93 | 17' 10" | 91" | 17694 | 10137 | 10267 |
| 183 SS | 95-02 | 18' 3" | 93" | 17684 | 10142 | 10274 |
| 1830 SS | 96-99 | 18' 3" | 93" | 17684 | 10142 | 10274 |
| 185 LE / SSE | 98-00 | 18' 3" | 86" | 17684 | 10142 | 10274 |
| 186 SSi | 00-02 | 18' 6" | 98" | 17685 | 10143 | 10275 |
| 187 X L/ V | | 17' 8" | 86" | 17724 | 10032 | 10164 |
| 187 XL O/B | | 18' 11" | 86" | 17713 | 10027 | 10161 |
| 19 H2O Ski & Fish | 13-15 | 19' 4" | 90" | 17584 | 10112 | 17576 |
| 19 H2O Sport | 13-15 | 19' 4" | 90" | 17584 | 10112 | 17576 |
| 190 SSi | 07-08 | 18'3" | 93" | 17684 | 10142 | 10274 |
| 190 SSi w/platform | 07-08 | 19' 11" | 93" | 17685 | 10143 | 10275 |
| 190 XLC | | 17' 8" | 86" | 17724 | 10032 | 10164 |
| 1900 SL I/O | 91-93 | 18' 9" | 92" | 17685 | 10143 | 10275 |
| 1900 SL O/B | 91-93 | 18' 9" | 92" | 17695 | 10138 | 10269 |
| 1900 SX | 1989 | 19' 6" | 96" | 17726 | 10034 | 10166 |
| 1930 SS | 96-99 | 19' 3" | 96" | 17685 | 10143 | 10275 |
| 1935 SS | 96-99 | 19' 3" | 96" | 17586 | 10128 | 10256 |
| 194 V BR | | 18' 3" | 86" | 17712 | 10026 | 10160 |
| 195 XLC | | 18' 3" | 92" | 17724 | 10032 | 10164 |
| 1950 SS | 95-96 | 19' 3" | 96" | 17586 | 10128 | 10256 |
| 196 SSi | 00-02 | 19' 6" | 100" | 17685 | 10143 | 10275 |
| 196 SSi | 2012 | 19' 6" | 96" | 17586 | 10128 | 10256 |
| 198 CB Cuddy | | 19' 3" | 96" | 17726 | 10034 | 10166 |
| 198 CXL | | 19' 3" | 96" | 17586 | 10128 | 10256 |
| 198 Fisherman | 1989 | 19' 3" | 96" | 17725 | 10033 | 10165 |
| 198 Striker I/O | 1993 | 19' 3" | 96" | 17726 | 10034 | 10166 |
| 198 V BR | | 19' 3" | 96" | 17726 | 10034 | 10166 |
| 198 XL | | 19' 3" | 96" | 17725 | 10033 | 10165 |
| 198 XL O/B | 1989 | 19' 3" | 96" | 17713 | 10027 | 10161 |
| 200 LE / SSE | 98-02 | 20' 1" | 88" | 17686 | 10144 | 10276 |
| 200 XLC | 1986 | 19' 3" | 96" | 17726 | 10034 | 10166 |
| 2000 / 2050 SL | 91-93 | 20' 3" | 96" | 17687 | 10145 | 10277 |
| 203 Vortex VR | 2015 | 20' 3" | 96" | — | — | — |
| 204 Fisherman | 1989 | 19' 3" | 96" | 17586 | 10128 | 10256 |
| 204 SSi | 07-08 | 19' '7" | 100" | 17686 | 10144 | 10276 |
| 204 SSi w/platform | 07-08 | 21' 3" | 100" | 17687 | 10145 | 10277 |
| 204 SSi w/platform | 08 | 21'3" | 100" | 17687 | 10145 | 10277 |
| 204 Xtreme | 2012 | 20' 6" | 102" | — | — | — |
| 205 LE / SSE | 98-02 | 20' 1" | 88" | 17587 | 10129 | 10257 |
| 206 SSi | 2012 | 20' 6" | 100" | 17686 | 10144 | 10276 |
| 21 H2O Ski & Fish | 2015 | 21' 0" | 100" | 17031 | 10292 | 17579 |
| 21 H2O Sport | 2015 | 21' 0 | 100" | 17687 | 10145 | 10277 |
| 210 SSi w/platform | 07-08 | 22' 0" | 99" | 17688 | 10146 | 10278 |
| 210 SSi | 07-08 | 20' 6" | 99" | 17686 | 10144 | 10276 |
| 210 Sunesta | 96-99 | 20' 4" | 100" | 17014 | — | — |
| 2130 SS I/O | 96-99 | 20' 6" | 100" | 17687 | 10145 | 10277 |
| 2135 SS | 96-99 | 20' 6" | 100" | 17588 | 10130 | 10258 |
| 214 Sunesta | 2007 | 22' 7" | 100" | 17796 | 10316 | 10190 |
| 215 SSi | 2008 | 22' 0" | 99" | 17688 | 10146 | 10278 |
| 215 SSi w/platform | 2007 | 22' 0" | 99" | 17688 | 10146 | 10278 |
| 215 XLC | 1986 | 22' 2" | 96" | 17589 | 10131 | 10259 |
| 216 SSi | 00-02 | 21' 6" | 102" | 17687 | 10145 | 10277 |
| 216 SSi | 12-15 | 21' 6" | 100" | 17687 | 10145 | 10277 |
| 220 SSi | 02-08 | 21' 6" | 102" | 17688 | 10146 | 10278 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CHAPARRAL-CONTINUED** | | | | | | |
| 220 SSi w/platform | 2007 | 23' 9" | 102" | 17801 | 10072 | 10210 |
| 220 Sunesta | 93-95 | 22' 6" | 102" | 17018 | — | — |
| 223 Vortex VR | 2015 | 22' 3" | 102" | — | — | — |
| 223 VR | 2015 | 22' 3" | 102" | 17688 | 10144 | 10276 |
| 224 Sunesta | 08-15 | 22' 4" | 102" | 17688 | 10146 | 10278 |
| 224 Xtreme | 2012 | 22' 4" | 102" | — | — | — |
| 225 SSi | 12-15 | 22' 6" | 102" | 17589 | 10131 | 10259 |
| 225 XLC | | 21' 9" | 99" | 17589 | 10131 | 10259 |
| 226 SSi | 12-15 | 22' 6" | 102" | 17589 | 10131 | 10259 |
| 228 XL | | 21' 0" | 96" | 17727 | 10035 | 10167 |
| 230 SSi | 00-02 | 22' 10" | 102" | 17689 | 10147 | 10279 |
| 230 Sunesta | 1996 | 22' 6" | 102" | 17018 | — | — |
| 232 Sunesta | 2005 | 22' 1.5" | 102" | 17796 | 10316 | 10190 |
| 232 Sunesta | 2007 | 24' 3" | 102" | 17798 | 10318 | 10199 |
| 232 Sunesta | 98-02 | 23' 2" | 102" | 17882 | 10323 | 17891 |
| 232 Sunesta w/platform | 2005 | 24' 3.5" | 102" | 17798 | 10318 | 10199 |
| 233 Sunesta | 2002 | 23' 2" | 102" | 17797 | 10317 | 10191 |
| 2330 SS | 91-99 | 23' 8" | 102" | 17571 | — | — |
| 2335 SS | 96-99 | 23' 8" | 102" | 17591 | 10133 | 10263 |
| 234 Sunesta | 2007 | 24' 3" | 102" | 17798 | 10318 | 10199 |
| 235 SSi | 00-07 | 22' 10" | 102" | 17590 | 10132 | 10261 |
| 235 SSi w/platform | 2007 | 24'11" | 102" | 17802 | 10073 | 10221 |
| 236 SSi | 07-08 | 24'1" | 102" | 17802 | 10073 | 10221 |
| 236 SSX | 07-08 | 24'1" | 102" | 17801 | 10072 | 10210 |
| 236 Sunesta | 2005 | 22' 1.5" | 102" | 17796 | 10316 | 10190 |
| 236 Sunesta w/platform | 2005 | 24' 3.5" | 102" | 17798 | 10318 | 10199 |
| 242 Sunesta | 2002 | 24' 0" | 102" | 17883 | 10324 | 17892 |
| 243 Sunesta | 2002 | 24' 0" | 102" | 17798 | 10318 | 10199 |
| 243 Vortex VR | 2015 | 24' 3" | 102" | 17801 | 10072 | 10210 |
| 244 Sunesta | 08-15 | 24' 4" | 102" | 17801 | 10072 | 10210 |
| 244 Xtreme | 2012 | 24' 4" | 102" | 17801 | 10072 | 10210 |
| 245 SSi | 2000 | 23' 8" | 102" | 17591 | 10133 | 10263 |
| 246 SSi | 07-08 | 24'11" | 102" | 17802 | 10073 | 10221 |
| 246 SSi | 12-15 | 24' 6" | 102" | 17801 | 10072 | 10210 |
| 250 Suncoast O/B | 2015 | 24' 10" | 102" | — | — | — |
| 2500 SX | 95-96 | 25' 3" | 102" | 17572 | — | — |
| 252 Sunesta | 05-07 | 24' 0" | 102" | 17798 | 10318 | 10199 |
| 252 Sunesta w/platform | 05-07 | 26' 0" | 102" | 17799 | 10319 | 10200 |
| 254 Sunesta | 2005 | 24' 0" | 102" | 17798 | 10318 | 10199 |
| 254 Sunesta w/platform | 2005 | 26' 0" | 102" | 17799 | 10319 | 10200 |
| 2550 SX | | 25' 3" | 102" | 17572 | — | — |
| 263 Sunesta | 2002 | 26' 0" | 102" | 17799 | 10319 | 10200 |
| 264 Sunesta | 2012 | 26' 4" | 102" | 17799 | 10319 | 10200 |
| 264 Xtreme | 2012 | 26' 4" | 102" | 17799 | 10319 | 10200 |
| 274 Sunesta | 2005 | 26' 0" | 102" | 17799 | 10319 | 10200 |
| Villain SLV | 91-93 | 20' 3" | 96" | 17687 | 10145 | 10277 |
| **CHARGER** | | | | | | |
| 176 | 12-15 | 17' 8" | 85" | 17776 | 10055 | 10182 |
| 186 | 12-15 | 18' 6" | 93" | 17773 | 15411 | 15401 |
| 195 | 2015 | 19' 3" | 94" | 17777 | 10057 | 10184 |
| 296 | 12-15 | 19' 3" | 94" | 17777 | 10057 | 10184 |
| 375 | 12-15 | 19' 4" | 93" | 17777 | 10057 | 10184 |
| 396 | 12-15 | 19' 9" | 95.5" | 1777 | 10057 | 10184 |
| 475 | 12-15 | 20' 11" | 92" | 17778 | 10058 | 10185 |
| 496 | 12-15 | 20' 6" | 95" | 17778 | 10058 | 10185 |
| 596 | 12-15 | 21' 9" | 96" | 17025 | 10059 | 10197 |
| 1500 T | 1984 | 15' 2" | 70" | 17732 | 10041 | — |
| 155 T | | 15' 2" | 67" | 17732 | 10041 | — |
| 160 V | 96-99 | 15' 10" | 81" | 17770 | 10052 | 10179 |
| 160 VSE | | 16' 0" | 82" | 17772 | 10053 | 10180 |
| 1600 V | | 15' 7" | 82" | 17710 | 10023 | 10158 |
| 162 V | 1984 | 16' 0" | 87" | 17772 | 10053 | 10180 |
| 165 V I/O | | 16' 4" | 86" | 17723 | 10030 | 10163 |
| 165 V O/B | | 16' 4" | 86" | 17711 | 10025 | 10159 |
| 1650 V | 84-88 | 16' 5" | 82" | 17723 | 10030 | 10163 |
| 169 VF | 98-02 | 16' 9" | 88" | 17774 | 10054 | 10181 |
| 17 XLT / XLV | 1992 | 17' 3" | 86" | 17776 | 10055 | 10182 |
| 170 T | 1984 | 17' 3" | 86" | 17582 | 10110 | 17574 |
| 170 V / VF | 84-97 | 17' 3" | 86" | 17776 | 10055 | 10182 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CHARGER-CONTINUED** | | | | | | |
| 173 V / T | 96-97 | 17' 3" | 81" | 17776 | 10055 | 10182 |
| 175 T / 275T | 92-97 | 17' 3" | 86" | 17582 | 10110 | 17574 |
| 175 VSE | | 17' 6" | 84" | 17776 | 10055 | 10182 |
| 180 T / Pro | | 18' 11" | 87" | 17584 | 10112 | 17576 |
| 180 T / V / VF / TF | 90-02 | 17' 10" | 86" | 17775 | 10056 | 10183 |
| 1800 V | 1984 | 17' 5" | 88" | 17712 | 10026 | 10160 |
| 182 Foxfire | 2004 | 17' 10" | 90" | 17775 | 10056 | 10183 |
| 182 TF / VF | 99-02 | 17' 10" | 90" | 17775 | 10056 | 10183 |
| 185 T / Pro | 84-85 | 18' 11" | 87" | 17773 | 15411 | 15401 |
| 185 V | 84-85 | 18' 11" | 87" | 17773 | 15411 | 15401 |
| 1850 V | 1984 | 17' 5" | 88" | 17724 | 10032 | 10164 |
| 186 VF/ TF | 96-02 | 18' 6" | 92" | 17773 | 15411 | 15401 |
| 190 SUV | 2015 | 19' 4" | 95" | 17777 | 10057 | 10184 |
| 190 T | | 18' 11" | 87" | 17584 | 10112 | 17576 |
| 190 T | 85-90 | 18' 11" | 87" | 17584 | 10112 | 17576 |
| 195 V / VF / TF | 92-02 | 19' 3" | 93" | 17777 | 10057 | 10184 |
| 200 V / 200T | 85-90 | 20' 8" | 87" | 17778 | 10058 | 10185 |
| 2000 CC | 1988 | 21' 7" | 95" | 17589 | 10131 | 10259 |
| 2050 V | 1984 | 19' 2" | 91" | 17725 | 10033 | 10165 |
| 210 SUV | 04-15 | 20' 10" | 97" | 17031 | 10292 | 17579 |
| 2100 V / 2150V | 1984 | 20' 1" | 95" | 17726 | 10034 | 10166 |
| 2150 BR | 88-90 | 21' 0" | 96" | 17727 | 10035 | 10167 |
| 2150 CC | 88-90 | 21' 0" | 96" | 17588 | 10130 | 10258 |
| 2350 CC | 88-90 | 22' 5" | 96" | 17590 | 10132 | 10261 |
| 260 VSE | | 16' 0" | 81" | 17580 | 10109 | 17573 |
| 270 V | | 17' 11" | 84" | 17583 | 10111 | 17575 |
| 275 T | 1991 | 17' 3" | 86" | 17693 | 10136 | 10265 |
| 295 TF / 295 VF | 92-99 | 19' 3" | 94" | 17777 | 10057 | 10184 |
| 296 Foxfire | 2004 | 19' 3" | 94" | 17777 | 10057 | 10184 |
| 296 TF / FV | 2002 | 19' 3" | 94" | 17777 | 10057 | 10184 |
| 375 T | 98-02 | 19' 4" | 93" | 17584 | 10112 | 17576 |
| 375T Foxfire | 2004 | 19' 4" | 93" | 17584 | 10112 | 17576 |
| 395 TF / VF | 99-02 | 19' 6" | 96" | 17777 | 10057 | 10184 |
| 495 TF / 495 VF | 92-99 | 20' 4" | 95" | 17778 | 10058 | 10185 |
| 496 Foxfire | 2004 | 20' 6" | 95" | 17778 | 10058 | 10185 |
| 496 TF | 2002 | 20' 6" | 95" | 17778 | 10058 | 10185 |
| 595 Foxfire | 2004 | 21' 9" | 96" | 17025 | 10059 | 10197 |
| 595 XLF | 2002 | 21' 9" | 96" | 17025 | 10059 | 10197 |
| 747 V | 1984 | 15' 7" | 74" | 17770 | 10052 | 10179 |
| 747 XLT / XLV | 1984 | 17' 1" | 74" | 17761 | 10139 | 10203 |
| 797 | 2015 | 21' 4" | 96" | 17025 | 10059 | 10197 |
| CX 169 | 2004 | 16' 9" | 88" | 17774 | 10054 | 10181 |
| CX 180 | 2004 | 17' 10" | 86" | 17775 | 10056 | 10183 |
| CX 195 | 2004 | 19' 3" | 94" | 17777 | 10057 | 10184 |
| CX 395 | 2004 | 19' 6" | 96" | 17777 | 10057 | 10184 |
| SUV 190 | 2012 | 19' 4" | 95" | 17713 | 10027 | 10161 |
| SUV 210 | 2012 | 20' 10" | 94" | 17020 | 10028 | 10162 |
| **CHECKMATE** | | | | | | |
| 234 Persuader | 96-02 | 23' 2" | 94" | 17689 | 10147 | 10279 |
| 235 Persuader | 96-00 | 23' 0" | 94" | 17689 | 10147 | 10279 |
| Ambassador I/O | 85-91 | 19' 7" | 90" | 17726 | 10034 | 10166 |
| Convincor 200 | 96-00 | 21' 6" | 95" | 17688 | 10146 | 10278 |
| Convincor 260 | 2015 | 28' 0" | 102" | — | — | — |
| Convincor 270 | 2015 | 27' 0" | 103" | — | — | — |
| Convincor 2800 B | 2015 | 27' 11" | 99" | — | — | — |
| Deck Mate | | 22' 8" | 95" | 17018 | — | — |
| Diplomat I/O | 85-88 | 17' 8" | 89" | 17724 | 10032 | 10164 |
| Diplomat O/B | 85-91 | 16' 7" | 89" | 17711 | 10025 | 10159 |
| Eluder I/O | 1984 | 18' 10" | 89" | 17725 | 10033 | 10165 |
| Eluder I/O / Entertainer | 196 | 20' 8" | 90" | 17727 | 10035 | 10167 |
| Eluder O/B | 85-88 | 18' 3" | 89" | 17712 | 10026 | 10160 |
| Enticer O/B | 85-91 | 16' 6" | 84" | 17685 | 10143 | 10275 |
| Exciter I/O | 1985 | 18' 10" | 89" | 17725 | 10033 | 10165 |
| Exciter O/B | 88-89 | 18' 6" | 89" | 17713 | 10027 | 10161 |
| Pacifica 198 / 199 I/O | 1991 | 20' 2" | 94" | 17686 | 10144 | 10276 |
| Persuader 183 / 184 | 1994 | 18' 5" | 88" | 17684 | 10142 | 10274 |
| Persuader 203 / 202 BR | 92-95 | 20' 3" | 94" | 17686 | 10144 | 10276 |
| Persuader 219 / 218 | 96-02 | 21' 9" | 94" | 17688 | 10146 | 10278 |
| Predictor O/B | 85-91 | 16' 6" | 84" | 17710 | 10023 | 10158 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CHECKMATE-CONTINUED** | | | | | | |
| Pulsaire 2100 | 2015 | 21' 0" | 95" | **17687** | **10145** | **10277** |
| Pulsaire 1850 BR | 2015 | 18' 7" | 100" | **17684** | **10142** | **10274** |
| Pulsaire 2000 BRX | 2015 | 20' 1" | 100" | **17686** | **10144** | **10276** |
| Pulsaire 2100 BR | 94-15 | 21' 0" | 95" | **17687** | **10145** | **10277** |
| Pulsaire 2400 | 2015 | 24' 0" | 99" | **17801** | **10072** | **10210** |
| Pulsaire 2400 BRX | 2015 | 24' 0" | 99" | **17801** | **10072** | **10210** |
| Pulse 171 / 170 BR | 92-95 | 17' 1" | 89" | **17693** | **10136** | **10265** |
| Pulse 185 / 186 O/B | 91-00 | 18' 7" | 94" | **17695** | **10138** | **10269** |
| Senator I/O | 85-91 | 19' 7" | 90" | **17726** | **10034** | **10166** |
| Spectra 170 / 171 O/B | 88-91 | 17' 1" | 89" | **17711** | **10025** | **10159** |
| Sportfire I/O | 88-89 | 17' 8" | 89" | **17724** | **10032** | **10164** |
| Sportfire O/B | 85-91 | 16' 7" | 89" | **17711** | **10025** | **10159** |
| Starfire I/O | 88-91 | 18' 3" | 89" | **17724** | **10032** | **10164** |
| Starlet I/O / FS | 88-91 | 18' 3" | 89" | **17724** | **10032** | **10164** |
| ZT 230 BR | 2015 | 22' 9" | 102" | **17688** | **10146** | **10278** |
| ZT 244 | 2015 | 24' 2" | 98" | **17801** | **10072** | **10210** |
| **CHEETAH** | | | | | | |
| 142 Combo / Pro | 1985 | 14' 2" | 66" | **17550** | **—** | **—** |
| 146 Pro | | 14' 6" | 67" | **17760** | **10061** | **10187** |
| 147 Tri | | 14' 7" | 68" | **17732** | **10041** | **—** |
| 150 Pro | 1985 | 14' 6" | 67" | **17760** | **10061** | **10187** |
| 156 Pro / Combo | 1985 | 15' 6" | 82" | **17770** | **10052** | **10179** |
| 160 LS | 1988 | 15' 6" | 75" | **17710** | **10023** | **10158** |
| 160 Tri | 1985 | 16' 0" | 71" | **17733** | **10042** | **10169** |
| 1600 F/S | 1988 | 16' 0" | 84" | **17580** | **10109** | **17573** |
| 1600 MC | 1988 | 16' 0" | 84" | **17772** | **10053** | **10180** |
| 165 ES | 1988 | 16' 2" | 82" | **17710** | **10023** | **10158** |
| 1650 LS | 88-90 | 16' 2" | 82" | **17722** | **10029** | **—** |
| 166 I/O | 1985 | 16' 6" | 84" | **17723** | **10030** | **10163** |
| 170 I/O | 1985 | 17' 2" | 90" | **17723** | **10030** | **10163** |
| 1700 LS | 90-92 | 17' 8" | 92" | **17684** | **10142** | **10274** |
| 176 I/O | 1985 | 17' 6" | 90" | **17724** | **10032** | **10164** |
| 176 Pro | 1985 | 17' 6" | 82" | **17776** | **10055** | **10182** |
| 180 I/O | 1985 | 18' 2" | 90" | **17724** | **10032** | **10164** |
| 1800 LS | 1990 | 18' 6" | 92" | **17684** | **10142** | **10274** |
| 1800 MC | 1988 | 18' 6" | 92" | **17775** | **10056** | **10183** |
| 1900 ES | 1992 | 18' 9" | 92" | **17685** | **10143** | **10275** |
| 1900 LS | 1992 | 19' 4" | 92" | **17685** | **10143** | **10275** |
| 195 ES | 1988 | 18' 9" | 92" | **17725** | **10033** | **10165** |
| 2000 LS / LSC | 1990 | 19' 8" | 92" | **17686** | **10144** | **10276** |
| 210 ES BR | 88-92 | 20' 10" | 92" | **17727** | **10035** | **10167** |
| 210 ES Cuddy | 1988 | 20' 10" | 92" | **17588** | **10130** | **10258** |
| 2100 LS BR | | 21' 2" | 93" | **17687** | **10145** | **10277** |
| 2100 LS Cuddy | | 21' 2" | 93" | **17568** | **—** | **—** |
| 23' Dart V | 2015 | 22' 6" | 96" | **17688** | **10146** | **10278** |
| 23' Scorpion | 2015 | 22' 10" | 90" | **17688** | **10146** | **10278** |
| 230 Hombre | 1992 | 23' 6" | 102" | **17590** | **10132** | **10261** |
| 2300 LS Cuddy | | 23' 6" | 102" | **17570** | **—** | **—** |
| 24' Stiletto Tunnel Hull | 2015 | 24' 0" | 96" | **17801** | **10072** | **10210** |
| 25' Stealth | 2015 | 25' 2" | 101" | **17802** | **10073** | **10221** |
| 250 Caliente | 88-92 | 24' 5" | 102" | **17591** | **10133** | **10263** |
| 2500 LS Cuddy | | 24' 5" | 102" | **17571** | **—** | **—** |
| 26' Wild Cat Deck Boat | 2015 | 25' 6" | 102" | **17802** | **10073** | **10221** |
| 262XES | 1990 | 19' 8" | 92" | **17686** | **10144** | **10276** |
| 262XLS | 1990 | 18' 0" | 92" | **17684** | **10142** | **10274** |
| 350XLS | 1990 | 19' 8" | 92" | **17686** | **10144** | **10276** |
| **CHRIS CRAFT** | | | | | | |
| 167 O/B | | 16' 11" | 81" | **17711** | **10025** | **10159** |
| 168 I/O | | 16' 11" | 81" | **17723** | **10030** | **10163** |
| 169 S/SL | | 16' 11" | 81" | **17723** | **10030** | **10163** |
| 178 Limited BR | | 16' 11" | 81" | **17724** | **10032** | **10164** |
| 186 I/O | | 18' 4" | 89" | **17725** | **10033** | **10165** |
| 187 S | | 18' 4" | 89" | **17724** | **10032** | **10164** |
| 19 Cuddy | | 18' 4" | 89" | **17586** | **10128** | **10256** |
| 190 Bow Rider | 98-00 | 18' 6" | 96" | **17684** | **10142** | **10274** |
| 190 Sea Hawk | | 18' 7" | 97" | **17737** | **10150** | **15404** |
| 196 / 197 Limited BR | | 18' 4" | 89" | **17725** | **10033** | **10165** |
| 200 Bow Rider | 98-00 | 19' 6" | 98" | **17685** | **10143** | **10275** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CHRIS CRAFT-CONTINUED** | | | | | | |
| 205 Limited | | 20' 10" | 102" | **17687** | **10145** | **10277** |
| 21 BR / CD | | 20' 7" | 96" | **17727** | **10035** | **10167** |
| 21 Cuddy | | 20' 7" | 96" | **17588** | **10130** | **10258** |
| 21 Ski Jack BR | | 22' 5" | 96" | **17728** | **10036** | **10168** |
| 210 Bow Rider | 98-00 | 21' 1" | 102" | **17687** | **10145** | **10277** |
| 210 Cuddy | 98-99 | 21' 1" | 102" | **17588** | **10130** | **10258** |
| 210 SL Ltd. BR | | 20' 7" | 96" | **17727** | **10035** | **10167** |
| 211 VF | | 21' 3" | 96" | **17588** | **10130** | **10258** |
| 213 VF / 214 VF | | 21' 3" | 96" | **17741** | **10153** | **15407** |
| 215 CC | 2000 | 21' 1" | 102" | **17588** | **10130** | **10258** |
| 215 WA | | 21' 3" | 96" | **17588** | **10130** | **10258** |
| 230S | | 22' 2" | 96" | **17589** | **10131** | **10259** |
| 240 Cuddy | 98-99 | 24' 5" | 102" | **17591** | **10133** | **10263** |
| 245 CC | 2000 | 24' 5" | 102" | **17591** | **10133** | **10263** |
| Bullet 20 | 2015 | 20' 2" | 95" | **17686** | **10144** | **10276** |
| Capri 21 | 2015 | 21' 2" | 95" | **17687** | **10145** | **10277** |
| Carina 21 | 2015 | 21' 2" | 95" | **17687** | **10145** | **10277** |
| Catalina 23 | 13-15 | 23' 6" | 100" | **—** | **—** | **—** |
| Catalina 26 | 13-15 | 26' 6" | 102" | **—** | **—** | **—** |
| Cavalier 17 BR | | 16' 11" | 81" | **17723** | **10030** | **10163** |
| Cavalier 17 O/B / F & S | | 16' 8" | 80" | **17711** | **10025** | **10159** |
| Cavalier 19 BR | | 18' 4" | 89" | **17724** | **10032** | **10164** |
| Cavalier 19 BR | | 18' 9" | 90" | **17725** | **10033** | **10165** |
| Cavalier 19 CC | | 18' 4" | 89" | **17586** | **10128** | **10256** |
| Concept 166 BR O/B / 173 BR O/B | | 17' 10" | 93" | **17694** | **10137** | **10267** |
| Concept 167 BR / 177 BR | | 17' 10" | 93" | **17684** | **10142** | **10274** |
| Concept 17 BR | | 17' 2" | 90" | **17693** | **10136** | **10265** |
| Concept 18 | | 18' 6" | 96" | **17685** | **10143** | **10275** |
| Concept 186 BR | | 18' 6" | 93" | **17713** | **10027** | **10161** |
| Concept 187 BR | | 18' 6" | 93" | **17685** | **10143** | **10275** |
| Concept 19 | | 19' 7" | 93" | **17686** | **10144** | **10276** |
| Concept 207 BR | | 21' 0" | 96" | **17687** | **10145** | **10277** |
| Concept 208 Cuddy | | 21' 0" | 96" | **17687** | **10145** | **10277** |
| Concept 21 Cuddy | | 20' 11" | 96" | **17588** | **10130** | **10258** |
| Concept 21 Sport / BR | | 20' 11" | 96" | **17687** | **10145** | **10277** |
| Concept 228 Cuddy | | 23' 6" | 101" | **17591** | **10133** | **10263** |
| Concept 23 B/R | | 22' 9" | 99" | **17689** | **10147** | **10279** |
| Concept 23 Cuddy | | 22' 9" | 99" | **17570** | **—** | **—** |
| Concept 25 Cuddy | | 24' 11" | 100" | **17572** | **—** | **—** |
| Corsair 22 | 13-15 | 23' 5" | 99" | **17689** | **10147** | **10279** |
| Corsair 25 | 13-15 | 26' 8" | 102" | **—** | **—** | **—** |
| Lancer 20 | 2013 | 18' 10" | 95" | **17684** | **10142** | **10274** |
| Lancer 20 w/platform | 13-15 | 20' 2" | 95" | **17686** | **10144** | **10276** |
| Launch 20 | 13-15 | 20' 2" | 95" | **17686** | **10144** | **10276** |
| Launch 22 | 13-15 | 23' 5" | 99" | **17689** | **10147** | **10279** |
| Launch 25 | 13-15 | 26' 8" | 102" | **—** | **—** | **—** |
| Scorpion 167 O/B | | 16' 11" | 81" | **17711** | **10025** | **10159** |
| Scorpion 168 I/O | | 16' 11" | 81" | **17723** | **10030** | **10163** |
| Scorpion 169 S / SL | | 16' 11" | 81" | **17723** | **10030** | **10163** |
| Scorpion 178 Limited BR | | 16' 11" | 81" | **17724** | **10032** | **10164** |
| Scorpion 186 I/O | | 18' 4" | 89" | **17725** | **10033** | **10165** |
| Scorpion 187 S | | 18' 4" | 89" | **17724** | **10032** | **10164** |
| Scorpion 19 Cuddy | | 18' 4" | 89" | **17586** | **10128** | **10256** |
| Scorpion 196 /197 Limited BR | | 18' 4" | 89" | **17725** | **10033** | **10165** |
| Scorpion 205 Limited | | 20' 10" | 102" | **17687** | **10145** | **10277** |
| Scorpion 21 BR / CD | | 20' 7" | 96" | **17727** | **10035** | **10167** |
| Scorpion 21 Cuddy | | 20' 7" | 96" | **17588** | **10130** | **10258** |
| Scorpion 21 Ski Jack BR | | 22' 5" | 96" | **17728** | **10036** | **10168** |
| Scorpion 210 / SL / Ski Jack | | 20' 7" | 96" | **17588** | **10130** | **10258** |
| Scorpion 210 SL Ltd. BR | | 20' 7" | 96" | **17727** | **10035** | **10167** |
| Scorpion 211 VF | | 21' 3" | 96" | **17588** | **10130** | **10258** |
| Scorpion 213 VF / Scorpion 214 VF | | 21' 3" | 96" | **17741** | **10153** | **15407** |
| Scorpion 215 WA | | 21' 3" | 96" | **17588** | **10130** | **10258** |
| Scorpion 230 S | | 22' 2" | 96" | **17589** | **10131** | **10259** |
| Scorpion Jack | | 20' 7" | 96" | **17588** | **10130** | **10258** |
| Silver Bullet 20 | 2013 | 18' 10" | 95" | **17684** | **10142** | **10274** |
| Silver Bullet 20 w/platform | 2013 | 20' 2" | 95" | **17686** | **10144** | **10276** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CIMARRON** | | | | | | |
| 150 CL | | 15' 0" | 69" | 17732 | 10041 | — |
| 160 CLX | | 15' 11" | 77" | 17710 | 10023 | 10158 |
| 165 IDX | | 16' 3" | 76" | 17710 | 10023 | 10158 |
| 1651 DX/FS | | 16' 3" | 76" | 17580 | 10109 | 17573 |
| 170 FX | | 17' 0" | 80" | 17776 | 10055 | 10182 |
| 1700 Center Console | | 17' 0" | 83" | 17736 | 10148 | 15402 |
| 1900 Center Console | | 18' 6" | 84" | 17737 | 10150 | 15404 |
| 2100 Center Console | | 20' 7" | 96" | 17739 | 10152 | 15406 |
| 500 CL / C | | 15' 0" | 69" | 17732 | 10041 | — |
| 500 CLX | | 15' 11" | 77" | 17710 | 10023 | 10158 |
| 600 T | | 15' 0" | 69" | 17760 | 10061 | 10187 |
| 600 TF | | 15' 11" | 78" | 17762 | 10062 | 10188 |
| T 150 | | 15' 0" | 72" | 17760 | 10061 | 10187 |
| TF 160 | | 15' 11" | 78" | 17762 | 10062 | 10188 |
| TFX 160 | | 15' 11" | 78" | 17578 | 10108 | — |
| **CITATION** | | | | | | |
| 17 Center Console | 1987 | 16' 9" | 80" | 17736 | 10148 | 15402 |
| 170 XLS / XL | 1987 | 16' 7" | 85" | 17723 | 10030 | 10163 |
| 1700 BR | 1985 | 16' 8" | 83" | 17723 | 10030 | 10163 |
| 180 BR Sport | | 17' 3" | 92" | 17684 | 10142 | 10274 |
| 19 Center Console | 1987 | 19' 1" | 92" | 17737 | 10150 | 15404 |
| 190 BR / XLS / XL | 1987 | 18' 11" | 92" | 17725 | 10033 | 10165 |
| 190 CC | 1985 | 18' 8" | 93" | 17725 | 10033 | 10165 |
| 1900 CC | 1985 | 18' 8" | 88" | 17586 | 10128 | 10256 |
| 1900 CC Classic | 1987 | 18' 11" | 92" | 17586 | 10128 | 10256 |
| 195 Fisherman | 1987 | 19' 2" | 92" | 17725 | 10033 | 10165 |
| 196 BR Royale | | 19' 6" | 96" | 17686 | 10144 | 10276 |
| 196 CC Royale | | 19' 6" | 96" | 17587 | 10129 | 10257 |
| 200 XL / 200 BR | 1985 | 20' 1" | 96" | 17587 | 10129 | 10257 |
| 210 Cuddy Cabin | 1987 | 20' 5" | 96" | 17588 | 10130 | 10258 |
| 210 Laser | 1987 | 20' 5" | 96" | 17727 | 10035 | 10167 |
| 210 XLS / XL | 1987 | 20' 5" | 96" | 17727 | 10035 | 10167 |
| 2100 DLX | 1987 | 20' 5" | 96" | 17588 | 10130 | 10258 |
| 220 CC Royale | | 21' 2" | 102" | 17588 | 10130 | 10258 |
| 230 Laser | 1987 | 22' 8" | 98" | 17570 | — | — |
| Capri | 1985 | 18' 8" | 93" | 17725 | 10033 | 10165 |
| Caribbean | | 18' 11" | 90" | 17725 | 10033 | 10165 |
| Catalina | | 17' 3" | 90" | 17723 | 10030 | 10163 |
| Daytona | | 17' 1" | 85" | 17723 | 10030 | 10163 |
| Freeport | | 18' 8" | 93" | 17586 | 10128 | 10256 |
| Riviera | 1985 | 16' 7" | 83" | 17723 | 10030 | 10163 |
| Sprint | | 16' 6" | 85" | 17723 | 10030 | 10163 |
| **COBALT** | | | | | | |
| 200 | 2007 | 20' 4" | 102" | 17686 | 10144 | 10276 |
| 202 | 2008 | 20' 4" | 102" | 17688 | 10146 | 10278 |
| 212 | 07-08 | 21' 0" | 102" | 17687 | 10145 | 10277 |
| 220 | 07-08 | 22' 0" | 102" | 17688 | 10146 | 10278 |
| 222 | 2007 | 22' 6" | 102" | 17688 | 10146 | 10278 |
| 232 | 07-08 | 23' 10" | 102" | 17689 | 10147 | 10279 |
| 252 | 2007 | 25' 4" | 102" | 17802 | 10073 | 10221 |
| 17 BR | 1986 | 17' 0" | 89" | 17723 | 10030 | 10163 |
| 18 BR | 1986 | 18' 2" | 89" | 17724 | 10032 | 10164 |
| 18 DV | 1986 | 18' 2" | 88" | 17724 | 10032 | 10164 |
| 19 BR / 19 CD Condesa | 1984 | 19' 0" | 91" | 17725 | 10033 | 10165 |
| 190 | 98-01 | 18' 6" | 96" | 17685 | 10143 | 10275 |
| 196 / 198 | | 19' 6" | 98" | 17686 | 10144 | 10276 |
| 200 | 97-00 | 19' 6" | 98" | 17686 | 10144 | 10276 |
| 200 S | 2015 | 19' 4" | 100" | 17685 | 10143 | 10275 |
| 200 S w/swim platform | 2015 | 20' 10" | 100" | 17686 | 10144 | 10276 |
| 200 w/platform | 2007 | 22' 4" | 102" | 17688 | 10146 | 10278 |
| 202 w/platform | 2008 | 20' 5" | 102" | 17688 | 10146 | 10278 |
| 206 | 99-01 | 21' 0" | 101" | 17687 | 10145 | 10277 |
| 21 BR | 1984 | 21' 1" | 96" | 17727 | 10035 | 10167 |
| 21 Cuddy | 1984 | 21' 1" | 96" | 17588 | 10130 | 10258 |
| 210 | 2015 | 20' 4" | 102" | 17686 | 10144 | 10276 |
| 210 w/swim platform | 2015 | 22' 5" | 89" | 17688 | 10146 | 10278 |
| 212 w/platform | 07-08 | 23' 6" | 102" | 17689 | 10147 | 10279 |
| 220 | 97-00 | 21' 11" | 101" | 17688 | 10146 | 10278 |
| 220 | 2015 | 21' 4" | 102" | 17688 | 10146 | 10278 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **COBALT-CONTINUED** | | | | | | |
| 220 w/platform | 07-08 | 24' 0" | 102" | 17801 | 10072 | 10210 |
| 220 w/swim platform | 2015 | 22' 10" | 102" | 17801 | 10072 | 10210 |
| 222 | 1997 | 22' 3" | 101" | 17688 | 10146 | 10278 |
| 222 w/platform | 2007 | 24' 6" | 102" | 17801 | 10072 | 10210 |
| 226 | 99-01 | 22' 8" | 101" | 17689 | 10147 | 10279 |
| 227 | 2001 | 22' 8" | 102" | 17689 | 10147 | 10279 |
| 22T | 97-00 | 22' 0" | 102" | 17688 | 10146 | 10278 |
| 23 BR | | 22' 7" | 96" | 17589 | 10131 | 10259 |
| 23 LS | 98-01 | 23' 2" | 102" | 17689 | 10147 | 10279 |
| 232 | 97-01 | 23' 2" | 102" | 17689 | 10147 | 10279 |
| 232 w/platform | 07-08 | 25' 11" | 102" | 17802 | 10073 | 10221 |
| 233 | 97-01 | 23' 2" | 102" | 17689 | 10147 | 10279 |
| 240 | 2007 | 23' 9" | 102" | 17689 | 10147 | 10279 |
| 240 w/platform | 2007 | 25' 11" | 102" | 17802 | 10073 | 10221 |
| 243 | 2015 | 23' 11" | 102" | 17689 | 10147 | 10279 |
| 243 w/swim platform | 2015 | 25' 11" | 102" | 17802 | 10073 | 10221 |
| 245 SD | 2015 | 24' 6" | 102" | 17801 | 10072 | 10210 |
| 250 | 2007 | 25' 0" | 102 | 17802 | 10073 | 10221 |
| 26 SD | 2015 | 26' 2" | 102" | — | — | — |
| CM 23 | 1984 | 22' 7" | 96" | 17590 | 10132 | 10261 |
| CM 9 | 1984 | 19' 0" | 91" | 17725 | 10033 | 10165 |
| Condurre 172 | 1989 | 17' 3" | 88" | 17723 | 10030 | 10163 |
| Condurre 190 | 1989 | 19' 0" | 90" | 17685 | 10143 | 10275 |
| Condurre 192 w/platform | 1989 | 17' 2" | 89" | 17725 | 10033 | 10165 |
| Condurre 202 / 203 | 1989 | 20' 1" | 100" | 17587 | 10129 | 10257 |
| Condurre 205 / 206 | 1991 | 20' 6" | 99" | 17687 | 10145 | 10277 |
| Condurre 222 / 223 | 1986 | 22' 3" | 101" | 17728 | 10036 | 10168 |
| Condurre 243 | 1989 | 23' 10" | 96" | 17591 | 10133 | 10263 |
| Condurre 255 | 1991 | 25' 2" | 102" | 17592 | 10134 | — |
| CS 23 | 1984 | 22' 7" | 96" | 17589 | 10131 | 10259 |
| CS 7 | | 17' 2" | 88" | 17723 | 10030 | 10163 |
| CS 9 | 1984 | 19' 0" | 91" | 17725 | 10033 | 10165 |
| R 3 | 2015 | 23' 10" | 102" | 17591 | 10133 | 10263 |
| R 5 | 2015 | 25' 8" | 102" | 17802 | 10073 | 10221 |
| R 7 | 2015 | 27' 6" | 102" | — | — | — |
| **COBIA** | | | | | | |
| 172 Center Console | 2014 | 17' 2" | 86" | 17736 | 10148 | 15402 |
| 174 Center Console | 97-02 | 17' 0" | 80" | 17736 | 10148 | 15402 |
| 175 Center Console | 2005 | 17' 2" | 102" | 17736 | 10148 | 15402 |
| 180 Dual Console | 2014 | 17' 10" | 92" | — | — | — |
| 185 Center Console | 2005 | 17' 10" | 92" | 17780 | 15412 | 15403 |
| 188 Sun Sport | | 18' 0" | 89" | 17684 | 10142 | 10274 |
| 192 Bay Boat | 2005 | 18' 4" | 96" | 17737 | 10150 | 15404 |
| 194 Center Console | 97-02 | 18' 6" | 96" | 17737 | 10150 | 15404 |
| 201 Center Console | 14-15 | 20' 1" | 102" | 17738 | 10151 | 15405 |
| 205 Sun Sport | 1995 | 20' 1" | 88" | 17686 | 10144 | 10176 |
| 21 Bay | 13-15 | 21' 1" | 100" | 17739 | 10152 | 15406 |
| 210 Walk Around | 05-13 | 20' 4" | 102" | 17591 | 10133 | 10263 |
| 211Bay Boat | 2005 | 21' 2" | 100" | 17711 | 10025 | 10159 |
| 214 Center Console | 01-05 | 20' 4" | 102" | 17783 | 10155 | 15409 |
| 215 Dual Console | 01-05 | 20' 4" | 102" | 17591 | 10133 | 10263 |
| 217 Center Console | 14-15 | 21' 7" | 102" | 17739 | 10152 | 15406 |
| 218 Sport / 218 Sun Sport | 1995 | 20' 8" | 102" | 17687 | 10145 | 10277 |
| 220 Dual Console | 14-15 | 21' 7" | 102" | 17800 | 10071 | 10205 |
| 222 Bay Boat | 2005 | 22' 0" | 102" | 17782 | 10154 | 15408 |
| 225 Sunsport | 95-98 | 22' 3" | 102" | 17688 | 10146 | 10278 |
| 226 Sport Deck | 95-98 | 22' 3" | 102" | 17688 | 10146 | 10278 |
| 229 Sport Deck | 1995 | 22' 3" | 102" | 17688 | 10146 | 10278 |
| 237 Center Console | 14-15 | 23' 7" | 106" | 17782 | 10154 | 15408 |
| Caribbean 174 / 173 | 1994 | 17' 2" | 84" | 17736 | 10148 | 15402 |
| Challenger 189 SRV / 187 ERS | 86-87 | 17' 10" | 89" | 17724 | 10032 | 10164 |
| Challenger 197 ERS / SRV | 86-87 | 18' 8" | 92" | 17725 | 10033 | 10165 |
| Charger C 16 | | 15' 6" | 82" | 17710 | 10023 | 10158 |
| CU 156 | | 15' 6" | 82" | 17736 | 10148 | 15402 |
| CU 160 | | 16' 0" | 84" | 17736 | 10148 | 15402 |
| CU 180 | | 18' 0" | 83" | 17780 | 15412 | 15403 |
| CU 210 | | 20' 7" | 90" | 17739 | 10152 | 15406 |
| Fish 190 O/B | | 18' 2" | 91" | 17712 | 10026 | 10160 |
| Monte Carlo 166 | 1993 | 16' 0" | 84" | 17692 | 10135 | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **COBIA-CONTINUED** | | | | | | |
| Monte Carlo 166 E O/B | 1993 | 15' 10" | 84" | 17710 | 10023 | 10158 |
| Monte Carlo 172 I/O | 1986 | 16' 5" | 84" | 17723 | 10030 | 10163 |
| Monte Carlo 172 O/B | 86-88 | 16' 5" | 84" | 17711 | 10025 | 10159 |
| Monte Carlo 176 E O/B | 1993 | 16' 10" | 84" | 17711 | 10025 | 10159 |
| Monte Carlo 178 EI/O | 1993 | 16' 10" | 84" | 17723 | 10030 | 10163 |
| Monte Carlo 186 E I/O | 1993 | 17' 10" | 89" | 17684 | 10142 | 10274 |
| Monte Carlo 186 E O/B | 1993 | 17' 10" | 89" | 17694 | 10137 | 10267 |
| Monte Carlo 189 XL I/O | 1988 | 17' 10" | 88" | 17724 | 10032 | 10164 |
| Monte Carlo 189 XL O/B | 1988 | 17' 10" | 88" | 17712 | 10026 | 10160 |
| Monte Carlo 194 XL I/O | 86-88 | 18' 2" | 91" | 17724 | 10032 | 10164 |
| Monte Carlo 194 XL O/B | 86-88 | 18' 2" | 91" | 17712 | 10026 | 10160 |
| Monte Carlo 197 XL I/O | 1988 | 18' 8" | 97" | 17725 | 10033 | 10165 |
| Monte Carlo 197 XL O/B | 1988 | 18' 8" | 97" | 17713 | 10027 | 10161 |
| Monte Carlo 198ES | 1993 | 19' 2" | 91" | 17685 | 10143 | 10275 |
| Monte Carlo 205 EC I/O | | 19' 7" | 91" | 17686 | 10144 | 10276 |
| Monte Carlo 218 | | 20' 8" | 102" | 17687 | 10145 | 10277 |
| Monte Carlo 228 ES | 1993 | 22' 3" | 102" | 17688 | 10146 | 10278 |
| Monte Carlo 230 XL | 1988 | 20' 8" | 96" | 17727 | 10035 | 10167 |
| Odyssey 105 SCL I/O or SD | | 18' 6" | 95" | 17725 | 10033 | 10165 |
| Monte Carlo 152 XL | 1986 | 14' 9" | 69" | 17709 | 10022 | 10157 |
| Odyssey 170 I/O | 1984 | 16' 5" | 84" | 17723 | 10030 | 10163 |
| Odyssey 170 O/B | 1984 | 16' 5" | 84" | 17711 | 10025 | 10159 |
| Odyssey 183 I/O or SD | 1984 | 17' 8" | 87" | 17724 | 10032 | 10164 |
| Odyssey 183 O/B | 1984 | 17' 8" | 87" | 17712 | 10026 | 10160 |
| Odyssey 195 CC I/O | 1984 | 18' 6" | 95" | 17586 | 10128 | 10256 |
| Odyssey 195 CC O/B | 1984 | 18' 6" | 95" | 17713 | 10027 | 10161 |
| Odyssey 195 I/O or SD | 1984 | 18' 6" | 95" | 17725 | 10033 | 10165 |
| Odyssey 195 O/B | 1984 | 18' 6" | 95" | 17713 | 10027 | 10161 |
| Odyssey 197 SCV / 197 CXL | 1988 | 18' 8" | 93" | 17586 | 10128 | 10256 |
| Odyssey 214 Cuddy Cabin | 1984 | 20' 8" | 96" | 17588 | 10130 | 10258 |
| Odyssey 228 Cuddy Cabin | 1984 | 21' 6" | 96" | 17589 | 10131 | 10259 |
| Odyssey 228 Triton | 1984 | 21' 6" | 96" | 17741 | 10153 | 15407 |
| San Marino 205 | 1993 | 19' 7" | 91" | 17567 | — | — |
| San Marino 215 | | 20' 8" | 102" | 17568 | — | — |
| San Marino 225 | 1993 | 22' 3" | 102" | 17589 | 10131 | 10259 |
| San Marino 6.8 | | 22' 2" | 102" | 17589 | 10131 | 10259 |
| Spirit 1500 VBR | 1988 | 14' 9" | 69" | 17709 | 10022 | 10157 |
| Spirit 1600 SF | 1988 | 15' 6" | 86" | 17736 | 10148 | 15402 |
| Spirit 1700 VBR | 89-89 | 16' 5" | 84" | 17711 | 10025 | 10159 |
| Spirit 1750 VBR | 89-89 | 16' 5" | 84" | 17723 | 10030 | 10163 |
| Spirit 1800 VBR O/B | | 17' 10" | 89" | 17712 | 10026 | 10160 |
| Spirit 1850 VBR I/O | | 17' 10" | 89" | 17724 | 10032 | 10164 |
| Spirit 1950 CC | 1988 | 18' 2" | 91" | 17585 | 10127 | 10255 |
| Spirit 1950 VBR I/O | 88-89 | 18' 2" | 91" | 17724 | 10032 | 10164 |
| Spirit 2000 SF | 1988 | 18' 2" | 87" | 17780 | 15412 | 15403 |
| Spirit 2150 CC | 1989 | 20' 0" | 93" | 17587 | 10129 | 10257 |
| Sportster 172 VBR I/O | 1986 | 16' 5" | 87" | 17723 | 10030 | 10163 |
| Sportster 172 VBR O/B | 1986 | 16' 5" | 87" | 17711 | 10025 | 10159 |
| Sportster 193 VBR | 1986 | 18' 2" | 83" | 17724 | 10032 | 10164 |
| Sportster 197 SCV | 1986 | 18' 8" | 97" | 17725 | 10033 | 10165 |
| Sportster C 18 | | 18' 2" | 83" | 17724 | 10032 | 10164 |
| Sprint C 15 | 1984 | 14' 9" | 69" | 17709 | 10022 | 10157 |
| Spirit 1700 VBR | 88-89 | 16' 5" | 84" | 17711 | 10025 | 10159 |
| SS 177 | 1986 | 15' 6" | 82" | 17736 | 10148 | 15402 |
| SS 200 | 1986 | 18' 2" | 83" | 17780 | 15412 | 15403 |
| Sunskiff CU 156 | 1984 | 15' 6" | 82" | 17736 | 10148 | 15402 |
| Sunskiff CU 160 | | 16' 0" | 84" | 17736 | 10148 | 15402 |
| Sunskiff CU 180 | | 18' 0" | 83" | 17780 | 15412 | 15403 |
| Sunskiff CU 210 | | 20' 7" | 90" | 17739 | 10152 | 15406 |
| **CONROY: SEE GLASTRON** | | | | | | |
| **CORRECT CRAFT** | | | | | | |
| Air Nautique | 1999 | 21' 0" | 91" | 17704 | 10014 | 15417 |
| Barefoot Nautique / Dominique | 1987 | 19' 0" | 82" | 17700 | 10010 | 15413 |
| Nautique Super Sport | 1999 | 21' 0" | 91" | 17704 | 10014 | 15417 |
| Ski 200 Closed Bow | 2015 | 20' 0" | 95" | 17702 | 10012 | 15415 |
| Ski 200 Open Bow | 2015 | 20' 0" | 95" | 17702 | 10012 | 15415 |
| Ski Nautique | 97-99 | 19' 6" | 91" | 17701 | 10011 | 15414 |
| Ski Nautique 2001 | 1987 | 18' 9" | 84" | 17700 | 10010 | 15413 |
| Sport Nautique | 1999 | 21' 0" | 91" | 17704 | 10014 | 15417 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CREST** | | | | | | |
| 2200 Fisherman | 96-97 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Caribbean 210 | 2013 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| Caribbean 22 | 1995 | 20' 0" | 102" | 17790 | 10114 | 10244 |
| Caribbean 22 | 1997 | 21' 6" | 102" | 17791 | 10116 | 10245 |
| Caribbean 230 / SL / SLR / SLR2 / XR | 13-15 | 23' 10" | 102" | — | 10290 | 10331 |
| Caribbean 25 | 1997 | 23' 6" | 102" | 17791 | 10116 | 10245 |
| Caribbean 25 | 1995 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Caribbean 250 / SL / SLR / SLR2 / XR | 2013 | 25' 10" | 102" | 17792 | 10117 | 10247 |
| Caribbean 30 | 1997 | 27' 6" | 102" | 17792 | 10117 | 10247 |
| Caribbean 30 | 1995 | 26' 0" | 102" | 17792 | 10117 | 10247 |
| Classic 210 | 13-15 | 21' 6" | 102" | 17791 | 10116 | 10245 |
| Classic 230 / SL / SLR / SLR2 / XR | 13-15 | 23' 6" | 102" | — | 10290 | 10331 |
| Classic 250 / SL / SLR / SLR2 / XR | 13-15 | 25' 6" | 102" | 17792 | 10117 | 10247 |
| Classic Plan B 21 | 1989 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Classic Plan B 25 | 1989 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Classic Plan B 29 | 1989 | 26' 0" | 96" | 17792 | 10117 | 10247 |
| Classic SJ 25 | 1989 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Classic SJ 29 | 1989 | 26' 0" | 96" | 17792 | 10117 | 10247 |
| Classic Sundecker 25 | 1989 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| Classic Sundecker 29 | 1989 | 28' 0" | 96" | 17792 | 10117 | 10247 |
| Crest I 200 | 2015 | 20' 0" | 102" | | 10289 | 10330 |
| Crest I 220 / SLR / SLD | 2015 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Crest II 18 | 1997 | 17' 6" | 96" | 17790 | 10114 | 10244 |
| Crest II 190 | 2013 | 19' 6" | 102" | — | 10289 | 10330 |
| Crest II 210 / SLR | 13-15 | 21' 6" | 102" | 17791 | 10116 | 10245 |
| Crest II 22 | 1997 | 19' 6" | 96" | 17790 | 10114 | 10244 |
| Crest II 22 | 1993 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Crest II 230 / SLR / SLR2 | 2013 | 23' 6" | 102" | — | 10290 | 10331 |
| Crest II 25 | 1995 | 22' 0" | 96" | 17790 | 10114 | 10244 |
| Crest II 25 | 1997 | 23' 6 | 96" | 17791 | 10116 | 10245 |
| Crest II 250 / SLR / SLR2 | 2013 | 25' 6" | 102" | 17791 | 10116 | 10245 |
| Crest II 30 | 1995 | 26' 0" | 96" | 17791 | 10116 | 10245 |
| Crest II 30 | 1997 | 27' 6" | 96" | 17792 | 10117 | 10247 |
| Crest II Fish 190 C4 / SF / FC | 13-15 | 19' 6" | 102" | — | 10289 | 10330 |
| Crest II Fish 210 C4 / FC / SF | 13-15 | 21' 6" | 102" | — | — | — |
| Crest II Fish 230 C4 / FC / SF | 13-15 | 23' 6" | 102" | — | 10290 | 10331 |
| Crest III 21 | 1991 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Crest III 210 / SLP | 2015 | 21' 6" | 102" | 17791 | 10116 | 10245 |
| Crest III 230 / SL / SLC / SLP | 2015 | 23' 6" | 102" | 17791 | 10116 | 10245 |
| Crest III 250 / SL / SLC / SLP | 2015 | 25' 6" | 102" | 17791 | 10116 | 10245 |
| Crest III 22 | 1997 | 21' 6" | 102" | 17791 | 10116 | 10245 |
| Crest III 25 | 1997 | 23' 6" | 102" | 17791 | 10116 | 10245 |
| Crest III 25 | 1991 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Crest III 30 | 1997 | 27' 6" | 102" | 17792 | 10117 | 10247 |
| Crest III 30 | 1991 | 26' 0" | 96" | 17792 | 10117 | 10247 |
| Crest III Sundecker 21 | 1991 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Crest III Sundecker 25 | 91-93 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Crest III Sundecker 30 | 91-93 | 26' 0" | 96" | 17792 | 10117 | 10247 |
| Deluxe Fishing Boat 21 | | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Family Fisherman 22 | 96-97 | 21' 0" | 102" | 17791 | 10116 | 10245 |
| Family Fisherman 25 | 96-97 | 23' 0" | 102" | 17791 | 10116 | 10245 |
| Mariner 25 | 1991 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Savannah 22 | 1997 | 21' 6" | 102" | 17791 | 10116 | 10245 |
| Savannah 22 SE | | 20' 0" | 102" | 17790 | 10114 | 10244 |
| Savannah 230 SS | 13-15 | 23' 10" | 102" | — | 10290 | 10331 |
| Savannah 25 | 1997 | 23' 6" | 102" | 17791 | 10116 | 10245 |
| Savannah 25 | 1993 | 25' 0" | 96" | 17791 | 10116 | 10245 |
| Savannah 25 SE | 1993 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Savannah 250 SS | 13-15 | 25' 10" | 102" | 17792 | 10117 | 10247 |
| Savannah 29 | | 26' 0" | 96" | 17792 | 10117 | 10247 |
| Savannah 30 | 1997 | 27' 6" | 102" | 17792 | 10117 | 10247 |
| Savannah 30 SE | 91-93 | 26' 0" | 102" | 17792 | 10117 | 10247 |
| Sport 18 | 1997 | 17' 6" | 96" | 17790 | 10114 | 10244 |
| Sport 22 | 1997 | 19' 6" | 96" | 17790 | 10114 | 10244 |
| Sport 22 | 1993 | 18' 0" | 96" | 17790 | 10114 | 10244 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CREST-CONTINUED** | | | | | | |
| Sport 25 | 1997 | 23' 6" | 96" | 17791 | 10116 | 10245 |
| Sport 25 | 1995 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Sport Fisherman 22 | 96-97 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Sport Pro Fisherman 22 | 96-97 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Standard 25 / DLX | | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Standard 29 / DLX | | 24' 0" | 96" | 17791 | 10116 | 10245 |
| Super Fisherman 22 | 96-97 | 21' 0" | 102" | 17791 | 10116 | 10245 |
| Super Fisherman 25 | 96-97 | 23' 0" | 102" | 17791 | 10116 | 10245 |
| Wave V 170 SLR2 | 2013 | 17' 6" | 96' | 17790 | 10114 | 10244 |
| Wave V 190 | 2013 | 19' 6" | 102" | — | 10289 | 10330 |
| Wave V 210 / CC / SLR | 2013 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| Wave V 230 / CC / SLR | 2013 | 23' 10" | 102" | — | 10290 | 10331 |
| Wave 1508 / FC | 2015 | 15' 6" | 96" | | 10288 | 10329 |
| Wave 1708 / SLR2 / FC | 2015 | 17' 6" | 96" | 17790 | 10144 | 10244 |
| Wave 1908 / SLR2 / FC | 2015 | 19' 6" | 96" | | 10289 | 10330 |
| Wave 2108 / SLR2 | 2015 | 21' 6" | 96" | 17791 | 10116 | 10245 |
| **CRESTLINER** | | | | | | |
| 1032 | 12-14 | 10' 0" | 48" | — | — | — |
| 1232 | 12-14 | 11' 10" | 48" | 17818 | — | — |
| 1236 | 12-14 | 11' 11" | 56" | 17819 | — | — |
| 1436 | 12-14 | 14' 0" | 57" | 17040 | — | — |
| 1448 | 12-14 | 14' 0" | 70" | 17044 | — | — |
| 1546 | 2013 | 15' 1" | 70" | — | — | — |
| 1648 | 2012 | 15' 10" | 70" | 17046 | — | — |
| 1648 | 2014 | 15' 10" | 70" | — | — | — |
| 1250 Sportsman | 14-15 | 12' 2" | 60.5" | — | — | — |
| 1257 CRV | 2015 | 12' 1" | 57" | — | — | — |
| 14 Fish Hawk | 1987 | 14' 1" | 68" | 17454 | 10087 | 10208 |
| 14 Kodiak SC | 12-15 | 14' 9" | 75.5" | 17457 | 10091 | 10209 |
| 14 Kodiak Tiller | 12-15 | 14' 9" | 75.5" | 17457 | 10091 | 10209 |
| 14 Sportsman | 2012 | 14' 9" | 73" | 17457 | 10091 | 10209 |
| 14 Sportsman / SC / SS | 04-07 | 14' 7" | 73" | 17457 | 10091 | 10209 |
| 14 Sportsman W / DLX | 93-95 | 14' 1" | 68" | 17454 | 10087 | 10208 |
| 1436 L | 12-14 | 14' 0" | 57" | 17044 | — | — |
| 1436 Utility | 96-99 | 14' 0" | 54" | 17040 | — | — |
| 1436L | 2012 | 14' 0" | 57" | 17040 | — | — |
| 1448 M | 12-14 | 14' 0" | 70" | 17040 | — | — |
| 1448 MT | 13-14 | 14' 0" | 70" | 17044 | — | — |
| 1448 T | 13-14 | 14' 0" | 70" | 17044 | — | — |
| 1450 Sportsman SC | 14-15 | 14' 4" | 70" | 17813 | 10088 | 10234 |
| 1450 Sportsman Tiller | 14-15 | 14' 4" | 70" | 17044 | — | — |
| 1450 Sportsman Tiller WT | 2014 | 14' 4" | 70" | 17044 | — | — |
| 1457 CRV | 2015 | 14' 1" | 57" | — | — | — |
| 1467 CRV | 2015 | 13' 11" | 67" | 17454 | 10087 | 10208 |
| 14750 Fish Hawk DC | 12-14 | 17' 6" | 95" | — | — | — |
| 1546 Retriever Jon | 2014 | 15' 1" | 70" | — | — | — |
| 1546 Retriever DS | 2012 | 15' 0" | 70" | 17825 | 10074 | 10233 |
| 16 / 16 XL Fish Hawk | 86-87 | 16' 3" | 68" | 17455 | 10092 | 10211 |
| 16 Ambush | 2012 | 16' 0" | 76" | 17744 | 10067 | 10195 |
| 16 Fish Hawk SC | 97-98 | 16' 0" | 75" | 17459 | 15429 | 15428 |
| 16 Fish Hawk Tiller | 97-98 | 16' 0" | 75" | 17456 | 10093 | 10212 |
| 16 Kodiak SC | 12-15 | 16' 6" | 75.5" | 17459 | 15429 | 15428 |
| 16 Kodiak Tiller | 12-15 | 16' 6" | 75.5" | 17455 | 10092 | 10211 |
| 16 Sportsman / DLX | 93-95 | 16' 3" | 68" | 17455 | 10092 | 10211 |
| 16 Sportsman / SC / SS / SS SC | 01-12 | 16' 7" | 75" | 17455 | 10092 | 10211 |
| 16 Storm | 2012 | 15' 10" | 75" | 17748 | 10069 | 10205 |
| 16 Storm | 13-14 | 16' 0" | 75" | 17459 | 15429 | 15428 |
| 16 Storm Panfish | 2012 | 15' 10" | 75" | 17748 | 10069 | 10205 |
| 1600 Fish Hawk | 07-12 | 16' 0" | 87" | 17456 | 10093 | 10212 |
| 1600 Fish Hawk SC | 12-15 | 16' 0" | 87" | 17719 | 10101 | 10216 |
| 1600 Fish Hawk SC | 99-01 | 16' 0" | 82" | 17459 | 15429 | 15428 |
| 1600 Fish Hawk Tiller | 12-15 | 16' 0" | 87" | 17456 | 10093 | 10212 |
| 1600 Fish Hawk Tiller | 99-01 | 16' 0" | 82" | 17456 | 10093 | 10212 |
| 1600 Pro | 93-98 | 16' 0" | 72" | 17744 | 10067 | 10195 |
| 1600 Super Hawk | 98-04 | 16' 3" | 87" | 17711 | 10025 | 10159 |
| 1600 Super Hawk | 2012 | 16' 3" | 85.75" | 17711 | 10025 | 10159 |
| 1600 Vision | 2015 | 16' 4" | 81" | 17711 | 10025 | 10159 |
| 1648 / 1648 MSD | 96-99 | 16' 0" | 70" | 17046 | — | — |
| 1648 M | 12-14 | 15' 10" | 70" | 17046 | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CRESTLINER-CONTINUED** | | | | | | |
| 1648 MT | 13-14 | 15' 10" | 70" | 17814 | 10089 | 10235 |
| 1648 T | 13-14 | 15' 10" | 70" | 17814 | 10089 | 10235 |
| 1650 DS | 2012 | 16' 0" | 74" | 17748 | 10069 | 10205 |
| 1650 Fish Hawk | 12-14 | 16' 8" | 85.75" | 17456 | 10093 | 10212 |
| 1650 Fish Hawk | 2015 | 16' 9" | 86.5" | 17711 | 10025 | 10159 |
| 1650 Fish Hawk DC | 12-14 | 16' 8" | 85.75" | 17711 | 10025 | 10159 |
| 1650 Fish Hawk SC | 12-14 | 16' 8" | 85.75" | 17719 | 10101 | 10216 |
| 1650 Fish Hawk SC | 97-06 | 16' 0" | 87" | 17459 | 15429 | 15428 |
| 1650 Fish Hawk Tiller | 97-02 | 16' 0" | 87" | 17714 | 10104 | 10215 |
| 1650 Fish Hawk WT | 12-14 | 16' 8" | 85.75" | 17711 | 10025 | 10159 |
| 1650 Pro Am SC | 94-96 | 16' 5" | 82" | 17714 | 10104 | 10215 |
| 1650 Pro Tiller | 12-14 | 16' 8" | 85.75" | 17456 | 10093 | 10212 |
| 1650 Pro Tiller | 2015 | 16' 10" | 86.5" | 17456 | 10093 | 10212 |
| 1650 Retriever Deluxe | 12-14 | 16' 0" | 74" | 17046 | — | — |
| 1650 Retriever Jon | 2014 | 16' 0" | 80" | 17046 | — | — |
| 1650 Retriever SC | 12-14 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| 1650 Sportsman SC | 2014 | 16' 4" | 72" | 17459 | 15429 | 15428 |
| 1650 Sport Angler | 05-08 | 16' 3" | 87" | 17711 | 10025 | 10159 |
| 1650 Sportfish | 94-96 | 16' 5" | 78" | 17580 | 10109 | 17573 |
| 1650 Sportsman Tiller | 14-15 | 16' 4" | 72" | 17455 | 10092 | 10211 |
| 1650 Sportsman Tiller WT | 14-15 | 16' 4" | 72" | 17710 | 10023 | 10158 |
| 1650 Super Hawk | 14-15 | 16' 9" | 86.5" | 17719 | 10101 | 10216 |
| 1657 SS | 12-14 | 16' 0" | 78" | 17746 | 10068 | 10202 |
| 1667 CRV | 2015 | 16' 0" | 67" | 17455 | 10092 | 10211 |
| 1667V / 1667VT | 05-07 | 16' 0" | 67" | 17455 | 10092 | 10211 |
| 1680 Sport | 2001 | 15' 8" | 96" | — | 10288 | 10329 |
| 1680 Sport | 99-04 | 16' 0" | 96" | — | 10288 | 10329 |
| 1685 Sport Classic | 2007 | 16' 6" | 101" | — | 10288 | 10329 |
| 17 Storm | 13-14 | 17' 0" | 75" | 17775 | 10056 | 10183 |
| 1700 Fish Hawk / SC | 1995 | 16' 8" | 76" | 17461 | 10103 | 10214 |
| 1700 Fish Hawk / SC | 06-07 | 17' 2" | 91' | 17461 | 10103 | 10214 |
| 1700 Pro | 93-98 | 17 '0" | 72" | 17748 | 10069 | 10204 |
| 1700 Serenity | 2005 | 17' 1" | 89" | 17810 | 10082 | 10231 |
| 1700 Super Hawk | 2004 | 17' 7" | 90" | 17712 | 10026 | 10160 |
| 1700 Super Hawk | 08-12 | 17' 1" | 89" | 17711 | 10025 | 10159 |
| 1700 Super Hawk | 98-02 | 16' 10" | 88" | 17693 | 10136 | 10265 |
| 1750 Fish Hawk | 06-14 | 17' 6" | 95" | 17716 | 10105 | 10218 |
| 1750 Fish Hawk SC | 96-05 | 17' 2" | 91" | 17718 | 10106 | 10219 |
| 1750 Fish Hawk WT | 12-14 | 17' 6" | 95" | — | — | — |
| 1750 Fish Hawk Tiller | 97-02 | 17' 2" | 91" | 17716 | 10105 | 10218 |
| 1750 Pro Am SC | 95-96 | 17' 6" | 87" | 17718 | 10106 | 10219 |
| 1750 Pro Tiller | 12-14 | 17' 6" | 95" | 17810 | 10082 | 10231 |
| 1750 Pro Tiller | 2015 | 17' 6" | 94" | 17810 | 10082 | 10231 |
| 1750 Raptor | 14-15 | 17' 8" | 96" | 17718 | 10106 | 10219 |
| 1750 Raptor DC | 12-14 | 17' 8" | 96" | — | — | — |
| 1750 Raptor SC | 12-14 | 17' 8" | 96" | 17815 | 10090 | 10236 |
| 1750 Raptor WT | 12-14 | 17' 8" | 96" | — | — | — |
| 1750 Sport Angler | 06-08 | 17' 1" | 89" | 17711 | 10025 | 10159 |
| 1750 Sportfish I/O | 97-00 | 17' 1" | 89" | 17683 | 10141 | — |
| 1750 Sportfish O/B | 97-05 | 17' 1" | 89" | 17693 | 10136 | 10265 |
| 1750 Super Hawk | 2014 | 17' 9" | 94" | — | — | — |
| 1750 Tournament Pro | 97-98 | 17' 3" | 88" | 17718 | 10106 | 10219 |
| 1750 Tournament SC | 98-99 | 17' 1" | 89" | 17718 | 10106 | 10219 |
| 1750 Tournament Tiller | 98-99 | 17' 1" | 89" | 17716 | 10105 | 10218 |
| 1754 / C 1754 / VDC / SF / DLX | 01-05 | 17' 0" | 75" | 17453 | 10086 | 10214 |
| 1756 Deluxe Retriever | 2014 | 20' 0" | 96" | 17822 | — | — |
| 1756 Retriever DS | 12-14 | 17' 0" | 80" | 17748 | 10069 | 10204 |
| 1756 Retriever Jon | 2014 | 17' 0" | 80" | 17048 | — | — |
| 1756 Retriever SC | 12-14 | 17' 0" | 80" | 17748 | 10069 | 10204 |
| 18 Ambush | 2012 | 18' 0" | 79" | 17750 | 10070 | 10206 |
| 18 Kodiak SC | 12-15 | 18' 0" | 78" | 17750 | 10070 | 10206 |
| 18 Kodiak Tiller | 12-15 | 18' 0" | 78" | 17811 | 10083 | 10232 |
| 18 Sportsman / SS / SC | 04-12 | 18' 0" | 78" | 17750 | 10070 | 10206 |
| 1800 Coast Edition | 2014 | 18' 0" | 85" | 17780 | 15412 | 15403 |
| 1800 Pro | 97-98 | 18' 2" | 83" | 17750 | 10070 | 10206 |
| 1800 Serenity | 2005 | 18' 2" | 95" | 17583 | 10111 | 17575 |
| 1800 Super Hawk I/O | 01-02 | 17' 11" | 95" | 17684 | 10142 | 10274 |
| 1800 Super Hawk I/O | 04-12 | 18' 2" | 95" | 17684 | 10142 | 10274 |
| 1800 Super Hawk O/B | 01-02 | 17' 11" | 95" | 17694 | 10137 | 10267 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CRESTLINER-CONTINUED** | | | | | | |
| 1800 Super Hawk O/B | 04-12 | 18' 2" | 95" | **17694** | **10137** | **10267** |
| 1800 Super Hawk O/B | | 18' 0" | 95" | **17694** | **10137** | **10267** |
| 1850 Commander | 12-15 | 18' 8" | 94" | — | — | — |
| 1850 Dakota | | 18' 10" | 92" | **17584** | **10112** | **17576** |
| 1850 Fish Hawk | 04-05 | 18' 3" | 96" | **17694** | **10137** | **10267** |
| 1850 Fish Hawk | 06-14 | 18' 6" | 95.5" | **17694** | **10137** | **10267** |
| 1850 Fish Hawk SC | 05-14 | 18' 6" | 95.5" | **17815** | **10090** | **10236** |
| 1850 Fish Hawk WT | 2102 | 18' 6" | 95.5" | — | — | — |
| 1850 Phantom I/O | 1994 | 18' 2" | 87" | **17724** | **10032** | **10164** |
| 1850 Pro Am SC | 94-96 | 18' 10" | 92" | **17787** | **10217** | **10240** |
| 1850 Pro Tiller | 12-14 | 18' 8" | 96" | **17716** | **10105** | **10218** |
| 1850 Pro Tiller | 2015 | 18' 6" | 94" | **17716** | **10105** | **10218** |
| 1850 Raptor | 14-15 | 18' 8" | 96" | — | — | — |
| 1850 Raptor DC | 12-14 | 18' 8" | 96" | — | — | — |
| 1850 Raptor SC | 12-14 | 18' 8" | 96" | **17815** | **10090** | **10236** |
| 1850 Raptor WT | 12-14 | 18' 8" | 96" | — | — | — |
| 1850 Sportfish | 2012 | 18' 2" | 96" | — | — | — |
| 1850 Sportfish I/O | 97-08 | 18' 2" | 95" | **17694** | **10137** | **10267** |
| 1850 Sportfish O/B | 97-04 | 18' 2" | 95" | **17583** | **10111** | **17575** |
| 1850 Sportfish O/B | 14-15 | 18' 9" | 96" | — | — | — |
| 1850 Sportfish SST | 14-15 | 19' 9" | 96" | — | — | — |
| 1850 Super Hawk | 2014 | 18' 9" | 94" | — | — | — |
| 1852 MT | 12-14 | 18' 0" | 75" | **17750** | **10070** | **10206** |
| 1860 / C 1860VDC / VDS / DLX | 01-05 | 18' 0" | 81" | **17750** | **10070** | **10206** |
| 1860 CC | 2012 | 18' 0" | 85" | — | — | — |
| 1860 Deluxe Retriever | 2014 | 18' 0" | 85" | **17820** | — | |
| 1860 MSD | 97-99 | 18' 2' | 83" | **17048** | — | — |
| 1860 Retriever CC | 12-14 | 18' 0" | 85" | — | — | — |
| 1860 Retriever SC | 12-14 | 18' 0" | 85" | **17815** | **10090** | **10236** |
| 1880 Sport | 96-04 | 17' 6" | 96" | **17790** | **10114** | **10244** |
| 1881 LX / Sport | 2002 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| 1882 LX / Sport | 2002 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| 1885 Sport Classic | 05-08 | 18' 6" | 101" | **17790** | **10114** | **10244** |
| 1900 Phantom SST | 98-02 | 19' 2" | 95" | **17695** | **10138** | **10269** |
| 1900 Super Hawk | 2008 | 20'1" | 99" | **17020** | **10028** | **10162** |
| 1900 Super Hawk | 2012 | 19' 7" | 99" | **17020** | **10028** | **10162** |
| 192 Tournament | 04-08 | 19' 2" | 95" | **17713** | **10027** | **10161** |
| 192 Tournament SC | 06-07 | 19' 2" | 95" | **17787** | **10217** | **10240** |
| 1950 Sportfish I/O | 05-12 | 19' 7" | 100" | **17726** | **10034** | **10166** |
| 1950 Sportfish I/O | 94-95 | 19' 0" | 96" | **17725** | **10033** | **10165** |
| 1950 Sportfish O/B | 05-12 | 19' 7" | 100" | **17726** | **10034** | **10166** |
| 1950 Sportfish O/B | 94-96 | 19' 0" | 96" | **17584** | **10112** | **17576** |
| 1950 Sportfish OB | 2015 | 19' 9" | 98" | **17584** | **10112** | **17576** |
| 1950 Sportfish SST | 2015 | 20' 10" | 98" | **17030** | **10113** | **17577** |
| 1950 Super Hawk | 14-15 | 19' 9" | 98" | **17020** | **10028** | **10162** |
| 1960 Retriever Jon | 2014 | 18' 0" | 85" | **17820** | — | — |
| 2000 Coast Edition | 2014 | 20' 0" | 96" | **17838** | **10151** | **15405** |
| 2000 Serenity | 2005 | 20' 2" | 99" | **17030** | **10113** | **17577** |
| 2000 Super Hawk I/O | 2004 | 20' 1" | 99" | **17080** | **10028** | **10162** |
| 202 Tournament | 04-12 | 20' 2" | 100.5" | **17800** | **10071** | **10205** |
| 202 Tournament SC | 06-12 | 20' 2" | 100.5" | **17816** | **10094** | **10237** |
| 202 Tournament WT | 2012 | 20' 2" | 100.5" | **17800** | **10071** | **10205** |
| 2050 Phantom I/O | 1994 | 20' 4" | 96" | **17726** | **10034** | **10166** |
| 2050 Raptor | 15-Dec | 20' 2" | 100.5" | **17800** | **10071** | **10205** |
| 2050 Sportfish I/O | 97-04 | 20' 1" | 99" | **17726** | **10034** | **10166** |
| 2050 Sportfish O/B | 97-04 | 20' 1" | 99" | **17030** | **10113** | **17577** |
| 2070 Retriever CC | 12-14 | 20' 0" | 96" | — | — | — |
| 2070 Retriever Jon | 2014 | 20' 0" | 96" | **17822** | — | — |
| 2070 Retriever SC | 12-14 | 20' 0" | 96" | **17806** | **10078** | **10027** |
| 2070/C 2070 VDC / VDS DLX | 04-05 | 20' 6" | 96" | **17822** | — | — |
| 2080 Cfi / Sport / Sport LX / Classic | 96-04 | 18' 8" | 96" | **17790** | **10114** | **10244** |
| 2080 Sport / LX | 2001 | 19' 8" | 96" | — | **10289** | **10330** |
| 2081 Sport LX Cruise / Fishing | 02-04 | 20' 0" | 96" | — | **10289** | **10330** |
| 2082 Pontoon | 2002 | 20' 0" | 96" | — | **10289** | **10330** |
| 2085 CFi / Sport LX / Classic / Lsi Angler | 04-08 | 20' 6" | 102" | — | **10289** | **10330** |
| 2085 Sport LX / Sport Classic | 2007 | 20' 6" | 101" | — | **10289** | **10330** |
| 2150 Sportfish O/B | 05-15 | 21' 11" | 102" | **17728** | **10036** | **10168** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CRESTLINER-CONTINUED** | | | | | | |
| 2150 Sportfish SST | 2015 | 22' 11" | 102" | **17782** | **10154** | **15408** |
| 2150 Sportfish SST O/B | 2014 | 22' 0" | 102" | — | — | — |
| 2200 Bay | 2014 | 22' 3" | 98" | **17782** | **10154** | **15408** |
| 2281 Sport LX Cruise / Fishing | 02-04 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| 2282 Sport LX | 2002 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| 2285 CFi | 04-06 | 22' 7" | 102" | **17791** | **10116** | **10245** |
| 2285 LSi Angler / O/B | 02-07 | 22' 7" | 102" | **17791** | **10116** | **10245** |
| 2285 Sport LX | 2007 | 22' 6" | 101" | **17791** | **10116** | **10245** |
| 2480 Sport / LX Cruise / Fishing | 98-01 | 24' 0" | 96" | — | **10290** | **10331** |
| 2485 LSi / Angler / I/O / O/B | 94-05 | 24' 0" | 102" | — | **10290** | **10331** |
| 2485 LSi Angler / O/B | 04-07 | 24' 7" | 102" | — | **10290** | **10331** |
| 2485 Sport LX | 2007 | 24' 7" | 101" | — | **10290** | **10331** |
| 2485 Sport LX | 04-05 | 24' 6" | 102" | — | **10290** | **10331** |
| 2685 LSI Sterndrive | 04-07 | 25' 6 " | 102" | **17792** | **10117** | **10247** |
| Angler 1400 Tiller / SC | 05-06 | 14' 0" | 79" | **17809** | **10071** | **10230** |
| Angler 16 SC | 99-02 | 16' 5" | 76" | **17459** | **15429** | **15428** |
| Angler 16 Tiller | 99-02 | 16' 5' | 76" | **17456** | **10093** | **10212** |
| Angler 1600 | 2002 | 16' 0" | 82" | **17456** | **10093** | **10212** |
| Angler 1600 Tiller / SC | 02-06 | 16' 0" | 84" | **17459** | **15429** | **15428** |
| Angler 1600T | 2004 | 16' 0" | 84" | **17714** | **10104** | **10215** |
| Angler 1650 Sport | 2005 | 16' 3" | 87" | **17719** | **10101** | **10216** |
| Apollo 660 | 1986 | 16' 4" | 83" | **17710** | **10023** | **10158** |
| Canadian 14 SC / Tiller | 04-08 | 14' 7" | 73" | **17454** | **10087** | **10208** |
| Canadian 16 SC / Tiller | 04-08 | 16' 7" | 75" | **17455** | **10092** | **10211** |
| Canadian 1650 | 07-08 | 16' 5" | 87" | **17711** | **10025** | **10159** |
| Canadian 18 SC | 04-08 | 18' 0" | 79" | **17811** | **10083** | **10232** |
| Canadian 1850 | 07-08 | 18' 2" | 95.5" | **17694** | **10137** | **10267** |
| CL 16 Bass | 1999 | 16' 1" | 73" | **17744** | **10067** | **10195** |
| CL 17 Bass | 1999 | 17' 0" | 73" | **17748** | **10069** | **10204** |
| CMV 1750 | 04-07 | 17' 2" | 91" | **17718** | **10106** | **10219** |
| CMV 1850 | 04-07 | 18' 1" | 95" | **17716** | **10105** | **10218** |
| Commander 14 | | 14' 1" | 68" | **17454** | **10087** | **10208** |
| Commander 16 | 86-87 | 16' 3" | 68" | **17455** | **10092** | **10211** |
| Commander 16 W | 1987 | 16' 3" | 77" | **17456** | **10093** | **10212** |
| Commander 2-S | 1987 | 16' 3" | 77" | **17456** | **10093** | **10212** |
| Commander V 16 | 89-90 | 16' 8" | 75" | **17456** | **10093** | **10212** |
| Commodore 14 | 1986 | 14' 1" | 68" | **17454** | **10087** | **10208** |
| Commodore V 14 | 89-90 | 14' 5" | 69" | **17454** | **10087** | **10208** |
| Crusader 160 Angler | 86-90 | 16' 0" | 78" | **17456** | **10093** | **10212** |
| Crusader 160 O/B | 1986 | 16' 0" | 86" | **17710** | **10023** | **10158** |
| Crusader 165 I/O | 1986 | 16' 0" | 86" | **17722** | **10029** | — |
| Crusader 170 Sport Fish O/B | 87-89 | 17' 2" | 92" | **17711** | **10025** | **10159** |
| Crusader 175 I/O | 1987 | 17' 2" | 92" | **17723** | **10030** | **10163** |
| Crusader 180 Angler | | 18' 0" | 89" | **17712** | **10026** | **10160** |
| Crusader 180 O/B | 86-87 | 18' 0" | 86" | **17712** | **10026** | **10160** |
| Crusader 185 I/O | 86-87 | 18' 0" | 86" | **17724** | **10032** | **10164** |
| Crusader 2015 | 86-89 | 22' 4" | 96" | **17589** | **10131** | **10259** |
| Crusader 205 Cuddy | 86-87 | 20' 2" | 91' | **17587** | **10129** | **10257** |
| Crusader 205 Open Bow | 86-87 | 20' 2" | 91" | **17726** | **10034** | **10166** |
| Crusader 205 Rampage | 1986 | 20' 1" | 96" | **17726** | **10034** | **10166** |
| Crusader 2015 Runabout | | 20' 6" | 96" | **17588** | **10130** | **10258** |
| Crusader 770 O/B | | 17' 4" | 86" | **17711** | **10025** | **10159** |
| Crusader 775 Rampage | 1986 | 17' 3" | 86" | **17723** | **10030** | **10163** |
| CX 1650 / CS 16SS | 00-06 | 16' 0" | 71" | **17774** | **10054** | **10181** |
| CX 17 | 07-08 | 17' 1" | 87" | **17803** | **10075** | **10224** |
| CX 1754 / CX 1754 Crappie | 00-06 | 17' 0" | 76" | **17748** | **10069** | **10204** |
| CX 178 | 1999 | 17' 8" | 78" | **17750** | **10070** | **10206** |
| CX 1860 | 00-06 | 18' 0" | 81" | **17750** | **10070** | **10206** |
| CX 19 | 07-08 | 18' 9" | 90" | **17804** | **10076** | **10225** |
| CXJ 1655 | 06-08 | 16' 2" | 76" | **17744** | **10067** | **10195** |
| CXJ 1760 | 06-08 | 17' 0" | 81" | **17803** | **10075** | **10224** |
| CXJ 1870 | 06-08 | 18' 0" | 90.5" | **17804** | **10076** | **10225** |
| CXJ 2070 | 06-08 | 20' 0" | 90.5" | **17806** | **10078** | **10227** |
| CXP 185 | 2004 | 18' 0" | 91" | **17775** | **10056** | **10183** |
| Ensign 12 | 87-90 | 12' 1" | 58" | **17453** | **10086** | **10207** |
| Ensign 14 | 86-90 | 14' 0" | 58" | **17454** | **10087** | **10208** |
| Ensign 16 | 86-90 | 16' 3" | 68" | **17455** | **10092** | **10211** |
| Ensign 16 W | 87-90 | 16' 3" | 77" | **17456** | **10093** | **10212** |
| Explorer 16 | | 16' 4" | 77" | **17456** | **10093** | **10212** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CRESTLINER-CONTINUED** | | | | | | |
| Explorer 17 | | 17' 3" | 77" | 17461 | 10103 | 10214 |
| Fish & Ski SST | | 18' 2" | 87" | 17712 | 10026 | 10160 |
| Jon C 1652 V | 2004 | 16' 0" | 75" | 17455 | 10067 | 10195 |
| Jon C 1652 V / John C 1652 VS | 07-08 | 16' 2" | 76" | 17455 | 10092 | 10211 |
| Jon C 1652 V / Jon C 1652 VS / Jon C 1652 DS Deluxe | 04-06 | 16' 0" | 75" | 17744 | 10092 | 10211 |
| Jon C 1752 SV / Jon C 1754 VDS | 04-05 | 17' 0" | 75" | 17748 | 10069 | 10204 |
| Jon C 1754 VDC | 04-05 | 17' 0" | 75" | 17453 | 10086 | 10207 |
| Jon C 1756 VDC Deluxe | 04-05 | 17' 0" | 77" | 17750 | 10069 | 10204 |
| Jon C 1860 V / VS | 07-08 | 18' 0" | 90.5" | 17804 | 10076 | 10225 |
| Jon C 1860 VDC Deluxe | 04-05 | 18' 0" | 81" | 17820 | — | — |
| Jon C 1860 VDS | 2004 | 18' 0" | 81" | 17750 | 10070 | 10206 |
| Jon C 2070 V / VS | 04-06 | 20' 6" | 96" | 17806 | 10078 | 10227 |
| Jon C 2070 V / VS | 04-06 | 20' 6" | 96" | 17806 | 10078 | 10227 |
| Jon C 2070 VDC / VDS Deluxe | 04-05 | 20' 6" | 96" | 17822 | — | — |
| Jon CR 1232 | 04-12 | 11' 10" | 48" | 17818 | — | — |
| Jon CR 1236 | 04-12 | 11' 11" | 56" | 17819 | — | — |
| Jon CR 1436 | 04-12 | 14' 0" | 57" | 17040 | — | — |
| Jon CR 1448 / 1448 M | 04-12 | 14' 0" | 70" | 17044 | — | — |
| Jon CR 1648 / 1648 M | 04-12 | 15' 10" | 70" | 17046 | — | — |
| Jon CR 1852 MT | 04-12 | 18' 0" | 75" | 17048 | — | — |
| Kodiak 14 / 14 DLX | 95-98 | 14' 0" | 71" | 17454 | 10087 | 10208 |
| Kodiak 16 / 16 DLX | 95-98 | 16' 0" | 71" | 17455 | 10092 | 10211 |
| Kodiak 18 / 18 SC | 95-98 | 17' 5" | 78" | 17461 | 10103 | 10214 |
| Maverick V 170 | 89-90 | 17' 3" | 81" | 17776 | 10055 | 10182 |
| Maverick V 180 | 1989 | 17' 5" | 86" | 17582 | 10110 | 17574 |
| Mirage 1700 | 06-07 | 17' 1" | 89" | 17693 | 10136 | 10265 |
| Mirage 1800 | 06-07 | 18' 2" | 95" | 17694 | 10137 | 10267 |
| Mirage 2000 | 06-07 | 20' 1" | 99" | 17020 | 10028 | 10162 |
| MSD 1448 / 1448 | 96-99 | 14' 0" | 70" | 17044 | — | — |
| MSD 1648 / 1648 | 96-99 | 16' 0" | 70" | 17046 | — | — |
| MSD 1860 | 1999 | 18' 2' | 83" | 17048 | — | — |
| Muskie Pro 14 | 1986 | 14' 1" | 68" | 17454 | 10087 | 10208 |
| Muskie Pro 16 | 86-90 | 16' 3" | 68" | 17455 | 10092 | 10211 |
| Muskie Pro 16 XL | 1986 | 16' 3" | 75" | 17455 | 10092 | 10211 |
| Muskie Pro 550 | 1986 | 15' 2" | 72" | 17732 | 10041 | — |
| Muskie Pro MP14W | 89-90 | 14' 1" | 68" | 17454 | 10087 | 10208 |
| Muskie Pro MP16W | 89-90 | 16' 3" | 77" | 17456 | 10093 | 10212 |
| Night Hawk 16 | 93-95 | 15' 11" | 68" | 17455 | 10092 | 10211 |
| Night Hawk 1640 DLX | 94-95 | 16' 4" | 75" | 17456 | 10093 | 10212 |
| Nordic 18 I/O | 1986 | 18' 0" | 82" | 17724 | 10032 | 10164 |
| Nordic 18 O/B | 1986 | 18' 0" | 82" | 17712 | 10026 | 10160 |
| Nordic 19 O/B | 1986 | 19' 0" | 88" | 17713 | 10027 | 10161 |
| Nordic 22 I/O | | 21' 8" | 92" | 17728 | 10036 | 10168 |
| Nordic Sport Fish 18 | 1986 | 18' 0" | 82" | 17712 | 10026 | 10160 |
| Nordic Sport Fish 19 | 1986 | 19' 0" | 88" | 17713 | 10027 | 10161 |
| North Star 16 | 86-89 | 16' 2" | 76" | 17710 | 10023 | 10158 |
| Sport Fish 16 | | 16' 2" | 76" | 17710 | 10023 | 10158 |
| Sport Fish 22 | | 21' 8" | 92" | 17728 | 10036 | 10168 |
| Sportsman 12 | | 12' 1" | 52" | 17453 | 10086 | 10207 |
| Super Hawk 16 | 1986 | 16' 3" | 77" | 17456 | 10093 | 10212 |
| Super Seaman 14 | 86-87 | 14' 0" | 58" | 17454 | 10087 | 10208 |
| TC 17 | 2012 | 17' 0" | 85" | 17803 | 10075 | 10224 |
| TC 18 | 2012 | 18' 3" | 91" | 17804 | 10076 | 10225 |
| TC 18 | 2014 | 18' 3" | 92.25" | 17804 | 10076 | 10225 |
| Tournament Pro 1750 | 97-98 | 17' 3" | 88" | 17718 | 10106 | 10219 |
| V 14 Fish Hawk DLX | 1989 | 14' 5" | 69" | 17457 | 10091 | 10209 |
| V 16 Fish Hawk DLX | 1990 | 16' 8" | 75" | 17456 | 10093 | 10212 |
| V-150 Mirage O/B | 87-90 | 15' 0" | 78" | 17709 | 10022 | 10157 |
| V-160 | 1987 | 16' 4" | 76" | 17456 | 10093 | 10212 |
| V-160 Mirage O/B / Sport Fish / SST | 87-93 | 16' 5" | 78" | 17710 | 10023 | 10158 |
| V-160 Pro-Am | — | 16' 5" | 82" | 17774 | 10054 | 10181 |
| V-165 Mirage I/O | 87-93 | 16' 5" | 78" | 17722 | 10029 | — |
| V-170 / Deluxe | 1987 | 17' 5" | 76" | 17761 | 10139 | 10203 |
| V-170 Phantom | 1986 | 17' 3" | 77" | 17711 | 10025 | 10159 |
| V-170 Phantom Eagle | 87-89 | 17' 6" | 78" | 17582 | 10110 | 17574 |
| V-170 Phantom Sport Fish | — | 17' 3" | 77" | 17711 | 10025 | 10159 |
| V-170 Pro-Am | — | 17' 6" | 87" | 17776 | 10055 | 10182 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CRESTLINER-CONTINUED** | | | | | | |
| V-175 Phantom | 1986 | 17' 3" | 77" | 17723 | 10030 | 10163 |
| V-175 Phantom Sport Fish | 1993 | 17' 6" | 83" | 17724 | 10032 | 10164 |
| V-180 Center Console | — | 18' 2" | 87" | 17780 | 15412 | 15403 |
| V-180 Deluxe | 87-89 | 18' 2" | 87" | 17775 | 10056 | 10183 |
| V-180 Phantom | 87-92 | 18' 2" | 87" | 17712 | 10026 | 10160 |
| V-180 Sport Fish | 1993 | 18' 2" | 87" | 17712 | 10026 | 10160 |
| V-1810 Pro-Am | — | 18' 10" | 92" | 17773 | 15411 | 15401 |
| V-185 Open Bow | 1989 | 18' 1" | 81" | 17724 | 10032 | 10164 |
| V-185 Phantom | 87-93 | 18' 2" | 87" | 17712 | 10026 | 10160 |
| V-190 Center Console | 87-89 | 19' 0" | 96" | 17737 | 10150 | 15404 |
| V-190 Sabre Open Bow | 87-90 | 19' 0" | 96" | 17713 | 10027 | 10161 |
| V-195 Open Bow | 89-90 | 19' 2" | 86" | 17725 | 10033 | 10165 |
| V-195 Sabre | 87-90 | 19' 0" | 96" | 17725 | 10033 | 10165 |
| V-200 CC | 87-89 | 20' 4" | 96" | 17738 | 10151 | 15405 |
| V-205 Sabre | 86-95 | 20' 4" | 96" | 17726 | 10034 | 10166 |
| V-215 Cuddy | 89-90 | 21' 5" | 96" | 17589 | 10131 | 10259 |
| V-215 Open Bow | 89-90 | 21' 5" | 96" | 17728 | 10036 | 10168 |
| V-225 | — | 22' 4" | 96" | 17728 | 10036 | 10168 |
| VT 17 | 2012 | 17' 6" | 91" | — | — | — |
| VT 17 | 2014 | 17' 6" | 92.25" | — | — | — |
| VT 19 | 2012 | 19' 0" | 91" | 17805 | 10077 | 10226 |
| VT 19 | 2014 | 19' 0" | 92.25" | 17805 | 10077 | 10226 |
| X-120 | 98-02 | 12' 1" | 58" | 17453 | 10086 | 10207 |
| X-140 | 99-02 | 14' 0" | 60" | 17454 | 10087 | 10208 |
| X-160 | 98-02 | 15' 10" | 69" | 17455 | 10092 | 10211 |
| XCR 1256 V | 04-07 | 12' 1" | 56" | 17453 | 10086 | 10207 |
| XCR 1257V | 2012 | 12' 1" | 57" | 17453 | 10086 | 10207 |
| XCR 1457V | 2012 | 13' 11" | 57" | 17454 | 10087 | 10208 |
| XCR 1462 V | 04-07 | 13' 8" | 62" | 17454 | 10087 | 10208 |
| XCR 1467V | 2012 | 13' 11" | 67" | 17453 | 10086 | 10207 |
| XCR 1467VWT | 2012 | 13' 11" | 67" | 17454 | 10087 | 10208 |
| XCR 1667 V | 04-12 | 16' 0" | 67" | 17455 | 10092 | 10211 |
| **CROWNLINE** | | | | | | |
| 176 BR / Sport | 96-98 | 17' 6" | 90" | 17684 | 10142 | 10274 |
| 18 SS | 2015 | 18' 0" | 92" | 17684 | 10142 | 10274 |
| 180 BR | 2004 | 19' 1" | 96" | 17685 | 10143 | 10275 |
| 180 BR / 180 BR Sport | 98-08 | 18' 0" | 92" | 17684 | 10142 | 10274 |
| 180 BR w/platform | 2004 | 20' 7" | 96" | 17687 | 10145 | 10277 |
| 182 BR / BR CD / BR LPX | 96-00 | 18' 2" | 96" | 17684 | 10142 | 10274 |
| 185 SS | 08-14 | 18' 5" | 92" | 17684 | 10142 | 10274 |
| 19 SS | 2015 | 18' 1" | 92" | 17684 | 10142 | 10274 |
| 192 BR / 192 BR Sport | 98-04 | 19' 1" | 96" | 17685 | 10143 | 10275 |
| 192 SS | 2008 | 19' 1" | 92" | 17685 | 10143 | 10275 |
| 196 BR | | 19' 6" | 102" | 17686 | 10144 | 10276 |
| 200 LS | 2008 | 20 '8" | 102" | 17686 | 10144 | 10276 |
| 202 BR / LPX | 96-03 | 20' 2" | 102" | 17686 | 10144 | 10276 |
| 202 BR / LPX | 2004 | 22' 5" | 102" | 17689 | 10147 | 10279 |
| 205 CCR | 99-02 | 20' 4" | 102" | 17568 | — | — |
| 206 LS | 2004 | 19' 6" | 102" | 17685 | 10143 | 10275 |
| 206 LS w/platform | 2004 | 21' 6" | 102" | 17688 | 10146 | 10278 |
| 21 SS | 08-15 | 20' 10" | 102" | 17686 | 10144 | 10276 |
| 210 BR / 210 BR LX | 02-04 | 20' 4" | 102" | 17686 | 10144 | 10276 |
| 210 CCR | 98-00 | 21'0" | 102" | 17588 | 10130 | 10258 |
| 210 LS | 2008 | 21'6" | 102" | 17687 | 10145 | 10277 |
| 210 LX | 2004 | 20' 4" | 102" | 17686 | 10144 | 10276 |
| 210 LX w/platform | 2004 | 22' 4" | 102" | 17689 | 10147 | 10279 |
| 212 DB | 00-03 | 21' 2" | 102" | 17795 | 10315 | 10189 |
| 215 CCR | 02-09 | 21' 1" | 102" | 17588 | 10130 | 10258 |
| 216 Razor LS | 2004 | 20' 4" | 102" | 17686 | 10144 | 10276 |
| 216 Razor LS w/platform | 2004 | 22' 4" | 102" | 17688 | 10146 | 10278 |
| 220 CCR | 2004 | 21' 1" | 102" | 17589 | 10131 | 10259 |
| 220 EX | 2008 | 22' 6" | 102" | 17796 | 10316 | 10190 |
| 220 LS | 2008 | 22' 6 | 102" | 17688 | 10146 | 10278 |
| 225 BR / LPX | 96-04 | 22' 5" | 102" | 17689 | 10147 | 10279 |
| 225 CCR | 98-00 | 22' 5" | 102" | 17570 | — | — |
| 225 Razor BR | 2004 | 22' 5" | 102" | 17689 | 10147 | 10279 |
| 23 SS | 2008 | 23' 3" | 102" | 17689 | 10147 | 10279 |
| 230 BR | 02-04 | 23' 0" | 102" | 17689 | 10147 | 10279 |
| 230 BR / LPX | 2004 | 23' 7" | 102" | 17689 | 10147 | 10279 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **CROWNLINE-CONTINUED** | | | | | | |
| 230 CCR | 00-08 | 23' 6" | 102" | **17590** | **10132** | **10261** |
| 230 LS | 2008 | 24' 0" | 102" | **17801** | **10072** | **10210** |
| 235 CCR | 2004 | 23' 0" | 102" | **17590** | **10132** | **10261** |
| 235 CCR w/platform | 2004 | 24' 11" | 102" | **17592** | **10134** | — |
| 235 SS | 2015 | 23' 5" | 102" | **17590** | **10132** | **10261** |
| 236 SC | 2015 | 23' 6" | 102" | **17590** | **10132** | **10261** |
| 238 DB | 00-03 | 23' 7" | 102" | **17797** | **10317** | **10191** |
| 239 DB | 02-03 | 23' 7" | 102" | **17797** | **10317** | **10191** |
| 240 EX | 04-08 | 22' 6" | 102" | **17796** | **10316** | **10190** |
| 240 EX w/platform | 04-08 | 24' 6" | 102" | **17798** | **10318** | **10199** |
| 242 CR | 00-03 | 24' 1" | 102" | **17798** | **10318** | **10199** |
| 248 BR | 99-00 | 24' 8" | 102" | **17798** | **10318** | **10199** |
| 248 CCR | 99-00 | 24' 8" | 102" | **17572** | — | — |
| 252 EX | 2008 | 25' 6" | 102" | **17799** | **10319** | **10200** |
| 255 SS | 2015 | 25' 8" | 102" | **17802** | **10073** | **10221** |
| 260 EX | 2004 | 24' 6" | 102" | **17798** | **10318** | **10199** |
| 262 EX | 2008 | 26' 6" | 102" | **17823** | **10096** | **10239** |
| 266 SC | 2015 | 26' 6" | 102" | — | — | — |
| E 1 | 2015 | 20' 6" | 102" | **17794** | **10315** | **10201** |
| E 2 | 2015 | 22' 6" | 102" | **17796** | **10316** | **10190** |
| E 4 | 2015 | 24' 6" | 102" | **17798** | **10318** | **10199** |
| E 6 | 2015 | 26' 4" | 102" | **17823** | **10096** | **10239** |
| **CRUISERS, INC.** | | | | | | |
| 1950 Vee Sport | 1987 | 18' 6" | 90" | **17725** | **10033** | **10165** |
| 201 Sea Devil | 85-86 | 20' 3" | 93" | **17588** | **10130** | **10258** |
| 202 Baron / SX | 85-86 | 20' 3" | 93" | **17587** | **10129** | **10257** |
| 208 Bow Rider | 2015 | 20' 11" | 94" | **17587** | **10129** | **10257** |
| 220 C / 220 Barnegat | 85-87 | 22' 0" | 96" | **17589** | **10131** | **10259** |
| 222 Baron | 85-86 | 22' 0" | 96" | **17589** | **10131** | **10259** |
| 238 Bow Rider | 2015 | 23' 8" | 102" | **17689** | **10147** | **10279** |
| 258 Bow Rider | 2015 | 25' 0" | 102" | **17802** | **10073** | **10221** |
| 259 Sport Cuddy | 2015 | 25' 0" | 102" | **17802** | **10073** | **10221** |
| 278 Bow Rider | 2015 | 27' 0" | 102" | — | — | — |
| 279 Sport Cuddy | 2015 | 27' 0" | 102" | — | — | — |
| Lazer 1900 | 85-86 | 18' 6" | 90" | **17586** | **10128** | **10256** |
| Lazer 2000 | 1985 | 20' 3" | 93" | **17587** | **10129** | **10257** |
| Lazer 2200 | 85-86 | 22' 0" | 96" | **17589** | **10131** | **10259** |
| **CYPRESS CAY** | | | | | | |
| Angler 220 | 2009 | 23' 0" | 102" | — | **10290** | **10331** |
| Cabana 200 | 2009 | 21' 0" | 102" | **17791** | **10116** | **10245** |
| Cabana 200 | 2015 | 20' 0" | 102" | — | **10289** | **10330** |
| Cabana 220 | 2009 | 23' 0" | 102" | — | **10290** | **10331** |
| Cabana 220 | 2015 | 22' 0" | 102" | **17791** | **10116** | **10245** |
| Cabana 240 | 2015 | 24' 0" | 102" | — | **10290** | **10331** |
| Cabana 250 | 2009 | 26' 0" | 102" | **17792** | **10117** | **10247** |
| Cambio 160 | 2015 | 18' 4" | 99" | **17790** | **10114** | **10244** |
| Cambio 180 | 2015 | 16' 4" | 99" | — | **10288** | **10329** |
| Cambio 180 | 2015 | 20' 4" | 99" | — | **10289** | **10330** |
| Cancun 220 | 2009 | 24' 0" | 102" | — | **10290** | **10331** |
| Cancun250 / BCS | 2009 | 27' 0" | 102" | — | **10291** | **10332** |
| Cayman 230 / LE 230 / SLE 230 | 2015 | 23' 0" | 102" | — | **10290** | **10331** |
| Cayman 250 / LE 250 / SLE 250 | 2015 | 25' 0" | 102" | **17792** | **10117** | **10247** |
| Cozumel 220 | 2009 | 23' 0" | 102" | — | **10290** | **10331** |
| Cozumel 220 | 2015 | 22' 0" | 102" | **17791** | **10116** | **10245** |
| Cozumel 240 | 2015 | 24' 0" | 102" | — | **10290** | **10331** |
| Cozumel 250 | 2009 | 26' 0" | 102" | **17792** | **10117** | **10247** |
| Seabreeze 210 | 2015 | 20' 0" | 102" | — | **10289** | **10330** |
| Seabreeze 230 | 2015 | 22' 0" | 102" | **17791** | **10116** | **10245** |
| Seabreeze 250 | 2015 | 24' 0" | 102" | — | **10290** | **10331** |
| Striper 220 | 2009 | 23' 0" | 102" | — | **10290** | **10331** |
| **DISCOVERY MARINE, INC.** | | | | | | |
| D'Lite 12 | 1994 | 12' 2" | 56" | **17453** | **10086** | **10207** |
| D'Lite 12 | | 12' 1" | 57" | **17453** | **10086** | **10207** |
| D'Lite 14 | 93-94 | 14' 2" | 57" | **17454** | **10087** | **10208** |
| Shuttle 2000 D / 2000 F | 93-94 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| Shuttle 2400 D | 93-94 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| Voyager 14 | | 14' 2" | 57" | **17454** | **10087** | **10208** |
| Voyager 14 | 1993 | 13' 11" | 67" | **17454** | **10087** | **10208** |
| Voyager 14 | 1994 | 13' 11" | 68" | **17454** | **10087** | **10208** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **DISCOVERY MARINE, INC. -CONTINUED** | | | | | | |
| Voyager 16 | 1994 | 15' 10" | 67" | **17455** | **10092** | **10211** |
| Voyager 16 | 1993 | 15' 9.5" | 67" | **17455** | **10092** | **10211** |
| Voyager D14 C / Voyager D14 T | 1994 | 13' 11" | 68" | **17454** | **10087** | **10208** |
| Voyager D16 C / Voyager D16 T | 1993 | 15' 10" | 67" | **17455** | **10092** | **10211** |
| Voyager SS14C / Voyager SS14T | 1993 | 13' 11" | 67" | **17454** | **10087** | **10208** |
| Voyager SS16C / Voyager SS16T | 1994 | 15' 9.5" | 67" | **17455** | **10092** | **10211** |
| Voyager SS16C / Voyager SS16T | 1993 | 15' 10" | 67" | **17455** | **10092** | **10211** |
| **DIXIE BOATWORKS** | | | | | | |
| 116 | | 15' 8" | 65" | **17455** | **10092** | **10211** |
| 214 | | 14' 3" | 59" | **17454** | **10087** | **10208** |
| Bandit 170 I/O | | 17' 0" | 80" | **17723** | **10030** | **10163** |
| Bandit 170 O/B | | 17' 0" | 80" | **17711** | **10025** | **10159** |
| Cheater / 171 Fish & Ski | | 17' 0" | 80" | **17582** | **10110** | **17574** |
| Classic 187 I/O | | 18' 1" | 86" | **17724** | **10032** | **10164** |
| Family Cruiser 521 | | 21' 1" | 96" | **17727** | **10035** | **10167** |
| Fisherman 316 | | 16' 0" | 69" | **17460** | **10102** | **10213** |
| Hustler 188 I/O | | 18' 1" | 85" | **17724** | **10032** | **10164** |
| Hustler 188 O/B | | 18' 1" | 85" | **17712** | **10026** | **10160** |
| Mate 166 | | 15' 3" | 74" | **17550** | — | — |
| Performer 199 | | 19' 1" | 91" | **17725** | **10033** | **10165** |
| Renegade 156 | | 16' 3" | 75" | **17710** | **10023** | **10158** |
| Runabout 156 | | 15' 4" | 74" | **17709** | **10022** | **10157** |
| Super Skier 199 | | 19' 0" | 90" | **17725** | **10033** | **10165** |
| Super Skier 299 | | 19' 1" | 91" | **17725** | **10033** | **10165** |
| Swinger 190 I/O | | 18' 0" | 85" | **17724** | **10032** | **10164** |
| Swinger 190 O/B | | 18' 0" | 85" | **17712** | **10026** | **10160** |
| Tom Cat | | 21' 1" | 96" | **17727** | **10035** | **10167** |
| Top of the Line 721 | | 21' 1" | 96" | **17727** | **10035** | **10167** |
| Versatility 187 | | 18' 1" | 86" | **17712** | **10026** | **10160** |
| **DOLPHIN** | | | | | | |
| 16' Renegade Pro | 2004 | 15' 10" | 72" | — | — | — |
| 16' Renegade Tiller | 2004 | 15' 10" | 72" | — | — | — |
| 16' Super Skiff Pro | 2004 | 15' 10" | 72" | — | — | — |
| 16' Super Skiff Tiller | 2004 | 15' 10" | 72" | — | — | — |
| 17' Super Skiff Pro | 2004 | | | — | — | — |
| 18' Back Country Pro | 2004 | 17' 10" | 91" | — | — | — |
| 22' Bull Dolphin | 2004 | 23' 8" | 98" | — | — | — |
| Fisherman I | 1987 | 15' 3" | 75" | **17552** | — | — |
| Gemini 170 I/O | 87-89 | 16' 9" | 85" | **17723** | **10030** | **10163** |
| Gemini 170 O/B | 87-89 | 16' 9" | 85" | **17711** | **10025** | **10159** |
| Gemini 190 / Super Sport | 87-89 | 18' 9" | 92" | **17725** | **10033** | **10165** |
| Gemini Cuddy / S.S. BR Cuddy | 1989 | 18' 9" | 92" | **17586** | **10128** | **10256** |
| Sea Trek | 1987 | 21' 9" | 96" | **17589** | **10131** | **10259** |
| Sea Trek II | 1987 | 21' 10" | 96" | **17728** | **10036** | **10168** |
| Sea Trek S. S. | 1987 | 21' 10" | 96" | **17728** | **10036** | **10168** |
| Sea Trek S. S. Cuddy | 1987 | 21' 10" | 96" | **17728** | **10036** | **10168** |
| **DONZI** | | | | | | |
| 16 Classic | 2015 | 16' 5" | 83" | **17682** | **10140** | **10243** |
| 18 Classic | 04-15 | 18' 0" | 84" | **17684** | **10142** | **10274** |
| 182 Medallion | 1995 | 18' 3" | 92" | **17684** | **10142** | **10274** |
| 19 LXR | 1998 | 19' 3" | 96" | **17685** | **10143** | **10275** |
| 21 LXR | 1998 | 21' 3" | 102" | **17687** | **10145** | **10277** |
| 210 Medallion | 1995 | 21' 0" | 102" | **17588** | **10130** | **10258** |
| 212 Medallion | 1995 | 21' 0" | 102" | **17687** | **10145** | **10277** |
| 22 Classic | 2015 | 22' 6" | 84" | — | — | — |
| 22 ZX | 2004 | 22' 3" | 93" | **17688** | **10146** | **10278** |
| 23 ZF | 2004 | 24' 5" | 102" | **17689** | **10147** | **10279** |
| Hornet III | | 21' 0" | 94" | **17687** | **10145** | **10277** |
| Minx | 1987 | 20' 1" | 84" | **17686** | **10144** | **10276** |
| Ragazza R-17 | 1987 | 17' 0" | 87" | **17723** | **10030** | **10163** |
| Ragazza R-19 | 1987 | 18' 7" | 88" | **17725** | **10033** | **10165** |
| Ragazza R-21 | 1987 | 21' 0" | 98" | **17727** | **10035** | **10167** |
| Sweet 16 | 1995 | 16' 8" | 82" | **17683** | **10141** | — |
| Z-20 | 99-00 | 19' 3" | 96" | **17685** | **10143** | **10275** |
| Z-21 / ZB-21 | | 21' 0" | 99" | **17687** | **10145** | **10277** |
| Z-22 | 00-01 | 21' 3" | 102" | **17687** | **10145** | **10277** |
| Z-22 Cuddy | 2000 | 21' 3" | 102" | **17588** | **10130** | **10258** |
| Z-23 Sport | 2002 | 23' 4" | 102" | **17882** | **10323** | **17891** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **DORAL** | | | | | | |
| 170 O/B | 96-98 | 16' 8" | 83" | 17693 | 10136 | 10265 |
| 170 O/B | 99-01 | 16' 10" | 82" | 17693 | 10136 | 10265 |
| 185 I/O | 95-98 | 18' 7" | 88" | 17685 | 10143 | 10275 |
| 185 I/O | 99-00 | 18' 6" | 87" | 17685 | 10143 | 10275 |
| 185 O/B | 96-02 | 18' 7" | 88" | 17695 | 10138 | 10269 |
| 185 O/B | 99-01 | 18' 6" | 87" | 17695 | 10138 | 10269 |
| 190 BR | 99-02 | 19' 2" | 96" | 17685 | 10143 | 10275 |
| 190 Center Console | 97-98 | 18' 5" | 87" | 17780 | 15412 | 15403 |
| 190 Cuddy | 00-02 | 19' 2" | 96" | 17586 | 10128 | 10256 |
| 200 I/O | 96-99 | 20' 1" | 93" | 17686 | 10144 | 10276 |
| 216 Cuddy I/O | 96-02 | 20' 1" | 93" | 17587 | 10129 | 10257 |
| 220 Center Console | 97-98 | 21' 9" | 94" | 17741 | 10153 | 15407 |
| 230 BR | 96-99 | 23' 0 | 102" | 17689 | 10147 | 10279 |
| 230 BR | 00-01 | 23' 6" | 102" | 17689 | 10147 | 10279 |
| 230 CC | 99-02 | 23' 6" | 102" | 17591 | 10133 | 10263 |
| 240 Center Console | 97-98 | 23' 0" | 102" | 17782 | 10154 | 15408 |
| Cachet 205EX (w/platform) | | 20' 1" | 93" | 17687 | 10145 | 10277 |
| Image 180BR O/B (w/platform) | | 18' 7" | 88" | 17695 | 10138 | 10269 |
| Image 185BR I/O (w/platform) | | 18' 7" | 88" | 17685 | 10143 | 10275 |
| Image 200BR I/O (w/platform) | | 20' 1" | 93" | 17687 | 10145 | 10277 |
| **DURACRAFT** | | | | | | |
| 1436 / FLS / LH | 99-06 | 14' 6" | 54" | 17040 | — | — |
| 1436 Fish | 2015 | 14' 0" | 55" | 17740 | 10065 | 10193 |
| 1518 BF / 1518 DS | | 14' 6" | 53" | 17742 | 10066 | 10194 |
| 1520 Sport Vee | | 15' 4" | 67" | 17457 | 10091 | 10209 |
| 1520 SS CPAW | | 15' 4" | 67" | 17742 | 10066 | 10194 |
| 1542 / 1542 F / 1542 FLS | 96-06 | 14' 9" | 61" | 17040 | — | — |
| 1542 CCP | 96-00 | 15' 6" | 61" | 17744 | 10067 | 10195 |
| 1542 Crappie | 2006 | 14' 9" | 61" | 17742 | 10066 | 10194 |
| 1542 DD | 2015 | 15' 2" | 63" | 17742 | 10066 | 10194 |
| 1542 Fish | 2015 | 15' 2" | 63" | 17742 | 10066 | 10194 |
| 1542 FLS Crappie | 2004 | 14' 9" | 60" | 17742 | 10066 | 10194 |
| 1542 SF / 1542 DS / 1542 S / 1542 SS / 1542 SOV Bass | 96-02 | 14' 8" | 61" | 17742 | 10066 | 10194 |
| 1542 SOV / 1542 SVCRS | 2004 | 14' 9" | 60" | 17742 | 10066 | 10194 |
| 1542 SS CP / 1542 SV / 1542 W Pacer | | 15' 0" | 61" | 17742 | 10066 | 10194 |
| 1542 SSS / 1542 SS / 1542 SSCP | 84-85 | 15' 1" | 61" | 17742 | 10066 | 10194 |
| 1542 SVCRS | 2004 | 14' 9" | 60" | 17742 | 10066 | 10194 |
| 1542 Xtreme Panfish | 2004 | 14' 9" | 61" | 17042 | — | — |
| 1548 / 1548 FLS | 99-04 | 14' 10" | 66" | 17044 | — | — |
| 1548 F Bass | 98-00 | 14' 9" | 68" | 17742 | 10066 | 10194 |
| 1548 SOV / SOVCRS | 2004 | 14' 10" | 66" | 17742 | 10066 | 10194 |
| 1548 Xtreme Panfish | 2004 | 14' 10" | 66" | 17042 | — | — |
| 1642 BCCP / 1642 SS / 1642 CP | 84-85 | 16' 0" | 61" | 17744 | 10067 | 10195 |
| 1642 Sport Vee | 83-84 | 16' 0" | 62" | 17744 | 10067 | 10195 |
| 1648 Bass | 2004 | 16' 5" | 67" | 17744 | 10067 | 10195 |
| 1648 DD | 2015 | 16' 4" | 67" | 17744 | 10067 | 10195 |
| 1648 FLS | 2004 | 15' 8" | 66" | 17042 | — | — |
| 1648 STX | 2015 | 16' 4" | 67" | 17744 | 10067 | 10195 |
| 1648 SV / 1648 SVCRC / 1648 SVCRS | 02-04 | 16' 5" | 67" | 17744 | 10067 | 10195 |
| 1648 SV Bass | 98-04 | 16' 4" | 68" | 17744 | 10067 | 10195 |
| 165 Xtreme Fish 'n Hunt | 2004 | 16' 4" | 70" | 17742 | 10066 | 10194 |
| 1650 Crappie | 2006 | 16' 4" | 70" | 17744 | 10067 | 10195 |
| 1650 MV Basic Jon | 2006 | 16' 4" | 70" | 17744 | 10067 | 10195 |
| 1660 SV | 2004 | 16' 5" | 80" | 17746 | 10068 | 10202 |
| 1660 SV Bass | 1998 | 16' 6" | 82" | 17746 | 10068 | 10202 |
| 169 DVS | 2006 | 16' 9" | 92" | 17746 | 10068 | 10202 |
| 1720 Sport Vee | 83-84 | 17' 0" | 67" | 17748 | 10069 | 10204 |
| 1720 SS CPAW / SSCP | 83-85 | 17' 4" | 67" | 17748 | 10069 | 10204 |
| 1748 / 1478 FLS | 98-04 | 16' 10" | 66" | 17048 | — | — |
| 1748 F Bass / FCRC | 98-02 | 16' 9" | 68" | 17748 | 10069 | 10204 |
| 1748 FCRC | 2004 | 16' 10" | 66" | 17744 | 10067 | 10195 |
| 175 Xtreme | 2004 | 17' 4" | 71" | 17749 | 10064 | 15426 |
| 1750 Basic Bass / 1750 Bass | 2006 | 17' 4" | 71" | 17748 | 10069 | 10204 |
| 1750 Basic Bay | 2006 | 17' 4" | 71" | — | — | — |
| 1754 Bass / SVCRC | 02-04 | 17' 8" | 73" | 17750 | 10070 | 10206 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **DURACRAFT-CONTINUED** | | | | | | |
| 1754 DDS | 2015 | 17' 2" | 72" | 17750 | 10070 | 10206 |
| 1754 HDX | 2015 | 17' 2" | 72" | 17750 | 10070 | 10206 |
| 1754 SV | 99-04 | 17' 8" | 73" | 17048 | — | — |
| 1754 SVCR | 98-00 | 17' 6" | 73" | 17748 | 10069 | 10204 |
| 1754 SVCRC / SVCRS | 2004 | 17' 8" | 73" | 17749 | 10064 | 15426 |
| 176 Xtreme | 2004 | 17' 4" | 81" | 17749 | 10064 | 15426 |
| 178 DLX Bass | 2006 | 17' 8" | 74" | 17748 | 10069 | 10204 |
| 186 Xtreme | 2004 | 18' 9" | 81" | 17750 | 10070 | 10206 |
| 1860 Basic Bay | 2006 | 18' 5" | 80" | 10326 | — | — |
| 1860 Bay | 2006 | 18' 5" | 80" | 10326 | — | — |
| 1860 MPFCX | 2004 | 18' 5" | 80" | 17750 | 10070 | 10206 |
| 1860 ST | 96-00 | 18' 0" | 84" | 17775 | 10056 | 10183 |
| 1860 SV | 04-06 | 18' 5" | 80" | 17750 | 10070 | 10206 |
| 1960 DDS | 2015 | 18' 0" | 81" | 17750 | 10070 | 10206 |
| 1961 HDX | 2015 | 19' 5" | 89" | 17805 | 10077 | 10226 |
| 1961 RFD | 2015 | 19' 5" | 89" | 17805 | 10077 | 10226 |
| 1961 RFX | 2015 | 19' 5" | 89" | 17805 | 10077 | 10226 |
| 1964 HDX | 2015 | 19' 5" | 89" | 17805 | 10077 | 10226 |
| 2074 Bay | 2006 | 20' 0" | 94" | 10328 | — | — |
| 2170 FRX | 2015 | 21' 0" | 97" | 17807 | 10079 | 10228 |
| 2170 RFX | 2015 | 21' 0" | 97" | 17807 | 10079 | 10228 |
| 650 MV / 650 MPFC / MPF CX | 2002 | 16' 4" | 70" | 17744 | 10067 | 10195 |
| 750 Bass | 2004 | 17' 4" | 71" | 17748 | 10069 | 10204 |
| 750 Bass / FD | 02-04 | 17' 4" | 71" | 17748 | 10069 | 10204 |
| 750 Fish & Duck | 04-06 | 17' 4" | 71" | 17748 | 10069 | 10204 |
| Xtreme Playmate | 2004 | 15' 2" | 76" | 17046 | — | — |
| **DURA NAUTIQUE** | | | | | | |
| DN 12 | 2002 | 11' 8" | 55" | 17453 | 10086 | 10207 |
| DN 1436 | 2002 | 14' 1" | 54" | 17040 | — | — |
| DN 16T / 16 SST | 2002 | 16' 0" | 70" | 17455 | 10092 | 10211 |
| DN B-14 / B-14 T / B-14 SST | 2002 | 14' 4" | 65" | 17454 | 10087 | 10208 |
| **DURO BOAT** | | | | | | |
| Duro Boat 12 | | 12' 0" | 65" | 17453 | 10086 | 10207 |
| Dur0 boat 12 D | 2015 | 12' 0" | 63" | 17453 | 10086 | 10207 |
| Duro Boat 12 D | | 11' 8" | 62" | 17453 | 10086 | 10207 |
| Duro Boat 12 S | 2015 | 12' 0" | 65" | 17453 | 10086 | 10207 |
| Duro Boat 12 L | 2015 | 12' 0" | 65" | 17453 | 10086 | 10207 |
| Duro Boat 14 S | 2015 | 14' 0" | 65" | 17454 | 10087 | 10208 |
| Duro Boat 14 SW | 2015 | 14' 0" | 65" | 17454 | 10087 | 10208 |
| Duro Boat 14 LW | 2015 | 14' 0" | 65" | 17454 | 10087 | 10208 |
| Duro Boat 15 W | 2015 | 15' 0" | 72" | 17457 | 10091 | 10209 |
| Duro Boat 16 | 2015 | 16' 0" | 75" | 17455 | 10092 | 10211 |
| Duro Boat 16 W | 2015 | 16' 0" | 75" | 17455 | 10092 | 10211 |
| Duro Boat 16 Center Console | 2015 | 16' 0" | 75" | 17455 | 10092 | 10211 |
| Duro Boat 14 | | 14' 0" | 65" | 17454 | 10087 | 10208 |
| Duro Boat 15 | 2015 | 15' 0" | 72" | 17457 | 10091 | 10209 |
| Duro Boat 16 | | 15' 11" | 77" | 17456 | 10093 | 10212 |
| **DYNASTY** | | | | | | |
| 156 Elanti | 1992 | 16' 6" | 85" | 17710 | 10023 | 10158 |
| 170 Apollo Sport | | 16' 10" | 86" | 17723 | 10030 | 10163 |
| 170 Elanti | 1997 | 16' 10" | 85" | 17683 | 10141 | — |
| 170 Fish/Ski | | 16' 10" | 86" | 17723 | 10030 | 10163 |
| 170 Magnum | | 16' 10" | 86" | 17723 | 10030 | 10163 |
| 170 Regency | 1991 | 16' 10" | 86" | 17723 | 10030 | 10163 |
| 170 Triton | | 16' 10" | 86" | 17723 | 10030 | 10163 |
| 171 Elanti / BR | 93-95 | 16' 9" | 85" | 17683 | 10141 | — |
| 175 Dynasty | 1998 | 16' 10" | 85" | 17683 | 10141 | — |
| 176 Elanti | | 17' 6" | 85" | 17713 | 10027 | 10161 |
| 176 Elanti BR | 93-95 | 16' 9" | 85" | 17693 | 10136 | 10265 |
| 180 Elanti/BR | 96-97 | 17' 10" | 87" | 17684 | 10142 | 10274 |
| 181 Elanti/BR | 92-93 | 17' 10" | 87" | 17684 | 10142 | 10274 |
| 185 Dynasty | 1998 | 18' 10" | 94" | 17685 | 10143 | 10275 |
| 190 Apollo Sport | 1986 | 18' 6" | 93" | 17725 | 10033 | 10165 |
| 190 Dynasty | 1998 | 19' 0" | 95" | 17685 | 10143 | 10275 |
| 190 Elan | 1997 | 18' 10" | 94" | 17685 | 10143 | 10275 |
| 190 Elanti Cuddy | 1996 | 18' 10" | 93" | 17566 | — | — |
| 190 Fish/Ski | 86-91 | 18' 6" | 93" | 17725 | 10033 | 10165 |
| 190 Magnum | 1986 | 18' 6" | 93" | 17725 | 10033 | 10165 |
| 190 Regency | 91-92 | 18' 6" | 93" | 17586 | 10128 | 10256 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **DYNASTY-CONTINUED** | | | | | | |
| 190 Triton | | 18' 6" | 93" | 17725 | 10033 | 10165 |
| 191 Elanti / 190 Elanti B/R | 96-97 | 18' 8" | 94" | 17685 | 10143 | 10275 |
| 192 Elan | | 18' 8" | 94" | 17685 | 10143 | 10275 |
| 192 Release | | 18' 7" | 96" | 17737 | 10150 | 15404 |
| 195 Elan Bow Rider | 93-95 | 18' 8" | 94" | 17685 | 10143 | 10275 |
| 208 Elan | 1991 | 20' 8" | 96" | 17687 | 10145 | 10277 |
| 210 Dynasty | 1998 | 21' 2" | 98" | 17687 | 10145 | 10277 |
| 210 Elan | 1997 | 20' 8" | 96" | 17687 | 10145 | 10277 |
| 211 Elanti Bow Rider | 92-96 | 20' 8" | 96" | 17687 | 10145 | 10277 |
| 211 Elanti Cuddy | 1997 | 20' 8" | 96" | 17588 | 10130 | 10258 |
| 215 Elan Cuddy | 93-96 | 20' 8" | 96" | 17588 | 10130 | 10258 |
| 220 Cuddy | 1991 | 22' 0" | 96" | 17589 | 10131 | 10259 |
| 221 Elanti / CB / 208 | | 20' 8" | 96" | 17687 | 10145 | 10277 |
| 222 Release | 1992 | 22'0" | 96" | 17741 | 10153 | 15407 |
| 230 Elan | 1997 | 23' 0" | 99" | 17689 | 10147 | 10279 |
| 230 Elan Cuddy | 1997 | 23' 0" | 99" | 17689 | 10147 | 10279 |
| 230 Elan Cuddy | 1995 | 23' 0" | 96" | 17590 | 10132 | 10261 |
| 230 Elanti Cuddy | 1997 | 23' 0" | 99" | 17590 | 10132 | 10261 |
| 231 BR | 1995 | 23' 0" | 96" | 17689 | 10147 | 10279 |
| Apollo Cuddy | 1986 | 18' 7" | 93" | 17586 | 10128 | 10256 |
| Sport | | 18' 6" | 93" | 17586 | 10128 | 10256 |
| Triton | 1986 | 17' 0" | 86" | 17723 | 10030 | 10163 |
| **DYNA-TRAK: SEE EBBTIDE** | | | | | | |
| **EBBTIDE** | | | | | | |
| 176 SE Bow Rider | 2015 | 17' 6" | 86" | 17683 | 10141 | 10242 |
| 180 Bow Rider | 2005 | 18' 4" | 90" | 17712 | 10026 | 10160 |
| 182 XL | 1997 | 18'' 0" | 84" | 17684 | 10142 | 10274 |
| 188 SE Bow Rider | 2015 | 19' 9" | 90" | 17685 | 10143 | 10275 |
| 188 SE Bow Rider OB w/ platform | 12-15 | 18' 4" | 90" | 17694 | 10137 | 10267 |
| 188 SE Bow Rider w/platform | 2012 | 18' 4" | 90" | 17684 | 10142 | 10274 |
| 190 Bow Rider | 2005 | 18' 8" | 97" | 17713 | 10027 | 10161 |
| 190 XY | | 19' 1" | 90" | 17685 | 10143 | 10275 |
| 1900 Bow Rider w/liner | 2005 | 18' 8" | 97" | 17713 | 10027 | 10161 |
| 192 SE Bow Rider | 2015 | 19' 9" | 90" | 17685 | 10143 | 10275 |
| 192 SE Bow Rider w/platform | 2012 | 18' 4" | 90" | 17684 | 10142 | 10274 |
| 195 XL | 1997 | 19' 1" | 90" | 17685 | 10143 | 10275 |
| 200 Bow Rider | 2005 | 19' 8" | 102" | 17020 | 10028 | 10162 |
| 200 Bow Rider w/liner | 05-08 | 19' 8" | 102" | 17686 | 10144 | 10276 |
| 202 SE Bow Rider w/platform | 12-15 | 20' 4" | 97" | 17686 | 10144 | 10276 |
| 202 SE Cuddy w/platform | 2012 | 20' 4" | 97" | 17567 | — | — |
| 2100 Bow Rider w/liner | 2005 | 20' 10" | 102" | 17687 | 10145 | 10277 |
| 2100 Fun Cruiser | 2005 | 21' 6" | 102" | 17795 | 10315 | 10189 |
| 2100 Outboard Fun Cruiser | 2012 | 21' 6" | 102" | 17880 | 10321 | 17899 |
| 2100 Sport Cuddy w/liner | 2005 | 20' 10" | 102" | 17568 | — | — |
| 2100 SS FC O/B | 2015 | 21' 0" | 102" | — | — | — |
| 215 SE Bow Rider w/platform | 2012 | 21' 8" | 102" | 17687 | 10145 | 10277 |
| 2200 Bow Rider w/liner | 03-05 | 21' 8" | 102" | 17688 | 10146 | 10278 |
| 2200 SS DC FC | 12-15 | 23' 2" | 102" | 17797 | 10317 | 10191 |
| 2200 SS SC FC | 12-15 | 23' 2" | 102" | 17882 | 10323 | 17891 |
| 224 SE Bow Rider w/platform | 12-15 | 23' 2" | 102" | 17689 | 10147 | 10279 |
| 224 SE Cuddy w/platform | 12-15 | 23' 2" | 102" | 17570 | — | — |
| 2240 Extreme Bow Rider w/ platform | 12-15 | 23' 2" | 102" | 17689 | 10147 | 101279 |
| 2300 Bow Rider w/liner | 03-05 | 23' 2" | 102" | 17689 | 10147 | 10279 |
| 2300 Sport Cuddy w/liner | 03-05 | 23' 2" | 102" | 17570 | — | — |
| 2300 SS Bow Rider w/platform | 2012 | 23' 2" | 102" | 17689 | 10147 | 101279 |
| 2300 Z-Trak SS Bow Rider w/ platform | 12-15 | 23' 2" | 102" | 17689 | 10147 | 101279 |
| 2400 Dual Console Fun Cruiser | 03-05 | 23' 8" | 102" | 17797 | 10317 | 10191 |
| 2400 Mystique SC | 2002 | 23' 8" | 102" | 17882 | 10323 | 17891 |
| 2400 Outboard Fun Cruiser | 2012 | 23' 7" | 102" | — | — | — |
| 2400 Z-Trak Sport Cuddy w/swim platform | 2012 | 25' 6" | 102" | 17572 | — | — |
| 2400 Z-Trak SS DC FC | 2015 | 24' 6" | 102" | 17572 | — | — |
| 2440 SS Bow Rider w/platform | 2012 | 25' 5" | 102" | 17802 | 10073 | 10221 |
| 2440 SS Cuddy w/swim platform | 12-15 | 25' 5" | 102" | 17572 | — | — |
| 2440 Z-Trak SS Bow Rider w/sim platform | 12-15 | 25' 5" | 102" | 17802 | 10073 | 10221 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **EBBTIDE-CONTINUED** | | | | | | |
| 2460 Z-Trak SS Dual Console Fun Cruiser | 12-15 | 24' 6" | 102" | 17798 | 10318 | 10199 |
| 2460 Z-Trak SS Single Console Fun Cruiser | 12-15 | 24' 6" | 102" | 17883 | 10324 | 17892 |
| 2500 Mid-Cabin Cruiser | 03-05 | 24' 8" | 102" | 17572 | — | — |
| 2500 SS DC FC | 2015 | 26' 0" | 102" | 17823 | 10096 | 10239 |
| 2500 SS SC FC | 2015 | 26' 0" | 102" | — | — | — |
| Campione 166 | | 16' 8" | 81" | 17693 | 10136 | 10265 |
| Campione 180 | 2002 | 18' 4" | 90" | 17684 | 10142 | 10274 |
| Campione 180 Bow Rider | 02-05 | 18' 4" | 90" | 17684 | 10142 | 10274 |
| Campione 182 Bow Rider | 02-03 | 18' 0" | 84" | 17684 | 10142 | 10274 |
| Campione 182 XL / Campione 182 F& S | 96-99 | 18' 0" | 84" | 17684 | 10142 | 10274 |
| Campione 185 | | 18' 0" | 84" | 17684 | 10142 | 10274 |
| Campione 188 Bow Rider | 99-00 | 18' 8" | 97" | 17685 | 10143 | 10275 |
| Campione 190 Bow Rider | 02-05 | 18' 8" | 97" | 17685 | 10143 | 10275 |
| Campione 190 XY / Sport F&S | 96-98 | 19' 1" | 90" | 17685 | 10143 | 10275 |
| Campione 195 / 195 F&S | 96-98 | 19' 1" | 90" | 17685 | 10143 | 10275 |
| Campione 195 Cuddy | 96-98 | 19' 1" | 90" | 17586 | 10128 | 10256 |
| Campione 198 | 98-00 | 19' 8" | 101" | 17686 | 10144 | 10276 |
| Campione 200 Bow Rider | 02-05 | 19' 8" | 102" | 17686 | 10144 | 10276 |
| Campione 200 I/O | | 19' 11" | 96" | 17686 | 10144 | 10276 |
| Campione 204 / 204 XY / 204 Sport | | 20' 4" | 96" | 17686 | 10144 | 10276 |
| Campione 205 | 96-97 | 20' 4" | 96" | 17686 | 10144 | 10276 |
| Campione 210 Bow Rider | 98-03 | 20' 10" | 102" | 17687 | 10145 | 10277 |
| Campione 210 SC | 2002 | 21' 0" | 102" | 17880 | 10321 | 17889 |
| Campione 220 | | 22' 1" | 99" | 17728 | 10036 | 10168 |
| Campione 225 | 96-97 | 22' 1" | 99" | 17688 | 10146 | 10278 |
| Campione 230 | | 23' 2" | 102" | 17590 | 10132 | 10261 |
| Catalina 190 / XL | | 18' 9" | 92" | 17725 | 10033 | 10165 |
| Catalina 190 I/O / XL | | 18' 9" | 92" | 17725 | 10033 | 10165 |
| Catalina Cuddy 190 / XL | | 18' 9" | 92" | 17586 | 10128 | 10256 |
| Catalina O/B / Ebbtide 190 | | 18' 9" | 92" | 17713 | 10027 | 10161 |
| Cuddy 190 XY / SE 190 | | 19' 1" | 90" | 17586 | 10128 | 10256 |
| Dyna-Trak 150 / XY | | 15' 3" | 71" | 17760 | 10061 | 10187 |
| Dyna-Trak 150 Sport | | 14' 10" | 71" | 17732 | 10041 | — |
| Dyna-Trak 156 | | 15' 6" | 77" | 17770 | 10052 | 10179 |
| Dyna-Trak 156 SS | | 15' 6" | 77" | 17578 | 10108 | — |
| Dyna-Trak 160 / SS / SSXY | 1998 | 16' 3" | 80" | 17580 | 10109 | 17573 |
| Dyna-Trak 162 | | 16' 6" | 82" | 17774 | 10054 | 10181 |
| Dyna-Trak 162 SS / SK | | 16' 6" | 82" | 17580 | 10109 | 17573 |
| Dyna-Trak 166 | | 16' 8" | 81" | 17774 | 10054 | 10181 |
| Dyna-Trak 166 SK | | 16' 6" | 82" | 17710 | 10023 | 10158 |
| Dyna-Trak 166 SS | | 16' 6" | 82" | 17580 | 10109 | 17573 |
| Dyna-Trak 166 STE | | 16' 8" | 81" | 17774 | 10054 | 10181 |
| Dyna-Trak 170 | 1998 | 16' 8" | 81" | 17774 | 10054 | 10181 |
| Dyna-Trak 170 XY | | 16' 6" | 82" | 17711 | 10025 | 10159 |
| Dyna-Trak 176 | | 17' 11" | 86" | 17775 | 10056 | 10183 |
| Dyna-Trak 176 SS / SK | | 17' 11" | 86" | 17583 | 10111 | 17575 |
| Dyna-Trak 178 | | 17' 11" | 86" | 17775 | 10056 | 10183 |
| Dyna-Trak 178 SS | | 18' 0" | 87" | 17583 | 10111 | 17575 |
| Dyna-Trak 179 | | 17' 11" | 86" | 17775 | 10056 | 10183 |
| Dyna-Trak 180 | | 17' 11" | 86" | 17775 | 10056 | 10183 |
| Dyna-Trak 180 Bow Rider | 2005 | 18' 4" | 90" | 17712 | 10026 | 10160 |
| Dyna-Trak 180 SK | | 17' 11" | 86" | 17712 | 10026 | 10160 |
| Dyna-Trak 180 SS | | 17' 11" | 86" | 17583 | 10111 | 17575 |
| Dyna-Trak 180 STE | 1998 | 18' 0" | 87" | 17775 | 10056 | 10183 |
| Dyna-Trak 180 XY / SSXY | | 18' 0" | 87" | 17712 | 10026 | 10160 |
| Dyna-Trak 181 SC / DC | 1998 | 18' 0" | 87" | 17775 | 10056 | 10183 |
| Dyna-Trak 181 SS | | 18' 0" | 87" | 17583 | 10111 | 17575 |
| Dyna-Trak 181 STE / XY | | 18' 0" | 87" | 17775 | 10056 | 10183 |
| Dyna-Trak 182 SE | | 18' 0" | 84" | 17684 | 10142 | 10274 |
| Dyna-Trak 192 SE | | 19' 1" | 90" | 17685 | 10143 | 10275 |
| Dyna-Trak 194 CC / 194 SC / 194 DC | 1998 | 19' 4" | 92" | 17777 | 10057 | 10184 |
| Dyna-Trak 194 STE / 194 XY | 1998 | 19' 4" | 92" | 17777 | 10057 | 10184 |
| Dyna-Trak 195 STE | | 19' 5" | 95" | 17777 | 10057 | 10184 |
| Dyna-Trak 196 SS | | 19' 11" | 96" | 17584 | 10112 | 17576 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **EBBTIDE-CONTINUED** | | | | | | |
| Dyna-Trak 196 STE | | 19' 11" | 96" | 17778 | 10058 | 10185 |
| Dyna-Trak 200 SS I/O | | 19' 11" | 96" | 17726 | 10034 | 10166 |
| Ebbtide 182 XL | 1997 | 18' 0" | 84" | 17684 | 10142 | 10274 |
| Ebbtide 195 XL | 1997 | 19' 1" | 90" | 17685 | 10143 | 10275 |
| Montego 170 I/O SS Std | | 16' 5" | 82" | 17723 | 10030 | 10163 |
| Montego 170 O/B | | 16' 5" | 82" | 17711 | 10025 | 10159 |
| Mustang 160 O/B | | 15' 6" | 76" | 17710 | 10023 | 10158 |
| Mystique 1900 | 96-00 | 18' 10" | 94" | 17685 | 10143 | 10275 |
| Mystique 2100 | 96-02 | 20' 6" | 102" | 17687 | 10145 | 10277 |
| Mystique 2200 | 2002 | 21' 8" | 102" | 17688 | 10146 | 10278 |
| Mystique 2300 BR | 97-02 | 23' 2" | 102" | 17689 | 10147 | 10279 |
| Mystique 2300 Cuddy | 96-02 | 23' 2" | 102" | 17590 | 10132 | 10261 |
| Mystique 2400 C | 2002 | 23' 8" | 102" | 17882 | 10323 | 17891 |
| Mystique 2400 DC | 2002 | 23' 8" | 102" | 17797 | 10317 | 10191 |
| Mystique 2400 Fun Cruiser SC | 03-05 | 23' 8" | 102" | 17782 | 10154 | 15408 |
| Mystique 2400 SC | 2002 | 23' 8" | 102" | 17882 | 10323 | 17891 |
| Riviera 180 / XL | | 17' 9" | 86" | 17724 | 10032 | 10164 |
| Riviera 180 I/O | | 17' 8" | 85" | 17724 | 10032 | 10164 |
| Sport Fisherman 190 | | 18' 9" | 92" | 17586 | 10128 | 10256 |
| Sport Fisherman 190 O/B | | 18' 9" | 92" | 17713 | 10027 | 10161 |
| Striper 170 | | 16' 7" | 84" | 17736 | 10148 | 15402 |
| Sundancer O/B | | 15' 8" | 78" | 17733 | 10042 | 10169 |
| Super Sport | | 17' 8" | 85" | 17724 | 10032 | 10164 |
| Xtreme Playmate | 2004 | 15' 2" | 76" | 17046 | — | — |
| **EPIC** | | | | | | |
| 21 | 2002 | 20' 10" | 90" | 17704 | 10014 | 15417 |
| 22 | 2002 | 21' 8" | 93" | 17705 | 10015 | 15418 |
| S22 | 2002 | 21' 7" | 93" | 17705 | 10015 | 15418 |
| **ERCOA INDUSTRIES, INC.** | | | | | | |
| 19 Admiral Dlx | 2001 | 18' 0" | 98" | 17790 | 10114 | 10244 |
| 19 Encore | 2001 | 18' 0" | 98" | 17790 | 10114 | 10244 |
| 19 Ensign Dlx | 96-01 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| 19 Pro Fish | 2001 | 18' 0" | 98" | 17790 | 10114 | 10244 |
| 21 Admiral Dxl | 2001 | 20' 0" | 98" | 17791 | 10116 | 10245 |
| 21 Captain Dlx | 96-01 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 21 Ensign Dlx | 2001 | 20' 0" | 98" | 17791 | 10116 | 10245 |
| 21 Flagship | 96-01 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 23 Admiral Dlx | 2001 | 22' 0" | 98" | 17791 | 10116 | 10245 |
| 23 Ensign Dlx | 2001 | 22' 0" | 98" | 17791 | 10116 | 10245 |
| 23 Flagship | 96-01 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| 25 Admiral Dlx | 2001 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 25 Flagship | 96-01 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 27 Flagship | 2001 | 26' 0" | 98" | 17792 | 10117 | 10247 |
| **EXCEL** | | | | | | |
| 1544 V4 | 2012 | 15' 0" | 66" | 17742 | 10066 | 10194 |
| 1544 VDB | 2012 | 15' 0" | 66" | — | — | — |
| 16 DX O/B BR | 1995 | 15' 11" | 72" | 17692 | 10135 | — |
| 1645 SWF | 2012 | 16' 0" | 60" | — | — | — |
| 1645 SWF4 | 2012 | 16' 0" | 60" | — | — | — |
| 1651 SWV4 | 2012 | 16' 0" | 68" | 17744 | 10067 | 10195 |
| 1651 V4 | 2012 | 16' 0" | 72" | 17744 | 10067 | 10195 |
| 1651 VDB | 2012 | 16' 0" | 72" | 17744 | 10067 | 10195 |
| 1651 VSC | 2012 | 16' 0" | 75" | 17744 | 10067 | 10195 |
| 1751 SWV | 2012 | 17' 0" | 67" | 17748 | 10069 | 10204 |
| 1751 SWV4 | 2012 | 17' 0" | 68" | 17748 | 10069 | 10204 |
| 1751 V4 | 2012 | 17' 0" | 72" | 17748 | 10069 | 10204 |
| 1751 V4 SC | 2012 | 17' 0" | 72" | 17748 | 10069 | 10204 |
| 1751 VDB | 2012 | 17' 0" | 72" | 17748 | 10069 | 10204 |
| 1754 SWV | 2012 | 17' 0" | 69' | 17748 | 10069 | 10204 |
| 1754 SWV4 | 2012 | 17' 0" | 69" | 17748 | 10069 | 10204 |
| 1851 B86 | 2012 | 18'0" | 70" | — | — | — |
| 1851 F86OFP | 2012 | 18' 0" | 70" | — | — | — |
| 1851 SWF | 2012 | 18' 0" | 67' | — | — | — |
| 1851 SWF4 | 2012 | 18' 0" | 68" | — | — | — |
| 1851 SWV | 2012 | 18' 0" | 67' | — | — | — |
| 1851 SWV4 | 2012 | 18' 0" | 68" | — | — | — |
| 1851 SWVCC | 2012 | 18' 0" | 67' | — | — | — |
| 1851 V86OFP | 2012 | 18'0" | 70" | — | — | — |
| 1851 V86TGB | 2012 | 18'0" | 70" | — | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **EXCEL-CONTINUED** | | | | | | |
| 18510 F86TGB | 2012 | 18'0" | 70" | — | — | — |
| 18510B86CC | 2012 | 18'0" | 70" | — | — | — |
| 1854 SWV | 2012 | 18' 0" | 69' | — | — | — |
| 1854 SWV4 | 2012 | 18' 0" | 69" | — | — | — |
| 1860 B86 | 2012 | 18'0" | 79" | 17750 | 10070 | 10206 |
| 1860 B86CC | 2012 | 18'0" | 79" | 17750 | 10070 | 10206 |
| 1860 F86OFP | 2012 | 18'0" | 79" | 17750 | 10070 | 10206 |
| 1860 F86TGB | 2012 | 18'0" | 79" | 17750 | 10070 | 10206 |
| 1860 SWV4 | 2012 | 18' 0" | 75" | 17750 | 10070 | 10206 |
| 1860 V4 | 2012 | 18' 0" | 80" | 17750 | 10070 | 10206 |
| 1860 V86OFP | 2012 | 18'0" | 79" | 17750 | 10070 | 10206 |
| 1860 V86TGB | 2012 | 18'0" | 79" | 17750 | 10070 | 10206 |
| 1860 VCC | 2012 | 18' 0" | 80" | 17750 | 10070 | 10206 |
| 1860 VCC Bay Package | 2012 | 18' 0" | 80" | 17750 | 10070 | 10206 |
| 1860 VSC | 2012 | 18' 0" | 80" | 17750 | 10070 | 10206 |
| 18601 V4 SC | 2012 | 18' 0" | 80" | 17750 | 10070 | 10206 |
| 1860S WVCC | 2012 | 18' 0" | 75' | 17750 | 10070 | 10206 |
| 19 DX O/B BR | 1995 | 18' 8" | 88" | 17695 | 10138 | 10269 |
| 19 SL I/O Cuddy | 1995 | 18' 8" | 88" | 17566 | — | — |
| 19 SX I/O BR | 1995 | 18' 8" | 88" | 17685 | 10143 | 10275 |
| 1954 SWV4 | 2012 | 19' 0" | 69" | — | — | — |
| 1960 VCC | 2012 | 19' 0" | 80" | — | — | — |
| 1960 VSC | 2012 | 19' 0" | 80" | — | — | — |
| 2072 VCC | 2012 | 20' 0" | 94" | 17806 | 10078 | 10227 |
| 2072 VSC | 2012 | 20' 0" | 94" | 17806 | 10078 | 10227 |
| 21 SL I/O Cuddy | 1995 | 20' 7" | 89" | 17588 | 10130 | 10258 |
| 21 SX I/O BR | 1995 | 20' 7" | 89" | 17687 | 10145 | 10277 |
| 2172 VCC | 2012 | 21' 0" | 94" | 17807 | 10079 | 10228 |
| 2172 VCC Bay Package | 2012 | 21' 0" | 94" | 17807 | 10079 | 10228 |
| 2172 VSC | 2012 | 21' 0" | 94" | 17807 | 10079 | 10228 |
| 23 SL I/O Cuddy | 1995 | 23' | 102" | 17570 | — | — |
| 751 CRSS | 2012 | 17' 2" | 72" | 17748 | 10069 | 10204 |
| 754 CRSC | 2012 | 17' 2" | 73" | 17748 | 10069 | 10204 |
| 860 CRSC | 2012 | 18' 2" | 79" | 17750 | 10070 | 10206 |
| EX 754 | 2012 | 17' 2" | 54" | 17748 | 10069 | 10204 |
| Excel 175 SX / SSX | 1997 | 17' 1" | 88" | 17683 | 10141 | — |
| Excel 18 DX | | 17' 8" | 86" | 17694 | 10137 | 10267 |
| Excel 18 SX | | 17' 8" | 86" | 17684 | 10142 | 10274 |
| Excel 185 SL | 1997 | 17' 8" | 86" | 17684 | 10142 | 10274 |
| Excel 19 DX | 1995 | 18' 8" | 88" | 17695 | 10138 | 10269 |
| Excel 19 SL | 1995 | 18' 8" | 88" | 17586 | 10128 | 10256 |
| Excel 19 SX | 1995 | 18' 8" | 88" | 17685 | 10143 | 10275 |
| Excel 21 DX / SX | 1997 | 20' 7" | 89" | 17687 | 10145 | 10277 |
| Excel 21 S L | 1997 | 20' 7" | 89" | 17588 | 10130 | 10258 |
| SE 760 | 2012 | 17' 2" | 60" | — | — | — |
| SE 960 | 2012 | 19' 2" | 60" | — | — | — |
| **FABUGLASS** | | | | | | |
| Bahama | 84-87 | 16' 6" | 81" | 17711 | 10025 | 10159 |
| Buccaneer | 86-87 | 16' 6" | 79" | 17723 | 10030 | 10163 |
| Cayman | 86-87 | 17' 3" | 85" | 17723 | 10030 | 10163 |
| Commodore | 86-87 | 18' 8" | 89" | 17725 | 10033 | 10165 |
| Crusader | 86-87 | 17' 8" | 88" | 17724 | 10032 | 10164 |
| Cutlass | 84-87 | 17' 2" | 88" | 17711 | 10025 | 10159 |
| Fury | | 15' 6" | 78" | 17710 | 10023 | 10158 |
| Jamaican | 1984 | 18' 9" | 91" | 17725 | 10033 | 10165 |
| Lancer I/O | | 17' 9" | 86" | 17724 | 10032 | 10164 |
| Lancer O/B | 84-87 | 17' 9" | 86" | 17712 | 10026 | 10160 |
| Tempest | | 16' 6" | 79" | 17711 | 10025 | 10159 |
| **FALCON (BY THUNDERBIRD)** | | | | | | |
| 2270 B/R | 96-98 | 22' 7" | 102" | 17689 | 10147 | 10279 |
| 2500 Cuddy | 96-98 | 25' 2" | 102" | 17572 | — | — |
| F 1800 BR / 1800 LE | 96-98 | 18' 2" | 92" | 17684 | 10142 | 10274 |
| F 2000 BR | 96-98 | 20' 2" | 96" | 17686 | 10144 | 10276 |
| F 2000 Cuddy | 96-98 | 20' 2" | 96" | 17587 | 10129 | 10257 |
| F 2270 Cuddy | 96-98 | 22' 7" | 102" | 17570 | — | — |
| **FISHER** | | | | | | |
| 14 L / 14 S | 1996 | 14' 4" | 72" | 17454 | 10087 | 10208 |
| 14 Sport Avenger T | 2000 | 14' 1" | 67" | 17454 | 10087 | 10208 |
| 140 SC / 140 T | | 14' 4" | 72" | 17454 | 10087 | 10208 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **FISHER-CONTINUED** | | | | | | |
| 1437 / LW / LT | 1993 | 14' 0" | 54" | 17040 | — | — |
| 1448 | 1993 | 14' 0" | 67" | 17044 | — | — |
| 1542 MV | 1993 | 15' 0" | 63" | 17044 | — | — |
| 16 Avenger SC | 2000 | 16' 6" | 76" | 17459 | 15429 | 15428 |
| 16 Avenger WT | 2000 | 16' 6" | 76" | 17692 | 10135 | — |
| 16 L / 16 LS | | 16' 4" | 72" | 17456 | 10093 | 10212 |
| 16 Pro Avenger SC | 2000 | 16' 4" | 80" | 17459 | 15429 | 15428 |
| 16 Pro Avenger T | 2000 | 16' 4" | 80" | 17714 | 10104 | 10215 |
| 16 Sport Avenger | 2000 | 16' 4" | 77" | 17692 | 10135 | — |
| 1648 | | 16' 0" | 67" | 17046 | — | — |
| 1650 MV | 1993 | 16' 0" | 75" | 17046 | — | — |
| 1675 UTC / UT / PLUS | | 16' 3" | 76" | 17456 | 10093 | 10212 |
| 1860 MV | 1993 | 18' 0" | 80" | 17048 | — | — |
| Backwater Special | 1993 | 15' 10" | 70" | 17744 | 10067 | 10195 |
| Dominator 16 SC | 2000 | 16' 9" | 73" | 17748 | 10069 | 10204 |
| Dominator 17 | 2000 | 16' 9" | 71" | 17748 | 10069 | 10204 |
| Fisher 15 | 1992 | 15' 4" | 74" | 17760 | 10061 | 10187 |
| Freedom 200 / 200 DLX | 90-97 | 20' 0" | 96" | — | 10289 | 10330 |
| Freedom 220 | 93-96 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Freedom 240 / 240 DLX / 241 DLB | 90-97 | 24' 0" | 96" | — | 10290 | 10331 |
| Freedom 260 Grande | 96-97 | 26' 0 " | 96" | 17792 | 10117 | 10247 |
| Hawk 15 SS | 93-96 | 15' 0" | 63" | 17742 | 10066 | 10194 |
| Hawk 1542 / 1V / 2V / 3V | 1984 | 15' 6" | 63" | 17744 | 10067 | 10195 |
| Hawk 1542-2 V | 85-86 | 15' 7" | 62" | 17742 | 10066 | 10194 |
| Hawk 160 FS | 85-00 | 16' 5" | 85" | 17693 | 10136 | 10265 |
| Hawk 160 SC | 2000 | 16' 5" | 85" | 17459 | 15429 | 15428 |
| Hawk 170 FS | 2000 | 17' 8" | 93" | 17694 | 10137 | 10267 |
| Hawk 186 SC | 2000 | 18' 6" | 92" | 17787 | 10217 | 10240 |
| Hawk 2V / 3V / Special | 95-96 | 15' 10" | 71" | 17744 | 10067 | 10195 |
| Hawk 3V | 1996 | 16' 6" | 72" | 17748 | 10069 | 10204 |
| Hawk CS / 3V / 2V | 1992 | 16' 8" | 76" | 17744 | 10067 | 10195 |
| Marsh Hawk 170 | 2000 | 16' 8" | 75" | 17748 | 10069 | 10204 |
| Marsh Hawk 175V | 2000 | 17' 4" | 85" | 17718 | 10106 | 10219 |
| Marsh Hawk 180 | 2000 | 17' 8" | 82" | 17750 | 10070 | 10206 |
| Marsh Hawk 2V | 84-90 | 16' 0" | 69" | 17744 | 10067 | 10195 |
| Marsh Hawk 3V | 92-96 | 17' 4" | 76" | 17748 | 10069 | 10204 |
| Marsh Hawk 3V Pro | 84-90 | 16' 0" | 69" | 17744 | 10067 | 10195 |
| Netter 14 | 1985 | 13' 11" | 69" | 17454 | 10087 | 10208 |
| Netter 15 | 1996 | 15' 0" | 63" | 17044 | — | — |
| SF-14 L / 14 S | | 14' 6" | 67" | 17454 | 10087 | 10208 |
| SF-16 | 1993 | 16' 2" | 67" | 17455 | 10092 | 10211 |
| SF-16L / SF-16 S | 1993 | 16' 4" | 72" | 17456 | 10093 | 10212 |
| SL-12 | 93-96 | 11' 7" | 58" | 17453 | 10086 | 10207 |
| SL-14 | | 13' 6" | 59" | 17454 | 10087 | 10208 |
| SV-1 / SV-1C / SV-2 | 1992 | 16' 3" | 84" | 17746 | 10068 | 10202 |
| SV-12 | | 12' 0" | 60" | 17453 | 10086 | 10207 |
| SV-14 Dlx / 14 R | 84-90 | 14' 0" | 67" | 17454 | 10087 | 10208 |
| SV-16 Dlx / Dlx SC | 1989 | 16' 0" | 67" | 17456 | 10093 | 10212 |
| SV-16 Fish and Ski | | 16' 5" | 74" | 17710 | 10023 | 10158 |
| SV-16 FS | 95-96 | 16' 4" | 77" | 17580 | 10109 | 17573 |
| SV-16 GT / Crappie | | 16' 0" | 74" | 17762 | 10062 | 10188 |
| SV-16 GT / SV-16 GT Crappie | 88-90 | 16' 0" | 73.5" | 17762 | 10062 | 10188 |
| SV-17 FS | 95-96 | 17' 2" | 84" | 17582 | 10110 | 17574 |
| SV-17 GT | 93-96 | 16' 6" | 81" | 17774 | 10054 | 10181 |
| SV-17 GT | 1992 | 17' 0" | 84" | 17774 | 10054 | 10181 |
| SV-17 SC | 95-96 | 17' 2" | 84" | 17718 | 10106 | 10219 |
| SV-18 CC | 86-90 | 18' 3" | 84" | 17737 | 10150 | 15404 |
| SV-18 DC | 1996 | 18' 4" | 86" | 17583 | 10111 | 17575 |
| SV-18 FS / FX | 86-90 | 18' 3" | 84" | 17712 | 10026 | 10160 |
| SV-18 GT / Crappie | 86-90 | 17' 10" | 82" | 17775 | 10056 | 10183 |
| SV-18 GT / TC | 86-90 | 17' 10" | 82" | 17775 | 10056 | 10183 |
| SV-19 FS | 93-95 | 19' 6" | 88" | 17584 | 10112 | 17576 |
| SV-19 GT | 93-95 | 18' 6" | 81" | 17764 | 10063 | 10192 |
| SV-20 FS | 95-96 | 19' 6" | 88" | 17584 | 10112 | 17576 |
| SV-3 | | 16' 2" | 76" | 17460 | 10102 | 10213 |
| SV-3 FS | 1992 | 17' 4" | 86" | 17582 | 10110 | 17574 |
| SV-3 SC | 92-93 | 17' 4" | 86" | 17776 | 10055 | 10182 |
| Sweet Sixteen | | 16' 0" | 79" | 17710 | 10023 | 10158 |
| Tourney Hawk 17 / 1748 | 1984 | 17' 4" | 69" | 17748 | 10069 | 10204 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **FORESTER** | | | | | | |
| 14 Fish | 1994 | 14' 2" | 64" | 17454 | 10087 | 10208 |
| 14 Troller Deluxe | 1994 | 14' 6" | 67" | 17454 | 10087 | 10208 |
| 141 Sport Fisherman | 85-86 | 13' 10" | 62" | 17740 | 10065 | 10193 |
| 142 Allure | 85-86 | 13' 10" | 62" | 17740 | 10065 | 10193 |
| 150 Capri Angler | 85-86 | 15' 1" | 70" | 17550 | — | — |
| 1500 Rio FS O/B | | 15' 8" | 76" | 17710 | 10023 | 10158 |
| 151 Osprey | 86-89 | 15' 1" | 70" | 17550 | — | — |
| 151 Phantom | 87-89 | 15' 1" | 70" | 17709 | 10022 | 10157 |
| 152 Allure | 1985 | 15' 1" | 70" | 17550 | — | — |
| 1550 Diva O/B FNS | 1993 | 15' 8" | 76" | 17710 | 10023 | 10158 |
| 1550 Fish-N-Ski O/B | 1991 | 15' 8" | 74" | 17578 | 10108 | — |
| 1550 Shadow O/B | 1991 | 15' 8" | 74" | 17578 | 10108 | — |
| 157 Phantom / LE | 85-87 | 15' 7" | 78" | 17710 | 10023 | 10158 |
| 157 Sport O/B | 85-87 | 15' 7" | 78" | 17710 | 10023 | 10158 |
| 16 Contender | | 16' 2" | 75" | 17710 | 10023 | 10158 |
| 16 Fish | 1994 | 16' 1" | 64" | 17455 | 10092 | 10211 |
| 16 Troller DLX | 1994 | 16' 0" | 67" | 17455 | 10092 | 10211 |
| 160 Sport I/O / Phantom | | 16' 0" | 82" | 17722 | 10029 | — |
| 1600 Diva O/B | | 16' 0" | 77" | 17692 | 10135 | — |
| 164 Osprey | 1993 | 16' 4" | 78" | 17710 | 10023 | 10158 |
| 164 Phantom I/O | 85-87 | 16' 4" | 78" | 17722 | 10029 | — |
| 164 Phantom O/B | 85-87 | 16' 4" | 78" | 17710 | 10023 | 10158 |
| 1650 Sport I/O | | 16' 0" | 82" | 17722 | 10029 | — |
| 166 Sport O/B / Phantom | | 16' 6" | 83" | 17711 | 10025 | 10159 |
| 17 Challenger O/B | | 17' 0" | 80" | 17711 | 10025 | 10159 |
| 170 Sport I/O | 1991 | 16' 8" | 85" | 17683 | 10141 | — |
| 170 Sport O/B | 1991 | 16' 8" | 85" | 17693 | 10136 | 10265 |
| 1700 I/O Classic | 93-94 | 16' 8" | 85" | 17723 | 10030 | 10163 |
| 1700 O/B Classic | 93-94 | 16' 8" | 85" | 17711 | 10025 | 10159 |
| 171 Sport I/O / Phantom | 87-89 | 17' 1" | 87" | 17723 | 10030 | 10163 |
| 171 Sport O/B | 87-89 | 17' 1" | 87" | 17711 | 10025 | 10159 |
| 180 Phantom Angler | 85-87 | 17' 7" | 85" | 17712 | 10026 | 10160 |
| 180 Phantom I/O | 85-87 | 17' 7" | 85" | 17724 | 10032 | 10164 |
| 180 Phantom O/B | 85-87 | 17' 7" | 85" | 17712 | 10026 | 10160 |
| 1800 Diva I/O / GT / Rio I/O | 89-94 | 18' 0" | 87" | 17684 | 10142 | 10274 |
| 1800 Diva O/B / GT / Rio O/B | 89-94 | 18' 0" | 87" | 17694 | 10137 | 10267 |
| 190 Escape I/O | 86-91 | 18' 6" | 90" | 17586 | 10128 | 10256 |
| 190 Osprey | 86-91 | 18' 6" | 90" | 17713 | 10027 | 10161 |
| 190 Phantom / Escapade | 86-89 | 18' 6" | 90" | 17725 | 10033 | 10165 |
| 190 Sport I/O | 1986 | 18' 6" | 90" | 17725 | 10033 | 10165 |
| 1950 Rio I/O | 93-94 | 19' 6" | 94" | 17686 | 10144 | 10276 |
| 2100 Caspian I/O / Diva 2100 | 89-93 | 20' 10" | 94" | 17588 | 10130 | 10258 |
| 2100 Fish-N-Cruise | 93-94 | 20' 0" | 96" | — | 10289 | 10330 |
| 2150 Rio | 1994 | 20' 10" | 94" | — | 10289 | 10330 |
| 2500 Fish-N-Cruise | 93-94 | 24' 0" | 96" | — | 10290 | 10331 |
| Angler 20 | 1993 | 17' 0" | 96" | 17790 | 10114 | 10244 |
| Angler 2100 | 1993 | 20' 0" | 96" | — | 10289 | 10330 |
| Classic Fisherman 20 | 1989 | 20' 0" | 96" | — | 10289 | 10330 |
| Classic Fisherman 24 | 1989 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| Elite 20 | 1991 | 19' 0" | 96" | — | 10289 | 10330 |
| Elite 24 | 89-91 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| Elite 28 | 89-91 | 25' 0" | 96" | 17792 | 10117 | 10247 |
| Executive 2100 | 1993 | 20' 0" | 96" | — | 10289 | 10330 |
| Executive 24 / Executive 2500 | 89-94 | 23' 0" | 96" | — | 10290 | 10331 |
| Executive 28 | 89-91 | 27' 0" | 96" | — | 10291 | 10332 |
| Fish 'n Cruise | 1989 | 17' 0" | 96" | 17790 | 10114 | 10244 |
| Fish 'n Cruise | 1989 | 21' 0" | 96" | 17792 | 10117 | 10247 |
| Islander 1900 | | 17' 11" | 96" | 17790 | 10114 | 10244 |
| Suncruiser 20 | 1989 | 17' 0" | 96" | 17790 | 10114 | 10244 |
| Suncruiser 24 | 1989 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| Suncruiser 28 | 1989 | 25' 0" | 96" | 17792 | 10117 | 10247 |
| V-14 Fisherman | 1991 | 14' 6" | 70" | 17454 | 10087 | 10208 |
| V-14 Troller / DLX | 1991 | 14' 6" | 70" | 17454 | 10087 | 10208 |
| V-16 Fisherman | | 16' 8" | 74" | 17714 | 10104 | 10215 |
| V-16 Troller / SC / DLX | | 16' 8" | 74" | 17714 | 10104 | 10215 |
| V-165 Challenger O/B | 1991 | 16' 5" | 79" | 17711 | 10025 | 10159 |
| V-165 Contender / SC | | 16' 5" | 79" | 17459 | 15429 | 15428 |
| V-165 Pursuit / SC | | 16' 5" | 79" | 17459 | 15429 | 15428 |
| V-176 Challenger O/B | 91-93 | 17' 6" | 83" | 17582 | 10110 | 17574 |
| V-176 Terminator / Pro / Pro SC | 91-93 | 17' 6" | 83" | 17776 | 10055 | 10182 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **FORMULA (BY THUNDERBIRD)** | | | | | | |
| 240 BR | 2014 | 24' 0" | 102" | 17591 | 10133 | 10263 |
| 240 BR SS | 2014 | 24' 0" | 102" | 17591 | 10133 | 10263 |
| 252 SS / 252 LS | 97-99 | 25' 2" | 102" | 17572 | — | — |
| 270 BR | 2014 | 24' 0" | 102" | 17591 | 10133 | 10263 |
| F-206 LS/Spider | | 20' 6" | 94" | 17687 | 10145 | 10277 |
| F-223 LS W/Platform | | 24' 0" | 96" | 17591 | 10133 | 10263 |
| F-232 LS / BR / Sport | 96-99 | 23' 2" | 102" | 17689 | 10147 | 10279 |
| F-252 Sunsport/LS | 96-99 | 25' 2" | 102" | 17572 | — | — |
| Formula 242 LS | | 24' 2" | 96" | 17591 | 10133 | 10263 |
| Formula Eighteen I/O | | 18' 2" | 92" | 17724 | 10032 | 10164 |
| Formula Eighteen O/B | | 18' 2" | 92" | 17712 | 10026 | 10160 |
| Formula One LS I/O | | 16' 9" | 87" | 17723 | 10030 | 10163 |
| Formula One LS O/B | | 16' 9" | 87" | 17711 | 10025 | 10159 |
| Formula Three LS | | 21' 6" | 96" | 17589 | 10131 | 10259 |
| Formula Two BR | | 19' 6" | 96" | 17726 | 10034 | 10166 |
| **FOUR WINNS** | | | | | | |
| 150 Catalina O/B | 1985 | 15' 2" | 79" | 17732 | 10041 | — |
| 150 Freedom O/B | 1990 | 15' 2" | 73" | 17709 | 10022 | 10157 |
| 150 Marquise O/B | | 14' 6" | 68" | 17708 | 10021 | — |
| 160 Freedom I I/O | 86-88 | 16' 0" | 86" | 17722 | 10029 | — |
| 160 Freedom I O/B | 86-88 | 16' 0" | 86" | 17710 | 10023 | 10158 |
| 160 Marquise I/O | 85-86 | 15' 9" | 85" | 17722 | 10029 | — |
| 160 Marquise O/B / Fish-N-Ski | | 15' 9" | 85" | 17710 | 10023 | 10158 |
| 170 Fish And Ski | 1996 | 17' 6" | 84" | 17582 | 10110 | 17574 |
| 170 Freedom I/O | 1985 | 17' 0" | 91" | 17684 | 10142 | 10274 |
| 170 Marquise | | 16' 7" | 86" | 17723 | 10030 | 10163 |
| 171 Marquise | | 16' 7" | 86" | 17711 | 10025 | 10159 |
| 180 Freedom I/O / SS / CB | | 18' 6" | 87" | 17685 | 10143 | 10275 |
| 180 Freedom O/B SS | | 18' 6" | 87" | 17695 | 10138 | 10269 |
| 183 Fish & Ski | 2006 | 18' 0" | 96" | 17583 | 10111 | 17575 |
| 190 Fish and Ski | 1985 | 17' 6" | 84" | 17582 | 10110 | 17574 |
| 190 Fish and SKi | | 19' 0" | 87" | 17584 | 10112 | 17576 |
| 190 Freedom | 1998 | 19' 8" | 87" | 17686 | 10144 | 10276 |
| 195 Freedom | | 17' 6" | 84" | 17684 | 10142 | 10274 |
| 200 Santara | | 20' 4" | 96" | 17726 | 10034 | 10166 |
| 201 Liberator | 88-93 | 20' 9" | 92" | 17727 | 10035 | 10167 |
| 203 Coast Runner O/B | 95-97 | 20' 2" | 88" | 17020 | 10028 | 10162 |
| 205 Santara Sport | | 20' 4" | 96" | 17726 | 10034 | 10166 |
| 206 Fish & Ski | 2006 | 19' 6" | 101" | 17584 | 10112 | 17576 |
| 207 Santara Fisherman | | 20' 4" | 96" | 17726 | 10034 | 10166 |
| 210 Santara | | 21' 0" | 96" | 17727 | 10035 | 10167 |
| 211 Liberator | | 21' 0" | 96" | 17727 | 10035 | 10167 |
| 214 Candia | | 20' 4" | 96" | 17014 | — | — |
| 215 / 216 / 217 Santara | | 21' 0" | 96" | 17588 | 10130 | 10258 |
| Candia FS | 1997 | 20' 11" | 102" | 17016 | — | — |
| F-204 | 08-09 | 21' 2" | 102" | 17796 | 10316 | 10190 |
| F-224 | 08-13 | 23' 8" | 102" | 17797 | 10317 | 10191 |
| F-244 | 08-13 | 25' 6" | 102" | 17799 | 10319 | 10200 |
| Funship 204 | 2006 | 21' 2" | 102" | 17727 | 10035 | 10167 |
| Funship 224 | 2014 | 23' 8" | 102" | 17797 | 10317 | 10191 |
| Funship 244 | 2014 | 25' 6" | 102" | 17799 | 10319 | 10200 |
| H 180 LE | 2011 | 17' 4" | 91" | 17683 | 10141 | 10242 |
| H 180 OB | 2011 | 17' 4" | 91" | — | — | — |
| H 180 w/extended swim platform | 2014 | 19' 8" | 91" | 17685 | 10143 | 10275 |
| H 183 | 08-09 | 17' 6" | 95" | — | — | — |
| H 200 / H 200 SS | 08-11 | 19' 8" | 100" | 17685 | 10143 | 10275 |
| H 203 | 08-11 | 19' 6" | 101" | 17685 | 10143 | 10275 |
| H 220 | 08-11 | 22' 0" | 102" | 17688 | 10146 | 10278 |
| H 220 SS | 2008 | 19' 8" | 100" | 17685 | 10143 | 10275 |
| H 240 | 08-11 | 24' 0" | 102" | 17801 | 10072 | 10210 |
| Horizon 170 | 1996 | 17' 6" | 84" | 17582 | 10110 | 17574 |
| Horizon 170 / LS | 99-00 | 16' 6" | 90" | 17683 | 10141 | — |
| Horizon 170 I/O | 85-86 | 17' 0" | 91" | 17723 | 10030 | 10163 |
| Horizon 170 O/B | 99-00 | 16' 6" | 90" | 17693 | 10136 | 10265 |
| Horizon 170 O/B | 85-86 | 17' 0" | 91" | 17711 | 10025 | 10159 |
| Horizon 180 | 06-09 | 17' 5" | 91" | 17683 | 10141 | 10242 |
| Horizon 180 | 13-15 | 18' 0" | 91 | 17684 | 10142 | 10274 |
| Horizon 180 / 180 LS | 99-00 | 18' 0" | 96" | 17684 | 10142 | 10274 |
| Horizon 180 I/O | 1988 | 18' 6" | 87" | 17725 | 10033 | 10165 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **FOUR WINNS-CONTINUED** | | | | | | |
| Horizon 180 O/B | 99-00 | 18' 0" | 96" | 17684 | 10142 | 10274 |
| Horizon 180 O/B | 1988 | 18' 6" | 87" | 17684 | 10142 | 10274 |
| Horizon 180 OB | 13-14 | 17' 11" | 91" | 17684 | 10142 | 10274 |
| Horizon 190 | 13-14 | 19' 0" | 95" | 17684 | 10142 | 10274 |
| Horizon 190 | 1995 | 19' 0" | 87" | 17685 | 10143 | 10275 |
| Horizon 190 | 06-11 | 18' 6" | 95" | 17685 | 10143 | 10275 |
| Horizon 190 | 99-00 | 19' 0" | 96" | 17685 | 10143 | 10275 |
| Horizon 190 I/O | | 18' 8" | 91" | 17725 | 10033 | 10165 |
| Horizon 190 I/O | 1993 | 20' 2" | 88" | 17687 | 10145 | 10277 |
| Horizon 190 O/B | | 18' 8" | 91" | 17713 | 10027 | 10161 |
| Horizon 190 O/B | 1993 | 20' 1" | 87" | — | — | — |
| Horizon 192 I/O | 1995 | 19' 0" | 87" | 17685 | 10143 | 10275 |
| Horizon 192 Sport O/B | 1985 | 18' 8" | 91" | 17713 | 10027 | 10161 |
| Horizon 195 Sport I/O | 85-86 | 18' 8" | 91" | 17725 | 10033 | 10165 |
| Horizon 196 Sport O/B | 85-86 | 18' 8" | 91" | 17713 | 10027 | 10161 |
| Horizon 200 | 2006 | 19' 8" | 100" | 17686 | 10144 | 10276 |
| Horizon 200 | 96-00 | 20' 2" | 97" | 17686 | 10144 | 10276 |
| Horizon 200 | 12-14 | 20' 1" | 99" | 17686 | 10144 | 10276 |
| Horizon 210 | 13-14 | 21' 4' | 101" | 17688 | 10146 | 10278 |
| Horizon 210 | 1988 | 21' 0" | 96" | 17727 | 10035 | 10167 |
| Horizon 210 | 2000 | 21' 6" | 102" | 17688 | 10146 | 10278 |
| Horizon 210 | 06-09 | 20' 10" | 102" | 17688 | 10146 | 10278 |
| Horizon 220 | 1995 | 21' 6" | 93" | 17687 | 10145 | 10277 |
| Horizon 220 | 96-99 | 21' 9" | 100" | 17688 | 10146 | 10278 |
| Horizon 230 | 13-14 | 23' 4" | 101" | 17689 | 10147 | 10279 |
| Horizon 260 | 13-14 | 26' 0" | 101" | — | — | — |
| Horizon QX Fish & Ski | 98-99 | 16' 6" | 90" | 17693 | 10136 | 10265 |
| Horizon QX I/O | 97-98 | 16' 5" | 90" | 17683 | 10141 | — |
| Horizon QX O/B | 1997 | 16' 5" | 90" | 17693 | 10136 | 10265 |
| Horizon RX Fish & Ski | 1998 | 18' 0" | 96" | 17694 | 10137 | 10267 |
| Horizon RX I/O | 97-98 | 18' 0" | 96" | 17684 | 10142 | 10274 |
| Horizon RX O/B | 1997 | 18' 0" | 96" | 17694 | 10137 | 10267 |
| S 215 | 08-09 | 23' 0" | 97" | 17590 | 10132 | 10261 |
| SL 222 | 09-14 | 22' 7" | 102" | 17796 | 10316 | 10190 |
| SL 242 | 09-14 | 24' 5" | 102" | 17798 | 10318 | 10199 |
| SL 262 | 09-14 | 26' 6" | 102" | 17823 | 10096 | 10239 |
| Sundowner 245 | 1995 | 23' 8" | 100" | 17591 | 10133 | 10263 |
| Sundowner 245 | 96-99 | 24' 2" | 102" | 17591 | 10133 | 10263 |
| Sundowner 195 / Sundowner Cuddy | 1993 | 20' 2" | 88" | 17587 | 10129 | 10257 |
| Sundowner 195 / Sundowner Cuddy | 85-86 | 18' 8" | 91" | 17586 | 10128 | 10256 |
| Sundowner 195 / Sundowner Cuddy | 1993 | 20' 2" | 88" | 17587 | 10129 | 10257 |
| Sundowner 195 / Sundowner Cuddy | 85-86 | 18' 8" | 91" | 17586 | 10128 | 10256 |
| Sundowner 195 Cuddy | 96-99 | 19' 0" | 87" | 17586 | 10128 | 10256 |
| Sundowner 205 | 88-90 | 20' 9" | 92" | 17588 | 10130 | 10258 |
| Sundowner 205 I/O | 1995 | 20' 2" | 88" | 17587 | 10129 | 10257 |
| Sundowner 206 I/O | 96-00 | 20' 6" | 97" | 17588 | 10130 | 10258 |
| Sundowner 215 | 2014 | 21' 4" | 101" | 17588 | 10130 | 10258 |
| Sundowner 215 | | 21' 0" | 96" | 17588 | 10130 | 10258 |
| Sundowner 225 | 1995 | 21' 6" | 93" | 17589 | 10131 | 10259 |
| Sundowner 225 | 96-99 | 21' 9" | 100" | 17589 | 10131 | 10259 |
| Sundowner 235 | | 23' 8" | 100" | 17591 | 10133 | 10263 |
| Sundowner 235 | 2014 | 23' 4" | 101" | 17591 | 10133 | 10263 |
| **FUN SEEKER** | | | | | | |
| 210 S | | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 240 S | | 21' 0" | 96" | 17791 | 10116 | 10245 |
| 260 S | | 21' 0" | 102" | 17791 | 10116 | 10245 |
| 280 S | | 23' 0" | 102" | 17791 | 10116 | 10245 |
| **G3 BOATS** | | | | | | |
| 1032 | 10-11 | 9' 11" | 45" | — | — | — |
| 1232 | 10-15 | 11' 11" | 45" | 17818 | — | — |
| 1236 | 10-15 | 11' 11" | 56" | 17819 | — | — |
| 1442 | 10-11 | 13' 11" | 62" | 17044 | — | — |
| 12' Utility V | 1998 | 12' 0" | 58" | 17453 | 10086 | 10207 |
| 14' Utility V | 1998 | 14' 0" | 63" | 17454 | 10087 | 10208 |
| 1436 | 1998 | 14' 0" | 56" | 17040 | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **G3 BOATS-CONTINUED** | | | | | | |
| 1436 / LW | 10-15 | 13' 11" | 56" | **17040** | — | — |
| 1440 VB | 1995 | 14' 0" | 59" | **17040** | — | — |
| 1448 LW | 10-15 | 13' 11" | 70" | **17044** | — | — |
| 1448 LW | 1998 | 14' 0" | 70" | **17044** | — | — |
| 1448 PF | 2015 | 13' 10" | 70" | **17044** | | |
| 1448 WL / WOF / PF / WSOF | 10-11 | 13' 10" | 70" | **17044** | — | — |
| 1544 / VB FC / VC Comm | 1995 | 15' 0" | 62" | **17044** | — | — |
| 1544 LW | 10-15 | 14' 11" | 65" | **17044** | — | — |
| 1544 LW / W | 1998 | 15' 0" | 65" | **17042** | — | — |
| 1544 SH | 1994 | 15' 0" | 64" | **17742** | **10066** | **10194** |
| 1544 SHP | 1994 | 15' 0" | 64" | **17742** | **10066** | **10194** |
| 1548 DK BU / DK SG | 2015 | 15' 5" | 69" | **17742** | **10066** | **10194** |
| 1548 FL / VWB | 2015 | 14' 10" | 70" | **17044** | — | — |
| 1548 VBW / FL / DK | 10-11 | 14' 10" | 70" | **17044** | — | — |
| 16' Utility V | 1998 | 16' 6" | 77" | **17714** | **10104** | **10215** |
| 1648 Comm / VB Comm | 1995 | 16' 0" | 71" | **17046** | — | — |
| 1648 LW / WL | 1998 | 16' 0" | 70" | **17046** | — | — |
| 1648 LW / WL | 10-15 | 15' 10" | 70" | **17046** | — | — |
| 1652 VBW / WSOF / DK / SC / CC / CC DLX / SC DLX | 10-15 | 15' 10" | 71" | **17046** | — | — |
| 1656 CCJ / CCJ DLX | 10-15 | 16' 5" | 76" | **17046** | — | — |
| 168 FC / FC Electric | 10-11 | 16' 0" | 96" | **17046** | — | — |
| 1756 CCT DLX | 10-11 | 17' 1" | 77" | **17048** | — | — |
| 1756 VB Comm / VB WT | 95-96 | 17' 0" | 78" | **17048** | — | — |
| 1756 VBW / WOF / SC / CC /SC DLX / CC DLX | 10-15 | 16' 10" | 77" | **17046** | — | — |
| 1852 WSOF | 10-11 | 17' 11" | 71" | **17048** | — | — |
| 1860 CC / SC / CCT / CCJ / WOFJ / CCT DLX / CC DLX / SC DLX | 10-15 | 18' 1" | 86" | **17820** | — | — |
| 1860 Comm / VB Comm | 95-96 | 18' 0" | 83" | **17048** | — | — |
| 1860 DK SG / DK BU | 2015 | 18' 6" | 84" | **17048** | | |
| 1860 VBW / WOF | 10-15 | 17' 11" | 80" | **17048** | — | — |
| 188 C / F | 10-11 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| 1966 CCT DLX | 10-15 | 18' 11" | 91" | **17820** | — | — |
| 1966 WOF / SC / CC / SC DLX / CC DLX | 10-15 | 19' 0" | 91" | **17821** | — | — |
| 2072 CC DLX | 10-11 | 19' 10" | 98" | **17821** | — | — |
| 208 C / FC / F | 10-11 | 20' 0" | 96" | — | **10289** | **10330** |
| 228 C / FC | 10-11 | 22' 0" | 96" | — | **10289** | **10330** |
| Advantage V 210 | 10-11 | 20' 10" | 101" | **17800** | **10071** | **10205** |
| Angler V 162 C | 10-12 | 16' 5" | 92" | **17719** | **10101** | **10216** |
| Angler V 162 F | 10-12 | 16' 5" | 92" | **17711** | **10025** | **10159** |
| Angler V 162 T | 10-12 | 16' 5" | 92" | **17810** | **10082** | **10231** |
| Angler V 164 F | 12-15 | 16' 4" | 88" | **17810** | **10082** | **10231** |
| Angler V 167 C | 10-12 | 16' 7" | 77" | **17459** | **15429** | **15428** |
| Angler V 167 T | 10-15 | 16' 7" | 77" | **17456** | **10093** | **10212** |
| Angler V 170 C | 10-15 | 16' 10" | 84" | **17459** | **15429** | **15428** |
| Angler V 172 C | 10-15 | 17' 2" | 92" | **17718** | **10106** | **10219** |
| Angler V 172 F / FS | 10-12 | 17' 2" | 92" | **17711** | **10025** | **10159** |
| Angler V 172 T | 10-12 | 17' 2" | 92" | **17810** | **10082** | **10231** |
| Angler V 175 FS | 10-15 | 17' 5" | 96" | — | — | — |
| Angler V 185 F | 10-12 | 18' 5" | 96" | — | — | — |
| Angler V 185 FS | 10-15 | 18' 5" | 96" | — | — | — |
| Angler V 192 SF | 2015 | 19' 2" | 96' | **17713** | **10027** | **10161** |
| Angler V 210 SF | 2015 | 20' 10" | 102" | **17020** | **10028** | **10162** |
| Bandit / VB | 1996 | 15' 0" | 65" | **17044** | — | — |
| Bay 18 | 2015 | 18' 0" | 86" | **10326** | — | — |
| Bay 18 DLX | 2015 | 17' 11" | 96" | — | — | — |
| Bay 20 DLX | 2015 | 20' 3" | 97" | **10328** | — | — |
| Dakota 14 / VB | 1995 | 14' 0" | 71" | **17044** | — | — |
| Dakota 16 / VB / DXL | 1995 | 16' 0" | 71" | **17046** | — | — |
| Deluxe 17 | 1996 | 17' 0" | 78" | **17048** | — | — |
| Drifter 16 | 1995 | 16' 0" | 46" | **17042** | — | — |
| Durango / VB | 95-96 | 14' 0" | 57" | **17040** | — | — |
| Eagle - 14 | 1995 | 14' 0" | 70" | **17454** | **10087** | **10208** |
| Eagle - 16 | 1995 | 16' 0" | 70" | **17455** | **10092** | **10211** |
| Eagle 145 PF | 10-11 | 13' 10" | 70" | — | — | — |
| Eagle 150 PF | 2012 | 14' 10" | 70" | **17825** | **10074** | **10223** |
| Eagle 155 PF | 2011 | 14' 10" | 70" | **17825** | **10074** | **10223** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **G3 BOATS-CONTINUED** | | | | | | |
| Eagle 160 PF | 12-15 | 15' 10" | 71" | **17825** | **10074** | **10223** |
| Eagle 160 PFT | 2015 | 15' 10" | 71" | **17825** | **10074** | **10223** |
| Eagle 160 PFX | 2015 | 15' 10" | 71" | **17825** | **10074** | **10223** |
| Eagle 165 | 10-11 | 16' 5" | 72" | **17744** | **10067** | **10195** |
| Eagle 165 PF | 2011 | 15' 10" | 71" | **17825** | **10074** | **10223** |
| Eagle 165 PF | 10-11 | 15' 11" | 70" | **17825** | **10074** | **10223** |
| Eagle 166 SE | 2012 | 16' 5" | 77" | **17744** | **10067** | **10195** |
| Eagle 170 / SE | 10-12 | 17' 0" | 85" | **17803** | **10075** | **10024** |
| Eagle 170 PFX | 12-15 | 16' 10' | 71" | **17744** | **10067** | **10195** |
| Eagle 175 | 10-11 | 17' 5" | 72" | **17748** | **10069** | **10204** |
| Eagle 175 PF | 2011 | 17' 5" | 72" | **17748** | **10069** | **10204** |
| Eagle 176 | 12-15 | 17' 7" | 80" | **17748** | **10069** | **10204** |
| Eagle 178 PF | 2011 | 17' 8" | 85" | **17748** | **10069** | **10204** |
| Eagle 180 | 10-12 | 17' 8" | 85" | **17803** | **10075** | **10224** |
| Eagle 190 | 10-12 | 18' 8" | 85" | **17750** | **10070** | **10206** |
| Eagle Talon 17 DLX | 2015 | 17' 10" | 92" | **17803** | **10075** | **10224** |
| Eagle Talon 17 PFX | 2015 | 17' 10" | 92" | **17803** | **10075** | **10224** |
| Eagle Talon 19 DLX | 2015 | 19' 10" | 92" | **17803** | **10075** | **10224** |
| Eagle W/T | | 14' 0" | 70" | **17454** | **10087** | **10208** |
| Eagle W/T | | 16' 0" | 70" | **17455** | **10092** | **10211** |
| Elite 22 C | 2010 | 22' 6" | 102" | **17791** | **10116** | **10245** |
| Elite 325 C | 10-11 | 25' 0" | 102" | **17792** | **10117** | **10247** |
| Elite 326 DC | 10-11 | 26' 0" | 102" | **17792** | **10117** | **10247** |
| Elite 332 C | 10-11 | 22' 6" | 102" | **17791** | **10116** | **10245** |
| Fishing Jammer 20' | 1994 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| Fishing Jammer 24' | 1994 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| Guide V 12 | 10-15 | 12' 6" | 61" | **17453** | **10086** | **10207** |
| Guide V 14 | 10-12 | 14' 6" | 61" | **17454** | **10087** | **10288** |
| Guide V 14 | 2015 | 14' 6" | 65" | **17454** | **10087** | **10288** |
| Guide V 14 CT / CXT | 12-15 | 14' 3" | 71" | **17454** | **10087** | **10288** |
| Guide V 14 XT | 2015 | 14' 6" | 65" | **17454** | **10087** | **10288** |
| Guide V 14 XT | 2012 | 14' 6" | 61" | **17454** | **10087** | **10288** |
| Guide V 143 T | 10-12 | 14' 3" | 70" | **17454** | **10087** | **10288** |
| Guide V 150 T | 2015 | 14' 11" | 73" | **17454** | **10087** | **10288** |
| Guide V 16 | 12-15 | 15' 10" | 84" | **17456** | **10093** | **10212** |
| Guide V 16 XT | 10-12 | 16' 6" | 61" | **17455** | **10092** | **10211** |
| Guide V 16 XT | 2015 | 16' 6" | 65" | **17455** | **10092** | **10211** |
| Guide V 170 T | 10-11 | 16' 10" | 84" | **17456** | **10093** | **10212** |
| Guide V 177 T | 12-15 | 17' 7" | 81" | **17714** | **10104** | **10215** |
| Guide V 18 | 10-15 | 17' 10" | 84" | **17714** | **10104** | **10215** |
| Hawk - 12 | 95-96 | 12' 0" | 57" | **17453** | **10086** | **10207** |
| Hawk - 14 | 95-96 | 14' 0" | 57" | **17454** | **10087** | **10208** |
| Jammer 18'6" | | 16' 6" | 96" | — | **10288** | **10329** |
| Jammer Cruise 20' | | 18' 0" | 96" | **17790** | **10114** | **10244** |
| Jammer Cruise 24' | | 22' 0" | 96" | **17791** | **10116** | **10245** |
| Jammer Family Cruise 20 | 95-96 | 17' 0" | 96" | **17790** | **10114** | **10244** |
| Jammer Fish-N-Cruise | 94-96 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| Jammer Fish-N-Cruise 24' | 1995 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| LX 20 FC / C | 2010 | 20' 0" | 102" | — | **10289** | **10330** |
| LX 22 DLX / C / FC | 10-11 | 22' 6" | 102" | **17791** | **10116** | **10245** |
| LX 3 22 DLX / FC / C | 10-11 | 22' 6" | 102" | **17791** | **10116** | **10245** |
| LX 3 25 C | 10-11 | 25' 0" | 102" | **17792** | **10117** | **10247** |
| LX 320 C | 10-11 | 20' 0" | 102" | — | **10289** | **10330** |
| Magnum 18 / VB | 1995 | 18' 0" | 84" | **17048** | — | — |
| Maverick VB | 1995 | 17' 0" | 75" | **17048** | — | — |
| Montego 20' | 94-95 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| Montego 24' | 94-95 | 21' 0" | 96" | **17791** | **10116** | **10245** |
| Montego III 22' | 94-95 | 20' 0" | 96" | — | **10289** | **10330** |
| Montego III 26' | 94-95 | 23' 0" | 96" | — | **10290** | **10331** |
| Outfitter V 143 T | 10-12 | 14' 3" | 70" | **17454** | **10087** | **10288** |
| Outfitter V 170 T | 10-11 | 16' 10" | 84" | **17456** | **10093** | **10212** |
| Outfitter V 177 T | 12-15 | 17' 7" | 81" | **17714** | **10104** | **10215** |
| Pro 165/Pro 165 W | 1998 | 16' 0" | 70" | **17744** | **10067** | **10195** |
| Pro 175/Pro 175 W | 1998 | 17' 0" | 70" | **17748** | **10069** | **10204** |
| Pro ST17 | 1996 | 17' 0" | 84" | **17776** | **10055** | **10182** |
| Raider VB | 95-96 | 14' 0" | 60" | **17040** | — | — |
| Raven -14 | 95-96 | 14' 0" | 65" | **17454** | **10087** | **10208** |
| Rebel 14 | 1995 | 14' 0" | 57" | **17040** | — | — |
| S L222 | 09-13 | 22' 7" | 102" | **17796** | **10316** | **10190** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **G3 BOATS-CONTINUED** | | | | | | |
| Shadow | 1995 | 15' 0" | 64" | 17742 | 10066 | 10194 |
| Shadow Pro | 1995 | 15' 0" | 64" | 17742 | 10066 | 10194 |
| Sierra Pro - 16 | 1994 | 16' 0" | 72" | 17746 | 10068 | 10202 |
| Silverado - 17 | 1994 | 17' 0" | 77" | 17748 | 10069 | 10204 |
| SL 242 | 09-13 | 24' 5" | 102" | 17798 | 10318 | 10199 |
| SL 262 | 09-13 | 26' 6" | 102" | 17823 | 10096 | 10239 |
| Spirit 14 | 1995 | 14' 0" | 46" | 17040 | — | — |
| Sportsman 17 | 2015 | 17' 10" | 92" | 17711 | 10025 | 10159 |
| Sportsman 200 | 2015 | 19' 11" | 95" | 17713 | 10027 | 10161 |
| SV 160 C | 1998 | 16' 6" | 77" | 17459 | 15429 | 15428 |
| SV 160 T | 1998 | 16' 6" | 77" | 17714 | 10104 | 10215 |
| SV 165 C | 1998 | 16' 6" | 84" | 17459 | 15429 | 15428 |
| SV 165 T | 1998 | 16' 6" | 84" | 17714 | 10104 | 10215 |
| SV 175 C | 1998 | 17' 6" | 89" | 17718 | 10106 | 10219 |
| SV 175 T | 1998 | 17' 6" | 89" | 17716 | 10105 | 10218 |
| V X6 CXT | 2015 | 16' 3" | 71" | 17714 | 10104 | 10215 |
| **GALAXIE** | | | | | | |
| 1760 | 2004 | 17' 6" | 90" | 17684 | 10142 | 10274 |
| 1760 | 99-02 | 17' 6" | 90" | 17684 | 10142 | 10274 |
| 1600V I/O | 1981 | 15' 10" | 83" | 17722 | 10029 | — |
| 1600V O/B | 1991 | 15' 10" | 83" | 17710 | 10023 | 10158 |
| 1700 Ultra | | 16' 10" | 87" | 17683 | 10141 | — |
| 171 Bass | 1991 | 17' 0" | 85" | 17776 | 10055 | 10182 |
| 172 Bass | 1991 | 17' 0" | 85" | 17776 | 10055 | 10182 |
| 173 Bass | 1991 | 17' 0" | 85" | 17776 | 10055 | 10182 |
| 1790V I/O | 1991 | 16' 11" | 85" | 17723 | 10030 | 10163 |
| 1790V O/B | 1991 | 16' 11" | 85" | 17711 | 10025 | 10159 |
| 1800 Ultra Deckboat | 2004 | 17' 10" | 91" | 17010 | — | — |
| 1850 V | | 17' 3" | 91" | 17723 | 10030 | 10163 |
| 1850 V I/O | | 17' 4" | 91" | 17724 | 10032 | 10164 |
| 1900 Ultra | 96-04 | 18' 9" | 96" | 17685 | 10143 | 10275 |
| 1950 V I/O | | 19' 9" | 93" | 17726 | 10034 | 10166 |
| 2000V I/O | 1991 | 20' 4" | 96" | 17726 | 10034 | 10166 |
| 2050 | 1991 | 20' 8" | 93" | 17727 | 10035 | 10167 |
| 2050 CC | 1991 | 20' 8" | 93" | 17588 | 10130 | 10258 |
| 2050 Ultra | 99-04 | 20' 9" | 100" | 17687 | 10145 | 10277 |
| 22 Center Console | 2004 | 22' 2" | 96" | 17741 | 10153 | 15407 |
| 2200 Ultra Deckboat | 2004 | 22' 0" | 102" | 17796 | 10316 | 10190 |
| 2200V I/O | 1991 | 21' 7" | 96" | 17589 | 10131 | 10259 |
| 2300 Ultra | 96-04 | 22' 9" | 102" | 17689 | 10147 | 10279 |
| Fish-N-Ski Combo | | 16' 2" | 75" | 17710 | 10023 | 10158 |
| XL 1500 Custom Deluxe | | 15' 2" | 73" | 17732 | 10041 | — |
| XL 1600 V I/O | | 15' 10" | 83" | 17722 | 10029 | — |
| XL 1600 V O/B | | 15' 10" | 83" | 17710 | 10023 | 10158 |
| XL 1700 V I/O | | 16' 4" | 87" | 17723 | 10030 | 10163 |
| XL 1700 V O/B | | 16' 4" | 87" | 17711 | 10025 | 10159 |
| XL 1790 V I/O | | 16' 11" | 85" | 17723 | 10030 | 10163 |
| XL 1790 V O/B | | 16' 11" | 85" | 17711 | 10025 | 10159 |
| XL 1800 V I/O | | 17' 2" | 82" | 17723 | 10030 | 10163 |
| XL 1800 V O/B | | 17' 2" | 83" | 17711 | 10025 | 10159 |
| XL 2000 V I/O | | 20' 4" | 96" | 17726 | 10034 | 10166 |
| XL 2200 V I/O | | 21' 7" | 96" | 17589 | 10131 | 10259 |
| **GALAXY** | | | | | | |
| 175 BR | 1984 | 16' 4" | 81" | 17722 | 10029 | — |
| 176 BR | 1986 | 16' 4" | 84" | 17723 | 10030 | 10163 |
| 1760 BR | | 17' 6" | 92" | 17724 | 10032 | 10164 |
| 185 BR | 84-86 | 17' 6" | 88" | 17724 | 10032 | 10164 |
| 186 BR | 1984 | 17' 6" | 90" | 17724 | 10032 | 10164 |
| 1860 BR | | 18' 8" | 92" | 17725 | 10033 | 10165 |
| 1860 CC | | 18' 8" | 92" | 17586 | 10128 | 10256 |
| 189 BR | 84-86 | 17' 6" | 90" | 17724 | 10032 | 10164 |
| 190 Comet | | 18' 9" | 92" | 17725 | 10033 | 10165 |
| 191 SC | 1984 | 18' 8" | 90" | 17586 | 10128 | 10256 |
| 195 BR | 1984 | 18' 2" | 90" | 17724 | 10032 | 10164 |
| 199 BR / SD | 84-86 | 18' 11" | 90" | 17725 | 10033 | 10165 |
| 199 CC | 84-86 | 18' 11" | 90" | 17586 | 10128 | 10256 |
| 200 Cuddy Cabin | | 18' 11" | 90" | 17725 | 10033 | 10165 |
| 200 / 201 BR | | 18' 11" | 90" | 17725 | 10033 | 10165 |
| 205 BR | 1984 | 19' 2" | 90" | 17725 | 10033 | 10165 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **GALAXY-CONTINUED** | | | | | | |
| 209 Cuddy | 1986 | 20' 3" | 90" | 17587 | 10129 | 10257 |
| 209 LX | | 20' 3" | 90" | 17726 | 10034 | 10166 |
| 210 BR / SD | 1984 | 19' 2" | 93" | 17725 | 10033 | 10165 |
| 210 Cuddy | 1984 | 19' 2" | 90" | 17586 | 10128 | 10256 |
| 210 Sport | | 21' 0" | 96" | 17588 | 10130 | 10258 |
| 2100 BR/WE | | 21' 1" | 92" | 17588 | 10130 | 10258 |
| 2100 Sport | | 21' 1" | 92" | 17727 | 10035 | 10167 |
| 225 Cuddy | 1984 | 20' 5" | 96" | 17588 | 10130 | 10258 |
| 230 Cuddy Cabin | | 20' 8" | 96" | 17727 | 10035 | 10167 |
| **GAMBLER** | | | | | | |
| 193 | 1997 | 19' 3" | 90" | 17777 | 10057 | 10184 |
| 209 | 1997 | 20' 9" | 91" | 17778 | 10058 | 10185 |
| Intimidator | 1997 | 19' 3" | 90" | 17777 | 10057 | 10184 |
| **GEKKO** | | | | | | |
| Bazooka | 1999 | 20' 11" | 90" | 17704 | 10014 | 15417 |
| Catapult | 1999 | 20' 0" | 83" | 17702 | 10012 | 15415 |
| GTO 22 | 1999 | 21' 7" | 96" | 17705 | 10015 | 15418 |
| GTR 22 | 1999 | 21' 7" | 96" | 17705 | 10015 | 15418 |
| GTS 20 | 99-15 | 20' 0" | 83" | 17702 | 10012 | 15415 |
| GTX 22 | 1999 | 21' 7" | 96" | 17705 | 10015 | 15418 |
| Rocket | 1999 | 21' 7" | 96" | 17705 | 10015 | 15418 |
| **GENERATION III: SEE G3 BOATS** | | | | | | |
| **GENESIS** | | | | | | |
| 1810 BR | | 18' 10" | 92" | 17685 | 10143 | 10275 |
| 2001 BR | | 20' 1" | 101" | 17686 | 10144 | 10276 |
| 2002 Cuddy | | 20' 1" | 101" | 17567 | — | — |
| 2502 Cuddy | | 25' 2" | 102" | 17572 | — | — |
| **GLASSMASTER** | | | | | | |
| 164 BFS | 1987 | 15' 6" | 78" | 17710 | 10023 | 10158 |
| 164 S I/O | 87-90 | 15' 6" | 78" | 17722 | 10029 | — |
| 164 S O/B | 87-90 | 15' 6" | 78" | 17710 | 10023 | 10158 |
| 179 BFS / 719 S O/B | 87-90 | 16' 5" | 83" | 17711 | 10025 | 10159 |
| 179 S I/O | 87-90 | 16' 5" | 83" | 17723 | 10030 | 10163 |
| 179 S O/B | 87-90 | 16' 5" | 83" | 17711 | 10025 | 10159 |
| 187 S Bowrider / Closed Bow | 87-90 | 17' 6" | 89" | 17724 | 10032 | 10164 |
| 187 S Cuddy | 87-90 | 17' 6" | 89" | 17585 | 10127 | 10255 |
| 191 BFS | 87-90 | 18' 5" | 87" | 17713 | 10027 | 10161 |
| 191 S I/O | 87-89 | 18' 5" | 87" | 17725 | 10033 | 10165 |
| 196 | | 18' 0" | 90" | 17737 | 10150 | 15404 |
| 196 Center Console | 87-90 | 18' 0" | 90" | 17737 | 10150 | 15404 |
| 210 Regency EFRD / ESD / EBS | 1985 | 21' 0" | 95" | 17588 | 10130 | 10258 |
| 225 S ESD | 87-90 | 21' 0" | 95" | 17588 | 10130 | 10258 |
| 225 SS EBS | 87-90 | 21' 0" | 95" | 17588 | 10130 | 10258 |
| 650 EBS Cadet / BS | 1985 | 16' 5" | 83" | 17723 | 10030 | 10163 |
| 700 EC Citation | 1985 | 17' 5" | 83" | 17724 | 10032 | 10164 |
| 750 Patriot BS / BFS | 1985 | 17' 5" | 83" | 17711 | 10025 | 10159 |
| 750 Patriot EBS / BS | 1985 | 17' 5" | 83" | 17724 | 10032 | 10164 |
| 760 EBS / EBSS | 1985 | 17' 6" | 89" | 17724 | 10032 | 10164 |
| 760 ESD Sabre Cuddy | 1985 | 17' 6" | 89" | 17585 | 10127 | 10255 |
| 850 BS / BFS | 1985 | 18' 5" | 87" | 17712 | 10026 | 10160 |
| 850 EBS | 1985 | 18' 5" | 87" | 17725 | 10033 | 10165 |
| 850 EC Chief | 1985 | 18' 5" | 87" | 17725 | 10033 | 10165 |
| **GLASSPORT** | | | | | | |
| 154 | | 15' 4" | 67" | 17550 | — | — |
| 182 | | 18' 2" | 87" | 17443 | 10049 | — |
| 175 Closed Bow I/O | | 17' 5" | 85" | 17724 | 10032 | 10164 |
| 175 Deluxe I/O | | 17' 5" | 85" | 17724 | 10032 | 10164 |
| 175 Economy | | 17' 5" | 85" | 17724 | 10032 | 10164 |
| 175 O/B | | 17' 5" | 85" | 17712 | 10026 | 10160 |
| 197 / SN / SS | | 19' 7" | 88" | 17726 | 10034 | 10166 |
| 197 Van Lear | | 19' 7" | 88" | 17726 | 10034 | 10166 |
| **GLASTRON** | | | | | | |
| Carlson: CVX 16 | | 16' 8" | 78" | 17693 | 10136 | 10265 |
| Carlson: CVX 17 | | 17' 7" | 78" | 17694 | 10137 | 10267 |
| Carlson: CVX 18 | | 18' 1" | 90" | 17684 | 10142 | 10274 |
| Carlson: CVX 20 | | 20' 3" | 87" | 17687 | 10145 | 10277 |
| Conroy: CX 19 | | 18' 10" | 87" | 17586 | 10128 | 10256 |
| Conroy: X 16 | | 16' 4" | 79" | 17722 | 10029 | — |
| Conroy: X 17 | | 17' 1" | 83" | 17723 | 10030 | 10163 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **GLASTRON-CONTINUED** | | | | | | |
| Conroy: X 19 | | 18' 8" | 88" | **17725** | **10033** | **10165** |
| Conroy: Z 16 | | 16' 2" | 79" | **17710** | **10023** | **10158** |
| Conroy: Z 17 | | 17' 0" | 83" | **17711** | **10025** | **10159** |
| CSX 18 | 1999 | 17' 6" | 92" | **17694** | **10137** | **10267** |
| CSX 21 | 1999 | 21' 3" | 100" | **17687** | **10145** | **10277** |
| DS 205 | 2008 | 20' 0" | 102" | **17879** | **10320** | **17888** |
| DS 205 Deck Boat | 2009 | 20' 1" | 102" | **17879** | **10320** | **17888** |
| DS 215 | 2008 | 21' 0" | 102" | **17880** | **10321** | **17889** |
| DS 215 Deck Boat | 2009 | 20' 11" | 102" | **17879** | **10320** | **17888** |
| DX 235 Deck Boat | 2009 | 24' 4" | 102" | **17883** | **10324** | **17892** |
| DX 200 | 2004 | 20' 1" | 102" | **17879** | **10320** | **17888** |
| DX 205 | 04-06 | 20' 1" | 102" | **17879** | **10320** | **17888** |
| DX 210 | 2004 | 20' 11" | 102" | **17879** | **10320** | **17888** |
| DX 215 | 2008 | 21' 0" | 102" | **17795** | **10315** | **10189** |
| DX 215 | 04-09 | 20' 11" | 102" | **17879** | **10320** | **17888** |
| DX 235 | 2008 | 23' 0" | 102" | **17882** | **10323** | **17891** |
| DX 235 | 2006 | 22' 6" | 102" | **17881** | **10322** | **17890** |
| Futura 170 | 1989 | 16' 10" | 87" | **17711** | **10025** | **10159** |
| Futura 175 SL / SS | 1989 | 16' 10" | 87" | **17723** | **10030** | **10163** |
| Futura 177 SL | 1989 | 16' 10" | 87" | **17723** | **10030** | **10163** |
| Futura 180 | 1989 | 17' 9" | 87" | **17712** | **10026** | **10160** |
| Futura 185 SL / SS | 1989 | 17' 9" | 87" | **17724** | **10032** | **10164** |
| Futura 187 SL | 1989 | 17' 9" | 87" | **17724** | **10032** | **10164** |
| Futura 200 | 1989 | 19' 10" | 96" | **17726** | **10034** | **10166** |
| Futura 205SL / SS 4850 | 1989 | 19' 11" | 96" | **17726** | **10034** | **10166** |
| Futura 207SL / SS | 1989 | 19' 11" | 96" | **17726** | **10034** | **10166** |
| Futura 219 CC | | 21' 0" | 96" | **17588** | **10130** | **10258** |
| Futura 225 SS / SL | 1989 | 21' 6" | 96" | **17728** | **10036** | **10168** |
| Futura 227 SL | 1989 | 21' 6" | 96" | **17728** | **10036** | **10168** |
| GA 180 SF | | 17' 11" | 89" | **17583** | **10111** | **17575** |
| GLS 195 BR | 2009 | 19' 4" | 94" | **17685** | **10143** | **10275** |
| GLS 215 BR | 2009 | 21' 4" | 101" | **17687** | **10145** | **10277** |
| GLS 235 BR | 2009 | 23' 9" | 102" | **17689** | **10147** | **10279** |
| GLS 255 BR | 2009 | 25' 4" | 102" | **17802** | **10073** | **10221** |
| GS 160 / GS 160 SF | 96-99 | 16' 0" | 84" | **17692** | **10135** | **—** |
| GS 180 / GS 180 SF | 96-99 | 17' 11" | 89" | **17694** | **10137** | **10267** |
| GS 180 / GS 180 SF | 2002 | 17' 10" | 91" | **17684** | **10142** | **10274** |
| GS 185 / GS 185 SF | 96-99 | 18' 0" | 90" | **17684** | **10142** | **10274** |
| GS 187 / GS 187 SF | 95-99 | 18' 0" | 90" | **17684** | **10142** | **10274** |
| GS 195 | | 18' 7" | 91" | **17685** | **10143** | **10275** |
| GS 205 / GS 205 SF | 96-99 | 19' 11" | 94" | **17686** | **10144** | **10276** |
| GS 205 / GS 205SF | 02-04 | 19' 11" | 96" | **17686** | **10144** | **10276** |
| GS 209 | 98-03 | 21' 2" | 94" | **17588** | **10130** | **10258** |
| GS 209 | 2007 | 20' 0" | 94.25" | **17587** | **10129** | **10257** |
| GS 215 | 1995 | 21' 2" | 97" | **17687** | **10145** | **10277** |
| GS 219 | 2008 | 21' 0" | 102" | **17588** | **10130** | **10258** |
| GS 219 | 2006 | 21' 6" | 102" | **17588** | **10130** | **10258** |
| GS 225 | 98-99 | 22' 0" | 101" | **17688** | **10146** | **10278** |
| GS 229 | 98-03 | 22' 7" | 96" | **17590** | **10132** | **10261** |
| GS 235 | 96-98 | 23' 4" | 102" | **17689** | **10147** | **10279** |
| GS 249 | 2004 | 24' 10" | 102" | **17591** | **10133** | **10263** |
| GS 259 | 2008 | 25' 0" | 102" | **17592** | **10134** | **—** |
| GS 259 Sport Cruiser | 06-09 | 24' 10" | 102" | **17592** | **10134** | **—** |
| GT 109 | 2008 | 20' 0" | 94.25" | **17587** | **10129** | **10257** |
| GT 160 | 2015 | 16' 6" | 84" | **17682** | **10140** | **10243** |
| GT 180 | 2015 | 17' 10" | 89" | **17683** | **10141** | **10242** |
| GT 180 BR | 2009 | 17' 1" | 88" | **17683** | **10141** | **10242** |
| GT 185 | 2015 | 18' 0" | 89" | **17684** | **10142** | **10274** |
| GT 185 BR | 08-09 | 18' 0" | 88" | **17684** | **10142** | **10274** |
| GT 185 Ski & Fish | 08-09 | 18' 5" | 88" | **17583** | **10111** | **17575** |
| GT 185 w/swim platform | 2015 | 19' 6" | 89" | **17685** | **10143** | **10275** |
| GT 187 | 2018 | 19' 6" | 89" | **17685** | **10143** | **10275** |
| GT 200 | 2018 | 20' 4 | 96" | **17686** | **10144** | **10276** |
| GT 205 | 2015 | 20' 6" | 96" | **17686** | **10144** | **10276** |
| GT 205 BR | 2009 | 20' 8" | 92" | **17686** | **10144** | **10276** |
| GT 205 Ski & Fish | 2008 | 20' 0" | 92" | **17030** | **10113** | **17577** |
| GT 205 Ski & Fish | 2009 | 20' 8" | 92" | **17030** | **10113** | **17577** |
| GT 205 w/swim platform | 2015 | 23' 0" | 96" | **17689** | **10147** | **10179** |
| GT 207 | 2015 | 21' 10" | 96" | **17687** | **10145** | **10277** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **GLASTRON-CONTINUED** | | | | | | |
| GT 209 Cuddy Cabin | 2009 | 20' 2 | 94.25" | **17587** | **10129** | **10257** |
| GT 225 | 2008 | 22' 0" | 99.5" | **17688** | **10146** | **10278** |
| GT 225 | 2015 | 22' 0" | 100 | **17688** | **10146** | **10278** |
| GT 225 BR | 2009 | 21' 6" | 99.5" | **17687** | **10145** | **10277** |
| GT 225 w/swim platform | 2015 | 23' 8" | 100" | **17689** | **10147** | **10279** |
| GT 229 | 2015 | 22' 0" | 100" | **17688** | **10146** | **10278** |
| GT 229 w/swim platform | 2015 | 23' 8" | 100" | **17689** | **10147** | **10279** |
| GT 245 | 2015 | 24' 0" | 100' | **17801** | **10072** | **10210** |
| GT 245 w/swim platform | 2015 | 25' 8" | 100" | **17802** | **10073** | **10221** |
| GT 249 | 08-09 | 24' 0" | 102" | **17591** | **10133** | **10263** |
| GTX 160 | 2015 | 16' 6" | 84" | **17682** | **10140** | **10243** |
| GTX 185 | 2015 | 18' 0" | 89" | **17684** | **10142** | **10274** |
| GX 180 | 04-06 | 17' 10" | 91" | **17683** | **10141** | **10242** |
| GX 185 | 2008 | 20' 0" | 96" | **17684** | **10142** | **10274** |
| GX 185 / 185 SF | 02-06 | 18' 0" | 91" | **17684** | **10142** | **10274** |
| GX 205 | 04-06 | 19' 11" | 96" | **17685** | **10143** | **10275** |
| GX 225 | 99-03 | 22' 0" | 102" | **17688** | **10146** | **10278** |
| GX 235 | 2006 | 23' 0" | 102" | **17689** | **10147** | **10279** |
| GX 255 | 04-06 | 25' 0" | 102" | **17802** | **10073** | **10221** |
| GXL 180 SF | 2008 | 18' 0' | 91" | **17583** | **10111** | **17575** |
| GXL 185 | 2008 | 18' 0' | 91" | **17684** | **10142** | **10274** |
| GXL 185 SF | 2008 | 18' 0' | 91" | **17583** | **10111** | **17575** |
| GXL 205 | 2008 | 20' 0" | 96" | **17686** | **10144** | **10276** |
| GXL 205 | 2006 | 19' 11" | 96" | **17685** | **10143** | **10275** |
| GXL 205 SF | 2008 | 20' 0" | 96" | **17030** | **10113** | **17577** |
| GXL 235 | 2008 | 23' 0" | 102" | **17689** | **10147** | **10279** |
| GXL 255 | 2008 | 25' 0" | 102" | **17802** | **10073** | **10221** |
| HPV 155 | | 15' 5" | 76" | **17770** | **10052** | **10179** |
| HPV 165 | | 16' 2" | 79" | **17580** | **10109** | **17573** |
| HPV 170 | | 17' 9" | 91" | **17775** | **10056** | **10183** |
| HPV 175 | | 17' 9" | 91" | **17583** | **10111** | **17575** |
| MX 170 | 2008 | 17' 0" | 88" | **17683** | **10141** | **—** |
| MX 170 | 2006 | 17' 1" | 88" | **17683** | **10141** | **—** |
| MX 175 | 2008 | 17' 0" | 88" | **17683** | **10141** | **—** |
| MX 195 | 2006 | 19' 4" | 92" | **17685** | **10143** | **10275** |
| SE 170 | 95-98 | 17' 1" | 88" | **17693** | **10136** | **10265** |
| SE 175 / SE 175SF | 95-98 | 17' 1" | 88" | **17683** | **10141** | **—** |
| SE 177 | 95-98 | 17' 1" | 88" | **17683** | **10141** | **—** |
| SE195 / 199 | 96-98 | 18' 7" | 91" | **17685** | **10143** | **10275** |
| Sierra 160 | | 16' 2" | 79" | **17710** | **10023** | **10158** |
| Sierra 165 SS | | 16' 4" | 79" | **17722** | **10029** | **—** |
| Sierra 170 | | 17' 2" | 88" | **17711** | **10025** | **10159** |
| Sierra 175 SL / SS | | 17' 2" | 88" | **17723** | **10030** | **10163** |
| Sierra 195 SL / SS | | 19' 2" | 88" | **17725** | **10033** | **10165** |
| Sierra 199 CC | | 18' 11" | 87" | **17586** | **10128** | **10256** |
| SSV 151 | | 15' 5" | 77" | **17709** | **10022** | **10157** |
| SSV 167 | | 16' 2" | 79" | **17710** | **10023** | **10158** |
| SSV 170 | 2009 | 16' 11" | 88" | **17710** | **10023** | **10158** |
| SSV 170 / FS | 1993 | 17' 1" | 88" | **17693** | **10136** | **10265** |
| SSV 170 / SE170 | 1993 | 17' 1" | 88" | **17693** | **10136** | **10265** |
| SSV 175 / SE 175 | 93-09 | 17' 1" | 88" | **17693** | **10136** | **10265** |
| SSV 176 | 1985 | 17' 1" | 83" | **17711** | **10025** | **10159** |
| SSV 177/SE / 177 SE | 85-93 | 17' 1" | 88" | **17683** | **10141** | **—** |
| SSV 178 | | 17' 1" | 83" | **17734** | **10043** | **10171** |
| SSV 187 | | 18' 1" | 89" | **17712** | **10026** | **10160** |
| SSV 189 | | 18' 1" | 89" | **17724** | **10032** | **10164** |
| SSV 190 | 1993 | 18' 7" | 91" | **17695** | **10138** | **10269** |
| SSV 194 | | 18' 9" | 87" | **17725** | **10033** | **10165** |
| SSV 195 SE / 197 SE | 1993 | 18' 7" | 91" | **17685** | **10143** | **10275** |
| SSV 199 Cuddy | | 18' 7" | 91" | **17566** | **—** | **—** |
| SSV 209 Cuddy | 1993 | 20' 1" | 96" | **17587** | **10129** | **10257** |
| SSV 215 BR | | 21' 2" | 97" | **17687** | **10145** | **10277** |
| SSV 219 Cuddy | | 21' 2" | 97" | **17588** | **10130** | **10258** |
| SSV 225 | 1993 | 22' 5" | 98" | **17589** | **10131** | **10259** |
| SSV 235 | | 23' 3" | 102" | **17689** | **10147** | **10279** |
| SV 178 | | 17' 1" | 83" | **17711** | **10025** | **10159** |
| SX 170 / 170 SF | 99-06 | 17' 1" | 88" | **17693** | **10136** | **10265** |
| SX 175 / 175 SF | 99-06 | 17' 1" | 88" | **17683** | **10141** | **—** |
| SX 177 | 99-02 | 17' 1" | 88" | **17683** | **10141** | **—** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **GLASTRON-CONTINUED** | | | | | | |
| SX 180 | 1985 | 17' 6" | 84" | 17724 | 10032 | 10164 |
| SX 190 | 1985 | 18' 8" | 88" | 17725 | 10033 | 10165 |
| SX 195 | 2006 | 19' 4" | 92" | 17685 | 10143 | 10275 |
| SX 195 / SX 195 SF | 99-04 | 18' 7" | 91" | 17685 | 10143 | 10275 |
| SX 209 | 2002 | 20' 1" | 94" | 17587 | 10129 | 10257 |
| T 161 / 162 | | 15' 8" | 74" | 17733 | 10042 | 10169 |
| V 192 | | 18' 9" | 87" | 17713 | 10027 | 10161 |
| V 195 | | 18' 10" | 87" | 17725 | 10033 | 10165 |
| V 232 / 233 | | 23' 4" | 96" | 17591 | 10133 | 10263 |
| **GODFREY** | | | | | | |
| Aqua Patio 200 RE | 2002 | 20' 0" | 102" | 17790 | 10114 | 10244 |
| Aqua Patio 220 LE / DF/ RS / RE | 02-03 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Aqua Patio 240 DC / SE / LEIO / DF / RE / RS | 2002 | 24' 0" | 102" | 17791 | 10116 | 10245 |
| Aqua Patio 180 | 2011 | 19' 1" | 102" | — | 10289 | 10330 |
| Aqua Patio 200 | 2011 | 21' 1" | 102" | 17791 | 10116 | 10245 |
| Aqua Patio 200 | 2015 | 22' 3" | 102" | 17791 | 10116 | 10245 |
| Aqua Patio 200 RE | 2002 | 20' 0" | 102" | 17790 | 10114 | 10244 |
| Aqua Patio 210 RS / PE | 97-00 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Aqua Patio 220 | 2015 | 24' 3" | 102" | 17791 | 10116 | 10245 |
| Aqua Patio 220 DC | 2011 | 23' 1" | 102" | — | 10290 | 10331 |
| Aqua Patio 220 LE / DF / RS / RE | 02-03 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Aqua Patio 220 SL / SLC / SLR / WB | 2015 | 24' 3" | 102" | 17791 | 10116 | 10245 |
| Aqua Patio 240 | 2011 | 25' 1" | 102" | 17792 | 10117 | 10247 |
| Aqua Patio 240 | 2015 | 25' 9" | 102" | 17792 | 10117 | 10247 |
| Aqua Patio 240 DC / SE / LEIO / DF / RE / RS | 2002 | 24' 0" | 102" | 17791 | 10116 | 10245 |
| Aqua Patio 240 Elite OB | 2015 | 25' 9" | 102" | 17792 | 10117 | 10247 |
| Aqua Patio 240 SD / RS / PE | 97-00 | 23' 0" | 96" | 17791 | 10116 | 10245 |
| Aqua Patio 240 SLR / SLC / CB | 2015 | 25' 9" | 102" | 17792 | 10117 | 10247 |
| Aqua Patio 250 WB | 2015 | 26' 10" | 102" | 17792 | 10117 | 10247 |
| Aqua Patio 270 | 1999 | 27' 0" | 102" | 17792 | 10117 | 10247 |
| Aqua Patio 280 SD / RS | 97-98 | 27' 0" | 96" | 17792 | 10117 | 10247 |
| Aqua Patio Entertainer 2422 | | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Aqua Patio Entertainer 2826 | | 26' 0" | 96" | 17792 | 10117 | 10247 |
| Aqua Patio Executive 2018 | | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Aqua Patio Executive 2422 | | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Aqua Patio Executive 2826 | | 26' 0" | 96" | 17792 | 10117 | 10247 |
| Challenger 180 | 2002 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Challenger 200 | 2002 | 20' 0" | 96" | — | 10289 | 10330 |
| Challenger 220 | 2002 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Entertainer 2108 | | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Fun Deck 196 LC / EX / FF | 97-99 | 18' 10" | 91" | 17790 | 10114 | 10244 |
| Fun Deck 201 | 98-99 | 20' 1" | 102" | — | 10289 | 10330 |
| Fun Deck 206 LC | 1995 | 20' 8" | 96" | — | 10289 | 10330 |
| Fun Deck 216 | 97-98 | 20' 9" | 97" | — | 10289 | 10330 |
| Fun Deck 226 RE / LC / FF / REF | 97-99 | 22' 0" | 92" | 17791 | 10116 | 10245 |
| Fun Deck 232 I/O | 2002 | 23' 2" | 102" | 17882 | 10323 | 17891 |
| Fun Deck 236 LC | 1995 | 23' 0" | 102" | — | 10290 | 10331 |
| Fun Deck 248 I/O | 2002 | 24' 0" | 102" | — | 10290 | 10331 |
| Sanpan 2200 | 97-02 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| Sanpan 2200 / DC | 2011 | 23' 1" | 102" | — | 10290 | 10331 |
| Sanpan 2200 / LE / RD | 2003 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Sanpan 2200 / SLR | 2015 | 24' 3" | 102" | — | 10290 | 10331 |
| Sanpan 2500 | 97-02 | 24' 0" | 96" | — | 10290 | 10331 |
| Sanpan 2500 / SL / SLR / WB / FEWB / CB / EL / FE | 2015 | 26' 10" | 102" | 17792 | 10117 | 10247 |
| Sanpan 2500 FE / RD / RE | 2003 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| Sanpan 2500 I/O Elite TT | 2011 | 26' 2" | 102" | — | 10117 | 10247 |
| Sanpan Executive 2018 O/B | | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Sanpan Executive 2422 I/O | | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Sanpan Executive 2422 O/B | | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Sanpan Executive 2826 I/O | | 26' 0" | 96" | 17792 | 10117 | 10247 |
| Sanpan Executive 2826 O/B | | 26' 0" | 96" | 17792 | 10117 | 10247 |
| Sundeck 185 | 1995 | 18' 9" | 96" | 17012 | — | — |
| Sundeck 2005 SE / Sundeck 2000 | | 20' 8" | 96" | — | 10289 | 10330 |
| Sundeck 205 | 1995 | 18' 10" | 96" | 17012 | — | — |
| Sundeck 2100 | 97-02 | 20' 9" | 96" | — | 10289 | 10330 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **GODFREY-CONTINUED** | | | | | | |
| Sundeck 2100 I/O | 2002 | 20' 9" | 96" | — | 10289 | 10330 |
| Sundeck 237 I/O | 2002 | 23' 2" | 102" | — | 10290 | 10331 |
| SW 1780 / F | 2011 | 17' 2" | 86" | 17790 | 10114 | 10244 |
| SW 180 | 97-99 | 17' 0" | 96" | 17790 | 10114 | 10244 |
| SW 186 C | 2015 | 18' 0" | 102" | 17790 | 10114 | 10244 |
| SW 1880 / FC | 2015 | 18' 3" | 96" | 17790 | 10114 | 10244 |
| SW 1986 | 2011 | 19' 2" | 102" | — | 10289 | 10330 |
| SW 200 | 96-99 | 19' 0" | 96" | — | 10289 | 10330 |
| SW 200 / DF | 2015 | 22' 2" | 102" | 17791 | 10116 | 10245 |
| SW 200-4 | 2015 | 22' 2" | 102" | 17791 | 10116 | 10245 |
| SW 2019 | 97-02 | 19' 0" | 102" | — | 10289 | 10330 |
| SW 2020 | 97-98 | 19' 0" | 102" | — | 10289 | 10330 |
| SW 2060 CL | 2015 | 20' 0" | 102" | — | 10289 | 10330 |
| SW 2080 BF | 2015 | 20' 3" | 96" | — | 10289 | 10330 |
| SW 2086 | 2011 | 21' 2" | 102" | 17791 | 10116 | 10245 |
| SW 2086 / FC / FCS / BF | 2015 | 20' 3" | 102" | — | — | — |
| SW 2180 FCXL | 2011 | 21' 2" | 96" | 17791 | 10116 | 10245 |
| SW 2186 BF / DF / F / FCXL | 2011 | 21' 2" | 102" | 17791 | 10116 | 10245 |
| SW 220 | 96-02 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| SW 220 / SLR / DF / DFS / WB / DL | 2015 | 24' 2" | 102" | — | 10290 | 10331 |
| SW 220-4 | 2015 | 24' 2" | 102" | — | 10290 | 10331 |
| SW 2221 | 98-02 | 21' 0" | 102" | 17791 | 10116 | 10245 |
| SW 2222 | 2002 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| SW 2286 / FC / FCS / BF / DL / SLC | 2015 | 22' 3" | 102" | — | 10290 | 10331 |
| SW 2386 / DC | 2011 | 23' 2" | 102" | — | 10290 | 10331 |
| SW 2386 BF / DF / F | 2011 | 23' 2" | 102" | — | 10290 | 10331 |
| SW 240 / DF / WB / SD | 2015 | 25' 8" | 102" | 17792 | 10117 | 10247 |
| SW 2423 | 97-02 | 23' 0" | 102" | — | 10290 | 10331 |
| SW 2424 | 97-99 | 23' 0" | 102" | — | 10290 | 10331 |
| SW 2486 | 2016 | 24' 3" | 102" | — | 10290 | 10331 |
| SW 2586 / BF / DF | 2011 | 25' 2" | 102" | 17792 | 10117 | 10247 |
| SWT 1570 / F | 2011 | 15' 0" | 84" | — | 10288 | 10329 |
| SWT 1770 / F | 2011 | 17' 0" | 84" | 17790 | 10114 | 10244 |
| SWT 1880 / FC | 2011 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| SWT 2080 F | 2011 | 20' 0" | 96" | — | 10289 | 10330 |
| SWT 2086 / FC | 2011 | 20' 0" | 102" | — | 10289 | 10330 |
| SWT 2286 / FC | 2011 | 21' 0" | 102" | 17791 | 10116 | 10245 |
| SWT 2486 FC | 2011 | 24' 0" | 102" | — | 10290 | 10331 |
| **GRADY-WHITE** | | | | | | |
| Advance 257 | 98-05 | 24' 9" | 102" | 17784 | 10156 | 15410 |
| Adventure 208 | 93-05 | 20' 4" | 97" | 17591 | 10133 | 10263 |
| Chase 273 | 2005 | 26' 11" | 102" | — | — | — |
| Escape 20 | | 20' 4" | 97" | 17739 | 10152 | 15406 |
| Escape 209 | 93-05 | 20' 4" | 97" | 17737 | 10150 | 15404 |
| Express 265 | 2005 | 25' 9" | 115" | — | — | — |
| Fisherman 20 / 204 | 85-92 | 20' 4" | 96" | 17738 | 10151 | 15405 |
| Fisherman 222 | 00-05 | 22' 2" | 96" | 17782 | 10154 | 15408 |
| Gulfstream 232 | 2005 | 23' 5" | 111" | — | — | — |
| Islander 270 | 2005 | 26' 11" | 102" | — | — | — |
| Journey 258 | 2005 | 24' 9" | 102" | 17592 | 10134 | — |
| Seafarer 226 / 228 | 93-05 | 22' 2" | 96" | 17570 | — | — |
| Spirit 175 | 92-96 | 17' 5" | 89" | 17736 | 10148 | 15402 |
| Sportsman 180 | 98-05 | 17' 10" | 89" | 17780 | 15412 | 15403 |
| Tournament 15 | 2005 | 17' 10" | 89" | 17583 | 10111 | 17575 |
| Tournament 17 | | 16' 10" | 81" | 17711 | 10025 | 10159 |
| Tournament 185 | 2005 | 17' 10" | 89" | 17583 | 10111 | 17575 |
| Tournament 190 | 87-93 | 18' 11" | 96" | 17713 | 10027 | 10161 |
| Tournament 192 | 94-02 | 19' 2" | 96" | 17713 | 10027 | 10161 |
| Tournament 192 I/O | 87-93 | 18' 11" | 96" | 17725 | 10033 | 10165 |
| Tournament 192 I/O | | 18' 11" | 96" | 17725 | 10033 | 10165 |
| Tournament 192 O/B | 96-98 | 18' 11" | 96" | 17713 | 10027 | 10161 |
| Tournament 192 O/B | 96-98 | 18' 11" | 96" | 17713 | 10027 | 10161 |
| Tournament 197 | 85-86 | 18' 11" | 96" | 17725 | 10033 | 10165 |
| Tournament 205 | 2005 | 20' 4" | 97" | 17030 | 10113 | 17577 |
| Tournament 22 | 96-00 | 22' 0" | 96" | 17728 | 10036 | 10168 |
| Tournament 223 | 91-93 | 22' 0" | 96" | 17728 | 10036 | 10168 |
| Tournament 225 | 2005 | 22' 2" | 96" | 17797 | 10317 | 10191 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **HARRIS-KAYOT** | | | | | | |
| Fisherman 200 | 02-03 | 20' 0" | 102" | — | 10289 | 10330 |
| Heritage 280 I/O | 96-98 | 28' 0" | 102" | — | 10291 | 10332 |
| 200 LS | | 20' 0" | 93" | — | 10289 | 10330 |
| 200 LSi / 2000 Lsi | 96-98 | 21' 6" | 96" | 17018 | — | — |
| 200 Ultra-Lite 200 | | 19' 6" | 96" | 17790 | 10114 | 10244 |
| 220 OB | 1999 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 226 Superdeck I/O | 2002 | 22' 4" | 102" | 17881 | 10322 | 17890 |
| 240 I/O | | 24' 0" | 96" | — | 10290 | 10331 |
| 240 Liberator | 96-97 | 23' 6" | 96" | — | 10290 | 10331 |
| 240 O/B | 98-99 | 24' 0" | 96" | — | 10290 | 10331 |
| 280 I/O | | 28' 0" | 96" | — | 10291 | 10332 |
| 280 O/B | 97-99 | 28' 0" | 96" | — | 10291 | 10332 |
| Admiral 24 | 96-98 | 24' 0" | 102" | — | 10290 | 10331 |
| Admiral 26 | 1998 | 26' 0" | 102" | 17792 | 10117 | 10247 |
| Admiral 28 | 96-98 | 28' 0" | 102" | — | 10291 | 10332 |
| Angler 220 | 02-03 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Classic 200 | 91-97 | 19' 6" | 102" | — | 10289 | 10330 |
| Classic 220 | 98-03 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Classic 240 | 1996 | 21' 4" | 96" | 17791 | 10116 | 10245 |
| Classic 240 | 97-02 | 24' 0" | 102" | — | 10290 | 10331 |
| Classic 240 | 92-96 | 23' 2" | 96" | — | 10290 | 10331 |
| Classic 260 | 1994 | 25' 2" | 102" | 17792 | 10117 | 10247 |
| Classic CF 240 I/O | | 24' 0" | 96" | — | 10290 | 10331 |
| Classic CF 240 O/B | | 24' 0" | 96" | — | 10290 | 10331 |
| Commodore 20 | 91-97 | 19' 6" | 96" | — | 10289 | 10330 |
| Commodore 22 | 1998 | 21' 4" | 102" | 17791 | 10116 | 10245 |
| Commodore 24 | 97-98 | 22' 10" | 102" | 17791 | 10116 | 10245 |
| Commodore 28 | 96-98 | 26' 10" | 102" | 17792 | 10117 | 10247 |
| Corso 180 | 89-96 | 18' 0" | 96" | 17010 | — | — |
| Crowne | 99-02 | 27' 0" | 102" | 17792 | 10117 | 10247 |
| Cruiser 180 | 02-03 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Cruiser 200 | 02-03 | 20' 0" | 96" | — | 10289 | 10330 |
| Cruiser 200 | 2015 | 21' 8" | 102" | 17791 | 10116 | 10245 |
| Cruiser 220 | 02-03 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Cruiser 220 | 2015 | 23' 0" | 102" | — | 10290 | 10331 |
| Cruiser 240 | 02-03 | 24' 0" | 96" | — | 10290 | 10331 |
| Cruiser 240 | 2015 | 25' 4" | 102" | 17792 | 10117 | 10247 |
| Family Fisherman | 89-93 | 19' 6" | 96" | — | 10289 | 10330 |
| Fisherman | 97-98 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Fisherman 200 | 98-02 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Freedom | 1996 | 22' 6" | 96" | 17791 | 10116 | 10245 |
| Freedom | 1997 | 23' 6" | 96" | 17791 | 10116 | 10245 |
| Heritage 240 I/O | 96-98 | 23' 0" | 102" | — | 10290 | 10331 |
| Heritage 240 O/B | 96-98 | 23' 0" | 102" | — | 10290 | 10331 |
| Heritage 280 O/B | 96-98 | 28' 0" | 102" | — | 10291 | 10332 |
| K-18 | 89-96 | 18' 0" | 96" | 17010 | — | — |
| Legend I/O | 2002 | 23' 11" | 102" | — | 10290 | 10331 |
| Omni 160 | 2015 | 17' 3" | 102" | 17790 | 10114 | 10244 |
| Omni 180 | 2015 | 19' 4" | 102" | | 10289 | 10330 |
| Omni 20 4ft Angler | 1998 | 19' 6" | 96" | 17790 | 10114 | 10244 |
| Omni 20 Cruiser RE | 1998 | 19' 6" | 96" | — | 10289 | 10330 |
| Omni 20 Fish / Cruise | 1998 | 19' 6" | 96" | — | 10289 | 10330 |
| Omni 200 | 2015 | 21' 8" | 102" | 17791 | 10116 | 10245 |
| Omni 24 4ft Angler | 1998 | 23' 6" | 96" | — | 10290 | 10331 |
| Omni 24 Cruiser | 1998 | 22' 10" | 96" | 17791 | 10116 | 10245 |
| Pro Fisherman | 90-91 | 19' 6" | 96" | — | 10289 | 10330 |
| Pro Ultralite | 90-91 | 19' 6" | 96" | — | 10289 | 10330 |
| Royal Heritage 2800/B | 93-02 | 28' 0" | 102" | — | 10291 | 10332 |
| Royal Heritage 260 IO/OB | 96-02 | 26' 0" | 102" | 17792 | 10117 | 10247 |
| Royal Heritage 240 I/O | 96-97 | 24' 0" | 102" | — | 10290 | 10331 |
| Royal Heritage 240 O/B | 96-97 | 24' 0" | 102" | — | 10290 | 10331 |
| Royal Hertiage280 I/O | 93-02 | 28' 0" | 102" | — | 10291 | 10332 |
| S 228 I/O | 2002 | 22' 4" | 102" | 17796 | 10316 | 10190 |
| S 240 I/O | 2002 | 23' 9" | 102" | — | 10290 | 10331 |
| Skipper 24 | 95-98 | 22' 10" | 96" | 17791 | 10116 | 10245 |
| Skipper XL | 90-98 | 19' 6" | 96" | — | 10289 | 10330 |
| Skipper XL 20 | 96-98 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Skipper XL 22 | 1998 | 21' 7" | 102" | 17791 | 10116 | 10245 |
| Skipper XL 24 | 96-98 | 21' 4" | 96" | 17791 | 10116 | 10245 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **HARRIS-KAYOT-CONTINUED** | | | | | | |
| Solstice 220 | 2015 | 23' 6' | 102" | — | 10290 | 10331 |
| Solstice 240 | 2015 | 25' 4" | 102" | 17792 | 10117 | 10247 |
| Star 22V | 2002 | 22' 4" | 102" | 17796 | 10316 | 10190 |
| Sunliner 180 | 02-03 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Sunliner 200 | 90-97 | 17' 6" | 96" | 17790 | 10114 | 10244 |
| Sunliner 200 | 2015 | 22' 7" | 102" | 17796 | 10316 | 10190 |
| Sunliner 200 | 1998 | 16' 11" | 96" | 17790 | 10114 | 10244 |
| Sunliner 220 | 2015 | 23' 9" | 102" | — | 10290 | 10331 |
| Sunliner 240 | 90-91 | 20' 0" | 96" | — | 10289 | 10330 |
| Sunliner 240 | 1999 | 24' 0" | 96" | — | 10290 | 10331 |
| Sunliner 240 | 97-98 | 21' 5" | 96" | 17791 | 10116 | 10245 |
| Sunliner 240 | 2015 | 25' 10" | 102" | 17792 | 10117 | 10247 |
| Sunliner 240 | 94-96 | 22' 6" | 96" | 17791 | 10116 | 10245 |
| Super Dek | 96-98 | 22' 6" | 102" | 17018 | — | — |
| Super Dek IO/OB | | 21' 6" | 96" | 17016 | — | — |
| Super Sport | 97-98 | 20' 0" | 102" | — | 10289 | 10330 |
| Super Star | 97-98 | 20' 0" | 102" | — | 10289 | 10330 |
| Super Sunliner | 96-97 | 19' 6" | 96" | — | 10289 | 10330 |
| Super Sunliner 200 | 99-03 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Super Sunliner 200 | 90-03 | 20' 0" | 96" | — | 10289 | 10330 |
| Super Sunliner 240 | 99-03 | 24' 8" | 96" | — | 10290 | 10331 |
| Super Sunliner 240 IO/OB | 96-98 | 22' 6" | 96" | 17791 | 10116 | 10245 |
| Ultimo | 96-98 | 21' 6" | 96" | 17016 | — | — |
| Ultra 22V | 98-02 | 22' 4" | 102" | 17018 | — | — |
| Ultra Deck | 97-98 | 22' 3" | 102" | 17018 | — | — |
| Ultra Deck / Ultra Deck SE | 1997 | 22' 6" | 102" | 17018 | — | — |
| Ultra Sport | 97-98 | 20' 0" | 102" | 17014 | — | — |
| Ultra-Lite 240 | 90-96 | 23' 6" | 96" | — | 10290 | 10331 |
| Ultralite Pro / Family | | 19' 6" | 96" | — | 10289 | 10330 |
| **HEWES CRAFT** | | | | | | |
| 15' SR | 1994 | 15' 6" | 79" | 17710 | 10023 | 10158 |
| 16' RR | 1994 | 15' 11" | 82" | 17710 | 10023 | 10158 |
| 16' SR | 1994 | 16' 8" | 88" | 17711 | 10025 | 10159 |
| 16' SRR | 1999 | 16' 5" | 84" | 17683 | 10141 | — |
| 17' RR | 1994 | 17' 1" | 87" | 17711 | 10025 | 10159 |
| 179 SR SportJet | 1999 | 17' 5" | 90" | 17684 | 10142 | 10274 |
| 179 SR / FR | 1999 | 17' 9" | 90" | 17694 | 10137 | 10267 |
| 19' RR | 1994 | 19' 1" | 92" | 17713 | 10027 | 10161 |
| 19' RR SportJet | 1999 | 18' 8" | 92" | 17685 | 10143 | 10275 |
| 19' SR | 1994 | 18' 11" | 88" | 17713 | 10027 | 10161 |
| 199 SR | 1999 | 20' 1" | 96" | 17020 | 10028 | 10162 |
| 21' RR | 1994 | 21' 1" | 92" | 17727 | 10035 | 10167 |
| 21' RR SportJet | 1999 | 20' 8" | 92" | 17687 | 10145 | 10277 |
| **HURRICANE** | | | | | | |
| FD 186 OB | 2015 | 18' 10" | 90.5 | 17790 | 10114 | 10244 |
| FD 196 | 2010 | 18' 10" | 90.5" | 17790 | 10114 | 10244 |
| FD 196 F | 2010 | 18' 10" | 90.5" | 17790 | 10114 | 10244 |
| FD 196 F OB | 2015 | 18' 10" | 90.5" | 17790 | 10114 | 10244 |
| FD 196 RE-3 Gate OB | 2007 | 18' 10" | 90.5" | 17790 | 10114 | 10244 |
| FD 196 RE-4 Gate OB | 2007 | 18' 10" | 90.5" | 17790 | 10114 | 10244 |
| FD 196 REF OB | 2007 | 18' 10" | 90.5" | 17790 | 10114 | 10244 |
| FD 198 | 2010 | 18' 10" | 90.5" | 17790 | 10114 | 10244 |
| FD 198 OB | 2015 | 18' 10" | 9035" | 17790 | 10114 | 10244 |
| FD 198 RE OB | 2007 | 18' 10" | 90.5" | 17790 | 10114 | 10244 |
| FD 216 | 2010 | 20' 3" | 102" | 17879 | 10320 | 17888 |
| FD 216 F | 2010 | 20' 3" | 102" | 17879 | 10320 | 17888 |
| FD 216 F OB | 2015 | 20' 3" | 102" | 17879 | 10320 | 17888 |
| FD 216 OB | 2015 | 20' 3" | 102" | 17879 | 10320 | 17888 |
| FD 218 RE-3Gate IO | 2007 | 21' 8" | 102" | 17880 | 10321 | 17889 |
| FD 218 RE-3Gate OB | 2007 | 21' 8" | 102" | 17880 | 10321 | 17889 |
| FD 226 | 2010 | 22' 2" | 90.5" | 17881 | 10322 | 17890 |
| FD 226 F | 2010 | 22' 2" | 90.5" | 17881 | 10322 | 17890 |
| FD 226 F OB | 2015 | 22' 2" | 91" | 17881 | 10322 | 17890 |
| FD 226 OB | 2015 | 23' 6" | 102" | 17881 | 10322 | 17890 |
| FD 226 RE OB | 2007 | 22' 2" | 90.5" | 17881 | 10322 | 17890 |
| FD 226 REF-3 Gate | 2007 | 22' 2" | 90.5" | 17881 | 10322 | 17890 |
| FD 226 REF-4 Gate | 2007 | 22' 2" | 90.5" | 17881 | 10322 | 17890 |
| FD 228 RE OB | 2007 | 22' 2" | 90.5" | 17881 | 10322 | 17890 |
| FD 232 IO | 02-07 | 23' 2" | 102" | 17882 | 10323 | 17891 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **HURRICANE-CONTINUED** | | | | | | |
| FD 236 | 2010 | 23' 6" | 102" | 17882 | 10323 | 17891 |
| FD 236 F | 2010 | 23' 6" | 102" | 17882 | 10323 | 17891 |
| FD 236 F OB | 2015 | 23' 6" | 102" | 17882 | 10323 | 17891 |
| FD 236 OB | 2015 | 23' 6" | 102" | 17882 | 10323 | 17891 |
| FD 236 OB | 2015 | 23' 6" | 102" | 17882 | 10323 | 17891 |
| FD 236 WB OB | 2015 | 23' 6" | 102" | 17882 | 10323 | 17891 |
| FD 238 RE-3 Gate IO | 2007 | 23' 9" | 102" | 17882 | 10323 | 17891 |
| FD 238 RE-3 Gate OB | 2007 | 23' 9" | 102" | 17882 | 10323 | 17891 |
| FD 238 REF OB | 2007 | 23' 9" | 102" | 17882 | 10323 | 17891 |
| FD 248 IO | 2002 | 24' 0" | 102" | 17883 | 10324 | 17892 |
| FDGS 172 IO | 2007 | 16' 9" | 85" | — | 10288 | 10329 |
| FDGS 172 OB | 2007 | 16' 9" | 85" | — | 10288 | 10329 |
| FDGS 194 IO | 2007 | 18' 10" | 101" | 17790 | 10114 | 10244 |
| FDGS 194 OB | 2007 | 18' 10" | 101" | 17790 | 10114 | 10244 |
| FDGS 201 IO | 2007 | 20' 1" | 102" | 17880 | 10321 | 17889 |
| FDGS 201 OB | 2007 | 20' 1" | 102" | 17880 | 10321 | 17889 |
| FDGS 202 IO | 2007 | 20' 1" | 102" | 17880 | 10321 | 17889 |
| FDGS 202 OB | 2007 | 20' 1" | 102" | 17880 | 10321 | 17889 |
| FDGS 211 OB | 2007 | 20' 10" | 102" | 17880 | 10321 | 17889 |
| FDGS 2310B | 2007 | 23' 2" | 102" | — | 10290 | 10331 |
| SC 2200 IO | 2010 | 22' 8" | 102" | 17796 | 10316 | 10190 |
| SD 187 IO | 2015 | 18' 10" | 101" | — | — | — |
| SD 187 OB | 2015 | 18' 10" | 101" | — | — | — |
| SD 1900 OB | 2010 | 18' 10" | 101" | — | — | — |
| SD 195 IO | 2007 | 18' 10" | 101" | — | — | — |
| SD 195 OB | 2007 | 18' 10" | 101" | — | — | — |
| SD 2000 OB | 2015 | 20' 3" | 102" | — | — | — |
| SD 2100 IO | 97-02 | 20' 9" | 96" | 17014 | — | — |
| SD 217 IO | 07-15 | 20' 10" | 102" | — | — | — |
| SD 217 OB | 07-15 | 20' 10" | 102" | 17794 | 10314 | 10201 |
| SD 2200 DC IO | 2015 | 22' 8" | 102" | 17796 | 10316 | 10190 |
| SD 2200 IO | 2015 | 22' 8" | 102" | — | — | — |
| SD 2200 OB | 2010 | 22' 0" | 102" | — | — | — |
| SD 2300 OB | 2010 | 23' 2" | 102" | — | — | — |
| SD 237 IO | 97-02 | 23' 2" | 102" | 17797 | 10317 | 10191 |
| SD 237 OB | 2007 | 23' 2" | 102" | — | — | — |
| SD 240 OB | 2007 | 24' 0" | 102" | — | — | — |
| SD 2400 IO | 10-15 | 24' 8" | 102" | 17798 | 10318 | 10199 |
| SD 2400 OB | 2010 | 24' 0" | 102" | — | — | — |
| SD 257 IO | 2007 | 25' 5" | 102" | 17799 | 101319 | 10290 |
| SD 257 OB | 2007 | 27' 0" | 102" | — | — | — |
| SD 260 OB | 2007 | 26' 2" | 102" | — | — | — |
| SD 2600 IO | 2015 | 26' 8" | 102" | 17823 | 10096 | 10239 |
| SS 172 OB | 2010 | 16' 9" | 85" | — | — | — |
| SS 188 IO | 2015 | 18' 10" | 101" | — | — | — |
| SS 188 OB | 2015 | 18' 10" | 101" | — | — | — |
| SS 194 IO | 2010 | 18' 10" | 101" | — | — | — |
| SS 194 OB | 2010 | 18' 10" | 101" | — | — | — |
| SS 200 OB | 2010 | 20' 3" | 102" | — | — | — |
| SS 201 IO | 10-15 | 20' 1" | 102" | 17879 | 10320 | 17888 |
| SS 201 OB | 10-15 | 20' 1" | 102" | — | — | — |
| SS 202 IO | 10-15 | 20' 1" | 102" | 17879 | 10320 | 17888 |
| SS 202 OB | 10-15 | 20' 1" | 102" | — | — | — |
| SS 203 OB | 2015 | 20' 9" | 102" | — | — | — |
| SS 211 OB | 10-15 | 20' 10" | 102" | — | — | — |
| SS 220 OB | 10-15 | 22' 0" | 102" | — | — | — |
| SS 231 OB | 10-15 | 23' 2" | 102" | — | — | — |
| SS 232 OB | 2015 | 23' 2" | 102" | — | — | — |
| **HYDRA SPORTS** | | | | | | |
| 1650 CC O/B | 1991 | 16' 4" | 82" | 17736 | 10148 | 15402 |
| 1650 Key Largo | 95-99 | 16' 4" | 82" | — | 10294 | 10296 |
| 170 F/S | 1992 | 17' 3" | 84" | 17582 | 10110 | 17574 |
| 171 | 96-99 | 17' 5" | 85" | 17776 | 10055 | 10182 |
| 175 / DC | 1999 | 17' 7" | 84" | 17776 | 10055 | 10182 |
| 175 E / EDC | | 17' 9" | 84" | 17775 | 10056 | 10183 |
| 175 F/S | 98-99 | 17' 7" | 84" | 17582 | 10110 | 17574 |
| 1750 CC O/B | 91-95 | 17' 6" | 89" | 17736 | 10148 | 15402 |
| 1750 DC O/B | 91-95 | 17' 6" | 89" | 17712 | 10026 | 10160 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **HYDRA SPORTS-CONTINUED** | | | | | | |
| 180 F/S | 92-95 | 18' 3" | 86" | 17583 | 10111 | 17575 |
| 1800 Center Console O/B | 98-99 | 17' 7" | 97" | 17780 | 15412 | 15403 |
| 1800 DC | 1987 | 17' 6" | 89" | 17712 | 10026 | 10160 |
| 1800 SS | 1986 | 17' 6" | 89" | 17780 | 15412 | 15403 |
| 185 | 98-99 | 18' 11" | 89" | 17773 | 15411 | 15401 |
| 185 E / EDC | 93-95 | 18' 9" | 89" | 17773 | 15411 | 15401 |
| 185 FS | 1995 | 18' 10" | 88" | 17584 | 10112 | 17576 |
| 185 FS | 1998 | 18' 11" | 89" | 17584 | 10112 | 17576 |
| 1850 CC O/B | 1991 | 18' 6" | 94" | 17737 | 10150 | 15404 |
| 196 | 98-99 | 19' 6" | 92" | 17777 | 10057 | 10184 |
| 20 Bay Sport | 98-99 | 19' 2" | 96" | 17737 | 10150 | 15404 |
| 20 Ocean CC | 95-99 | 19' 8" | 98" | 17738 | 10151 | 15405 |
| 2000 CC | 87-98 | 20' 2" | 96" | 17738 | 10151 | 15405 |
| 2000 DC I/O | 87-99 | 20' 2" | 96" | 17727 | 10035 | 10167 |
| 205 / DC | 98-99 | 20' 1" | 92" | 17778 | 10058 | 10185 |
| 205 FS | 1998 | 20' 1" | 92" | 17030 | 10113 | 17577 |
| 21 Bay | 98-99 | 21' 5" | 96" | 17738 | 10151 | 15405 |
| 2100 Center Console | 85-86 | 20' 6" | 96" | 17739 | 10152 | 15406 |
| 22 Bay Sport | 98-99 | 21' 6" | 98" | 17741 | 10153 | 15407 |
| 22 Ocean CC | 95-99 | 21' 5" | 100" | 17739 | 10152 | 15406 |
| 2200 CC | 87-95 | 21' 8" | 96" | 17741 | 10153 | 15407 |
| 265 F/S | 93-99 | 16' 8" | 83" | 17580 | 10109 | 17573 |
| 6.6 C C Tournament Fisherman | | 22' 0" | 96" | 17741 | 10153 | 15407 |
| AC-120 | 1986 | 16' 3" | 81" | 17774 | 10054 | 10181 |
| AC-150 | 1986 | 17' 5" | 81" | 17776 | 10055 | 10182 |
| Aero Cobra 120 | | 16' 3" | 81" | 17774 | 10054 | 10181 |
| Aero Cobra 150 | 1986 | 17' 5" | 81" | 17776 | 10055 | 10182 |
| Aero Cobra 150 FF | 1986 | 17' 5" | 81" | 17582 | 10110 | 17574 |
| Aero Cobra 75 | 1986 | 15' 4" | 76" | 17760 | 10061 | 10187 |
| Diamond Vee / 180 | | 18' 3" | 87" | 17775 | 10056 | 10183 |
| Diamond Vee 180 SX | 1989 | 18' 3" | 87" | 17583 | 10111 | 17575 |
| Diamond Vee 185 | 89-92 | 18' 3" | 86" | 17775 | 10056 | 10183 |
| Diamond Vee Star 200 / FF | 86-92 | 19' 3" | 93" | 17777 | 10057 | 10184 |
| DV 175 / DV 185 | | 18' 3" | 86" | 17775 | 10056 | 10183 |
| DV 175 SX | 1986 | 18' 3" | 86" | 17712 | 10026 | 10160 |
| DV 200 / WT / DC 200 | | 19' 3" | 93" | 17777 | 10057 | 10184 |
| DV 225 | | 20' 3" | 95" | 17778 | 10058 | 10185 |
| DV 225 FF | | 20' 3" | 95" | 17778 | 10058 | 10185 |
| LS-175 / DC / 175 E / DC | 95-98 | 17' 9" | 84" | 17775 | 10056 | 10183 |
| LS-185 / DC / 185E / DC | | 18' 9" | 89" | 17773 | 15411 | 15401 |
| LS-205 / DC / 205E / DC | 93-95 | 20' 1" | 93" | 17778 | 10058 | 10185 |
| PL-50 | | 17' 9" | 82" | 17712 | 10026 | 10160 |
| Playmate 150 | 1986 | 17' 9" | 81" | 17712 | 10026 | 10160 |
| Tri-Star 150 | 1986 | 17' 6" | 85" | 17776 | 10055 | 10182 |
| Tri-Star 200 / FF / DC | 1986 | 19' 6" | 93" | 17777 | 10057 | 10184 |
| TS-196 | 1986 | 19' 6" | 93" | 17777 | 10057 | 10184 |
| Vee Star 150 / 150 T / FF | | 17' 6" | 85" | 17776 | 10055 | 10182 |
| Vee Star 200 / DC / FF | | 19' 3" | 93" | 17777 | 10057 | 10184 |
| Vee Star 90 | | 15' 4" | 76" | 17760 | 10061 | 10187 |
| Vee Star VS 150 WT | | 17' 6" | 85" | 17776 | 10055 | 10182 |
| VL-260 | | 16' 4" | 84" | 17772 | 10053 | 10180 |
| VL-270 | 1985 | 17' 5" | 81" | 17776 | 10055 | 10182 |
| VL-465 / 465 T | 1985 | 16' 3" | 81" | 17774 | 10054 | 10181 |
| VL-475 / 475 T | 1985 | 17' 6" | 85" | 17776 | 10055 | 10182 |
| VL-475 FF / 475 DC | 1985 | 17' 6" | 85" | 17582 | 10110 | 17574 |
| VL-485 | 1985 | 19' 3" | 93" | 17777 | 10057 | 10184 |
| VL-80 | | 15' 4" | 71" | 17760 | 10061 | 10187 |
| VL-90 | 85-86 | 15' 4" | 76" | 17760 | 10061 | 10187 |
| VS-100 | 1986 | 15' 4" | 76" | 17760 | 10061 | 10187 |
| VS-150 / T | 86-95 | 17' 6" | 85" | 17776 | 10055 | 10182 |
| X-250 / X-255 | 1988 | 15' 4" | 76" | 17770 | 10052 | 10179 |
| X-260 | 1988 | 16' 3" | 81" | 17774 | 10054 | 10181 |
| X-260 | 89-95 | 16' 4" | 81" | 17774 | 10054 | 10181 |
| X-270 | 88-95 | 17' 5" | 81" | 17776 | 10055 | 10182 |
| Z-250 | 98-99 | 15' 4" | 83" | 17770 | 10052 | 10179 |
| Z-255 | 1995 | 15' 4" | 74" | 17760 | 10061 | 10187 |
| Z-260 | 96-99 | 16' 4" | 81" | 17774 | 10054 | 10181 |
| Z-270 | 98-99 | 17' 5" | 83" | 17776 | 10055 | 10182 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **HYDRO GLASS** | | | | | | |
| Alpha 190 LX | | 18' 10" | 92" | 17685 | 10143 | 10275 |
| Alpha 190 LX O/B | | 18' 10" | 92" | 17695 | 10138 | 10269 |
| Alpha 210 LX | | 20' 10" | 96" | 17687 | 10145 | 10277 |
| Escape 160 | | 15' 5" | 77" | 17709 | 10022 | 10157 |
| Escape 160 O/B | | 15' 6" | 77" | 17710 | 10023 | 10158 |
| Fisherman 190 | | 19' 0" | 96" | 17713 | 10027 | 10161 |
| Fisherman 190 O/B | | 19' 0" | 96" | 17695 | 10138 | 10269 |
| Pro 20 Center Console O/B | | 20' 0" | 96" | 17738 | 10151 | 15405 |
| Stalker 190 | | 19' 0" | 96" | 17713 | 10027 | 10161 |
| **HYDRO STREAM** | | | | | | |
| Hooker | | 18' 0" | 90" | 17725 | 10033 | 10165 |
| Valero BR / YT | 85-87 | 17' 9" | 89" | 17712 | 10026 | 10160 |
| Vamp | 85-87 | 16' 6" | 84" | 17710 | 10023 | 10158 |
| Vandal | 1985 | 14' 6" | 73" | 17708 | 10021 | — |
| Vantage / XT | 85-87 | 20' 0" | 89" | 17778 | 10058 | 10185 |
| Varmint | 85-87 | 17' 1" | 88" | 17776 | 10055 | 10182 |
| Ventura | 1985 | 16' 6" | 84" | 17710 | 10023 | 10158 |
| Verado | 86-87 | 16' 6" | 84" | 17711 | 10025 | 10159 |
| Viper | 85-87 | 15' 0" | 86" | 17709 | 10022 | 10157 |
| **INFINITY** | | | | | | |
| ZX-1 | 2002 | 20' 9" | 91" | 17704 | 10014 | 15417 |
| **INVADER** | | | | | | |
| 150 Alpha O/B / 160 Alpha | 90-95 | 15' 1" | 77" | 17709 | 10022 | 10157 |
| 171 Center Console | | 16' 9" | 84" | 17736 | 10148 | 15402 |
| 183 Center Console | 1992 | 17' 3" | 85" | 17736 | 10148 | 15402 |
| 184 Fish & Ski | 91-92 | 18' 6" | 86" | 17583 | 10111 | 17575 |
| 186 Alpha O/B | 90-93 | 18' 3" | 85" | 17694 | 10137 | 10267 |
| 187 Alpha I/O | 90-93 | 18' 3" | 85" | 17684 | 10142 | 10274 |
| 191 Center Console | | 19' 4" | 96" | 17737 | 10150 | 15404 |
| 197 Alpha I/O / 198 Alpha Cuddy | 90-95 | 18' 8" | 91" | 17586 | 10128 | 10256 |
| 210 Alpha I/O | 92-93 | 20' 3" | 89" | 17587 | 10129 | 10257 |
| 210 Alpha I/O | 1995 | 20' 6" | 90" | 17588 | 10130 | 10258 |
| 213 Center Console | | 21' 0" | 96" | 17739 | 10152 | 15406 |
| V-150 / V-160 BR / V-162 | 85-90 | 15' 1" | 77" | 17709 | 10022 | 10157 |
| V-160 | 2004 | 15' 1" | 83" | 17709 | 10022 | 10157 |
| V-170 / V-170 Fish / V-170 Ski | 2004 | 16' 6" | 86" | 17710 | 10023 | 10158 |
| V-170 BR / V-171 | 85-88 | 16' 1" | 77" | 17710 | 10023 | 10158 |
| V-170 I/O | 2004 | 16' 6" | 86" | 17722 | 10029 | — |
| V-172 Center Console | 85-90 | 16' 6" | 74" | 17736 | 10148 | 15402 |
| V-175 I/O | 2004 | 17' 4" | 86" | 17723 | 10030 | 10163 |
| V-175 O/B | 2004 | 17' 4" | 86" | 17711 | 10025 | 10159 |
| V-177 Eurosport | 1988 | 17' 4" | 90" | 17724 | 10032 | 10164 |
| V-180 BR O/B | 85-87 | 17' 1" | 91" | 17711 | 10025 | 10159 |
| V-181 BR I/O | 85-88 | 17' 1" | 91" | 17723 | 10030 | 10163 |
| V-182 Fisherman | 1985 | 17' 3" | 84" | 17736 | 10148 | 15402 |
| V-185 | | 17' 3" | 84" | 17711 | 10025 | 10159 |
| V-186 BR | 85-88 | 18' 3" | 85" | 17712 | 10026 | 10160 |
| V-187 Sport | 85-88 | 18' 3" | 85" | 17724 | 10032 | 10164 |
| V-192 Fish-N-Fun | 85-87 | 18' 3" | 85" | 17712 | 10026 | 10160 |
| V-195 BR | 85-88 | 18' 8" | 91" | 17713 | 10027 | 10161 |
| V-197 Cuddy | 87-88 | 18' 8" | 88" | 17586 | 10128 | 10256 |
| V-198 BR / 198 Alpha | 85-87 | 18' 8" | 91" | 17725 | 10033 | 10165 |
| V-210 BR | 85-87 | 20' 3" | 92" | 17726 | 10034 | 10166 |
| V-210 Center Console | | 20' 3" | 92" | 17738 | 10151 | 15405 |
| V-210 Cuddy | 85-88 | 20' 3" | 92" | 17587 | 10129 | 10257 |
| V-210 Fisherman | 85-90 | 20' 3" | 92" | 17738 | 10151 | 15405 |
| Virada 164 O/B | 92-93 | 16' 5" | 88" | 17693 | 10136 | 10265 |
| Virada 165 I/O | 92-93 | 16' 5" | 88" | 17683 | 10141 | — |
| Virada 177 | 1991 | 17' 4" | 90" | 17684 | 10142 | 10274 |
| Virada 185 / 180 I/O | 1993 | 18' 6" | 96" | 17685 | 10143 | 10275 |
| Virada 190 | 1991 | 19' 2" | 90" | 17685 | 10143 | 10275 |
| Virada 203 / 204 Cuddy | 91-92 | 20' 7" | 97" | 17568 | — | — |
| Virada 215 Cuddy | 91-92 | 20' 7" | 97" | 17588 | 10130 | 10258 |
| Virada 216 / 217 | 92-93 | 20' 6" | 96" | 17687 | 10145 | 10277 |
| Virander 180 O/B | | 18' 6" | 96" | 17695 | 10138 | 10269 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **JAVELIN** | | | | | | |
| 15.5 O/B | | 15' 6" | 72" | 17692 | 10135 | — |
| 170 F/S | 2002 | 16' 8" | 83" | 17582 | 10110 | 17574 |
| 170 SC | 2002 | 16' 8" | 83" | 17774 | 10054 | 10181 |
| 176 I/O | | 17' 3" | 87" | 17683 | 10141 | — |
| 18.5 I/O | | 18' 6" | 91" | 17685 | 10143 | 10275 |
| 180 F/S | 2002 | 17' 5" | 86" | 17582 | 10110 | 17574 |
| 180 SC / DC | 2002 | 17' 5" | 86" | 17776 | 10055 | 10182 |
| 186 I/O | | 18' 6" | 81" | 17684 | 10142 | 10274 |
| 186 O/B | | 18' 6" | 82" | 17694 | 10137 | 10267 |
| 190 CC | 1999 | 19' 0" | 94" | 17737 | 10150 | 15404 |
| 190 SC / DC | 2002 | 18' 11" | 87" | 17773 | 15411 | 15401 |
| 200 F/S | 2002 | 20' 5" | 95" | 17030 | 10113 | 17577 |
| 200 SC / DC | 2002 | 19' 10" | 95" | 17778 | 10058 | 10185 |
| 206 I/O | | 20' 4" | 84" | 17686 | 10144 | 10276 |
| 220 Bay | 1999 | 21' 6" | 94" | 17739 | 10152 | 15406 |
| 220 CC | 98-99 | 21' 5" | 96" | 17739 | 10152 | 15406 |
| 310 A / TA | 92-94 | 17' 5" | 85" | 17776 | 10055 | 10182 |
| 320 A | 92-99 | 19' 0" | 91" | 17773 | 15411 | 15401 |
| 350 A | 94-99 | 15' 3" | 74" | 17760 | 10061 | 10187 |
| 353 O/B / 350 A / TA | 92-94 | 15' 3" | 74" | 17760 | 10061 | 10187 |
| 356 | | 15' 8" | 79" | 17770 | 10052 | 10179 |
| 357 A | 95-97 | 15' 3" | 74" | 17760 | 10061 | 10187 |
| 360 A | | 16' 8" | 83" | 17774 | 10054 | 10181 |
| 360 A / 363 / 363B / DC | 1994 | 16' 8" | 83" | 17774 | 10054 | 10181 |
| 360 FS | 92-99 | 16' 8" | 83" | 17580 | 10109 | 17573 |
| 366 | 92-94 | 16' 8" | 83" | 17774 | 10054 | 10181 |
| 366 FS | 1994 | 16' 8" | 83" | 17582 | 10110 | 17574 |
| 367 A | 1995 | 16' 8" | 83" | 17774 | 10054 | 10181 |
| 369 DC / B | 1999 | 16' 8" | 83" | 17774 | 10054 | 10181 |
| 369 FS | 97-99 | 16' 8" | 83" | 17580 | 10109 | 17573 |
| 370 A | 94-99 | 17' 5" | 85" | 17776 | 10055 | 10182 |
| 373 | 1992 | 17' 9" | 84" | 17775 | 10056 | 10183 |
| 373 F / 378 FS | | 17' 9" | 84" | 17583 | 10111 | 17575 |
| 377 A | 1995 | 17' 9" | 84" | 17775 | 10056 | 10183 |
| 378 / 379 T / DC / B | 94-99 | 17' 9" | 84" | 17775 | 10056 | 10183 |
| 379 FS | 94-99 | 17' 11" | 88" | 17583 | 10111 | 17575 |
| 389 FS | 92-99 | 18' 9" | 89" | 17584 | 10112 | 17576 |
| 389 T / TSD / DC / SD / B | 94-99 | 18' 9" | 89" | 17773 | 15411 | 15401 |
| 396 | | 19' 6" | 91" | 17777 | 10057 | 10184 |
| 396 FS | 1992 | 19' 6" | 91" | 17584 | 10112 | 17576 |
| 400 B / SD | 95-99 | 19' 10" | 95" | 17777 | 10057 | 10184 |
| 409 FS | 96-99 | 20' 1" | 93" | 17020 | 10028 | 10162 |
| 409 T / DC / B | 96-99 | 20' 1" | 93" | 17778 | 10058 | 10185 |
| **JAY BEE** | | | | | | |
| 147 | | 14' 7" | 67" | 17760 | 10061 | 10187 |
| 152 /SV | | 15' 2" | 74" | 17760 | 10061 | 10187 |
| 154 | | 15' 4" | 78" | 17760 | 10061 | 10187 |
| 160 /SV | | 16' 0" | 80" | 17762 | 10062 | 10188 |
| 169 V / 170 SV | | 17' 0" | 84" | 17776 | 10055 | 10182 |
| 170 SV Pro | | 17' 0" | 88" | 17776 | 10055 | 10182 |
| 186 SV | | 18' 6" | 88" | 17775 | 10056 | 10183 |
| 190 SV Pro | | 18' 11" | 88" | 17773 | 15411 | 15401 |
| 574 | | 15' 2" | 74" | 17709 | 10022 | 10157 |
| 574 Runabout | 1985 | 15' 2" | 74" | 17732 | 10041 | — |
| 575 Runabout | | 15' 3" | 75" | 17732 | 10041 | — |
| 680 Runabout I/O | 1985 | 16' 0" | 80" | 17722 | 10029 | — |
| 680 Runabout O/B | 1985 | 16' 0" | 80" | 17710 | 10023 | 10158 |
| 888 Runabout I/O | 1985 | 18' 0" | 88" | 17724 | 10032 | 10164 |
| 888 Runabout O/B | 1985 | 18' 0" | 88" | 17712 | 10026 | 10160 |
| Bass Master 152SV | 85-87 | 15' 2" | 74" | 17760 | 10061 | 10187 |
| Bass Master 160SV | 85-87 | 16' 0" | 80" | 17762 | 10062 | 10188 |
| Bass Master 170 SV Pro | 85-87 | 17' 0" | 84" | 17776 | 10055 | 10182 |
| Bass Skier 15 | 85-87 | 15' 2" | 74" | 17578 | 10108 | — |
| Bass Skier 16 / 680S | 85-87 | 16' 0" | 80" | 17710 | 10023 | 10158 |
| Bass Skier 17 | 85-87 | 17' 0" | 84" | 17711 | 10025 | 10159 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **JAY BEE-CONTINUED** | | | | | | |
| Crappie Master 17 | | 17' 0" | 84" | **17776** | **10055** | **10182** |
| Drone 785 | 1987 | 17' 0" | 85" | **17723** | **10030** | **10163** |
| Hornet 680 | 1987 | 16' 0" | 80" | **17710** | **10023** | **10158** |
| Queen Bee 188 | 1987 | 18' 0" | 88" | **17724** | **10032** | **10164** |
| Wasp 574 | 1987 | 15' 2" | 74" | **17709** | **10022** | **10157** |
| **JC PONTOONS** | | | | | | |
| Dolphin 201 / 202 / 203 | | 19' 4" | 96" | — | **10289** | **10330** |
| Dolphin 241 / 242 | | 23' 4" | 96" | — | **10290** | **10331** |
| E-24 / JC 824 | | 20' 0" | 96" | — | **10289** | **10330** |
| Evolution 206 | 2006 | 26' 0" | 102" | **17792** | **10117** | **10247** |
| Fish Finder 20 | | 18' 0" | 96" | **17790** | **10114** | **10244** |
| JC 820 EX / Sun Toon 20 | | 18' 0" | 96" | **17790** | **10114** | **10244** |
| JC 824 EX / Sun Toon 24 | | 22' 0" | 96" | **17791** | **10116** | **10245** |
| JC 828 EX / Sun Toon 28 | | 26' 0" | 96" | **17792** | **10117** | **10247** |
| NepToon 21 / TT / TTS | 12-14 | 21" 0" | 102" | **17791** | **10116** | **10245** |
| NepToon 23 / TT / TTS | 12-14 | 23" 0" | 102" | — | **10290** | **10331** |
| NepToon 25 / TT / TTS | 12-14 | 25' 0" | 102" | **17792** | **10117** | **10247** |
| NepToon 27 TT / TTS | 2014 | 25' 7" | 102" | **17792** | **10117** | **10247** |
| Spirit 201 / TT | 11-14 | 19' 7" | 102" | — | **10289** | **10330** |
| Spirit 221 / TT | 11-14 | 21' 7" | 102" | **17791** | **10116** | **10245** |
| Spirit 222 / TT | 11-14 | 21' 7" | 102" | **17791** | **10116** | **10245** |
| Spirit 223 / TT | 2012 | 21' 7" | 102" | **17791** | **10116** | **10245** |
| Spirit 223 TT Fish | 2014 | 21' 7" | 102" | **17791** | **10116** | **10245** |
| Spirit 241 / TT | 11-14 | 23' 7" | 102" | — | **10290** | **10331** |
| Spirit 242 / TT | 11-14 | 23' 7" | 102" | — | **10290** | **10331** |
| Spirit 243 / TT | 2012 | 23' 7" | 102" | — | **10290** | **10331** |
| Spirit 243 TT Fish | 2014 | 23' 7" | 102" | — | **10290** | **10331** |
| Spirit 262 / TT | 11-14 | 25' 7" | 102" | **17792** | **10117** | **10247** |
| SportToon 21 TT | 12-13 | 21' 0" | 102" | **17791** | **10116** | **10245** |
| SportToon 22 | 2014 | 22' 7" | 102" | **17791** | **10116** | **10245** |
| SportToon 23 TT | 12-13 | 23' 0" | 102" | — | **10290** | **10331** |
| SportToon 24 | 2014 | 24' 7" | 102" | | **10290** | **10331** |
| SportToon 25 TT | 12-13 | 25' 0" | 102" | **17792** | **10117** | **10247** |
| SportToon 26 | 2014 | 26' 7" | 102" | **17792** | **10117** | **10247** |
| Sun Toon 20 | 97-99 | 20' 0" | 102" | — | **10289** | **10330** |
| Sun Toon 24 | 97-99 | 24' 0" | 102" | — | **10290** | **10331** |
| Sun Toon 28 | 97 | 28' 0" | 102" | — | **10291** | **10332** |
| SunLounger 23 TT / Sport TT | 12-13 | 23' 0" | 102" | — | **10290** | **10331** |
| SunLounger 25 TT / Sport TT | 12-13 | 25' 0" | 102" | **17792** | **10117** | **10247** |
| SunLounger 27 TT / Sport TT | 12-13 | 27' 0" | 102" | — | **10291** | **10332** |
| SunToon 20 | 97-99 | 20' 0" | 102" | — | **10289** | **10330** |
| SunToon 21 / TT | 06-13 | 21' 0" | 102" | **17791** | **10116** | **10245** |
| SunToon 22 TT | 06-12 | 23' 0" | 102" | — | **10290** | **10331** |
| SunToon 22 TT | 2014 | 22' 7" | 102" | **17791** | **10116** | **10245** |
| SunToon 23 | 06-12 | 23' 0" | 102" | — | **10290** | **10331** |
| SunToon 24 | 97-99 | 24' 0" | 102" | — | **10290** | **10331** |
| SunToon 24 | 2014 | 24' 7" | 102" | — | **10290** | **10331** |
| SunToon 25 / TT | 06-12 | 25' 0" | 102" | **17792** | **10117** | **10247** |
| SunToon 26 | 2014 | 26' 7" | 102" | **17792** | **10117** | **10247** |
| SunToon 28 | 1997 | 28' 0" | 102" | — | **10291** | **10332** |
| Tri Toon 22 | | 22' 0" | 96" | **17791** | **10116** | **10245** |
| Tri Toon 226 | 97-99 | 22' 0" | 102" | **17791** | **10116** | **10245** |
| Tri Toon 26 | | 26' 0" | 96" | **17792** | **10117** | **10247** |
| Tri Toon 266 | 97-99 | 26' 0" | 102" | **17792** | **10117** | **10247** |
| TriToon 22 | | 22' 0" | 96" | **17791** | **10116** | **10245** |
| TriToon 226 | 97-99 | 22' 0" | 102" | **17791** | **10116** | **10245** |
| TriToon 226 I/O | 2006 | 22' 0" | 102" | **17791** | **10116** | **10245** |
| TriToon 226 O/B | 2006 | 22' 0" | 102" | **17791** | **10116** | **10245** |
| TriToon 246 I/O | 06-12 | 24' 0" | 102" | — | **10290** | **10331** |
| TriToon 246 O/B | 06-13 | 24' 0" | 102" | — | **10290** | **10331** |
| TriToon 26 | | 26' 0" | 96" | **17792** | **10117** | **10247** |
| TriToon 266 | 97-99 | 26' 0" | 102" | **17792** | **10117** | **10247** |
| TriToon 266 I/O | 06-13 | 26' 0" | 102" | **17792** | **10117** | **10247** |
| TriToon 266 O/B | 06-13 | 26' 0" | 102" | **17792** | **10117** | **10247** |
| TriToon 306 I/O | 06-13 | 30' 0" | 102" | — | — | — |
| TriToon 306 O/B | 06-13 | 30' 0" | 102" | — | — | — |
| **KEY WEST** | | | | | | |
| 152 CC | 2014 | 15' 2" | 82" | — | — | — |
| 1520 CC | 2014 | 15' 2" | 82" | — | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **KEY WEST-CONTINUED** | | | | | | |
| 1520 EX | 2014 | 15' 2" | 82" | — | — | — |
| 166 SK | 2014 | 16' 0" | 72" | — | **15411** | **15401** |
| 172 SE | 2014 | 17' 2" | 82" | — | **10109** | **17573** |
| 1720 CC | 04-14 | 17' 2" | 82" | **17736** | **10148** | **15402** |
| 1720 DC | 00-14 | 17' 2" | 82" | **17693** | **10136** | **10265** |
| 176 BR | 2014 | 17' 7" | 88" | — | **10054** | **10181** |
| 176 CC | 2014 | 17' 7" | 88" | — | **10056** | **10183** |
| 176 CD | 2014 | 17' 7" | 88" | — | **10111** | **17575** |
| 177 SK | 2014 | 17' 4" | 84" | — | **10056** | **10183** |
| 186 BR | 2004 | 18' 6" | 96" | **17737** | **10150** | **15404** |
| 186 CC | 2004 | 18' 10" | 96" | **17737** | **10150** | **15404** |
| 186 DC | 2004 | 18' 10" | 96" | **17713** | **10027** | **10161** |
| 186 FS | 2014 | 18' 9" | 96" | — | **10057** | **10184** |
| 1900 CC | 04-14 | 19' 2" | 89" | **17737** | **10150** | **15404** |
| 1900 CC | 00-02 | 19' 2" | 90" | **17737** | **10150** | **15404** |
| 196 BR | 2004 | 19' 6" | 96" | **17737** | **10150** | **15404** |
| 2020 CC | 2004 | 20' 2" | 96" | **17738** | **10151** | **15405** |
| 2020 DC | 2004 | 20' 2" | 96" | **17020** | **10028** | **10162** |
| 2020 WA | 2004 | 20' 2" | 96" | **17587** | **10129** | **10257** |
| 203 DFS | 2014 | 20' 3" | 96" | — | **10057** | **10184** |
| 203 FS | 2014 | 20' 3" | 96" | **17738** | **10151** | **15405** |
| 210 BR | 2014 | 21' 1" | 96" | **17739** | **10152** | **15406** |
| 210 LS | 2004 | 21' 3" | 99" | **17880** | **10321** | **17889** |
| 211 CC | 2014 | 21' 1" | 102" | **17739** | **10152** | **15406** |
| 211 DC | 2014 | 21' 1" | 102" | **17800** | **10071** | **10205** |
| 216 Bay Reef | 2004 | 21' 6" | 102" | **17741** | **10153** | **15407** |
| 219 FS | 2014 | 21' 9" | 102" | **17739** | **10152** | **15406** |
| 2220 CC | 2004 | 22' 5" | 102" | **17782** | **10154** | **15408** |
| 225 CC | 2004 | 22' 5" | 102" | **17782** | **10154** | **15408** |
| 225 DC | 2014 | 22' 5" | 102" | — | — | — |
| 225 WA | 2004 | 22' 5" | 102" | **17590** | **10132** | **10261** |
| 230 BR | 2014 | 23' 1" | 102" | — | — | — |
| 2300 CC | 2004 | 23' 4" | 102" | **17782** | **10154** | **15408** |
| 2300 SS | 2004 | 23' 4" | 102" | **17782** | **10154** | **15408** |
| 2300 WA | 2004 | 23' 4" | 102" | **17570** | — | — |
| 239 FS | 2014 | 23' 9" | 102" | **17782** | **10154** | **15408** |
| 244 CC | 2014 | 24' 4" | 108" | **17783** | **10155** | **15409** |
| 246 BR | 2014 | 24' 5" | 102" | — | — | — |
| **KING FISHER** | | | | | | |
| 15 HPV / 15 VF | 87-90 | 15' 4" | 74" | **17760** | **10061** | **10187** |
| 15 V | | 15' 10" | 76" | **17762** | **10062** | **10188** |
| 151 / S | 85-87 | 15' 1" | 59" | **17550** | — | — |
| 152 / S | 85-87 | 15' 1" | 59" | **17550** | — | — |
| 156 DXF / DXH / Pro / S | 85-87 | 15' 6" | 66" | **17550** | — | — |
| 157 | 85-87 | 15' 6" | 66" | **17550** | — | — |
| 158 /1 59 | 1985 | 15' 8" | 70" | **17552** | — | — |
| 16 HPV / Fish-N-Ski | 85-87 | 16' 0" | 78" | **17762** | **10062** | **10188** |
| 16 V | | 16' 0" | 89" | **17772** | **10053** | **10180** |
| 1625 Falcon XL | 2015 | 16' 6" | 88" | — | — | — |
| 17 HPV / FS | 85-87 | 17' 0" | 88" | **17776** | **10055** | **10182** |
| 170 / 171 | 1985 | 17' 0" | 72" | **17761** | **10139** | **10203** |
| 1775 Extreme Duty | 2015 | 20' 3" | 94" | **17020** | **10028** | **10162** |
| 1825 Falcon XL | 2015 | 18' 6" | 88" | **17712** | **10226** | **10160** |
| 1825 Flex SC | 2015 | 17' 7" | 96" | — | — | — |
| 1825 Flex SPT | 2015 | 17' 7" | 96" | — | — | — |
| 1825 Flex TL | 2015 | 17' 7" | 96" | — | — | — |
| 1825 Trio SPT | 2015 | 17' 8" | 79" | **17711** | **10225** | **10160** |
| 1825 Trio TL | 2015 | 17' 8" | 79" | **17711** | **10225** | **10160** |
| 1825 Warrior TL | 2015 | 18' 6" | 88" | **17712** | **10026** | **10160** |
| 1875 Falcon XL | 2015 | 18' 6" | 88" | **17712** | **10026** | **10160** |
| 1925 Accord SPT | 2015 | 19' 0" | 102" | — | — | — |
| 1925 Discovery | 2015 | 19' 0" | 90" | **17713** | **10027** | **10161** |
| 1925 Flex SPT | 2015 | 19' 0" | 96" | — | — | — |
| 195 HPV / 19 HPV | 1987 | 19' 1" | 92" | **17773** | **15411** | **15401** |
| 1975 Fastwater | 2015 | 19' 0" | 82" | **17713** | **10027** | **10161** |
| 2025 Flex SPT SP | 2015 | 20' 1" | 96' | **17020** | **10028** | **10162** |
| 2025 Discovery | 2015 | 20' 1" | 96" | **17020** | **10028** | **10162** |
| 2025 Flex SC | 2015 | 20' 1" | 96" | **17816** | **10094** | **10237** |
| 2025 Flex SC XP | 2015 | 20' 1" | 96" | **17816** | **10094** | **10237** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **KING FISHER-CONTINUED** | | | | | | |
| 2025 Flex STP | 2015 | 20' 1" | 96" | 17020 | 10028 | 10162 |
| 2025 Flex XT | 2015 | 20' 1" | 96" | 17020 | 10028 | 10162 |
| 2125 Accord SPT | 2014 | 21' 0" | 102" | 17800 | 1071 | 10205 |
| 2175 Extreme Shallow | 2015 | 20' 8" | 93" | 17800 | 1071 | 10205 |
| **LAKE RAIDER** | | | | | | |
| 2 + 2 Deluxe | | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 20CR | | 18' 0" | 96" | 17790 | 10114 | 10244 |
| 24CR | | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Lake Raider 18 | | 16' 0" | 96" | 17790 | 10114 | 10244 |
| Lake Raider 20 | | 18' 0" | 96" | 17790 | 10114 | 10244 |
| LF 18 | | 16' 0" | 96" | 17790 | 10114 | 10244 |
| **LANDAU** | | | | | | |
| 1250 / MV / V | 92-95 | 12' 0" | 50" | 17453 | 10086 | 10207 |
| 1254 / MV / VP | 92-95 | 12' 0" | 54" | 17453 | 10086 | 10207 |
| 1256 | | 12' 0" | 56" | 17453 | 10086 | 10207 |
| 1257 V | 1996 | 12' 0" | 57" | 17453 | 10086 | 10207 |
| 1442 / AW / MV | 96-98 | 14' 0" | 62" | 17044 | — | — |
| 1447 | 92-00 | 14' 0" | 47" | 17040 | — | — |
| 1450 | 92-93 | 14' 0" | 50" | 17454 | 10087 | 10208 |
| 1454 / V | 92-93 | 14' 0" | 54" | 17454 | 10087 | 10208 |
| 1456 / MV / Lite | 96-00 | 14' 0" | 56" | 17040 | — | — |
| 1457/ V | 96-99 | 14' 0" | 57" | 17454 | 10087 | 10208 |
| 1462 / MV | 96-99 | 14' 5" | 62" | 17040 | — | — |
| 1464 V / VP | | 14' 0" | 64" | 17454 | 10087 | 10208 |
| 1466 | 92-93 | 14' 0" | 66" | 17454 | 10087 | 10208 |
| 1469 / V | 96-99 | 14' 0" | 70" | 17454 | 10087 | 10208 |
| 1470 / MV / MV Open | 96-00 | 14' 0" | 70" | 17044 | — | — |
| 1542 / AW / MV / MVDD | 96-98 | 15' 0" | 62" | 17042 | — | — |
| 1562 / MV | 96-99 | 15' 5" | 62" | 17042 | — | — |
| 1650 / AW / MV / MVDD | | 16' 0" | 71" | 17046 | — | — |
| 1650 SC | | 16' 5" | 76" | 17046 | — | — |
| 1650 SC | | 16' 5" | 76" | 17046 | — | — |
| 1656 | 92-96 | 16' 0" | 56" | 17042 | — | — |
| 1664 VP | | 16' 0" | 64" | 17455 | 10092 | 10211 |
| 1668 / Scout 16 | | 16' 0" | 68" | 17455 | 10092 | 10211 |
| 1669 V | 96-99 | 16' 0" | 70" | 17455 | 10092 | 10211 |
| 1670 MV / Open / MV Open / MVDD | 96-00 | 16' 0" | 70" | 17046 | — | — |
| 1676 VP | | 16' 0" | 76" | 17456 | 10093 | 10212 |
| 17 Bowrider | | 17' 4" | 85" | 17723 | 10030 | 10163 |
| 170 Bass | 2000 | 17' 2" | 76" | 17748 | 10069 | 10204 |
| 1752 / MV / AW | 96-00 | 17' 0' | 76" | 17048 | — | — |
| 1876 VP | | 18' 0" | 76" | 17461 | 10103 | 10214 |
| 1880 / MV | 96-99 | 18' 0" | 80" | 17048 | — | — |
| 21 Bowrider | | 21' 3" | 93" | 17727 | 10035 | 10167 |
| 22 Bowrider | | 22' 0" | 96" | 17728 | 10036 | 10168 |
| 224 Bowrider / Cuddy | | 22' 4" | 96" | 17589 | 10131 | 10259 |
| 80 Bass | 93-94 | 18' 0" | 80" | 17461 | 10103 | 10214 |
| Adventurer 24 | 1985 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Adventurer 28 | 1985 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| A'lure 192 | 2015 | 18' 0" | 101" | 17461 | 10103 | 10214 |
| A'lure 212 | 2015 | 20' 0" | 101" | 17790 | 10114 | 10244 |
| A'lure 224 | 2015 | 22' 0" | 101" | 17589 | 10131 | 10259 |
| Atlantis 210 | 2015 | 21' 0" | 101" | 17791 | 10116 | 10245 |
| Atlantis 220 | 2015 | 22' 0" | 101" | 17589 | 10131 | 10259 |
| Atlantis 230 | 2015 | 23' 0" | 101" | 17589 | 10131 | 10259 |
| Atlantis 230 SC | 2015 | 23' 0" | 101" | 17589 | 10131 | 10259 |
| Atlantis 250 | 2015 | 25' 0" | 101" | 17792 | 10117 | 10247 |
| Atlantis 250 SC | 2015 | 25' 0" | 101" | 17792 | 10117 | 10247 |
| Bandit 18 | 95-00 | 17' 6" | 96" | 17790 | 10114 | 10244 |
| Bandit 18 | 1994 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Bandit 20 / BT / Pleasure | 96-00 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Bandit 24 | 94-00 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| Bass 150 | 1998 | 15' 4" | 62" | 17742 | 10066 | 10194 |
| Bass 160 / MV | 98-00 | 16' 4" | 70" | 17744 | 10067 | 10195 |
| Bass 160C | 95-96 | 16' 0" | 70" | 17744 | 10067 | 10195 |
| Bass 160T | 96-00 | 16' 4" | 70" | 17046 | — | — |
| Bass 1648 SP | 1998 | 16' 4" | 70" | 17744 | 10067 | 10195 |
| Bass 175 MV | 1999 | 17' 6" | 76" | 17748 | 10069 | 10204 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LANDAU-CONTINUED** | | | | | | |
| Biscayne 24 | 1985 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Biscayne 28 | 1985 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| BT-20LX | 96-99 | 20' 2" | 96" | 17790 | 10114 | 10244 |
| BT-24LX | 96-99 | 24' 2" | 96" | 17791 | 10116 | 10245 |
| C 223 Cuddy Cabin | | 22' 3" | 96" | 17589 | 10131 | 10259 |
| Castaway 18 / Bandit 18 | 91-98 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Castaway 20 / DX / LX / RE | 96-98 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Castaway 24 / 24 DX / LX / ES / RE | 96-98 | 24' 0" | 96" | 17792 | 10117 | 10247 |
| Castaway BT 18 | | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Castaway BT 20 / LX / ES | 96-98 | 20' 0" | 96" | 17791 | 10116 | 10245 |
| Cherokee 1650 CC | | 16' 6" | 76" | 17460 | 10102 | 10213 |
| Cherokee 1650 SC | | 16' 6" | 76" | 17460 | 10102 | 10213 |
| Cherokee 1650 Ski | | 16' 6" | 76" | 17710 | 10023 | 10158 |
| Cherokee 1850 XS | | 18' 0" | 76" | 17764 | 10063 | 10192 |
| Crappie 150T / 150SS | 96-99 | 15' 4" | 62" | 17740 | 10065 | 10193 |
| Crappie 160 | 98-99 | 16' 4" | 70" | 17744 | 10067 | 10195 |
| DX-18 | 96-02 | 18' 2" | 96" | 17790 | 10114 | 10244 |
| DX-20 | 96-02 | 20' 2" | 96" | 17790 | 10114 | 10244 |
| DX-24 | 96-02 | 24' 4" | 96" | 17791 | 10116 | 10245 |
| Elite 200 | 2002 | 20' 3" | 102" | 17790 | 10114 | 10244 |
| Elite 225 | 98-01 | 21' 5" | 96" | 17791 | 10116 | 10245 |
| Elite 225 | 2002 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| Elite 225 C / F | 2000 | 22' 5" | 102" | 17791 | 10116 | 10245 |
| Elite 226 | 2000 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| Elite 250C | 00-02 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| Elite 251 | 00-02 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| Elite 252 | 2002 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| Elite 255 | 98-99 | 25' 5" | 96" | 17792 | 10117 | 10247 |
| Elite 275 | 1998 | 27' 5" | 96" | 17792 | 10117 | 10247 |
| Escapade 18 | 91-92 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Escapade 20 | 96-99 | 20' | 96" | 17791 | 10116 | 10245 |
| Escapade 24 | 96-99 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| Escapade 28 | 91-92 | 28' 0" | 96" | 17792 | 10117 | 10247 |
| Guide 15 | | 15' 0" | 74" | 17457 | 10091 | 10209 |
| Guide 17 | | 17' 0" | 74" | 17461 | 10103 | 10214 |
| Handle / DX | | 16' 0" | 62" | 17744 | 10067 | 10195 |
| Island Breeze 192 | 2015 | 18' 0" | 101" | 17790 | 10114 | 10244 |
| Island Breeze 212 | 2015 | 20' 0" | 101" | — | 10289 | 10330 |
| Island Breeze 232 | 2015 | 22' 0" | 101" | 17791 | 10116 | 10245 |
| Island Breeze 232 SC | 2015 | 22' 0" | 101" | 17791 | 10116 | 10245 |
| Island Breeze 252 | 2015 | 24' 0" | 101" | 17792 | 10117 | 10247 |
| Island Breeze 252 SC | 2015 | 24' 0" | 101" | 17792 | 10117 | 10247 |
| LX 20 | 00-02 | 20' 8" | 96" | 17791 | 10116 | 10245 |
| LX 22 | 2002 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| LX 24 | 00-02 | 24' 6" | 96" | 17792 | 10117 | 10247 |
| Magnum TR | | 17' 0" | 72" | 17748 | 10069 | 10204 |
| Master 17 | | 17' 0" | 74" | 17461 | 10103 | 10214 |
| Natural 16 | 1992 | 16' 0" | 70" | 17748 | 10069 | 10204 |
| Pro-17 | 97-98 | 17' 4" | 76" | 17748 | 10069 | 10204 |
| Pro-17 | 95-96 | 17' 0" | 76" | 17748 | 10069 | 10204 |
| Pro-18 | 96-98 | 18' 0" | 87" | 17775 | 10056 | 10183 |
| Runabout 18 | | 17' 7" | 86" | 17724 | 10032 | 10164 |
| Signature 2200 | 2015 | 22' 0" | 101" | — | 10290 | 10331 |
| Signature 2300 | 2015 | 23' 0" | 101" | — | 10290 | 10331 |
| Signature 2500 | 2015 | 25' 0" | 101" | 17792 | 10117 | 10247 |
| Signature 2700 | 2015 | 27' 0" | 101" | — | 102981 | 10332 |
| Super Hawk / 10 | 92-94 | 16' 8" | 69" | 17748 | 10069 | 10204 |
| V-16 Guide | 1996 | 16' 0" | 74" | 17460 | 10102 | 10213 |
| **LARSON** | | | | | | |
| 180 Sport | 2008 | 17' 7" | 88" | 17683 | 10141 | — |
| All American 150 BR O/B | 1990 | 15' 2" | 88" | 17709 | 10022 | 10157 |
| All American 160 | 1996 | 15' 5" | 83" | 17692 | 10135 | — |
| All American 160 O/B | | 16' 11" | 83" | 17692 | 10135 | — |
| All American 170 I/O | 89-90 | 17' 0" | 88" | 17723 | 10030 | 10163 |
| All American 170 O/B | 89-90 | 17' 0" | 88" | 17711 | 10025 | 10159 |
| All American 190 BR I/O / SE | 89-90 | 19' 0" | 89" | 17725 | 10033 | 10165 |
| All American 190 Cuddy I/O | 89-90 | 19' 0" | 89" | 17566 | — | — |
| All American 190 Cuddy O/B | 89-90 | 19' 0" | 89" | 17713 | 10027 | 10161 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LARSON-CONTINUED** | | | | | | |
| All American 190 O/B | | 19' 0" | 89" | 17713 | 10027 | 10161 |
| All American 210 Cuddy I/O | 1990 | 21' 0" | 99" | 17568 | — | — |
| All American 5000 I/O | | 16' 2" | 81" | 17722 | 10029 | — |
| All American 5000 O/B | | 16' 2" | 81" | 17710 | 10023 | 10158 |
| All American Special I/O | | 16' 2" | 81" | 17722 | 10029 | — |
| All American Special O/B | | 16' 2" | 81" | 17710 | 10023 | 10158 |
| Cabrio 244 | 98-99 | 24' 4" | 102" | 17591 | 10133 | 10263 |
| Citation 150 BR O/B | | 14' 10" | 77" | 17709 | 10022 | 10157 |
| Citation 170 BR O/B | | 16' 2" | 78" | 17710 | 10023 | 10158 |
| Citation 175 BR O/B | | 17' 2" | 83" | 17711 | 10025 | 10159 |
| Citation 4500 O/B | | 15' 2" | 77" | 17709 | 10022 | 10157 |
| Citation 5500 I/O | | 17' 2" | 83" | 17723 | 10030 | 10163 |
| Citation 5500 O/B | | 17' 2" | 83" | 17711 | 10025 | 10159 |
| DC-150 O/B | | 14' 10" | 74" | 17709 | 10022 | 10157 |
| DC-155 O/B | | 15' 2" | 77" | 17709 | 10022 | 10157 |
| DC-170 BR I/O | | 16' 1" | 74" | 17723 | 10030 | 10163 |
| DC-170 BR O/B | | 16' 1" | 74" | 17711 | 10025 | 10159 |
| DC-175 O/B | 1984 | 17' 2" | 83" | 17711 | 10025 | 10159 |
| DC-175/BR / Closed Bow | 85-86 | 17' 2" | 83" | 17723 | 10030 | 10163 |
| DC-180 BR I/O | | 18' 0 | 90" | 17724 | 10032 | 10164 |
| DC-190 | 85-86 | 18' 8" | 90" | 17725 | 10033 | 10165 |
| DC-200 BR / Cuddy I/O+F4936 | 85-86 | 20' 0" | 94" | 17726 | 10034 | 10166 |
| DC-215 | | 21' 3" | 96" | 17589 | 10131 | 10259 |
| Delta Sports Cruiser 7000 | | 21' 3" | 96" | 17589 | 10131 | 10259 |
| Escapade 220 | 1995 | 23' 1" | 102" | 17689 | 10147 | 10279 |
| Escapade 240 | 95-96 | 25' 5" | 102" | 17592 | 10134 | — |
| Escape 204 | 2008 | 20'1" | 102" | 17686 | 10144 | 10276 |
| Escape 234 | 2008 | 23'7" | 102" | 17689 | 10147 | 10279 |
| Express 226 | | 22' 0" | 96" | 17589 | 10131 | 10259 |
| Flyer 166 | 97-00 | 15' 11" | 87" | 17692 | 10135 | — |
| Flyer 176 | 97-99 | 17' 0" | 87" | 17683 | 10141 | — |
| Hampton 200 | 1995 | 21' 1" | 95" | 17588 | 10130 | 10258 |
| Hampton 215 | 96-98 | 20' 9" | 102" | 17588 | 10130 | 10258 |
| Hampton 235 | 96-99 | 23' 2" | 102" | 17590 | 10132 | 10261 |
| Hampton 240 | 1996 | 24' 2" | 102" | 17591 | 10133 | 10263 |
| Lazer 180 BR I/O / 180 Sport | 89-90 | 18' 4" | 87" | 17724 | 10032 | 10164 |
| Lazer 200 BR / SE | 89-90 | 20' 0" | 96" | 17726 | 10034 | 10166 |
| Lazer 200 Cuddy | | 20' 0" | 96" | 17587 | 10129 | 10257 |
| LSR 2000 | 2015 | 20' 1" | 92" | 17686 | 10144 | 10276 |
| LSR 2100 | 2015 | 21' 1" | 96" | 17687 | 10145 | 10277 |
| LSR 2300 | 2015 | 23' 1" | 100" | 17689 | 10147 | 10279 |
| LX 160 S | 2015 | 16' 2" | 88" | 17682 | 10140 | 10243 |
| LX 180 SF | 2015 | 18' 6" | 94" | 17684 | 10142 | 10274 |
| LX 185 S | 2015 | 18'8" | 88" | 17684 | 10142 | 10274 |
| LX 195 S | 2015 | 20' 1" | 92" | 17686 | 10144 | 10276 |
| LX 225 S | 2015 | 23' 1" | 100" | 17688 | 10146 | 10278 |
| LXi 174 I/O | 95-96 | 17' 5" | 90" | 17683 | 10141 | — |
| LXi 186 | 97-00 | 17' 11" | 93" | 17684 | 10142 | 10274 |
| LXi 190 I/O | 02-03 | 18' 6" | 94" | 17684 | 10142 | 10274 |
| LXi 194 I/O | 95-96 | 19' 5" | 96" | 17686 | 10144 | 10276 |
| LXi 206 | 97-00 | 19' 11" | 100" | 17686 | 10144 | 10276 |
| LXi 208 | 2008 | 20' 9" | 94" | 17686 | 10144 | 10276 |
| LXI 210 I/O | 02-03 | 20' 6" | 99" | 17686 | 10144 | 10276 |
| LXi 214 I/O | 95-96 | 21' 6" | 102" | 17687 | 10145 | 10277 |
| LXi 215 | | 20' 9" | 102" | 17687 | 10145 | 10277 |
| LXi 226 | 97-00 | 21' 11" | 102" | 17688 | 10146 | 10278 |
| LXi 228 | 2008 | 22' 6" | 94" | 17686 | 10144 | 10276 |
| LXi 230 I/O | 02-03 | 22' 3" | 100" | 17688 | 10146 | 10278 |
| LXi 238 IO | 2015 | 23' 6" | 102" | 17688 | 10146 | 10278 |
| LXi 248 | 2008 | 24' 7" | 102" | 17801 | 10072 | 10210 |
| LXi 258 IO | 2015 | 25' 6" | 102" | 17802 | 10073 | 10221 |
| Manta 4500 O/B | | 14' 10" | 72" | 17709 | 10022 | 10157 |
| Manta 5000 BR O/B | | 15' 2" | 76" | 17709 | 10022 | 10157 |
| Mirado 5000 O/B | | 16' 1" | 85" | 17710 | 10023 | 10158 |
| Mirado V-165 BR O/B | 1985 | 16' 1" | 85" | 17710 | 10023 | 10158 |
| SEi 174 | 95-96 | 17' 5" | 90" | 17693 | 10136 | 10265 |
| SEi 174 I/O | 1996 | 17' 5" | 90" | 17693 | 10136 | 10265 |
| SEi 174 O/B | 1996 | 16' 9" | 90" | 17693 | 10136 | 10265 |
| SEi 176 I/O | 99-00 | 17' 5" | 87" | 17683 | 10141 | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LARSON-CONTINUED** | | | | | | |
| SEi 180 I/O | 02-06 | 17' 6" | 93" | 17684 | 10142 | 10274 |
| SEi 180F | 2008 | 17' 6" | 93" | 17684 | 10142 | 10274 |
| SEi 186 I/O / 186 Ski N Fish | 97-00 | 17' 11" | 93" | 17684 | 10142 | 10274 |
| SEi 186 O/B / 186 Ski N Fish | 98-00 | 17' 11" | 93" | 17694 | 10137 | 10267 |
| SEi 190 I/O | 02-03 | 18' 6" | 94" | 17684 | 10142 | 10274 |
| SEi 190 O/B | 02-03 | 18' 6" | 94" | 17694 | 10137 | 10267 |
| SEi 190 Ski 'N Fish I/O | 02-03 | 18' 6" | 94" | 17685 | 10143 | 10275 |
| SEi 190 Ski 'N Fish O/B | 02-03 | 18' 6" | 94" | 17695 | 10138 | 10269 |
| SEi 194 | 1997 | 18' 9" | 96" | 17685 | 10143 | 10275 |
| SEi 194 | | 19' 5" | 96" | 17020 | 10028 | 10162 |
| SEi 194 I/O | 1998 | 18' 9" | 96" | 17685 | 10143 | 10275 |
| SEi 194 I/O | | 19' 5" | 96" | 17685 | 10143 | 10275 |
| SEi 194 O/B | 1996 | 18' 9" | 96" | 17695 | 10138 | 10269 |
| SEi 206 I/O / 206 Ski & Fish | 97-00 | 19' 11" | 100" | 17686 | 10144 | 10276 |
| SEi 206 O/B / 206 Ski N Fish | 98-00 | 19' 11" | 100" | 17020 | 10028 | 10162 |
| SEi 210 I/O | 02-03 | 20' 6" | 99" | 17686 | 10144 | 10276 |
| SEi 210 Ski 'N Fish I/O | 02-03 | 20' 6" | 99" | 17687 | 10145 | 10277 |
| SEi 214 I/O | 95-96 | 21' 6" | 102" | 17687 | 10145 | 10277 |
| SEi 215 | 96-97 | 20' 9" | 102" | 17687 | 10145 | 10277 |
| SEi 226 | 97-00 | 21' 11" | 102" | 17688 | 10146 | 10278 |
| SEi 235 | 1996 | 23' 1" | 102" | 17689 | 10147 | 10279 |
| SEi 236 | 96-97 | 23' 9" | 102" | 17689 | 10147 | 10279 |
| Senza 165 BR O/B / Closed Bow | 85-90 | 16' 2" | 85" | 17692 | 10135 | — |
| Senza 170 BR | 1990 | 16' 11" | 85" | 17683 | 10141 | — |
| Senza 186 | 2008 | 18' 6" | 94" | 17687 | 10145 | 10277 |
| Senza 190 LX | 1990 | 19' 0" | 88" | 17685 | 10143 | 10275 |
| Senza 206 | 2008 | 20' 6" | 99" | 17686 | 10144 | 10276 |
| Senza 210 LX | 89-90 | 20' 10" | 96" | 17687 | 10145 | 10277 |
| Senza 210 LX / Cuddy | 89-90 | 20' 10" | 96" | 17687 | 10145 | 10277 |
| Senza 220 Cuddy | 88-89 | 22' 1" | 96" | 17589 | 10131 | 10259 |
| Senza 226 | 2008 | 22' 3" | 102" | 17688 | 10146 | 10278 |
| SI 174 F/S | 1996 | 16' 9" | 90" | 17582 | 10110 | 17574 |
| Sportfisherman 184 | | 18' 0" | 90" | 17780 | 15412 | 15403 |
| Sportfisherman 204 | | 20' 4" | 90" | 17738 | 10151 | 15405 |
| Sportfisherman 224 / 225 | | 22' 0" | 96" | 17741 | 10153 | 15407 |
| V-150 O/B | 1985 | 14' 10" | 72" | 17709 | 10022 | 10157 |
| V-155 O/B | 1985 | 15' 2" | 76" | 17709 | 10022 | 10157 |
| V-165 BR O/B | 1984 | 16' 1" | 85" | 17710 | 10023 | 10158 |
| V-165 I/O | 1984 | 16' 2" | 80" | 17722 | 10029 | — |
| V-165 O/B | 1984 | 16' 2" | 80" | 17710 | 10023 | 10158 |
| V-175 I/O | 1985 | 17' 2" | 82" | 17723 | 10030 | 10163 |
| V-175 O/B | 85-86 | 17' 2" | 82" | 17711 | 10025 | 10159 |
| V-195 I/O | 85-86 | 19' 5" | 92" | 17587 | 10129 | 10257 |
| V-220 I/O | 1984 | 22' 0" | 96" | 17728 | 10036 | 10168 |
| **LASER** | | | | | | |
| 1600 | | 16' 1" | 75" | 17762 | 10062 | 10188 |
| 22' Vision | 2015 | 22' 1" | 97" | — | — | — |
| 23' Apex | 2015 | 22' 10" | 100" | — | — | — |
| 24' Blade | 2015 | 24' 11" | 102" | — | — | — |
| 25' Fury | 2015 | 25' 0" | 93" | — | — | — |
| 2500 / 2550 | | 17' 9" | 85" | 17775 | 10056 | 10183 |
| 2500 XF | | 17' 9" | 85" | 17775 | 10056 | 10183 |
| 3800 Bass | | 19' 0" | 85" | 17773 | 15411 | 15401 |
| LTV Bass | | 17' 11" | 85" | 17775 | 10056 | 10183 |
| **LEGEND** | | | | | | |
| Alpha 191 | 14-15 | 19' 0" | 94" | — | — | — |
| Alpha 199 | 14-15 | 19' 10" | 94" | 17778 | 10058 | 10185 |
| Alpha 211 R | 14-15 | 20' 11" | 94" | 17778 | 10058 | 10185 |
| LE 186 | 2005 | 18' 6" | 94" | 17773 | 15411 | 15401 |
| LE 195 | 2005 | 19' 5" | 94" | 17777 | 10057 | 10184 |
| LE 21 | 2005 | 20' 11" | 94" | 17025 | 10059 | 10197 |
| V-20 | 14-15 | 20' 5" | 96" | 17778 | 10058 | 10185 |
| **LOGIC** | | | | | | |
| 15 Fish | 2001 | 14' 10" | 77" | 17760 | 10061 | 10187 |
| 170 CC | 2001 | 16' 10" | 77" | 17736 | 10148 | 15402 |
| 210 CC | 2001 | 20' 6" | 102" | 17739 | 10152 | 15406 |
| **LOWE** | | | | | | |
| 1457 | 98-15 | 14' 1" | 57" | 17454 | 10087 | 10208 |
| 1462 | 98-08 | 13' 8" | 62" | 17454 | 10087 | 10208 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LOWE-CONTINUED** | | | | | | |
| 1667 | 04-15 | 16' 0" | 67" | **17455** | **10092** | **10211** |
| 1256 | 98-05 | 12' 1" | 56" | **17453** | **10086** | **10207** |
| 1260 HD | 13-14 | 12' 4" | 60" | **17423** | **10086** | **10207** |
| 1410 Back Troller | 97-98 | 14' 0" | 74" | **17454** | **10087** | **10208** |
| 1436 / L / M / L 1436 / L | 99-13 | 14' 0" | 57" | **17040** | — | — |
| 1448 / M / MT / MWW / T | 02-08 | 14' 0" | 70" | **17044** | — | — |
| 1448 M / R 1448 M | 02-08 | 13' 11" | 70" | **17044** | — | — |
| 1467 / T / WT | 98-15 | 13' 11" | 67" | **17454** | **10087** | **10208** |
| 1469 HD | 13-14 | 14' 4" | 70" | **17454** | **10087** | **10208** |
| 1488 / T | 04-08 | 14' 0" | 70" | **17044** | — | — |
| 150 Bass | 97-98 | 15' 0" | 60" | **17742** | **10066** | **10194** |
| 151 Sprite | 97-99 | 14' 11" | 61" | **17040** | — | — |
| 152 Panfish | 1999 | 14' 11" | 61" | **17040** | — | — |
| 1542 / 1542 T | | 14' 11" | 63" | **17044** | — | — |
| 1542 M / V / VT | 98-08 | 14' 11" | 63" | **17042** | — | — |
| 1548 VTN | 1998 | 14' 9" | 70" | **17457** | **10091** | **10209** |
| 160 / 160 W | 99-02 | 15' 11" | 71" | **17744** | **10067** | **10195** |
| 160 Bass | | 15' 11" | 72" | **17744** | **10067** | **10195** |
| 160 S | 1999 | 15' 11" | 77" | **17460** | **10102** | **10213** |
| 160 SPL | 97-98 | 15' 10" | 70" | **17046** | — | — |
| 160 T | 1999 | 15' 11" | 77" | **17456** | **10093** | **10212** |
| 160 W | 04-05 | 16' 0" | 76" | **17744** | **10067** | **10195** |
| 1605 Fish-N-Pro | 95-98 | 15' 10" | 74" | **17460** | **10102** | **10213** |
| 1610 Back Troller | 97-98 | 15' 10" | 74" | **17455** | **10092** | **10211** |
| 162 Panfish | 95-99 | 15' 11" | 71" | **17046** | — | — |
| 1620 Fish-N-Pro DLX | 97-98 | 16' 2" | 82" | **17460** | **10102** | **10213** |
| 1640 M | 1998 | 15' 10" | 60" | **17042** | — | — |
| 1648 / M / MT / MW / TNN / V / WT | 98-08 | 15' 10" | 70" | **17046** | — | — |
| 1648 VT / 1648 VPT | | 15' 10" | 74" | **17456** | **10093** | **10212** |
| 165 Fish-N-Pro | 02-05 | 16' 0" | 71" | **17744** | **10067** | **10195** |
| 1650 DLX | 2014 | 16' 0" | 74" | **17455** | **10092** | **10211** |
| 1650 SC | 2014 | 16' 0" | 74" | **17459** | **15429** | **15428** |
| 1652 MT / T | 98-08 | 15' 10" | 75" | **17046** | — | — |
| 1652 SS | 04-08 | 16' 0" | 75" | **17456** | **10093** | **10212** |
| 1652 VPT | 00-08 | 16' 0" | 75" | **17460** | **10102** | **10213** |
| 1652 VPT / R 1652 VPT | 00-08 | 16' 0" | 75" | **17460** | **10102** | **10213** |
| 1652 VT | 00-08 | 16' 0" | 75" | **17455** | **10092** | **10211** |
| 1655 MTN | 1999 | 15' 10" | 75" | **17046** | — | — |
| 1655 TN | 00-08 | 15' 10" | 75" | **17744** | **10067** | **10195** |
| 166 S | 99-00 | 16' 6" | 85" | **17459** | **15429** | **15428** |
| 1667 / 1667 T | 98-02 | 15' 11" | 67" | **17455** | **10092** | **10211** |
| 1667 / 1667 T | 03-08 | 16' 0" | 67" | **17455** | **10092** | **10211** |
| 1667 WT | 2015 | 13' 11" | 67" | **17454** | **10087** | **10208** |
| 1672 HD | 13-14 | 16' 4" | 72" | **17455** | **10092** | **10211** |
| 1677 CC / WT | 02-05 | 16' 5" | 77" | **17714** | **10104** | **10215** |
| 17 Center Console | | 17' 0" | 84" | **17736** | **10148** | **15402** |
| 17 SC Deep V | 97-98 | 17' 6" | 87" | **17718** | **10106** | **10219** |
| 17 TC Deep V | 97-98 | 17' 6" | 87" | **17694** | **10137** | **10267** |
| 170 / 170V / 170 W | 97-03 | 16' 10" | 74" | **17748** | **10069** | **10204** |
| 170 Bass | | 17' 0" | 73" | **17748** | **10069** | **10204** |
| 170 Bass | 97-98 | 16' 10" | 74" | **17748** | **10069** | **10204** |
| 170 SE | 02-05 | 17' 0" | 71" | **17748** | **10069** | **10204** |
| 170 SP / 170 SPL | 97-98 | 16' 10" | 74" | **17048** | — | — |
| 170 W | 2004 | 17' 0" | 76" | **17748** | **10069** | **10204** |
| 170 WV | 04-05 | 17' 0" | 85" | **17749** | **10064** | **15426** |
| 1720 Fish-N-Pro | 1995 | 17' 2" | 84" | **17461** | **10103** | **10214** |
| 175 W | 04-05 | 16' 11" | 75" | **17748** | **10069** | **10204** |
| 1752 D / VT / MPT | 98-00 | 17' 0" | 74" | **17048** | — | — |
| 1752 VT | | 16' 11" | 74" | **17714** | **10104** | **10215** |
| 1756 DLX | 2014 | 16' 10" | 80" | **17456** | **10093** | **10212** |
| 1756 SC | 2014 | 16' 10" | 80" | **17719** | **10101** | **10216** |
| 1756 VPT | 05-08 | 17' 0" | 77" | **17748** | **10069** | **10204** |
| 1756 VT | 05-08 | 17' 0" | 77" | **17048** | — | — |
| 1760 MT / R 1760 MT | 98-08 | 17' 0" | 83" | **17048** | — | — |
| 179 | 2000 | 17' 9" | 87" | **17684** | **10142** | **10274** |
| 179 S | 99-00 | 17' 9" | 87" | **17718** | **10106** | **10219** |
| 179 T | 1999 | 17' 9" | 87" | **17716** | **10105** | **10218** |
| 18 EX Deep V | 97-98 | 18' 6" | 90" | **17787** | **10217** | **10240** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LOWE-CONTINUED** | | | | | | |
| 180 / 180 WZ | 99-00 | 18' 1" | 80" | **17750** | **10070** | **10206** |
| 180 Striker | 98-00 | 17' 11" | 77" | **17750** | **10070** | **10206** |
| 180 W | 02-05 | 17' 10" | 85.5" | **17750** | **10070** | **10206** |
| 185 Fun-N-Fish | 97-98 | 18' 9" | 96" | **17790** | **10114** | **10244** |
| 1852 MT / MTNN | 98-08 | 18' 0" | 85" | **17048** | — | — |
| 1860 VPT | 03-08 | 18' 0" | 81" | **17750** | **10070** | **10206** |
| 1860 VT | 05-08 | 18' 0" | 81" | **17048** | — | — |
| 1880 T | 98-99 | 17' 11" | 80" | **17716** | **10105** | **10218** |
| 19 Center Console | | 19' 0" | 86" | **17737** | **10150** | **15404** |
| 19 SC Deep V | 97-98 | 19' 0" | 94" | **17787** | **10217** | **10240** |
| 19 TC Deep V | 97-98 | 19' 0" | 94" | **17695** | **10138** | **10269** |
| 20 Bay | 2015 | 20' 0" | 94" | **17738** | **10151** | **15405** |
| 20 Catfish | 2015 | 20' 0" | 95" | **17806** | **10078** | **10227** |
| 200 Dlx Family Fun | 97-98 | 20' 9" | 96" | **17791** | **10116** | **10245** |
| 2070 VPT | 05-08 | 20' 6" | 96" | **17806** | **10078** | **10227** |
| 2070 VT | 05-08 | 20' 6" | 96" | **17822** | — | — |
| 215 Family Fun | 97-98 | 20' 9" | 96" | **17791** | **10116** | **10245** |
| 22 Bay | 14-15 | 22' 3" | 95.5" | **17741** | **10153** | **15407** |
| 220 Dlx Fun-N-Fish | 97-98 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| 221 Dlx Fun-N-Fish | 97-98 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| 225 Fun-N-Fish | 97-98 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| 240 Dlx Family Fun | 97-98 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| 245 Family Fun | 97-98 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| A 1257 | 2012 | 12' 1" | 57" | **17453** | **10086** | **10207** |
| A 1457 | 2012 | 13' 11" | 57" | — | — | — |
| A 1467 | 2012 | 13' 11" | 67" | **17454** | **10087** | **10208** |
| A 1467 WT | 2012 | 13' 11" | 67" | **17454** | **10087** | **10208** |
| A 160S | 2012 | 16' 1" | 75" | **17455** | **10092** | **10211** |
| A 160T | 2012 | 16' 0" | 75" | **17455** | **10092** | **10211** |
| A 1667 / WT | 2012 | 16' 0" | 67" | **17455** | **10092** | **10211** |
| AN 140 S / T | 99-07 | 13' 11" | 67" | **17454** | **10087** | **10208** |
| AN 148 T | 1999 | 14' 8" | 72" | **17457** | **10091** | **10209** |
| AN 150 S | 04-07 | 15' 0" | 72" | **17825** | **10074** | **10223** |
| AN 150 T | 02-07 | 15' 0" | 72" | **17457** | **10091** | **10209** |
| AN 160 S | 99-00 | 15' 11" | 67" | **17460** | **10102** | **10213** |
| AN 160 S | 2013 | 16' 1" | 75" | **15456** | **10093** | **10212** |
| AN 160 T | 99-00 | 15' 11" | 67" | **17455** | **10092** | **10211** |
| AN 160 T | 12-13 | 16' 1" | 75" | **17455** | **10092** | **10211** |
| AN 165 DC | 07-08 | 16' 5" | 82" | **17710** | **10023** | **10158** |
| AN 165 S | 99-08 | 16' 5" | 82" | **17459** | **15429** | **15428** |
| AN 165 T | 99-06 | 16' 5" | 77" | **17455** | **10092** | **10211** |
| AN 165 T | 07-08 | 16' 5" | 82" | **17456** | **10093** | **10212** |
| Angler 1260 H | 2015 | 12' 4" | 60" | **17453** | **10086** | **10207** |
| Angler 1469 H | 2015 | 14' 4" | 70" | **17454** | **10087** | **10208** |
| Angler 16 | | 16' 0" | 70" | **17746** | **10068** | **10202** |
| Angler 1672 H | 2015 | 16' 4" | 72" | **17455** | **10092** | **10211** |
| Angler Pro 16 | 87-88 | 16' 0" | 70" | **17746** | **10068** | **10202** |
| Backtroller 16 | | 16' 0" | 74" | **17460** | **10102** | **10213** |
| Backtroller 1710 | | 17' 0" | 82" | **17461** | **10103** | **10214** |
| Bass 160 | 97-98 | 15' 11" | 72" | **17744** | **10067** | **10195** |
| Bass Boat 150 | | 15' 0" | 65" | **17744** | **10067** | **10195** |
| Bass Boat 160 | | 16' 0" | 72" | **17762** | **10062** | **10188** |
| Bass Boat 1600 | | 16' 0" | 72" | **17762** | **10062** | **10188** |
| Bass Boat 170 | | 17' 0" | 74" | **17748** | **10069** | **10204** |
| Bass Boat 1700 | | 16' 6" | 80" | **17762** | **10062** | **10188** |
| Bass Catcher | | 16' 0" | 66" | **17744** | **10067** | **10195** |
| Bass Catcher Pro 16 | | 16' 0" | 66" | **17744** | **10067** | **10195** |
| Bass Striker 160 | 02-03 | 16' 0" | 71" | **17744** | **10067** | **10195** |
| Bass Stryker 1600 | 1997 | 16' 0" | 72" | **17762** | **10062** | **10188** |
| Bass Stryker 1600 | 1998 | 16' 2" | 82" | **17459** | **15429** | **15428** |
| Classic 24 | 87-88 | 21' 0" | 96" | **17791** | **10116** | **10245** |
| Classic 28 | | 25' 0" | 96" | **17792** | **10117** | **10247** |
| Commander 17 | 1988 | 17' 0" | 72" | **17748** | **10069** | **10204** |
| Condor | 88-89 | 18' 6" | 83" | **17775** | **10056** | **10183** |
| Crappie Boat 161 | | 16' 0" | 72" | **17762** | **10062** | **10188** |
| Crappie Boat 1610 | | 16' 0" | 72" | **17762** | **10062** | **10188** |
| Explorer 17 | | 17' 0" | 68" | **17748** | **10069** | **10204** |
| Falcon 16 | 87-88 | 16' 0" | 70" | **17744** | **10067** | **10195** |
| Fish and Ski 17 | | 17' 0" | 72" | **17748** | **10069** | **10204** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LOWE-CONTINUED** | | | | | | |
| Fish and Ski 1730 | | 17' 0" | 82" | 17711 | 10025 | 10159 |
| Fisherman 16 | 87-88 | 16' 0" | 70" | 17744 | 10067 | 10195 |
| Fishfinder 165 | 02-04 | 16' 0" | 71" | 17744 | 10067 | 10195 |
| Fishing Boat 1410 | | 14' 0" | 65" | 17454 | 10087 | 10208 |
| Fish-n-Pro Twin Console | | 17' 0" | 84" | 17461 | 10103 | 10214 |
| FM 160 Pro | 2015 | 16' 5" | 82" | 17459 | 15429 | 15428 |
| FM 160 S | 14-15 | 16' 1" | 75" | 17459 | 15429 | 15428 |
| FM 160 T | 14-15 | 16' 1" | 75" | 17456 | 10093 | 10212 |
| FM 165 Classic | 2012 | 16' 5" | 82" | 17459 | 15429 | 15428 |
| FM 165 Poly Camo | 2015 | 16' 5" | 82" | 17459 | 15429 | 15428 |
| FM 165 Pro SC | 2015 | 16' 5" | 82" | 17459 | 15429 | 15428 |
| FM 165 Pro WT | 2015 | 16' 5" | 82" | 17710 | 10023 | 10158 |
| FM 165 S | 2002 | 16' 5" | 77" | 17460 | 10102 | 10213 |
| FM 165 S | 03-08 | 16' 5" | 82" | 17459 | 15429 | 15428 |
| FM 165 SS | 03-08 | 16' 5" | 82" | 17459 | 15429 | 15428 |
| FM 166 S | 1999 | 16' 6" | 85" | 17459 | 15429 | 15428 |
| FM 170 S | 02-04 | 16' 6" | 85" | 17459 | 15429 | 15428 |
| FM 170 WT | 02-04 | 16' 9" | 87" | 17693 | 10136 | 10265 |
| FM 1710 Pro SC | 2015 | 17' 10" | 95" | 17718 | 10106 | 10219 |
| FM 1710 Pro WT | 2015 | 17' 10" | 95" | — | — | — |
| FM 175 Pro SC | 2012 | 17' 5" | 96" | 17718 | 10106 | 10219 |
| FM 175 S | 03-08 | 17' 3" | 92" | 17718 | 10106 | 10219 |
| FM 179 S | 99-00 | 17' 9" | 87" | 17718 | 10106 | 10219 |
| FM 179 T | 99-00 | 17' 9" | 87" | 17716 | 10105 | 10218 |
| FM 180 S | 02-03 | 17' 9" | 87" | 17718 | 10106 | 10219 |
| FM 180 WT | 02-03 | 17' 9" | 87" | 17694 | 10137 | 10267 |
| FM 185 DC | 07-08 | 18' 3" | 95" | 17713 | 10027 | 10161 |
| FM 185 S | 06-08 | 18' 3" | 95" | 17713 | 10027 | 10161 |
| FM Pro 165 SC | 12-14 | 16' 5" | 82" | 17459 | 15429 | 15428 |
| FM Pro 165 WT | 2014 | 16' 5" | 82" | 17710 | 10023 | 10158 |
| FM Pro 175 SC | 12-14 | 17' 5" | 96" | 17718 | 10106 | 10219 |
| FM Pro 175 WT | 2014 | 17' 5" | 96" | — | — | — |
| FM Pro 1810 Pro WT | 2015 | 18' 10" | 95" | 17713 | 10027 | 10161 |
| FM Pro 185 WT | 2014 | 18' 5" | 96" | — | — | — |
| Frontier 1546 | 12-13 | 15' 1" | 70" | 17825 | 10074 | 10223 |
| Frontier 1650 | 12-13 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| Frontier 1650 DLX | 2013 | 16' 0" | 74" | 17455 | 10092 | 10211 |
| Frontier 1650 SC | 12-13 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| Frontier 1756 | 12-13 | 16' 10" | 80" | 17746 | 10068 | 10202 |
| Frontier 1756 DLX | 2013 | 16' 10" | 80" | 17714 | 10104 | 10215 |
| Frontier 1756 SC | 12-13 | 20' 0" | 96" | 17806 | 10078 | 10227 |
| Frontier 1850 | 2013 | 18' 0" | 85" | — | — | — |
| Frontier 1860 | 2012 | 18' 0" | 85" | 17750 | 10070 | 10206 |
| Frontier 1860 CC | 2012 | 18' 0" | 85" | — | — | — |
| Frontier 1860 DLX | 2013 | 18' 0" | 85" | — | — | — |
| Frontier 1860 SC | 12-13 | 18' 0" | 85" | 17750 | 10070 | 10206 |
| Frontier 2070 | 12-13 | 20' 0" | 96" | 17806 | 10078 | 10227 |
| Frontier 2070 CC | 2012 | 20' 0" | 96" | — | — | — |
| Frontier 2070 SC | 12-13 | 20' 0" | 96" | 17806 | 10078 | 10227 |
| FS 1610 | 2015 | 16' 10" | 95" | 17719 | 10101 | 10216 |
| FS 165 | 04-14 | 16' 5" | 82" | 17580 | 10109 | 17573 |
| FS 1710 | 2015 | 17' 10" | 95" | 17718 | 10106 | 10219 |
| FS 175 | 12-14 | 17' 5" | 96" | — | — | — |
| FS 1810 | 2015 | 18' 10" | 95" | 17815 | 10090 | 10236 |
| FS 185 | 12-14 | 18' 5" | 96" | — | — | — |
| GLS 176 SW / 176 W | 1999 | 17' 6" | 94" | 17694 | 10137 | 10267 |
| GLS 179 | 1999 | 17' 9" | 87" | 17693 | 10136 | 10265 |
| GLS 190 W | 1999 | 19' 0" | 94" | 17695 | 10138 | 10269 |
| GLS 197 | 1999 | 19' 3" | 96" | 17695 | 10138 | 10269 |
| GS 200 | 2013 | 17' 11" | 102" | 17790 | 10144 | 10244 |
| GS 202 | 2013 | 17' 11" | 102" | 17790 | 10144 | 10244 |
| JM 200 | 02-04 | 19' 11" | 102" | 17790 | 10114 | 10244 |
| JM 220 | 99-04 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| JM 220 SD | 2004 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| JM 224 | 02-04 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| JM 250 | 99-04 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| JM 250 SD | 03-04 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| JM 252 | 03-04 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| Jumbo V 14 / Walkthru / DLX | 87-88 | 14' 0" | 65" | 17454 | 10087 | 10208 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LOWE-CONTINUED** | | | | | | |
| Jumbo V 16 / DLX | 87-88 | 16' 0" | 65" | 17455 | 10092 | 10211 |
| L 1032 | 13-14 | 10' 0" | 48" | — | — | — |
| L 1232 | 2013 | 11' 10" | 48" | 17819 | — | — |
| L 1232 | 14-15 | 11' 8" | 48" | 17819 | — | — |
| L 1236 | 2013 | 11' 11" | 56" | 17819 | — | — |
| L 1236 | 2014 | 11' 9.5" | 56" | 17819 | — | — |
| L 1436 | 2014 | 13' 9" | 57" | 17040 | — | — |
| L 1436 L | 14-15 | 13' 8.5" | 57" | 17040 | — | — |
| L 1440 M | 13-14 | 14' 0" | 59" | 17040 | — | — |
| L 1448 | 2013 | 14' 0" | 70" | 17044 | — | — |
| L 1448 | 14-15 | 13' 8" | 70" | — | — | — |
| L 1448 M | 2013 | 14' 0" | 70" | 17044 | — | — |
| L 1448 M / M / MT / T | 13-15 | 13' 8" | 70" | 17044 | — | — |
| L 1625 MT | 2013 | 15' 10" | 70" | 17046 | — | — |
| L 1636 L | 2015 | 15' 6" | 57" | 17042 | — | — |
| L 1648 | 14-5 | 15' 8.5" | 70" | — | — | — |
| L 1648 / L 1648 M / MT / T | 2013 | 15' 10" | 70" | 17046 | — | — |
| L 1648 M | 14-15 | 15' 8.5 | 70" | — | — | — |
| L 1652 MT | 14-15 | 15' 9.5" | 75" | — | — | — |
| L 1652 MT | 12-13 | 15' 10" | 70" | 17046 | — | — |
| L 1852 MT | 14-15 | 17' 9" | 75" | 17820 | — | — |
| L 1852 MT | 2012 | 18' 0" | 75" | 17820 | — | — |
| Lunker 14 | | 14' 0" | 72" | 17454 | 10087 | 10208 |
| Lunker V II-16 | 87-88 | 16' 0' | 72" | 17460 | 10102 | 10213 |
| Lunker V III-16 | 87-88 | 16' 0' | 72" | 17762 | 10062 | 10188 |
| Lunker V-16 | 87-88 | 16' 0' | 72" | 17460 | 10102 | 10213 |
| M 1648 | 2012 | 15' 10" | 70" | 17046 | — | — |
| ML 200 | 2004 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Model 151 J | | 14' 10" | 60" | 17742 | 10066 | 10194 |
| Model 160 J | | 16' 0" | 71" | 17744 | 10067 | 10195 |
| Model 1600 J | | 15' 10" | 72" | 17744 | 10067 | 10195 |
| Model 1605 J / 1610 J / 1615 J / 1620 J | | 16' 0" | 67" | 17460 | 10102 | 10213 |
| Model 1625 J | | 16' 2" | 73" | 17460 | 10102 | 10213 |
| Model 165 J | | 16' 1" | 71" | 17744 | 10067 | 10195 |
| Model 170 J | | 16' 10" | 73" | 17748 | 10069 | 10204 |
| Model 1700 J | | 16' 9" | 80" | 17459 | 15429 | 15428 |
| Model 1701 J | | 16' 9" | 80" | 17459 | 15429 | 15428 |
| Model 1710 J | | 17' 1" | 84" | 17461 | 10103 | 10214 |
| Model 1720 J | | 17' 1" | 84" | 17461 | 10103 | 10214 |
| Model 1930 J | | 18' 10" | 84" | 17713 | 10027 | 10161 |
| Model 1940 J | | 18' 10" | 84" | 17737 | 10150 | 15404 |
| Model 200 / 200J / 202 J | | 17' 0" | 96" | 17790 | 10114 | 10244 |
| Model 205 J | | 17' 1" | 96" | 17790 | 10114 | 10244 |
| Model 240 / 240J | | 21' 0" | 96" | 17791 | 10116 | 10245 |
| Model 245 J / 246 J / 247 J | | 23' 7" | 96" | 17791 | 10116 | 10245 |
| Pike Boat 1620 V | | 16' 0" | 74" | 17460 | 10102 | 10213 |
| Pike Boat 1720 V | | 17' 0" | 82" | 17461 | 10103 | 10214 |
| Platinum 23 Cruise | 2013 | 22' 3" | 102" | 17791 | 10116 | 10245 |
| Platinum 23 RFL | 2013 | 22' 3" | 102" | 17791 | 10116 | 10245 |
| Platinum 25 Cruise | 2013 | 24' 6" | 102" | — | 10290 | 10331 |
| Platinum 25 RFL | 2013 | 24' 6" | 102" | — | 10290 | 10331 |
| Pro Bass 15E | | 15' 0" | 60" | 17457 | 10091 | 10209 |
| Prowler 15 | 87-88 | 15' 0" | 62" | 17742 | 10066 | 10194 |
| Prowler Pro 15 | 87-88 | 15' 0" | 62" | 17742 | 10066 | 10194 |
| R 1542 V | 02-04 | 14' 11" | 63" | 17042 | — | — |
| R 1652 VT | 02-04 | 16' 0" | 75" | 17046 | — | — |
| R 1752 | 02-04 | 17' 0" | 75" | 17048 | — | — |
| R 1752 VPT | 02-04 | 17' 0" | 75" | 17748 | 10069 | 10204 |
| R 1752 VT | 02-04 | 17' 0" | 75" | 17048 | — | — |
| R 1754 VDS | 2004 | 17' 0" | 75" | 17748 | 10069 | 10204 |
| R 176 /S | 2000 | 17' 6" | 94" | 17694 | 10137 | 10267 |
| R 1860 VDS | 03-04 | 18' 0" | 81" | 17750 | 10070 | 10206 |
| R 1900 | 2000 | 19' 0" | 94" | 17695 | 10138 | 10269 |
| Roughneck 1546 | 2015 | 15' 1" | 70" | 17825 | 10074 | 10223 |
| Roughneck 1650 | 2015 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| Roughneck 1650 DLX | 2015 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| Roughneck 1650 SC | 2015 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| Roughneck 1756 | 2015 | 16' 10" | 80" | 17746 | 10068 | 10202 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LOWE-CONTINUED** | | | | | | |
| Roughneck 1756 DLX | 2015 | 16' 10" | 80" | 17746 | 10068 | 10202 |
| Roughneck 1756 SC | 2015 | 16' 10" | 80" | 17746 | 10068 | 10202 |
| Roughneck 1860 | 2015 | 18' 0" | 85" | 17804 | 10076 | 10225 |
| Roughneck 1860 CC | 14-15 | 18' 0" | 85" | — | — | — |
| Roughneck 1860 DLX | 14-15 | 18' 0 | 85" | 17750 | 10070 | 10206 |
| Roughneck 1860 SC | 14-15 | 18' 0" | 85" | 17750 | 10070 | 10206 |
| Roughneck 1860 Tunnel Jet | 2015 | 18' 0" | 85" | — | — | — |
| Roughneck 2070 | 14-15 | 20' 0" | 96" | 17806 | 10078 | 10227 |
| Roughneck 2070 CC | 14-15 | 20' 0" | 96" | — | — | — |
| Roughneck 2070 SC | 14-15 | 20' 0" | 96" | 17806 | 10078 | 10227 |
| Roughneck Tiller 1546 | 2014 | 15' 1" | 70" | 17825 | 10074 | 10223 |
| Roughneck Tiller 1650 | 2014 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| Roughneck Tiller 1756 | 2014 | 16' 10" | 80" | 17746 | 10068 | 10202 |
| Roughneck Tiller 1860 | 2014 | 18' 0" | 85" | 17804 | 10076 | 10225 |
| Roughneck Tiller 2070 | 2014 | 20' 0" | 96" | 147806 | 10078 | 10227 |
| Roughneck 1860 Tunnel | 2014 | 18' 0" | 85" | 17804 | 10076 | 10225 |
| SD 224 | 14-15 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| SF 194 | 14-15 | 19' 6" | 102" | — | 10289 | 10330 |
| SF 194 | 2013 | 17' 8" | 102" | 17790 | 10114 | 10244 |
| SF 214 | 14-15 | 21' 4" | 102" | 17791 | 10116 | 10245 |
| SF 214 | 2013 | 19' 8" | 102" | — | 10289 | 10330 |
| SF 232 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| SF 232 | 2013 | 21' 8" | 102" | 17791 | 10116 | 10245 |
| SF 234 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| SF 234 | 2013 | 21' 8" | 102" | 17791 | 10116 | 10245 |
| Skipper V 12 | 87-88 | 12' 0" | 53" | 17453 | 10086 | 10207 |
| Skipper V 14 | 1987 | 14' 0" | 53" | 17454 | 10087 | 10208 |
| Skorpion | 2012 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| Skorpion | 14-15 | 16' 0" | 75" | 17744 | 10067 | 10195 |
| Sport V 12 | 87-88 | 12' 0" | 57" | 17453 | 10086 | 10207 |
| Sport V 14 | 87-88 | 14' 0" | 57" | 17454 | 10087 | 10208 |
| Sportsman 16 | 12-13 | 16' 0" | 75" | 17744 | 10067 | 10195 |
| Sportsman 18 | 12-13 | 18' 0" | 79" | 17750 | 10070 | 10206 |
| Sprite Pro 15 | | 15' 0" | 57" | 17742 | 10066 | 10194 |
| SS 190 | 14-15 | 19' 6" | 102" | — | 10289 | 10330 |
| SS 190 | 2013 | 17' 8" | 102" | 17790 | 10114 | 10244 |
| SS 210 | 14-15 | 21' 4" | 102" | 17791 | 10116 | 10245 |
| SS 210 | 2013 | 19' 8" | 102" | — | 10289 | — |
| SS 210 RFL | 2013 | 19' 8" | 102" | — | 10289 | 10330 |
| SS 230 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| SS 230 | 2013 | 21' 8" | 102" | 17791 | 10116 | 10245 |
| SS 230 RFL | 2013 | 21' 8" | 102" | 17791 | 10116 | 10245 |
| SS 230 XD | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| SS 230 XD | 2013 | 21' 8" | 102" | 17791 | 10116 | 10245 |
| SS 250 | 14-15 | 25' 7" | 102" | 17792 | 10117 | 10247 |
| SS 250 | 2013 | 23' 8" | 102" | — | 10290 | 10331 |
| SS 250 Walk Thru | 14-15 | 25' 7" | 102" | 17792 | 10117 | 10247 |
| SS 250 XD | 14-15 | 25' 7" | 102" | 17792 | 10117 | 10247 |
| SS 250 XD | 2013 | 23' 8" | 102" | — | 10290 | 10331 |
| Stinger 15 | | 15' 3" | 57" | 17742 | 10066 | 10194 |
| Stinger 160 | 06-08 | 16" 0" | 77" | 17744 | 10067 | 10195 |
| Stinger 160 | 06-08 | 16" 0" | 77" | 17744 | 10067 | 10195 |
| Stinger 160 W | 02-05 | 16' 0" | 76" | 17744 | 10067 | 10195 |
| Stinger 165 | 04-05 | 16' 0" | 71" | 17744 | 10067 | 10195 |
| Stinger 17 HP | 12-14 | 17' 2" | 85" | 17803 | 10075 | 10224 |
| Stinger 17 Pro Elite | 2015 | 17' 2" | 85" | 17803 | 10075 | 10224 |
| Stinger 170 | 07-08 | 17' 5" | 85" | 17803 | 10075 | 10224 |
| Stinger 170 | 2006 | 17' 0" | 85" | 17749 | 10064 | 15426 |
| Stinger 170 W | 02-04 | 17' 0" | 76" | 17748 | 10069 | 10204 |
| Stinger 170 WV | 05-06 | 17' 0" | 85" | 17749 | 10064 | 15426 |
| Stinger 175 | 06-15 | 17' 5" | 85" | 17750 | 10070 | 10206 |
| Stinger 175 Poly Camo | 2015 | 17' 5" | 85" | 17803 | 10075 | 10224 |
| Stinger 18 HP | 12-14 | 18' 2" | 85" | 17750 | 10070 | 10206 |
| Stinger 18 Pro Elite | 2015 | 18' 2" | 85" | 17750 | 10070 | 10206 |
| Stinger 180 | 2015 | 18' 5" | 94" | 17804 | 10076 | 10225 |
| Stinger 180 | 2006 | 17' 10" | 85.5" | 17750 | 10070 | 10206 |
| Stinger 180 W | 02-04 | 17' 10" | 85.5" | 17750 | 10070 | 10206 |
| Stinger 190 | 07-08 | 18' 8" | 85" | 17804 | 10076 | 10225 |
| Stinger 195 | 07-15 | 18' 8" | 85" | 17804 | 10076 | 10225 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LOWE-CONTINUED** | | | | | | |
| Stinger 195 DC | 14-15 | 18' 8" | 85" | — | — | — |
| Stinger 195 Poly Camo | 14-15 | 18' 8" | 85" | 17750 | 10070 | 10206 |
| Stryker 16 | 12-13 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| Stryker 16 | 14-15 | 16' 0" | 75" | 17744 | 10067 | 10195 |
| Stryker 160 | 97-98 | 15' 11" | 71" | 17744 | 10067 | 10195 |
| Stryker 17 | 12-15 | 17' 0" | 75" | 17748 | 10069 | 10204 |
| Stryker 170 | 97-98 | 16' 10" | 74" | 17748 | 10069 | 10204 |
| Stryker 180 WZ | 99-00 | 18' 1" | 80" | 17750 | 10070 | 10206 |
| Stryker SS | 2012 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| Stryker SS | 2014 | 16' 0" | 75" | 17744 | 10067 | 10195 |
| Sunbird 20 / Fish-N-Fun | 87-88 | 17' 0" | 96" | 17790 | 10114 | 10244 |
| Sunbird 24 | 87-88 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| Superior V 14 | 87-88 | 14' 0" | 62" | 17454 | 10087 | 10208 |
| Superior V 16 | 87-55 | 16' 0" | 62" | 17455 | 10092 | 10211 |
| TH 192 | 02-04 | 19' 0" | 102" | 17790 | 10114 | 10244 |
| TH 194 | 02-04 | 19' 0" | 102" | 17790 | 10114 | 10244 |
| TH 222 | 02-04 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Tournament Special | | 17' 0" | 84" | 17461 | 10103 | 10214 |
| TR 180 | 02-04 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| TR 182 | 02-04 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| TR 184 | 02-04 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| TR 200 | 02-04 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| TR 202 | 02-04 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| TR 204 | 02-04 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| TR 22 S | 02-04 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| TR 220 | 02-04 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| TR 220 SD | 2004 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| TR 224 | 02-04 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| TR 240 | 99-04 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| TR 244 | 02-04 | 24' 0" | 96' | 17791 | 10116 | 10245 |
| Trinidad ML 200 | 02-04 | 20' 9" | 96" | 17790 | 10114 | 10244 |
| V 1257 | 13-14 | 12' 1" | 57" | 17453 | 10086 | 10207 |
| V 1457 | 13-14 | 13' 11" | 57" | 17454 | 10087 | 10208 |
| V 1467 | 13-14 | 13' 11" | 67" | 17454 | 10087 | 10208 |
| V 1467 WT | 13-14 | 13' 11" | 67" | 17454 | 10087 | 10208 |
| V 1667 | 13-14 | 16' 0" | 67" | 17455 | 10092 | 10211 |
| V 1667 WT | 13-14 | 16' 0" | 67" | 17455 | 10092 | 10211 |
| V Bass Boat | | 16' 0" | 72" | 17460 | 10102 | 10213 |
| V Bass Boat | | 17' 0" | 80" | 17461 | 10103 | 10214 |
| V Bass Twin Console | | 17' 0" | 80" | 17461 | 10103 | 10214 |
| Victory 220 | 2014 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| X 210 | 13-14 | 20' 2" | 102" | — | 10289 | 10330 |
| X 214 | 13-14 | 20' 2" | 102" | — | 10289 | 10330 |
| X 230 | 13-14 | 22' 8" | 102" | 17791 | 10116 | 10245 |
| X 234 | 13-14 | 22' 8" | 102" | 17791 | 10116 | 10245 |
| X 250 | 2013 | 24' 6" | 102" | — | 10290 | 10331 |
| X 250 | 13-14 | 24' 6" | 102" | — | 10290 | 10331 |
| X 254 | 13-14 | 24' 6" | 102" | — | 10290 | 10331 |
| Xtreme 210 | 2015 | 21' 4" | 102" | 17791 | 10116 | 10245 |
| Xtreme 230 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| Xtreme 250 | 2015 | 23' 7" | 102" | — | 10290 | 10331 |
| **LUND** | | | | | | |
| 5.5 Tyee O/B | 84-86 | 18' 0" | 88" | 17712 | 10026 | 10160 |
| 12 WC | 13-15 | 12' 2" | 61" | 17453 | 10086 | 10207 |
| 1232 | 13-15 | 11' 10" | 48" | — | — | — |
| 1236 | 13-15 | 11' 11" | 56" | — | — | — |
| 14 Laker | 96-99 | 14' 2" | 70" | 17454 | 10087 | 10208 |
| 14 Rebel | 96-00 | 14' 2" | 69" | 17454 | 10087 | 10208 |
| 14 SSV | 13-15 | 14' 2" | 70" | 17454 | 10087 | 10208 |
| 14 WC | 13-15 | 14' 6" | 69" | 17454 | 10087 | 10208 |
| 1400 Fury | 2011 | 14' 6" | 69.5" | 17454 | 10087 | 10208 |
| 1400 Fury SS | 2013 | 14' 9" | 72" | 17813 | 10088 | 10234 |
| 1400 Fury SS | 2015 | 14' 9" | 69.5" | 17813 | 10088 | 10234 |
| 1400 Fury Tiller | 2013 | 14' 9" | 72" | 17454 | 10087 | 10208 |
| 1400 Fury Tiller | 2015 | 14' 9" | 69.5" | 17454 | 10087 | 10208 |
| 1425 Classic | 07-08 | 14' 9" | 76" | 17809 | 10071 | 10230 |
| 1425 Classic SS | 07-08 | 14' 9" | 76" | 17813 | 10088 | 10234 |
| 1436 L | 13-15 | 14' 0" | 70" | 17454 | 10087 | 10208 |
| 1440 Rebel V | 99-04 | 14' 5" | 75" | 17455 | 10092 | 10211 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LUND-CONTINUED** | | | | | | |
| 1448 / M | 13-15 | 14' 0" | 70" | **17454** | **10087** | **10208** |
| 1450 Rebel | 05-06 | 14' 11" | 75" | **17457** | **10091** | **10209** |
| 1450 Rebel SS | 05-06 | 14' 11" | 75" | **17760** | **10061** | **10187** |
| 1475 Rebel SS | 2011 | 14' 9" | 73.5" | **17760** | **10061** | **10187** |
| 1475 Rebel Tiller | 2011 | 14' 9" | 73.5" | **17809** | **10081** | **10230** |
| 16 Laker | 96-99 | 16' 0" | 72" | **17456** | **10093** | **10212** |
| 16 Predator V | | 16' 2" | 79" | **17459** | **15429** | **15428** |
| 16 Rebel | 94-05 | 16' 0" | 73" | **17455** | **10092** | **10211** |
| 16 Rebel SS | 94-05 | 16' 0" | 73" | **17460** | **10102** | **10213** |
| 16 Renegade SSV | | 16' 2" | 79" | **17459** | **15429** | **15428** |
| 16 SSV | 13-15 | 16' 2" | 72" | **17459** | **15429** | **15428** |
| 16 WC | 13-15 | 16' 2" | 72" | **17455** | **10092** | **10211** |
| 1600 Alaskan | 07-15 | 16' 10" | 81" | **17711** | **10025** | **10159** |
| 1600 Alaskan SS | 05-15 | 16' 10" | 81" | **17459** | **15429** | **15428** |
| 1600 Alaskan Tiller | 13-15 | 16' 10" | 81" | **17711** | **10025** | **10159** |
| 1600 Angler | 97-98 | 16' 3" | 76" | **17714** | **10104** | **10215** |
| 1600 Angler SS | 97-98 | 16' 3" | 76" | **17459** | **15429** | **15428** |
| 1600 Explorer | 97-98 | 16' 3" | 75" | **17459** | **15429** | **15428** |
| 1600 Explorer | 04-06 | 16' 6" | 86" | **17719** | **10101** | **10216** |
| 1600 Explorer / 1600 Explorer Deluxe | 93-96 | 16' 3" | 73" | **17456** | **10093** | **10212** |
| 1600 Explorer SS | 04-07 | 16' 6" | 86" | **17719** | **10101** | **10216** |
| 1600 Explorer SS | 97-98 | 16' 3" | 75" | **17460** | **10102** | **10213** |
| 1600 Fury | 2011 | 16' 2" | 73.5" | **17455** | **10092** | **10211** |
| 1600 Fury / 1600 Explorer | 1988 | 16' 3" | 73" | **17456** | **10093** | **10212** |
| 1600 Fury SS | 15-Nov | 16' 2" | 73.5" | **17459** | **15429** | **15428** |
| 1600 Fury Tiller | 13-15 | 16' 2" | 73.5" | **17455** | **10092** | **10211** |
| 1600 Pro Sport | 02-05 | 16' 1" | 86.5" | **17711** | **10025** | **10159** |
| 1600 Pro Sport | 97-01 | 16' 3" | 82" | **17710** | **10023** | **10158** |
| 1600 Stinger / Explorer Dlx | 1988 | 16' 3" | 73" | **17460** | **10102** | **10213** |
| 1625 Classic | 2008 | 16' 0" | 76" | **17456** | **10093** | **10212** |
| 1625 Classic Sport | 2008 | 16' 0" | 76" | **17710** | **10023** | **10158** |
| 1625 Classic SS | 07-08 | 16' 0" | 76" | **17459** | **15429** | **15428** |
| 1625 Fury XL Sport | 13-15 | 16' 3" | 80" | **17710** | **10023** | **10158** |
| 1625 Fury XL SS | 13-15 | 16' 3" | 80" | **17459** | **15429** | **15428** |
| 1625 Fury XL Tiller | 13-15 | 16' 3" | 80" | **17456** | **10093** | **10212** |
| 1625 Rebel SS | 2011 | 16' 3" | 75" | **17459** | **15429** | **15428** |
| 1625 Rebel XL Sport | 2011 | 16' 3" | 84" | **17710** | **10023** | **10158** |
| 1625 Rebel XL Sport SS | 2011 | 16' 3" | 84" | **17459** | **15429** | **15428** |
| 1625 Rebel XL Tiller | 2011 | 16' 3" | 84" | **17456** | **10093** | **10212** |
| 1648 / M | 13-15 | 15' 10" | 70" | **17048** | — | — |
| 165 Bass | 2004 | 16' 0" | 71" | **17762** | **10062** | **10188** |
| 1650 Angler | 96-00 | 16' 3" | 80" | **17714** | **10104** | **10215** |
| 1650 Angler DLX | 97-98 | 16' 3" | 80" | **17774** | **10054** | **10181** |
| 1650 Angler SS | 97-00 | 16' 3" | 80" | **17459** | **15429** | **15428** |
| 1650 Explorer | 99-02 | 16' 8" | 81" | **17714** | **10104** | **10215** |
| 1650 Explorer SS | 2003 | 16' 8" | 81.5" | **17459** | **15429** | **15428** |
| 1650 Explorer SS | 99-02 | 16' 8" | 81" | **17459** | **15429** | **15428** |
| 1650 Laker | 02-04 | 16' 9" | 81" | **17714** | **10104** | **10215** |
| 1650 Predator / 1600 Angler II | 1988 | 16' 2" | 79" | **17460** | **10102** | **10213** |
| 1650 Rebel | 04-05 | 16' 6" | 76.5" | **17714** | **10104** | **10215** |
| 1650 Rebel DC | 2005 | 16' 6" | 76.5" | **17710** | **10023** | **10158** |
| 1650 Rebel SS | 2005 | 16' 6" | 76.5" | **17460** | **10102** | **10213** |
| 1650 Rebel XL Sport | 13-15 | 16' 6" | 84" | **17710** | **10023** | **10158** |
| 1650 Rebel XL SS | 2013 | 16' 6" | 84" | **17459** | **15429** | **15428** |
| 1650 Rebel XL Tiller | 13-15 | 16' 6" | 84" | **1756** | **10093** | **10212** |
| 1650 Renegade | 1988 | 16' 2" | 79" | **17460** | **10102** | **10213** |
| 1650 Renegade Sport | 2011 | 16' 6" | 82" | **17710** | **10023** | **10158** |
| 1650 Renegade Tiller | 2011 | 16' 6" | 82" | **1756** | **10093** | **10212** |
| 1650 Tyee II | 1993 | 16' 3" | 79" | **17710** | **10023** | **10158** |
| 1650 Tyee II | 94-95 | 16' 3" | 80" | **17710** | **10023** | **10158** |
| 1650 Tyee II / 4.9 Tyee | 84-88 | 16' 3" | 79" | **17710** | **10023** | **10158** |
| 1650 V Rebel | 99-03 | 16' 6" | 75.5" | **17714** | **10104** | **10215** |
| 1660 Classic | 2008 | 16' 3" | 84" | **17456** | **10093** | **10212** |
| 1660 Classic Sport | 07-08 | 16' 3" | 84" | **17710** | **10023** | **10158** |
| 1660 Classic SS | 2008 | 16' 3" | 84" | **17459** | **15429** | **15428** |
| 1660 Pro-V / Deluxe / SE | 96-99 | 16' 3" | 79" | **17459** | **15429** | **15428** |
| 1675 Explorer Sport | 2011 | 16' 8" | 90" | — | — | — |
| 1675 Explorer SS | 2011 | 16' 8" | 90" | **17719** | **10101** | **10216** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LUND-CONTINUED** | | | | | | |
| 1675 Impact Sport | 13-15 | 16' 9" | 90" | — | — | — |
| 1675 Impact SS | 13-15 | 16' 9" | 90" | **17719** | **10101** | **10216** |
| 1675 Pro Guide | 2011 | 16' 8" | 90" | — | — | — |
| 1675 Pro Guide | 2015 | 16' 9" | 90" | **17693** | **10136** | **10265** |
| 1675 Pro Sport | 2002 | 16' 10" | 88" | **17693** | **10136** | **10265** |
| 17 Mr. Pike | 99-07 | 17' 2" | 93" | **17718** | **10106** | **10219** |
| 17 Pro Angler | 05-07 | 17' 2" | 93" | **17716** | **10105** | **10218** |
| 170 SE Bass | 04-05 | 17' 0" | 71" | **17761** | **10139** | **10203** |
| 170 W Bass | 04-05 | 17' 0" | 76" | **17761** | **10139** | **10203** |
| 1700 Angler | 99-02 | 17' 2" | 88" | **17716** | **10105** | **10218** |
| 1700 Angler SS | 99-02 | 17' 2" | 88" | **17718** | **10106** | **10219** |
| 1700 Azumi | 1999 | 16' 11" | 89" | **17718** | **10106** | **10219** |
| 1700 Explorer | 05-07 | 17' 0" | 91.5" | **17716** | **10105** | **10218** |
| 1700 Explorer SS | 05-07 | 17' 0" | 91.5" | **17718** | **10106** | **10219** |
| 1700 Fisherman | 2005 | 17' 5" | 93" | **17693** | **10136** | **10265** |
| 1700 Fisherman | 1998 | 17' 2" | 85" | **17582** | **10110** | **17574** |
| 1700 Fisherman O/B | 00-03 | 17' 5" | 92" | **17694** | **10137** | **10267** |
| 1700 Izumi | 1999 | 16' 11" | 89" | **17718** | **10106** | **10219** |
| 1700 Pro Angler / DLX | 94-98 | 16' 10" | 84" | **17714** | **10104** | **10215** |
| 1700 Pro Guide | | 17' 3" | 75" | **17461** | **10103** | **10214** |
| 1700 Pro Guide / 1700 Pro Guide SS | 95-97 | 17' 3" | 75" | **17461** | **10103** | **10214** |
| 1700 Pro Sport | 2001 | 17' 2" | 84" | **17582** | **10110** | **17574** |
| 1700 Pro Sport | 07-08 | 17' 0" | 88" | **17711** | **10025** | **10159** |
| 1700 Pro Sport | | 17' 5" | 89" | **17582** | **10110** | **17574** |
| 1700 Pro Sport / Fisherman | 97-00 | 17' 2" | 85" | **17582** | **10110** | **17574** |
| 1700 Pro-V / Deluxe | 1988 | 16' 6" | 83" | **17774** | **10054** | **10181** |
| 1700 Tyee | 2011 | 17' 0" | 88" | **17711** | **10025** | **10159** |
| 1710 Predator SS | 2011 | 17' 1" | 84 | **17461** | **10103** | **10214** |
| 1725 Explorer Sport | 08-11 | 17' 4" | 92" | **17712** | **10026** | **10160** |
| 1725 Explorer SS | 05-11 | 17' 4" | 92" | **17716** | **10105** | **10218** |
| 1725 Pro Guide | 08-13 | 17' 4" | 92" | **17712** | **10026** | **10160** |
| 1725 Rebel XL Sport | 2011 | 17' 3" | 85" | **17711** | **10025** | **10159** |
| 1725 Rebel XL Sport SS | 2011 | 17' 3" | 85" | **17461** | **10103** | **10214** |
| 1725 Rebel XL Tiller | 2011 | 17' 3" | 85" | **17714** | **10104** | **10215** |
| 1750 Fisherman | 2008 | 17' 6" | 93" | **17712** | **10026** | **10160** |
| 1750 Outfitter | 08-15 | 17' 7" | 77" | **17714** | **10104** | **10215** |
| 1750 Outfitter SS | 2008 | 17' 7" | 77" | **17461** | **10103** | **10214** |
| 1750 Tyee | 11-13 | 17' 6" | 93" | — | — | — |
| 1750 Tyee Gran Sport | 2007 | 17' 6" | 93" | — | — | — |
| 1750 Tyee I/O | 97-99 | 17' 6" | 87" | **17683** | **10141** | — |
| 1750 Tyee O/B | 97-99 | 17' 6" | 87" | **17693** | **10136** | **10265** |
| 1750 Tyee O/B | | 17' 4" | 82" | **17582** | **10110** | **17574** |
| 1750 Tyee O/B / 5.3 Tyee | 84-88 | 17' 4" | 82" | **17582** | **10110** | **17574** |
| 1775 Classic | 2008 | 17' 3" | 85" | **17714** | **10104** | **10215** |
| 1775 Classic Sport | 07-08 | 17' 3" | 85" | **17711** | **10025** | **10159** |
| 1775 Classic SS | 2008 | 17' 3" | 85" | **17461** | **10103** | **10214** |
| 1775 Crossover XS | 2013 | 18' 10" | 95" | **17713** | **10027** | **10161** |
| 1775 Impact Sport | 11-13 | 17' 9" | 94" | — | — | — |
| 1775 Impact SS | 15-Nov | 17' 9" | 94" | **17718** | **10106** | **10219** |
| 1775 Pro-V / Deluxe | 96-02 | 17' 6" | 85" | **17776** | **10055** | **10182** |
| 1775 Pro-V / Deluxe | 96-02 | 17' 6" | 85" | **17776** | **10055** | **10182** |
| 1775 Pro-V IFS / SE | 2015 | 17' 10" | 96" | — | — | — |
| 1775 Pro-V ISF / SE | 2013 | 17' 10" | 95" | **17718** | **10106** | **10219** |
| 1775 Pro-V SE | 2015 | 17' 10" | 96" | — | — | — |
| 1775 Pro-V SE | 04-05 | 17' 2" | 93" | **17718** | **10106** | **10219** |
| 1775 Pro-V SE | 2013 | 17' 10" | 95" | **17718** | **10106** | **10219** |
| 1775 Pro-V Tiller | 04-05 | 17' 2" | 93" | **17716** | **10105** | **10218** |
| 1790 Pro Bass | 94-96 | 17' 2" | 83" | **17776** | **10055** | **10182** |
| 18 Alaskan V / SV 18 | | 18' 0" | 76" | **17461** | **10103** | **10214** |
| 18 Mr. Pike | 05-07 | 18' 2" | 96" | **17815** | **10090** | **10236** |
| 18 Pro Angler | 05-07 | 18' 2" | 96" | **17815** | **10090** | **10236** |
| 18 Pro Angler | | 18' 0" | 75" | **17764** | **10063** | **10192** |
| 18 SSV | 13-15 | 18' 4" | 76" | **17811** | **10083** | **10232** |
| 18 Tyee GL | 1984 | 18' 0" | 88" | **17712** | **10026** | **10160** |
| 1800 Alaskan | 07-15 | 18' 9" | 83" | **17712** | **10026** | **10160** |
| 1800 Alaskan | | 18' 7" | 81" | **1811** | **10083** | **10232** |
| 1800 Alaskan DC | 11-15 | 18' 9" | 83" | — | — | — |
| 1800 Alaskan SS | 2005 | 18' 7" | 81" | — | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LUND-CONTINUED** | | | | | | |
| 1800 Alaskan SS | 07-15 | 18' 9" | 83" | — | — | — |
| 1800 Alaskan Tiller | 07-13 | 18' 9" | 83" | 1811 | 10083 | 10232 |
| 1800 Explorer | 05-07 | 18' 1" | 96" | 17694 | 10137 | 10267 |
| 1800 Explorer SS | 05-07 | 18' 1" | 96" | 17815 | 10090 | 10236 |
| 1800 Explorer Tiller | 05-07 | 18' 1" | 96" | 17716 | 10105 | 10218 |
| 1800 Fisherman I/O | 94-99 | 18' 3" | 87" | 17724 | 10032 | 10164 |
| 1800 Fisherman ITS | 05-06 | 18' 6" | 96" | 17694 | 10137 | 10267 |
| 1800 Fisherman O/B | 00-03 | 18' 6" | 95" | 17694 | 10137 | 10267 |
| 1800 Fisherman O/B | 94-98 | 18' 3" | 87" | 17583 | 10111 | 17575 |
| 1800 Fisherman OB | 04-06 | 18' 6" | 96" | 17694 | 10137 | 10267 |
| 1800 Gran Sport LE | 96-97 | 18' 1" | 88" | 17583 | 10111 | 17575 |
| 1800 Newport | 1988 | 18' 3" | 88" | 17737 | 10150 | 15404 |
| 1800 Pro Sport | 04-05 | 18' 0" | 95" | 17712 | 10026 | 10160 |
| 1800 Pro-V | 98-02 | 17' 8" | 90" | 17718 | 10106 | 10219 |
| 1800 Pro-V IFS | 04-08 | 18' 4" | 93" | 17712 | 10026 | 10160 |
| 1800 Pro-V IFS | 00-02 | 18' 4" | 92" | 17712 | 10026 | 10160 |
| 1800 Pro-V SE | 04-08 | 18' 4" | 93" | 17815 | 10090 | 10236 |
| 1800 Pro-V SE | 00-02 | 18' 4" | 92" | 17787 | 10217 | 10240 |
| 1800 Pro-V Tiller | 05-08 | 18' 4" | 93" | 17716 | 10105 | 10218 |
| 1800 Pro-V-Bass / SE | 95-96 | 18' 0" | 88" | 17775 | 10056 | 10183 |
| 1800 Rebel XL Sport | 2015 | 18' 1" | 84.5" | 17712 | 10026 | 10160 |
| 1800 Rebel XL Sport SS | 2015 | 18' 1" | 84.5" | 17815 | 10090 | 10236 |
| 1800 Sport Angler | 13-15 | 18' 6" | 97" | 17713 | 10027 | 10161 |
| 1800 Sport Angler Outfitter Edition | 07-08 | 18' 6" | 97" | 17713 | 10027 | 10161 |
| 1800 Tyee | 13-15 | 18' 1" | 95" | — | — | — |
| 1810 Predator | 2013 | 18' 1" | 85" | — | — | — |
| 1810 Predator SS | 2011 | 18' 1" | 85" | 17815 | 10090 | 10236 |
| 1825 Explorer Sport | 08-11 | 18' 4" | 96" | 17713 | 10027 | 10161 |
| 1825 Pro Guide | 08-13 | 18' 4" | 90" | 17712 | 10026 | 10160 |
| 1825 Rebel XL Sport | 11-13 | 18' 3" | 85" | — | — | — |
| 1825 Rebel XL Sport SS | 11-13 | 18' 3" | 85" | 17815 | 10090 | 10236 |
| 1825 Rebel XL SS | 2013 | 18' 3" | 85" | 17815 | 10090 | 10236 |
| 1825 Rebel XL Tiller | 2011 | 18' 3" | 85" | 17716 | 10105 | 10218 |
| 1850 Fisherman | 2008 | 18' 6" | 96" | 17713 | 10027 | 10161 |
| 1850 Tyee | 2011 | 18' 6" | 96" | — | — | — |
| 1850 Tyee O/B | 99-02 | 18' 8" | 92" | 17695 | 10138 | 10269 |
| 1850 Tyee Gran Sport | 05-08 | 18' 6" | 96" | 17583 | 10111 | 17575 |
| 1850 Tyee I/O | 99-02 | 18' 8" | 92" | 17685 | 10143 | 10275 |
| 1850 Tyee I/O | 96-98 | 18' 5" | 89" | 17684 | 10142 | 10274 |
| 1850 Tyee I/O / 5.5 Tyee | 84-86 | 18' 0" | 88" | 17724 | 10032 | 10164 |
| 1850 Tyee ITS | 05-08 | 18' 6" | 96" | 17583 | 10111 | 17575 |
| 1850 Tyee Magnum | 05-08 | 18' 6" | 96" | 17583 | 10111 | 17575 |
| 1850 Tyee O/B | 96-98 | 18' 5" | 89" | 17694 | 10137 | 10267 |
| 1850Tyee O/B | 99-02 | 18' 8" | 92" | 17695 | 10138 | 10269 |
| 1852 MT | 13-15 | 18' 0" | 75" | 17820 | — | — |
| 186 Fisherman GL | 2011 | 18' 6" | 98" | 17712 | 10026 | 10160 |
| 186 Pro-V GL | 13-15 | 18' 6" | 98" | 17712 | 10026 | 10160 |
| 186 Tyee GL | 11-13 | 18' 6" | 98" | 17712 | 10026 | 10160 |
| 1875 Crossover XS | 2013 | 17' 10" | 95" | 17712 | 10026 | 10160 |
| 1875 Crossover XS | 2015 | 18' 10" | 95" | 17712 | 10026 | 10160 |
| 1875 Impact Sport | 13-15 | 18' 9" | 94" | 17712 | 10026 | 10160 |
| 1875 Impact SS | 13-15 | 18' 9" | 94" | 17815 | 10090 | 10236 |
| 1875 Pro Guide | 2015 | 18' 10" | 93" | 17713 | 10027 | 10161 |
| 1875 Pro-V IFS/SE | 13-15 | 18' 10" | 95" | 17712 | 10026 | 10160 |
| 1875 Pro-V SE | 13-15 | 18' 10" | 95" | 17712 | 10026 | 10160 |
| 1890 Pro-V / Deluxe | 93-95 | 18' 10" | 91" | 17773 | 15411 | 15401 |
| 1900 Pro-V | 97-02 | 19' 9" | 94" | 17787 | 10217 | 10240 |
| 1900 Pro-V IFS | 05-08 | 19' 7" | 95" | 17713 | 10027 | 10161 |
| 1900 Pro-V IFS | 00-02 | 19' 7" | 94" | 17713 | 10027 | 10161 |
| 1900 Pro-V LE | 04-08 | 19' 7" | 95" | 17787 | 10217 | 10240 |
| 1900 Tyee | 13-15 | 19' 1" | 98" | 17713 | 10027 | 10161 |
| 1950 Tyee | 11-13 | 19' 8" | 98" | 17713 | 10027 | 10161 |
| 1950 Tyee Gran Sport | 05-08 | 19' 8" | 98" | 17030 | 10113 | 17577 |
| 1950 Tyee I/O | 96-98 | 19' 8" | 90" | 17726 | 10034 | 10166 |
| 1950 Tyee ITS | 05-08 | 19' 8" | 98" | 17030 | 10113 | 17577 |
| 1950 Tyee Magnum | 05-08 | 19' 8" | 98" | 17030 | 10113 | 17577 |
| 1950 Tyee O/B | 96-02 | 19' 8" | 90" | 17030 | 10113 | 17577 |
| 1975 Pro-V GL | 11-13 | 19' 7" | 96" | 17713 | 10027 | 10161 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LUND-CONTINUED** | | | | | | |
| 1975 Pro-V IFS | 11-15 | 19' 8" | 97" | 17713 | 10027 | 10161 |
| 1975 Pro-V SE | 11-13 | 19' 8" | 97" | 17713 | 10027 | 10161 |
| 2000 Alaskan DC | 05-08 | 20' 5" | 89" | 17020 | 10028 | 10162 |
| 2000 Alaskan DC | 2011 | 20' 6" | 90.5" | 17020 | 10028 | 10162 |
| 2000 Alaskan DC | 2013 | 20' 6" | 95.5" | 17020 | 10028 | 10162 |
| 2000 Alaskan DC | 2015 | 20' 6"' | 90.5" | 17020 | 10028 | 10162 |
| 2000 Alaskan SC | 2015 | 20' 6"' | 90.5" | 17020 | 10028 | 10162 |
| 2000 Alaskan SS | 05-08 | 20' 5" | 90" | 17816 | 10094 | 10237 |
| 2000 Alaskan Tiller | 11-15 | 20' 6" | 90.5" | — | — | — |
| 2000 Fisherman ITS | 05-06 | 19' 11" | 99" | 17020 | 10028 | 10162 |
| 2000 Fisherman OB | 00-02 | 19' 11" | 98" | 17020 | 10028 | 10162 |
| 2000 Fisherman OB | 05-06 | 19' 11" | 99" | 17020 | 10028 | 10162 |
| 2000 Sport Angler | 2015 | 20' 6" | 97" | 17020 | 10028 | 10162 |
| 2000 Sport Angler | 07-13 | 20' 6" | 97" | 17020 | 10028 | 10162 |
| 2010 Explorer Sport | 08-11 | 20' 2" | 96" | 17020 | 10028 | 10162 |
| 2010 Explorer SS | 2008 | 20' 2" | 96" | 17816 | 10094 | 10237 |
| 2010 Predator | 07-11 | 20' 2" | 90" | 17816 | 10094 | 10237 |
| 2010 Pro Guide | 07-13 | 20' 2" | 90" | 17020 | 10028 | 10162 |
| 202 Pro-V GL | 2015 | 20' 2" | 102" | 17800 | 10071 | 10205 |
| 2025 Impact | 13-15 | 20' 2" | 96" | 17020 | 10028 | 10162 |
| 2025 Pro-V IFS / LE / SE | 2007 | 20' 6" | 97" | 17020 | 10028 | 10162 |
| 2025 Pro-V Magnum IFS / LE / SE | 05-08 | 20' 6" | 97" | 17030 | 10113 | 17577 |
| 2025 Pro-V SE | 2007 | 20' 6" | 97" | 17020 | 10028 | 10162 |
| 2075 Pro Guide | 2015 | 20' 9" | 93" | 17020 | 10028 | 10162 |
| 2075 Pro-V IFS | 12-15 | 20' 8" | 97" | 17020 | 10028 | 10162 |
| 2075 Pro-V SE | 11-13 | 20' 8" | 97" | 17020 | 10028 | 10162 |
| 2075 Tyee | 2015 | 20' 8" | 99.5" | 17020 | 10028 | 10162 |
| 2075 Tyee Magnum | 2015 | 20' 8" | 99.5" | 17020 | 10028 | 10162 |
| 208 Pro-V GL | 11-13 | 20' 8" | 96" | 17020 | 10028 | 10162 |
| 208 Pro-V GL Tiller | 2015 | 20' 8" | 96" | 17020 | 10028 | 10162 |
| 208 Tyee GL | 2015 | 20' 8" | 96" | 17020 | 10028 | 10162 |
| 2100 Angler/Explorer | 1994 | 18' 8" | 102" | 17790 | 10114 | 10244 |
| 2100 Baron I/O | 86-96 | 20' 3" | 89" | 17726 | 10034 | 10166 |
| 2100 Baron O/B | 86-96 | 20' 3" | 89" | 17030 | 10113 | 17577 |
| 2100 Fisherman | 97-98 | 20' 3" | 90" | 17030 | 10113 | 17577 |
| 2100 Fisherman I/O | 97-98 | 20' 3" | 90" | 17686 | 10144 | 10276 |
| 2100 Newport | 1988 | 20' 3" | 89" | 17738 | 10151 | 15405 |
| 2150 Baron | 96-02 | 21' 5" | 96" | 17569 | — | — |
| 2150 Baron Gran Sport | 05-08 | 21' 10" | 100" | 17031 | 10292 | 17579 |
| 2150 Baron ITS | 04-08 | 21' 10" | 100" | 17031 | 10292 | 17579 |
| 2150 Baron Magnum | 05-08 | 21' 10" | 100" | 17031 | 10292 | 17579 |
| 2150 Baron Magnum | 96-99 | 21' 5" | 96" | 17569 | — | — |
| 219 Pro-V GL | 2015 | 21 ' 9" | 102" | 17800 | 10071 | 10205 |
| 2275 Barron | 2015 | 22' 9" | 102" | 17800 | 10071 | 10205 |
| 2450 Explorer | 1994 | 22' 8" | 102" | 17791 | 10116 | 10245 |
| 514 Alaskan | | 14' 0" | 65" | 17454 | 10087 | 10208 |
| 516 Alaskan | | 16' 0" | 65" | 17455 | 10092 | 10211 |
| A-12 | 96-15 | 12' 1" | 60" | 17819 | — | — |
| A-14 | 95-98 | 14' 1" | 60" | 17454 | 10087 | 10208 |
| A-14 | 96-15 | 14'1" | 61" | 17044 | — | — |
| Alaskan 16 | 99-02 | 16' 6" | 76" | 17714 | 10104 | 10215 |
| Alaskan 16 SC / WS | 86-88 | 16' 0" | 73" | 17456 | 10093 | 10212 |
| Alaskan 18 V | 88-93 | 18' 0" | 75" | 17461 | 10103 | 10214 |
| Alaskan 514 | | 14' 0" | 65" | 17454 | 10087 | 10208 |
| Alaskan 516 | | 16' 0" | 65" | 17455 | 10092 | 10211 |
| Baron Overnighter I/O | 1997 | 21' 5" | 96" | 17569 | — | — |
| C 12 | 1984 | 12' 1" | 55" | 17453 | 10086 | 10207 |
| C 14 | 1995 | 14' 0" | 55" | 17454 | 10087 | 10208 |
| C-16 | 13-15 | 16' 2" | 66" | 17455 | 10092 | 10211 |
| FB-1436 | 1995 | 14' 1" | 60" | 17040 | — | — |
| Mr Bass 16 | | 16' 0" | 71" | 17460 | 10102 | 10213 |
| Mr Pike 16 | 96-99 | 16' 3" | 80" | 17714 | 10104 | 10215 |
| Mr Pike 16 | 04-06 | 16' 6" | 89" | 17719 | 10101 | 10216 |
| Mr Pike 16 | 02-03 | 16' 6" | 88" | 17719 | 10101 | 10216 |
| Mr Pike 17 | 04-07 | 17' 2" | 93" | 17718 | 10106 | 10219 |
| Mr Pike 17 | 99-03 | 17' 2" | 92" | 17718 | 10106 | 10219 |
| Mr Pike 18 | 1984 | 18' 0" | 75" | 17764 | 10063 | 10192 |
| Mr Pike 18 | 02-03 | 18' 2" | 95" | 17787 | 10217 | 10240 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **LUND-CONTINUED** | | | | | | |
| Mr Pike 18 | 04-07 | 18' 2" | 96" | 17787 | 10217 | 10240 |
| Predator 16 V | 1986 | 16' 2" | 79" | 17459 | 15429 | 15428 |
| Pro Angler 14 | | 14' 7" | 72" | 17457 | 10091 | 10209 |
| Pro Angler 16 | | 16' 0" | 75" | 17460 | 10102 | 10213 |
| Pro Angler 16 | 05-06 | 15' 6" | 89" | 17716 | 10105 | 10218 |
| Pro Angler 16 | 84-86 | 16' 0" | 73" | 17460 | 10102 | 10213 |
| Pro Angler 17 | 05-07 | 17' 2" | 93" | 17716 | 10105 | 10218 |
| Pro Angler 18 | 05-07 | 18' 2" | 96" | 17815 | 10090 | 10236 |
| Pro Angler 18 | 84-86 | 18' 0" | 75" | 17764 | 10063 | 10192 |
| Pro Pike 14 | 84-88 | 14' 2" | 65" | 17454 | 10087 | 10208 |
| Pro Pike 16 | 84-88 | 15' 11.5" | 65" | 17455 | 10092 | 10211 |
| Pro Pike 16 / 16 D | | 15' 11" | 65" | 17455 | 10092 | 10211 |
| S-14 / Deluxe | 84-88 | 14' 2" | 65" | 17454 | 10087 | 10208 |
| S-16 / 16-S Deluxe | 84-86 | 15' 11.5" | 65" | 17455 | 10092 | 10211 |
| S-16/Deluxe | 00-05 | 16' 0" | 65" | 17455 | 10092 | 10211 |
| SSV-14 | 02-11 | 14' 2" | 70" | 17454 | 10087 | 10208 |
| SSV-16 | 02-11 | 16' 2" | 72" | 17455 | 10092 | 10211 |
| SSV-18 | 06-11 | 18' 4" | 76" | 17811 | 10083 | 10232 |
| SV-14 | 94-97 | 14' 2" | 69" | 17454 | 10087 | 10208 |
| SV-16 / WS-16 | 94-97 | 16' 2" | 71" | 17455 | 10092 | 10211 |
| SV-18 | 94-97 | 18' 0" | 75" | 17461 | 10103 | 10214 |
| U 165 PE Bass | 2005 | 16' 0" | 71" | 17762 | 10062 | 10188 |
| U 1652 SE | 2005 | 16' 0" | 75" | 17744 | 10067 | 10195 |
| U 1652 VE | 2005 | 16' 0" | 75" | 17046 | — | — |
| U 170 SEE Bass | 2005 | 17' 0" | 71" | 17761 | 10139 | 10203 |
| U 170 W PE Bass | 2005 | 17' 0" | 76" | 17761 | 10139 | 10203 |
| U 1756 VDSE | 2005 | 17' 0" | 77" | 17748 | 10069 | 10204 |
| U 1756 VSE | 2005 | 17' 0" | 77" | 17748 | 10069 | 10204 |
| U 1860 VDCE / VDSE | 2005 | 18' 0" | 81" | 17750 | 10070 | 10206 |
| U 1860 VE | 2005 | 18' 0" | 86.5" | 17750 | 10070 | 10206 |
| U 1860 VSE | 2005 | 18' 0" | 81" | 17750 | 10070 | 10206 |
| U 2070 VDCE / VDSE / VE / VSE | 2005 | 20' 6" | 96" | 17806 | 10078 | 10227 |
| UR 1032 E | 2005 | 10' 0" | 48" | — | — | — |
| UR 1232 E | 2005 | 11' 10" | 48" | — | — | — |
| UR 1236 E | 2005 | 11' 11" | 56" | — | — | — |
| UR 1436 E / F | 2005 | 14' 0" | 57" | 17040 | — | — |
| UR 1448 E / F / ME / MF / MSE / MTE / MTSE / SE / TE / TSE | 05-06 | 14' 0" | 70" | 17040 | — | — |
| UR 1648 F / ME / MF / MTE / R / TE | 2005 | 15' 10" | 70" | 17046 | — | — |
| UR 1648 MTSE / SE / TSE | 2005 | 15' 10" | 70" | 17744 | 10067 | 10195 |
| UR 1648 R / TE | 2005 | 15' 10" | 70" | 17046 | — | — |
| UR 1648 SE / TSE | 2005 | 15' 10" | 70" | 17744 | 10067 | 10195 |
| UR 1852 MTE | 2005 | 18' 0" | 75" | 17048 | — | — |
| UR 1852MTSE | 2005 | 18' 0" | 75" | 17750 | 10070 | 10206 |
| V 15 Chippewa | | 15' 1" | 72" | 17760 | 10061 | 10187 |
| V 16 Nisswa DLX | 86-88 | 16' 2" | 79" | 17762 | 10062 | 10188 |
| V 17 Cherokee | 86-88 | 17' 2" | 82" | 17711 | 10025 | 10159 |
| WC 12 | 05-08 | 12' 1" | 61" | 17453 | 10086 | 10207 |
| WC 12 | 96-02 | 11' 10" | 60" | 17453 | 10086 | 10207 |
| WC 14 | 86-88 | 13' 10" | 63" | 17454 | 10087 | 10208 |
| WC 14 | 94-02 | 14' 0" | 67" | 17454 | 10087 | 10208 |
| WC 14 / DLX | 05-08 | 14' 6" | 69" | 17454 | 10087 | 10208 |
| WC 16 | 96-08 | 16' 0" | 68" | 17455 | 10092 | 10211 |
| WC 16 | 2011 | 16' 2" | 72" | 17455 | 10092 | 10211 |
| WC 16 DLX | 2008 | 16' 2" | 72" | 17455 | 10092 | 10211 |
| WD 14 | 15-Nov | 14' 6" | 69" | 17454 | 10087 | 10208 |
| WS 16 | 88-94 | 16' 0" | 73" | 17456 | 10093 | 10212 |
| WV 12 | 2011 | 12' 1" | 61" | 17453 | 10086 | 10207 |
| WV 14 | 2011 | 14' 6" | 69" | 17454 | 10087 | 10208 |
| XRF 4.9 Super Pike | 84-86 | 16' 3" | 79" | 17710 | 10023 | 10158 |
| XRV 15 Sport | 1984 | 15' 2" | 73" | 17709 | 10022 | 10157 |
| XRV 16 Sport | 1984 | 16' 3" | 79" | 17710 | 10023 | 10158 |
| XRV 18 I/O | 1984 | 18' 0" | 88" | 17724 | 10032 | 10164 |
| XRV 18 O/B | 1984 | 18' 0" | 88" | 17712 | 10026 | 10160 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MACH 1** | | | | | | |
| MB 570 Striker | | 15' 0" | 70" | 17550 | — | — |
| MV 1900 BR Saturn II | | 18' 8" | 96" | 17725 | 10033 | 10165 |
| MV 1900 CC Challenger | | 18' 8" | 96" | 17586 | 10128 | 10256 |
| MV 2000 Bermuda | | 19' 11" | 96" | 17587 | 10129 | 10257 |
| MV 2000 Marauder Cuddy | | 20' 2" | 96" | 17587 | 10129 | 10257 |
| MV 2100 CC Explorer | | 20' 9" | 96" | 17588 | 10130 | 10258 |
| MV 2150 BR Commander | | 20' 9" | 96" | 17727 | 10035 | 10167 |
| MV 650 Eclipse I/O | | 16' 5" | 86" | 17723 | 10030 | 10163 |
| MV 650 Eclipse O/B | | 16' 5" | 86" | 17711 | 10025 | 10159 |
| MV 800 Sportster II I/O | | 17' 7" | 88" | 17724 | 10032 | 10164 |
| MV 800 Sportster II O/B | | 17' 7" | 88" | 17712 | 10026 | 10160 |
| MV 850 Spoiler I/O | | 17' 7" | 88" | 17724 | 10032 | 10164 |
| MV 850 Spoiler O/B | | 17' 7" | 88" | 17712 | 10026 | 10160 |
| MV 950 BR Meteor | | 19' 0" | 88" | 17725 | 10033 | 10165 |
| **MAGNUM** | | | | | | |
| 150 Vee Runabout | 1987 | 15' 0" | 76" | 17709 | 10022 | 10157 |
| 155 | 1987 | 15' 0" | 70" | 17760 | 10061 | 10187 |
| 157 | 1987 | 15' 0" | 84" | 17768 | 10051 | — |
| 175 | 1987 | 17' 2" | 93" | 17776 | 10055 | 10182 |
| **MAKO** | | | | | | |
| 191 | 1997 | 19' 4" | 98" | 17737 | 10150 | 15404 |
| 17 LT | 1997 | 16' 9" | 87" | — | 10294 | 10296 |
| 17 Mako | 1996 | 17' 3" | 86" | 17736 | 10148 | 15402 |
| 171 Center Console | 97-01 | 17' 3" | 86" | 17736 | 10148 | 15402 |
| 184 CC | 2015 | 18' 4" | 98' | 17780 | 15412 | 15403 |
| 19 Mako | 1996 | 19' 0" | 96" | 17737 | 10150 | 15404 |
| 201 Deluxe CC | 1996 | 20' 4" | 96" | 17738 | 10151 | 15405 |
| 205 Deluxe | | 19' 10" | 96" | 17020 | 10028 | 10162 |
| 21 LTS | 2015 | 21'0' | 100" | 17739 | 10152 | 15406 |
| 221 | 97-01 | 21' 10" | 98" | 17741 | 10153 | 15407 |
| 252 Center Console | 97-01 | 24' 9" | 102" | 17784 | 10156 | 15410 |
| Pro Skiff 16 | 2015 | 15' 10' | 72' | — | — | — |
| Pro Skiff 17 | 2015 | 17'4" | 80" | 17736 | 10148 | 15402 |
| **MALIBU** | | | | | | |
| iRide | 2007 | 21' 0" | 93.5" | — | — | — |
| Response | 02-15 | 20' 0" | 90" | 17702 | 10012 | 15415 |
| Response / LX | 02-12 | 20' 0" | 90" | 17702 | 10012 | 15415 |
| Response LXi | 07-15 | 20' 6" | 93.5" | 17703 | 10013 | 15416 |
| Ride 21 | 2012 | 21' 6" | 98" | — | — | — |
| Ride 23 | 2012 | 23' 0" | 100" | — | — | — |
| Ride X Ti | 2007 | 21' 0" | 96.5" | 17704 | 10014 | 1517 |
| Sportster / LX | 02-05 | 20' 0" | 86" | 17702 | 10012 | 15415 |
| Sunscape 20 LSV | 07-12 | 20' 0" | 98" | 17703 | 10013 | 15416 |
| Sunscape 21 LSV | 2007 | 21' 6" | 98" | 17704 | 10014 | 1517 |
| Sunscape 21 LSV | 2012 | 21' 6" | 100" | 17704 | 10014 | 1517 |
| Sunscape 23 LSV | 2007 | 23' 0" | 100" | — | — | — |
| Sunscape 23 LSV | 2012 | 23' 0" | 102" | — | — | — |
| Sunscape 23 LSV | 02-05 | 22' 6" | 97" | 17689 | 10147 | 10279 |
| Sunscape 247 LSV | 2012 | 24' 7" | 102" | — | — | — |
| Sunscape 25 LSV | 2007 | 25' 0" | 102" | — | — | — |
| Sunsetter / LXI | 02-05 | 21' 0" | 93" | 17704 | 10014 | 15417 |
| vRide | 2007 | 21' 0" | 93.5" | — | — | — |
| Wakesetter VLX | 2007 | 21' 6" | 98" | — | — | — |
| Wakesetter 21 XTi | 2007 | 20' 0" | 98" | — | — | — |
| Wakesetter 22 MXZ | 2012 | 22' 3" | 102" | — | — | — |
| Wakesetter 23 LSV | 07-15 | 23' 0" | 100" | — | — | — |
| Wakesetter 23 LSV | 12-15 | 23' 0" | 102" | — | — | — |
| Wakesetter 23 XTi | 2007 | 23' 0" | 100" | — | — | — |
| Wakesetter 247 LSV | 07-15 | 24' 7" | 102" | — | — | — |
| Wakesetter 247 RX | 2007 | 24' 7" | 102" | — | — | — |
| Wakesetter VLX | 2012 | 21' 6" | 100" | — | — | — |
| Wakesetter VTX | 2012 | 20' 0" | 98" | — | — | — |
| **MANATEE** | | | | | | |
| 1510 TFD | | 15' 10" | 72" | 17733 | 10042 | 10169 |
| 1611 TD | | 16' 11" | 89" | 17734 | 10043 | 10171 |
| 170 BBR | | 17' 0" | 81" | 17711 | 10025 | 10159 |
| 1710 VC | | 17' 10" | 86" | 17780 | 15412 | 15403 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MANATEE-CONTINUED** | | | | | | |
| 182 V Cuddy | | 18' 2" | 88" | 17712 | 10026 | 10160 |
| 182 VBR | | 18' 2" | 88" | 17712 | 10026 | 10160 |
| 182 VC | | 18' 2" | 88" | 17585 | 10127 | 10255 |
| 184 TD | | 18' 4" | 88" | 17735 | 10044 | 10173 |
| 205 TFC | | 20' 5" | 87" | 17738 | 10151 | 15405 |
| 207 V Cuddy | | 20' 7" | 88" | 17588 | 10130 | 10258 |
| 210 V Cuddy | | 21' 0" | 96" | 17588 | 10130 | 10258 |
| 22 VC | | 22' 0" | 96" | 17741 | 10153 | 15407 |
| **MANITOU (TRITON INDUSTRIES INC.)** | | | | | | |
| 16 Aurora | 2011 | 16' 11" | 102" | — | 10288 | 10329 |
| 18 Aurora / 18 Sundeck | 97-99 | 16' 11" | 96" | 17790 | 10114 | 10244 |
| 18 Aurora / Twin | 11-15 | 18' 11" | 102" | 17790 | 10114 | 10244 |
| 18 Aurora 2 Tube | 11-13 | 18' 11" | 102" | 17790 | 10114 | 10244 |
| 18 Oasis | 11-14 | 18' 11" | 102" | 17790 | 10114 | 10244 |
| 20 Oasis Twin | 14-15 | 20' 11" | 102" | — | 10289 | 10330 |
| 20 Aurora | 11-15 | 20' 11" | 102" | — | 10289 | 10330 |
| 20 Aurora 2 Tube | 11-13 | 20' 11" | 102" | — | 10289 | 10330 |
| 20 Aurora Angler VP / SHP | 11-15 | 20' 10" | 102" | — | 10289 | 10330 |
| 20 Encore | 2011 | 20' 11" | 102" | — | 10289 | 10330 |
| 20 Encore 2 Tube | 11-13 | 20' 11" | 102" | — | 10289 | 10330 |
| 20 Encore VP / SHP / Pro Angler | 2011 | 20' 10" | 102" | — | 10289 | 10330 |
| 20 Legacy | 97-99 | 19' 0" | 96" | 17790 | 10114 | 10244 |
| 20 Oasis | 97-99 | 19' 0" | 96" | 17790 | 10114 | 10244 |
| 20 Oasis | 11-15 | 20' 11" | 102" | — | 10289 | 10330 |
| 20 Oasis Angler / VP / SHP | 13-15 | 20' 10" | 102" | — | 10289 | 10330 |
| 20 Oasis Angler f Tube | 2013 | 20' 11" | 102" | — | 10289 | 10330 |
| 20 Oasis Angler Twin | 2015 | 20' 11 | 102" | — | 10289 | 10330 |
| 20 Pro Angler | 11-13 | 20' 11" | 102" | — | 10289 | 10330 |
| 20 Spirit | 97-99 | 19' 0" | 96" | 17790 | 10114 | 10244 |
| 2023 Spirit | 1995 | 18' 5" | 96" | 17790 | 10114 | 10244 |
| 21 Aurora /VP / SHP / RF | 14-15 | 22' 4" | 102" | 17791 | 10116 | 10245 |
| 21 Oasis / VP / SHP | 14-15 | 22' 4" | 102" | 17791 | 10116 | 10245 |
| 22 Aurora / 22 Sundeck | 97-99 | 20' 11" | 96" | 17791 | 10116 | 10245 |
| 22 Aurora 2 Tube | 2011 | 22' 11" | 102" | 17791 | 10116 | 10245 |
| 22 Aurora Angler VP / SHP | 2015 | 20' 4" | 102" | 17791 | 10116 | 10245 |
| 22 Aurora VP / SHP / RF | 11-15 | 22' 11" | 102" | 17791 | 10116 | 10245 |
| 22 Encore | 11-15 | 22' 11" | 102" | 17791 | 10116 | 10245 |
| 22 Encore Pro Angler Twin | 11-15 | 22' 11" | 102" | 17791 | 10116 | 10245 |
| 22 Encore Pro Angler VP / SHP | 11-15 | 22' 10" | 102" | 17791 | 10116 | 10245 |
| 22 Encore VP / SHP | 11-13 | 22' 10" | 102" | 17791 | 10116 | 10245 |
| 22 Oasis Angler Twin | 2015 | 21' 7" | 102" | 17791 | 10116 | 10245 |
| 22 Oasis Angler VP / SHP | 2015 | 22' 4" | 102" | 177981 | 10116 | 10245 |
| 22 Oasis Twin | 13-15 | 22' 11" | 102" | 17791 | 10116 | 10245 |
| 22 Oasis VP / SHP | 13-15 | 22' 10" | 102" | 17791 | 10116 | 10245 |
| 23 Aurora / VP / SHP / RF | 14-15 | 24' 4" | 102" | — | 10290 | 10331 |
| 23 Encore / VP / SHP | 14-15 | 24' 4" | 102" | — | 10290 | 10331 |
| 23 Legacy | 2011 | 22' 11" | 102" | 17791 | 10116 | 10245 |
| 23 Legacy / VP / SHP | 13-15 | 24' 4" | 102" | — | 10290 | 10331 |
| 23 Legacy 2-tube | 2011 | 22' 11" | 102" | 17791 | 10116 | 10245 |
| 23 Oasis / VP / SHP | 13-15 | 24' 4" | 102" | — | 10290 | 10331 |
| 23 Oasis SE 2 Tube | 2013 | 24' 11" | 102" | — | 10290 | 10331 |
| 23 SES | 14-15 | 24' 4" | 102" | — | 10290 | 10331 |
| 23 SES / VP / SHP | 14-15 | 24' 4" | 102" | — | 10290 | 10331 |
| 23 X-plode | 11-15 | 24' 4" | 102" | — | 10290 | 10331 |
| 23 X-plode I/O | 2011 | 24' 7" | 102" | — | 10290 | 10331 |
| 24 Aurora | 11-15 | 24' 11" | 102" | — | 10290 | 10331 |
| 24 Aurora 2 Tube | 11-13 | 24' 11" | 102" | — | 10290 | 10331 |
| 24 Aurora VP | 11-13 | 24' 10" | 102" | — | 10290 | 10331 |
| 24 Encore 2 Tube / Pro Angler / Oasis | 11-15 | 24' 11" | 102" | — | 10290 | 10331 |
| 24 Encore Pro Angler Twin | 11-15 | 24' 11" | 102" | — | 10290 | 10331 |
| 24 Encore SHP I/O | 2011 | 24' 7" | 102" | — | 10290 | 10331 |
| 24 Encore Twin | 11-15 | 24' 11" | 102" | — | 10290 | 10331 |
| 24 Encore Twin | 14-15 | 24' 11" | 102" | — | 10290 | 10331 |
| 24 Encore VP / SHP / Pro Angler | 11-15 | 24' 10" | 102" | — | 10290 | 10331 |
| 24 Legacy | 97-99 | 23' 0" | 96" | 17791 | 10116 | 10245 |
| 24 Legacy | 2014 | 24' 11" | 102" | — | 10290 | 10331 |
| 24 Legacy Twin | 14-15 | 24' 11" | 102" | — | 10290 | 10331 |
| 24 Oasis | 97-99 | 23' 0" | 96" | 17791 | 10116 | 10245 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MANITOU (TRITON INDUSTRIES INC.) -CONTINUED** | | | | | | |
| 24 Oasis 2 Tube | 2013 | 24' 11" | 102" | — | 10290 | 10331 |
| 24 Oasis Twin | 11-15 | 24' 11" | 102" | — | 10290 | 10331 |
| 24 Oasis VP / SHP | 2013 | 24' 10" | 102" | — | 10290 | 10331 |
| 24 Osprey | 97-99 | 23' 0" | 96" | 17791 | 10116 | 10245 |
| 24 Osprey | 97-99 | 23' 0" | 96" | 17791 | 10116 | 10245 |
| 24 SES Twin | 2015 | 25' 3" | 102" | 17792 | 10117 | 10247 |
| 24 Spirit | 97-99 | 23' 0" | 96" | 17791 | 10116 | 10245 |
| 2419 Spirit | 1994 | 20' 0" | 96" | 17791 | 10116 | 10245 |
| 2423 Spirit | | 26' 5" | 96" | 17792 | 10117 | 10247 |
| 25 Aurora / VP / SHP / RF | 14-15 | 26' 4" | 102" | 17792 | 10117 | 10247 |
| 25 Encore / VP / SHP | 14-15 | 26' 4" | 102" | 17792 | 10117 | 10247 |
| 25 Legacy / VP / SHP | 11-15 | 26' 4" | 102" | 17792 | 10117 | 10247 |
| 25 Legacy 2 Tube | 11-13 | 24' 11" | 102" | — | 10290 | 10331 |
| 25 Legacy SHP I/O | 11-13 | 24' 7" | 102" | — | 10290 | 10331 |
| 25 Oasis / VP / SHP | 13-15 | 26' 4" | 102" | 17792 | 10117 | 10247 |
| 25 Oasis SE 2 Tube | 2013 | 26' 11" | 102" | 17792 | 10117 | 10247 |
| 25 SES / VP / SHP | 11-15 | 26' 4" | 102" | 17792 | 10117 | 10247 |
| 25 X-plode | 11-15 | 25' 10" | 102" | — | 10117 | 10247 |
| 25 X-plode I/O | 2011 | 26' 7" | 102" | 17792 | 10117 | 10247 |
| 26 Encore Twin | 11-15 | 26' 11" | 102" | 17792 | 10117 | 10247 |
| 26 Legacy Twin | 14-15 | 26' 11" | 102" | 17792 | 10117 | 10247 |
| 26 Oasis Twin | 2015 | 25' 7" | 102" | 17792 | 10117 | 10247 |
| 26 SES Twin | 2015 | 27' 3" | 102" | — | 10291 | 10332 |
| 27 Encore / VP / SHP | 14-15 | 28' 4" | 102" | — | 10291 | 10332 |
| 27 Legacy / VP / SHP | 13-15 | 28' 4" | 102" | — | — | — |
| 27 Legacy 2 Tube | 11-13 | 26' 11" | 102" | 17792 | 10117 | 10247 |
| 27 SES VP / SHP | 14-15 | 28' 4" | 102" | — | 10291 | 10332 |
| 27 X-Plode | 13-14 | 28' 4" | 102" | — | 10291 | 10332 |
| 27 X-Plode SHP | 13-14 | 28' 4" | 102" | — | 10291 | 10332 |
| 28 Legacy | 97-99 | 27' 0" | 96" | 17792 | 10117 | 10247 |
| 28 Spirit | 93-95 | 26' 5" | 96" | 17792 | 10117 | 10247 |
| Limited 20 | 91-95 | 18' 5" | 96" | 17790 | 10114 | 10244 |
| Limited 24 | 91-95 | 22' 5" | 96" | 17791 | 10116 | 10245 |
| Limited 28 | 91-95 | 26' 5" | 96" | 17792 | 10117 | 10247 |
| Limited 28 | 91-95 | 26' 5" | 96" | 17792 | 10117 | 10247 |
| Original 2022 / Osprey 20 | 91-95 | 18' 5" | 96" | 17790 | 10114 | 10244 |
| Original 2419 | 1991 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Original 2422/ Osprey 24 | 1993 | 22' 5" | 96" | 17791 | 10116 | 10245 |
| Original 28 | 1991 | 26' 5" | 96" | 17792 | 10117 | 10247 |
| Sundeck 2022 | | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Sundeck 2022 | 1898 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Sundeck 24 | 91-95 | 22' 5" | 96" | 17791 | 10116 | 10245 |
| Sundeck 2422 | 1991 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Sundeck 28 | 91-95 | 26' 5" | 96" | 17792 | 10117 | 10247 |
| Sundeck 2822 | 1989 | 26' 0" | 96" | 17792 | 10117 | 10247 |
| **MARADA** | | | | | | |
| 184 SKE / DLX | 2000 | 18' 4" | 87" | 17684 | 10142 | 10274 |
| 198 SKE | 2000 | 19' 8" | 101" | 17685 | 10143 | 10275 |
| 2102 XRT / CRS | 2000 | 21' 0" | 102" | 17687 | 10145 | 10277 |
| 2200 Decker | 2000 | 22' 3" | 96" | 17796 | 10316 | 10190 |
| 2260 Decker | 2000 | 22' 3" | 96" | 17881 | 10322 | 17890 |
| MX 1 Fish + Ski | 2000 | 17' 10" | 87" | 17684 | 10142 | 10274 |
| MX 2 | 2000 | 19' 0" | 96" | 17685 | 10143 | 10275 |
| MX 2 Fish + Ski | 2000 | 19' 0" | 96" | 17685 | 10143 | 10275 |
| MX 3 | 2000 | 20' 5" | 98" | 17686 | 10144 | 10276 |
| MX 3 Weekender | 2000 | 21' 2" | 98" | 17588 | 10130 | 10258 |
| Sport 2200 DKR | 2000 | 22' 3" | 96" | 17018 | — | — |
| Sport I 2 + 2 | 2000 | 17' 10" | 87" | 17684 | 10142 | 10274 |
| Sport II 2 + 2 | 2000 | 19' 0" | 96" | 17685 | 10143 | 10275 |
| Sportster Cuddy 2 + 2 | 2000 | 17' 10" | 87" | 17565 | — | — |
| **MARATHON** | | | | | | |
| 1900 Z / 1900 ZS / MX19 / 19 S | | 18' 7" | 91" | 17685 | 10143 | 10275 |
| 2000 Z | | 20' 3" | 96" | 17686 | 10144 | 10276 |
| 2000 ZC | | 20' 3" | 96" | 17587 | 10129 | 10257 |
| 2001 Falcon / X L / Eagle | | 19' 2" | 92" | 17725 | 10033 | 10165 |
| 2001 Golden Eagle | | 19' 2" | 92" | 17725 | 10033 | 10165 |
| 2200 Z | | 21' 6" | 96" | 17687 | 10145 | 10277 |
| 2200 ZC | | 21' 6" | 96" | 17687 | 10145 | 10277 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MARATHON-CONTINUED** | | | | | | |
| 2350 ZC | | 23' 4" | 102" | 17591 | 10133 | 10263 |
| Diablo I/O | | 18' 1" | 90" | 17684 | 10142 | 10274 |
| Diablo O/B | | 18' 1" | 90" | 17694 | 10137 | 10267 |
| MX20 / MX 20C | | 20' 3" | 96" | 17686 | 10144 | 10276 |
| MX22 / MX22C | | 21' 6" | 96" | 17687 | 10145 | 10277 |
| **MARIAH** | | | | | | |
| 182 / Z182 | 99-00 | 18' 0" | 92" | 17684 | 10142 | 10274 |
| 183 / Z183 | 1999 | 18' 0" | 92" | 17684 | 10142 | 10274 |
| 202 / Z202 | 99-00 | 20' 0" | 98" | 17686 | 10144 | 10276 |
| 211 / Z211 | 1999 | 20' 0" | 102" | 17567 | — | — |
| 212 / Z212 | 99-00 | 20' 9" | 102" | 17687 | 10145 | 10277 |
| 218 / Z218 | 99-00 | 20' 0" | 102" | 17587 | 10129 | 10257 |
| 222 / Z222 | 99-00 | 22' 2" | 102" | 17688 | 10146 | 10278 |
| 238 / Z238 | 99-00 | 23' 0" | 101" | 17590 | 10132 | 10261 |
| 258 / Z258 | 1999 | 25' 0" | 102" | 17592 | 10134 | — |
| Barchetta 181 / 182 | | 18' 2" | 92" | 17684 | 10142 | 10274 |
| Barchetta 192 | | 18' 10" | 92" | 17685 | 10143 | 10275 |
| Davanti 205 | | 20' 3" | 96" | 17567 | — | — |
| Davanti 215 | | 21' 0" | 101" | 17568 | — | — |
| Davanti 235 | | 23' 4" | 102" | 17590 | 10132 | 10261 |
| Davanti Z 225 | | 21' 10" | 102" | 17569 | — | — |
| FS 18 Fish & Ski | 2015 | 18' 0" | 92" | 17583 | 10111 | 17575 |
| Mariah 202 / 202Z | 1998 | 20' 0" | 98" | 17686 | 10144 | 10276 |
| SC 19 Cuddy Cabin | 2015 | 19' 3" | 98" | 17586 | 10128 | 10256 |
| SC 21 Cuddy Cabin | 2015 | 20' 9" | 102" | 17588 | 10130 | 10258 |
| SC 22 Cuddy Cabin | 2015 | 23' 7" | 102" | 17590 | 10132 | 10261 |
| SC 25 Cuddy Cabin | 2015 | 25' 2" | 102" | 17592 | 10134 | — |
| Shabah 180 / 183 | 96-00 | 18' 0" | 92" | 17684 | 10142 | 10274 |
| Shabah 190 / Z190 | | 18' 10" | 94" | 17685 | 10143 | 10275 |
| Shabah 190 SE | 1997 | 18' 7" | 96" | 17685 | 10143 | 10275 |
| Shabah 198 | 1997 | 19' 6" | 96" | 17685 | 10143 | 10275 |
| Shabah 200 / Z200 | | 20' 1" | 96" | 17686 | 10144 | 10276 |
| Shabah 203 / Z 203 | | 20' 1" | 96" | 17686 | 10144 | 10276 |
| Shabah 210 / Z210 | 96-98 | 20' 9" | 100" | 17687 | 10145 | 10277 |
| Shabah 211 / Z211 / 212 / Z212 | | 21' 3" | 92" | 17687 | 10145 | 10277 |
| Shabah 222 / Z222 | 97-98 | 22' 2" | 102" | 17688 | 10146 | 10278 |
| Shabah 242 Z | 1998 | 23' 9" | 102" | 17571 | — | — |
| Shabah Z 202 | | 20' 2" | 100" | 17686 | 10144 | 10276 |
| Shabah Z 255 | | 25' 0" | 102" | 17572 | — | — |
| SX 18 Bowrider | 2015 | 18' 0" | 92" | 17684 | 10142 | 10274 |
| SX 19 Bowrider | 2015 | 19' 3" | 98" | 17685 | 10143 | 10275 |
| SX 20 Bowrider | 2015 | 20' 0" | 98" | 17686 | 10144 | 10276 |
| SX 21 Bowrider | 2015 | 20' 9" | 102" | 17686 | 10144 | 10276 |
| SX 25 Bowrider | 2015 | 20' 0" | 98" | 17686 | 10144 | 10276 |
| Talari 179 | 97-98 | 18' 0" | 92" | 17684 | 10142 | 10274 |
| Talari 180 | | 18' 2" | 92" | 17684 | 10142 | 10274 |
| Talari 190 | | 18' 10" | 92" | 17685 | 10143 | 10275 |
| Talari 191 | 1997 | 18' 7" | 96" | 17685 | 10143 | 10275 |
| Talari 191 / Z 191 | | 18' 10" | 94" | 17685 | 10143 | 10275 |
| Talari 200 | | 19' 10" | 92" | 17686 | 10144 | 10276 |
| Talari 201 / Z 201 | | 20' 1" | 96" | 17686 | 10144 | 10276 |
| Talari 209 / Z 209 | 96-98 | 20' 9" | 100" | 17687 | 10145 | 10277 |
| Talari 211 PC / Z 211 PC | 1998 | 20' 9" | 102" | 17568 | — | — |
| Talari 214 | 1997 | 21' 2" | 102" | 17016 | — | — |
| Talari 215 / Z 215 | | 21' 0" | 101" | 17568 | — | — |
| Talari 216 PC | 1998 | 21' 0" | 102" | 17588 | 10130 | 10258 |
| Talari 225 / Z 225 | | 21' 10" | 102" | 17569 | — | — |
| Talari 226 | 1997 | 22' 2" | 102" | 17688 | 10146 | 10278 |
| Talari 235 / Z 235 | | 23' 4" | 102" | 17590 | 10132 | 10261 |
| Talari 246 PC / Z 246 PC | 97-98 | 23' 9" | 102" | 17591 | 10133 | 10263 |
| Talari Z 210 | | 20' 3" | 96" | 17686 | 10144 | 10276 |
| Talari Z 211 PC | 1998 | 20' 9" | 102" | 17568 | — | — |
| Talari Z 216 PC | 1998 | 21' 0" | 102" | 17588 | 10130 | 10258 |
| Talari Z 220 / 220 | | 21' 10" | 102" | 17688 | 10146 | 10278 |
| Talari Z 221 | 1998 | 22' 2" | 102" | 17688 | 10146 | 10278 |
| Talari Z 240 / 240 | | 23' 4" | 102" | 17689 | 10147 | 10279 |
| **MARLIN** | | | | | | |
| 169 Bravo | 1988 | 15' 6" | 78" | 17722 | 10029 | — |
| 176 Rampage | 1988 | 16' 7" | 86" | 17723 | 10030 | 10163 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MARLIN-CONTINUED** | | | | | | |
| 180 I/O | | 17' 6" | 86" | 17724 | 10032 | 10164 |
| 188 Conquest | | 17' 6" | 86" | 17724 | 10032 | 10164 |
| 198 Cuddy | | 18' 6" | 96" | 17586 | 10128 | 10256 |
| 198 Islander Bow Rider | 1988 | 18' 6" | 96" | 17725 | 10033 | 10165 |
| 198 Islander Sportdeck | 1988 | 18' 6" | 96" | 17725 | 10033 | 10165 |
| 210 Raven Bow Rider | 1988 | 20' 10" | 96" | 17727 | 10035 | 10167 |
| Challenger 17 / 170 | | 16' 7" | 86" | 17711 | 10025 | 10159 |
| Islander 19 BR/Sport | | 18' 6" | 96" | 17725 | 10033 | 10165 |
| Islander 19 / 198 | | 18' 6" | 96" | 17586 | 10128 | 10256 |
| Islander 198 BR | | 18' 6" | 96" | 17725 | 10033 | 10165 |
| Jupiter | | 17' 8" | 84" | 17443 | 10049 | — |
| Leo | | 17' 10" | 87" | 17724 | 10032 | 10164 |
| Marlin 18 | | 17' 6" | 86" | 17724 | 10032 | 10164 |
| Mercury 18 | | 17' 6" | 86" | 17724 | 10032 | 10164 |
| Neptune | | 14' 9" | 70" | 17732 | 10041 | — |
| Rally 150 I/O | | 15' 6" | 78" | 17722 | 10029 | — |
| Rally 150 O/B | | 15' 6" | 78" | 17710 | 10023 | 10158 |
| Rally 160 O/B | | 15' 6" | 78" | 17710 | 10023 | 10158 |
| Rally 170 I/O | | 16' 7" | 84" | 17723 | 10030 | 10163 |
| Rally 170 O/B | | 16' 7" | 84" | 17711 | 10025 | 10159 |
| Rally 190 | | 18' 6" | 90" | 17725 | 10033 | 10165 |
| Rally 192 | | 18' 11" | 90" | 17713 | 10027 | 10161 |
| Raven 210 Cuddy | | 20' 10" | 96" | 17588 | 10130 | 10258 |
| Raven 210 / BR | | 20' 10" | 96" | 17727 | 10035 | 10167 |
| Satellite I/O | | 16' 2" | 79" | 17722 | 10029 | — |
| Satellite O/B | | 16' 2" | 79" | 17710 | 10023 | 10158 |
| Sunfish 192 / 202 | | 18' 11" | 90" | 17737 | 10150 | 15404 |
| **MASTER CRAFT** | | | | | | |
| 210 VRS | 2002 | 20' 9" | 95" | 17687 | 10145 | 10277 |
| Mari Star 210 Sport / Open | 98-00 | 21' 0" | 95" | 17704 | 10014 | 15417 |
| Mari Star 230 Sport / VRS | 99-02 | 22' 8" | 98" | 17705 | 10015 | 15418 |
| Pro Star 190 | 99-00 | 19' 5" | 88" | 17701 | 10011 | 15414 |
| Pro Star 190 EVO | 01-02 | 19' 8" | 91" | 17702 | 10012 | 15415 |
| Pro Star 195 | 2000 | 19' 6" | 85" | 17701 | 10011 | 15414 |
| Pro Star 197 | 2002 | 19' 8" | 91" | 17702 | 10012 | 15415 |
| Pro Star 205 / Pro Sport 205 | 98-02 | 20' 7" | 90" | 17703 | 10013 | 15416 |
| Pro Star 209 | 01-02 | 21' 11.5" | 96" | 17687 | 10145 | 10277 |
| PS 197 | 2013 | 19' 8" | 96" | — | — | — |
| PS 214 | 2013 | 21' 4" | 96" | — | — | — |
| PS 214 V | 2013 | 21' 4" | 96" | — | — | — |
| Sportstar 19 / Open | 99-02 | 19' 6" | 85" | 17701 | 10011 | 15414 |
| X 14 V | 2013 | 21' 4" | 96" | — | — | — |
| X 2 | 2013 | 20' 0" | 96 | — | — | — |
| X 25 | 2013 | 21' 6" | 102" | — | — | — |
| X 30 | 2013 | 23' 4" | 102" | — | — | — |
| X 35 | 2013 | 23' 5" | 102" | — | — | — |
| X 45 | 2013 | 24' 2" | 102" | — | — | — |
| X 55 | 2013 | 25' 5" | 102" | — | — | — |
| X Star | 2013 | 24' 0" | 102" | — | — | — |
| X10 | 2013 | 21' 3" | 98" | — | — | — |
| **MAXUM** | | | | | | |
| 1600 Quantum XR O/B | 1989 | 15' 7" | 70" | 17692 | 10135 | — |
| 1600 XR O/B | | 15' 7" | 70" | 17709 | 10022 | 10157 |
| 1700 O/B | | 17' 9" | 86" | 17712 | 10026 | 10160 |
| 1700 SR | 1989 | 16' 8" | 86" | 17723 | 10030 | 10163 |
| 1700 SR | 1994 | 17' 3" | 89" | 17723 | 10030 | 10163 |
| 1700 SR | 96-97 | 17' 1" | 88" | 17683 | 10141 | — |
| 1700 SR I/O | | 17' 9" | 86" | 17724 | 10032 | 10164 |
| 1700 XR | 1989 | 16' 8" | 86" | 17711 | 10025 | 10159 |
| 1700 XR | 94-95 | 17' 3" | 89" | 17711 | 10025 | 10159 |
| 1700 XR | 96-97 | 17' 1" | 88" | 17693 | 10136 | 10265 |
| 1800 MX | 04-08 | 17 '6" | 84" | 17683 | 10141 | — |
| 1800 MX | 2009 | 17' 7" | 84" | 17683 | 10141 | — |
| 1800 Quantum XR O/B | | 17' 10" | 87" | 17694 | 10137 | 10267 |
| 1800 SR | 96-02 | 17' 11" | 89" | 17684 | 10142 | 10274 |
| 1800 SR3 | 08-09 | 18' 0" | 91" | 17684 | 10142 | 10274 |
| 1800 SR3 with swim platform | 08-09 | 20' 1" | 91" | 17686 | 10144 | 10276 |
| 1800 XR BR O/B | 96-00 | 17' 8" | 96" | 17694 | 10137 | 10267 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MAXUM-CONTINUED** | | | | | | |
| 1900 SR / XR / SC | 96-02 | 19' 0" | 95" | **17685** | **10143** | **10275** |
| 1900 SR / XR / SR2 | 96-97 | 18' 7" | 96" | **17685** | **10143** | **10275** |
| 1900 SR3 | 04-09 | 19' 0" | 95" | **17685** | **10143** | **10275** |
| 1900 SR3 with swim platform | 06-09 | 21' 0" | 95" | **17687** | **10145** | **10277** |
| 1900 SSL / 1900 SRB | 92-98 | 19' 6" | 94" | **17686** | **10144** | **10276** |
| 1900 SSL / SRB | | 19' 6" | 88" | **17686** | **10144** | **10276** |
| 1900 XR | | 19' 0" | 95" | **17685** | **10143** | **10275** |
| 2000 O/B | | 19' 7" | 88" | **17713** | **10027** | **10161** |
| 2000 Quantum XR O/B | | 19' 7" | 88" | **17695** | **10138** | **10269** |
| 2000 SC | 1989 | 19' 7" | 88" | **17587** | **10129** | **10257** |
| 2000 SC | 1994 | 19' 6" | 94" | **17726** | **10034** | **10166** |
| 2000 SCL | 96-97 | 19' 7" | 90" | **17587** | **10129** | **10257** |
| 2000 SR I/O | 1989 | 19' 7" | 88" | **17726** | **10034** | **10166** |
| 2000 SR3 | 07-09 | 20' 4" | 96" | **17686** | **10144** | **10276** |
| 2000 SR3 with swim platform | 04-09 | 22' 3" | 96" | **17689** | **10147** | **10279** |
| 2000 SRF | 96-97 | 19' 7" | 90" | **17686** | **10144** | **10276** |
| 2000 SRL / SRF | 96-97 | 19' 7" | 90" | **17686** | **10144** | **10276** |
| 2100 / SR / SSL | 96-97 | 20' 7" | 88" | **17687** | **10145** | **10277** |
| 2100 LDC / SC I/O | 1989 | 20' 7" | 88" | **17588** | **10130** | **10258** |
| 2100 LDR / Runabout / SC BR | | 20' 7" | 88" | **17588** | **10130** | **10258** |
| 2100 SC | 02-04 | 21' 6" | 102" | **17688** | **10146** | **10278** |
| 2100 SC | 96-02 | 21' 5" | 101" | **17588** | **10130** | **10258** |
| 2100 SC3 | 07-08 | 20' 6" | 99" | **17686** | **10144** | **10276** |
| 2100 SC3 with swim platform | 07-08 | 22' 5" | 99" | **17686** | **10144** | **10276** |
| 2100 SD | 2007 | 21' 0" | 102" | **17880** | **1321** | **17899** |
| 2100 SD with swim platform | 02-06 | 23' 2" | 102" | **17797** | **10317** | **10191** |
| 2100 Sport Deck | 02-04 | 21' 2" | 102" | **17795** | **10315** | **10189** |
| 2100 SR | 96-02 | 21' 1" | 101" | **17687** | **10145** | **10277** |
| 2100 SR3 | 2007 | 20' 6" | 99" | **17686** | **10144** | **10276** |
| 2100 SSL | 1989 | 20' 7" | 88" | **17687** | **10145** | **10277** |
| 2200 SR3 | 07-08 | 22' 1" | 102" | **17689** | **10147** | **10279** |
| 2200 SR3 with swim platform | 04-08 | 23' 1" | 102" | **17689** | **10147** | **10279** |
| 2300 SC | 96-02 | 23' 7" | 100" | **17591** | **10133** | **10263** |
| 2300 SR | 96-02 | 23' 7" | 100" | **17689** | **10147** | **10279** |
| 2400 SC3 | 07-09 | 24' 0" | 102" | **17801** | **10072** | **10210** |
| 2400 SC3 with swim platform | 04-09 | 26' 0" | 102" | — | — | — |
| 2400 SD | 02-07 | 24' 2" | 102" | **17883** | **10324** | **17892** |
| 2400 SD with swim platform | 2004 | 26' 4" | 102" | — | — | — |
| 2400 SE | 2004 | 25' 4" | 102" | **17799** | **10319** | **10200** |
| 2400 Sport Deck | 2002 | 24' 2" | 102" | **17798** | **10318** | **10199** |
| 2400 SR3 | 07-09 | 24' 0" | 102" | **17798** | **10318** | **10199** |
| 2400 SR3 with swim platform | 04-09 | 26' 0" | 102" | — | — | — |
| 2500 SE | 04-08 | 25' 6" | 102" | **17592** | **10134** | — |
| 2500 SE | 2009 | 24' 0" | 102" | **17798** | **10318** | **10199** |
| **MCKEE CRAFT** | | | | | | |
| 14 Cat Cay | 87-04 | 14' 0" | 67" | **17740** | **10065** | **10193** |
| 16' Cape Fear | 84-87 | 16' 0" | 77" | **17746** | **10068** | **10202** |
| 16 Santee | 84-87 | 26' 0" | 78" | **17746** | **10068** | **10202** |
| 16 Waccamaw | 84-87 | 16' 0" | 77" | **17733** | **10042** | **10169** |
| 17 Southporter | 84-87 | 17' 4" | 86" | **17734** | **10043** | **10171** |
| 17 Waypoint | 03-04 | 17' 4" | 86" | **17736** | **10148** | **15402** |
| 172 Backwater CC | 03-04 | 17' 2" | 84" | **17736** | **10148** | **15402** |
| 172 Backwater DC | 03-04 | 17' 2" | 84" | **17711** | **10025** | **10159** |
| 172 Backwater PC | 2004 | 17' 2" | 84" | **17711** | **10025** | **10159** |
| 1800 Pulse CC | 03-04 | 18' 3" | 94" | **17780** | **15412** | **15403** |
| 1800 Pulse DC | 03-04 | 18' 3" | 94" | **17712** | **10026** | **10160** |
| 185 Offshoreman CC | 03-04 | 18' 4" | 84" | **17780** | **15412** | **15403** |
| 196 Marathon CC | 03-04 | 19' 6" | 96" | **17737** | **10150** | **15404** |
| 196 Marathon DC | 03-04 | 19' 6" | 96" | **17020** | **10028** | **10162** |
| 20 Breakers | 1894 | 20' 0" | 81" | **17738** | **10151** | **15405** |
| Bay Classic 185 | 2015 | 18' 4" | 84" | **10326** | — | — |
| Cape Fear | | 17' 4" | 78" | **17736** | **10148** | **15402** |
| Classic 14 | 2015 | 14' 0" | 57" | — | — | — |
| Classic 16 | 2015 | 16' 0" | 79" | — | — | — |
| Offshoreman | | 17' 4" | 88" | **17736** | **10148** | **15402** |
| Offshoreman | 1984 | 20' 0" | 84" | **17738** | **10151** | **15405** |
| **MEYERS** | | | | | | |
| Bay Runner 16 | | 15' 10" | 71" | **17460** | **10102** | **10213** |
| Explorer 10 | 2015 | 10' 0" | 46" | — | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MEYERS-CONTINUED** | | | | | | |
| Explorer 12 | 2015 | 12' 0" | 46" | — | — | — |
| Fisherman 10 | 2015 | 10' 0" | 56" | — | — | — |
| Fisherman 12 | 2015 | 12' 0" | 56" | — | — | — |
| Fisherman 14 | 2015 | 14' 0" | 56" | — | — | — |
| Laker 12 | 96-15 | 11' 10" | 54" | **17453** | **10086** | **10207** |
| Laker 14 | 96-15 | 13' 7" | 56" | **17454** | **10087** | **10208** |
| Pro 12 | 96-15 | 11' 10" | 56" | **17453** | **10086** | **10207** |
| Pro 14 | 96-15 | 14' 0" | 58" | **17454** | **10087** | **10208** |
| Runabout 16 | | 16' 0" | 72" | **17710** | **10023** | **10158** |
| Super Pro 14 | 96-15 | 13' 11" | 62" | **17454** | **10087** | **10208** |
| Super Pro 15 | | 15' 1" | 66" | **17457** | **10091** | **10209** |
| Super Pro 16 | 96-15 | 15' 10" | 71" | **17456** | **10093** | **10212** |
| **MIRAGE** | | | | | | |
| 170 Magna BR / CC | | 17' 0" | 82" | **17723** | **10030** | **10163** |
| 182 BR | 2015 | 18' 2" | 93" | **17684** | **10142** | **10274** |
| 182 SL | 1997 | 18' 2" | 93" | **17684** | **10142** | **10274** |
| 182 Trovare | 1993 | 18' 2" | 93" | **17684** | **10142** | **10274** |
| 189 Rampage BR | | 18' 9" | 96" | **17725** | **10033** | **10165** |
| 189 Rampage CC / Fisherman | | 18' 9" | 96" | **17586** | **10128** | **10256** |
| 202 BR | 2015 | 20' 2" | 102" | **17686** | **10144** | **10276** |
| 202 CD | 2015 | 20' 2" | 102" | **17567** | — | — |
| 202 SL | 1997 | 20' 2" | 102" | **17686** | **10144** | **10276** |
| 206 SO | 2015 | 20' 6" | 92" | **17703** | **10013** | **15416** |
| 206 W | 2015 | 20' 6" | 96" | **17703** | **10013** | **15416** |
| 206 WO | 2015 | 20' 6" | 92" | **17703** | **10013** | **15416** |
| 211 Alante / Trovare | | 21' 1" | 96" | **17687** | **10145** | **10277** |
| 211 BR | 2015 | 21' 2" | 96": | **17687** | **10145** | **10277** |
| 211 CD | 2015 | 21' 2" | 96" | **17568** | — | — |
| 211 SZ | 1997 | 21' 1" | 96" | **17687** | **10145** | **10277** |
| 217 CD | 2015 | 21' 7" | 96" | **17568** | — | — |
| 217 Intruder | 1993 | 21' 7" | 96" | **17728** | **10036** | **10168** |
| 217 SZ | 1997 | 21' 1" | 96" | **17728** | **10036** | **10168** |
| 232 BR | 2015 | 23' 2" | 96" | **17689** | **10147** | **10279** |
| 232 CD | 2015 | 23' 2" | 96" | **17570** | — | — |
| 232 SZ | 1997 | 23' 2" | 96" | **17689** | **10147** | **10279** |
| 237 SL | 1997 | 23' 7" | 102" | **17571** | — | — |
| 257 BR | 2015 | 25' 7" | 17802 | **10073** | **10221** | — |
| 257 CD | 2015 | 25' 7" | 17572 | — | — | — |
| Dolphin 21 | | 20' 4" | 96" | **17739** | **10152** | **15406** |
| Fisherman 17 | | 16' 6" | 78" | **17736** | **10148** | **15402** |
| Mariner 17 | | 16' 8" | 83" | **17711** | **10025** | **10159** |
| **MIRRO CRAFT** | | | | | | |
| 1236 Predator | 2009 | 11' 11" | 52" | **17818** | — | — |
| 1436 Predator | 94-09 | 13' 9" | 52" | **17040** | — | — |
| 1542 / MV 1542 | 94-95 | 15' 0" | 62" | **17044** | — | — |
| 1671 / MV 1671 | 92-96 | 15' 11" | 70" | **17046** | — | — |
| 448 / MV 448 | 92-96 | 13' 11" | 70" | **17044** | — | — |
| 542 | 93-96 | 15' 0" | 62" | **17044** | — | — |
| 648 / DLX / FD / MV 648 | 92-96 | 15' 11" | 70" | **17046** | — | — |
| 860 / FD / MV 860 | 93-96 | 18' 0" | 86" | **17048** | — | — |
| Aggressor 1600 | 94-96 | 16' 2" | 75" | **17456** | **10093** | **10212** |
| Aggressor 1625 | 92-96 | 16' 2" | 75" | **17460** | **10102** | **10213** |
| Aggressor 1661 | 2015 | 16' 9" | 85" | **17461** | **10103** | **10214** |
| Aggressor 1663 | 2015 | 16' 9" | 85" | **17461** | **10103** | **10214** |
| Aggressor 1755 | 95-96 | 17' 0" | 80" | **17461** | **10103** | **10214** |
| Aggressor 1756 | 95-96 | 17' 0" | 80" | **17714** | **10104** | **10215** |
| Aggressor 1757 | 1996 | 17' 0" | 80" | **17582** | **10110** | **17574** |
| Aggressor 1760 | 2015 | 17' 4" | 93" | **17718** | **10105** | **10219** |
| Aggressor 1761 | 2015 | 14' 4" | 93" | **17718** | **10105** | **10219** |
| Aggressor 1763 | 215 | 17' 4" | 93" | **17718** | **10105** | **10219** |
| Aggressor Exp 1875 | 2009 | 17' 10" | 97" | **17718** | **10106** | **10219** |
| Aggressor Exp 1877 | 2009 | 17' 10" | 97" | — | — | — |
| Aggressor Exp 1977 | 2009 | 17' 10" | 97" | — | — | — |
| Aggressor Pro X 1861 | 2015 | 18' 4" | 97" | **17815** | **10106** | **10219** |
| Aggressor Pro X 1863 | 2015 | 18' 4" | 97" | **17815** | **10106** | **10219** |
| Aggressor Pro X 1977 | 2015 | 18' 8" | 97" | **17815** | **10106** | **10219** |
| Aggressor Pro X GL 1863 | 2015 | 18' 4" | 97" | **17815** | **10106** | **10219** |
| Aggressor Vision 1625 | 1996 | 16' 2" | 75" | **17460** | **10102** | **10213** |
| Breakaway | | 16' 6" | 78" | **17711** | **10025** | **10159** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MIRRO CRAFT-CONTINUED** | | | | | | |
| Daybreak II | | 16' 6" | 78" | 17736 | 10148 | 15402 |
| Deep Fisherman 3614 | 86-87 | 14' 2" | 64" | 17454 | 10087 | 10208 |
| Deep Fisherman 4604 | 1992 | 14' 1" | 58" | 17454 | 10087 | 10208 |
| Deep Fisherman 4650 | 88-94 | 14' 2" | 64" | 17454 | 10087 | 10208 |
| Deep Fisherman 4656 | 88-09 | 16' 0" | 64" | 17455 | 10092 | 10211 |
| Deep Fisherman I / II F 3614 | | 14' 2" | 64" | 17454 | 10087 | 10208 |
| Deep Fisherman I / II F 3656 | 86-09 | 16' 0" | 64" | 17455 | 10092 | 10211 |
| Deep Fisherman I / II F 3690 | | 16' 0" | 64" | 17455 | 10092 | 10211 |
| Deep Fisherman I / II F 4654 | 1995 | 16' 0" | 64" | 17455 | 10092 | 10211 |
| Deep Fisherman II 3654 | 88-96 | 14' 2" | 64" | 17454 | 10087 | 10208 |
| Deep Fisherman III 3696 | 88-96 | 16' 0" | 64" | 17455 | 10092 | 10211 |
| Dual Impact 1746 | 2009 | 16' 9" | 93" | — | — | — |
| Dual Impact 1766 | 2015 | 17' 3" | 93" | 17711 | 10025 | 10159 |
| Dual Impact 1866 | 2015 | 18' 4" | 97" | 17712 | 10026 | 10160 |
| Dual Impact 1945 | 2009 | 18' 8" | 97" | — | — | — |
| Explorer 1465 | 87-89 | 14' 2" | 65" | 17740 | 10065 | 10193 |
| F 3604 | | 14' 1" | 58" | 17454 | 10087 | 10208 |
| F 4652 | | 12' 0" | 53" | 17453 | 10086 | 10207 |
| Flat Bottom 1436 | 86-89 | 13' 9" | 52" | 17040 | — | — |
| Guide Classic 1675 | 87-89 | 16' 4" | 76" | 17746 | 10068 | 10202 |
| Guide Impact 1735 | 93-96 | 16' 7" | 80" | 17460 | 10102 | 10213 |
| Holiday 1628 | 09-15 | 16' 0" | 70" | 17710 | 10023 | 10158 |
| Holiday 1738 | 09-15 | 16' 11" | 93" | — | — | — |
| Impact 1725 | 95-96 | 16' 7" | 80" | 17774 | 10054 | 10181 |
| Impact 1736 | 1995 | 16' 7" | 80" | 17714 | 10104 | 10215 |
| Impact 1745 | 95-96 | 16' 7" | 80" | 17580 | 10109 | 17573 |
| Impact 1935 | 1995 | 19' 0" | 96" | 17777 | 10057 | 10184 |
| Impact 2095 | 1996 | 20' 4" | 96" | 17738 | 10151 | 15405 |
| Impact Guide 1735 | | 16' 7" | 80" | 17460 | 10102 | 10213 |
| King Fisherman 17 F 1740 | 1986 | 16' 6" | 78" | 17736 | 10148 | 15402 |
| King Fisherman 18 F 1840 | 1986 | 18' 4" | 82" | 17737 | 10150 | 15404 |
| King Fisherman 1950 | 1989 | 18' 6" | 92" | 17713 | 10027 | 10161 |
| Lake Fisherman 3616 | 86-87 | 16' 2" | 74" | 17456 | 10093 | 10212 |
| Lake Fisherman I / II | 1986 | 16' 2" | 74" | 17456 | 10093 | 10212 |
| Lake Fisherman III | 86-87 | 16' 2" | 74" | 17460 | 10102 | 10213 |
| Laker 3672 | | 16' 2" | 74" | 17455 | 10092 | 10211 |
| Laker 3673 | | 16' 2" | 74" | 17455 | 10092 | 10211 |
| Muskie 1625 | 1989 | 16' 2" | 74" | 17460 | 10102 | 10213 |
| Musky 3646 | 86-87 | 16' 2" | 75" | 17460 | 10102 | 10213 |
| MV 175 Predator | 2009 | 17' 2" | 74" | 17048 | — | — |
| Navigator 20 / Voyager 20 | | 20' 4" | 96" | 17587 | 10129 | 10257 |
| Navigator 2090 | 88-89 | 20' 4" | 96" | 17587 | 10129 | 10257 |
| Northport Angler F 1620 | 86-89 | 16' 2" | 75" | 17460 | 10102 | 10213 |
| Northport Angler SC 1620 | 86-89 | 16' 2" | 75" | 17460 | 10102 | 10213 |
| Northport Troller 3644 | 86-89 | 14' 2" | 64" | 17454 | 10087 | 10208 |
| Northport Troller 3666 | 86-89 | 16' 0" | 64" | 17455 | 10092 | 10211 |
| Northport Troller F 3636 | 86-88 | 16' 0" | 64" | 17455 | 10092 | 10211 |
| Northport Troller II F 3674 / Dlx | 86-89 | 14' 2" | 64" | 17454 | 10087 | 10208 |
| Offshore F 6740 | | 16' 10" | 86" | 17736 | 10148 | 15402 |
| Offshore GL | | 16' 10" | 86" | 17711 | 10025 | 10159 |
| Offshore GL CC 6740 | 86-87 | 16' 10" | 86" | 17736 | 10148 | 15402 |
| Offshore GL SC 6720 | 86-87 | 16' 10" | 86" | 17711 | 10025 | 10159 |
| Outfitter 1415-O | 2015 | 14' 6" | 70" | 17454 | 10087 | 10208 |
| Outfitter 1416-O | 2015 | 14' 6" | 70" | 17454 | 10087 | 10208 |
| Outfitter 1615-O | 09-15 | 16' 0" | 70" | 17455 | 10092 | 10211 |
| Outfitter 1616-O | 09-15 | 16' 0" | 70" | 17459 | 15429 | 15428 |
| Outfitter 1676-O | 2015 | 16' 7" | 76" | 17459 | 15429 | 15428 |
| Outfitter 1677-O | 2009 | 16' 2" | 76" | 17459 | 15429 | 15428 |
| Outfitter 1677-O | 2015 | 16' 7" | 76" | 17459 | 15429 | 15428 |
| Outfitter 1876-O | 2015 | 18' 7" | 76" | 17459 | 15429 | 15428 |
| Outfitter 4650-O | 09-15 | 14' 2" | 64" | 17454 | 10087 | 10208 |
| Outfitter 4656-O | 09-15 | 16' 0" | 64" | 17455 | 10092 | 10211 |
| Outfitter F 1600 / 1625 | 92-96 | 16' 2" | 75" | 17460 | 10102 | 10213 |
| Outfitter TS 1600 | 86-88 | 16' 2" | 75" | 17460 | 10102 | 10213 |
| Outfitter Vision 1600 | 1996 | 16' 2" | 75" | 17456 | 10093 | 10212 |
| Outfitter XL Vision 1756 | 1996 | 17' 0" | 80" | 17714 | 10104 | 10215 |
| Pro Fisherman / Dlx F 1720 | 1986 | 16' 6" | 78" | 17711 | 10025 | 10159 |
| Pro Fisherman 1630 | 87-96 | 16' 2" | 75" | 17580 | 10109 | 17573 |
| Pro Fisherman 1720 / Dlx | 1986 | 16' 6" | 78" | 17711 | 10025 | 10159 |
| Pro Fisherman 1730 | 93-96 | 17' 0" | 80" | 17582 | 10110 | 17574 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MIRRO CRAFT-CONTINUED** | | | | | | |
| Pro Fisherman 1820 | 86-87 | 18' 4" | 82" | 17712 | 10026 | 10160 |
| Pro Fisherman 1930 | 89-96 | 18' 6" | 92" | 17713 | 10027 | 10161 |
| Pro Pike F 5600 TS | 1986 | 15' 8" | 78" | 17460 | 10102 | 10213 |
| Pro Pike F 5620 | 86-87 | 15' 8" | 78" | 17460 | 10102 | 10213 |
| Pro Pike TS 5600 | 1986 | 15' 8" | 78" | 17460 | 10102 | 10213 |
| Pro Striker 1567 | 1996 | 15' 1" | 67" | 17457 | 10091 | 10209 |
| Pro Striker 1568 | 1996 | 15' 1" | 67" | 17457 | 10091 | 10209 |
| Resorted 4602 | 86-09 | 12' 2" | 58" | 17453 | 10086 | 10207 |
| Resorted 4604 | 86-09 | 14' 1" | 58" | 17454 | 10087 | 10208 |
| Ski-N-Troll F 3624 | 86-87 | 14' 2" | 64" | 17708 | 10021 | — |
| Sportsman 4652 | 86-09 | 12' 0" | 53" | 17453 | 10086 | 10207 |
| Striker 1410 | 92-93 | 14' 6" | 67" | 17454 | 10087 | 10208 |
| Striker 1412 / 1415 | 92-95 | 14' 6" | 67" | 17454 | 10087 | 10208 |
| Striker 1567 / 1568 | 1996 | 15' 1" | 67" | 17457 | 10091 | 10209 |
| Striker 1612 / 1615 | 94-95 | 16' 0" | 67" | 17455 | 10092 | 10211 |
| Striper 2095 | 93-94 | 20' 4" | 96" | 17738 | 10151 | 15405 |
| Sunsport 16 F 5610 | 86-87 | 15' 8" | 78" | 17710 | 10023 | 10158 |
| Sunsport 17 F 6710 | 86-87 | 16' 10" | 86" | 17711 | 10025 | 10159 |
| Super Fisherman | | 16' 2" | 74" | 17456 | 10093 | 10212 |
| Tournament Fisherman | 1986 | 16' 2" | 74" | 17460 | 10102 | 10213 |
| Troller 1628 | 92-96 | 16' 0" | 67" | 17710 | 10023 | 10158 |
| Troller 1660 / 1661 | 93-96 | 16' 0" | 67" | 17460 | 10102 | 10213 |
| Troller 1400 | 09-15 | 14' 2" | 64" | 17813 | 10088 | 10234 |
| Troller 1415 | 2009 | 14' 6" | 70" | 17813 | 10088 | 10234 |
| Troller 1416 | 09-15 | 14' 6" | 70" | 17813 | 10088 | 10234 |
| Troller 1460 / 1461 | 92-96 | 14' 6" | 67" | 17457 | 10091 | 10209 |
| Troller 1615 | 09-15 | 16' 0" | 70" | 17459 | 15429 | 15428 |
| Troller 1616 | 2015 | 16' 0" | 70" | 17459 | 15429 | 15428 |
| Troller 1676 | 2015 | 16' 7" | 76" | 17459 | 15429 | 15428 |
| Troller 1677 | 2009 | 16' 2" | 76" | 17459 | 15429 | 15428 |
| Troller 1677 | 2015 | 16' 7" | 76" | 17459 | 15429 | 15428 |
| Troller 1685 | 09-15 | 16' 9" | 85" | 17459 | 15429 | 15428 |
| Troller Exp 1685 | 2015 | 16' 9" | 85" | 17719 | 10101 | 10216 |
| Troller Exp 1686 | 2015 | 16' 9" | 85" | 17719 | 10101 | 10216 |
| Troller Exp 1687 | 2015 | 16' 9" | 85" | 17719 | 10101 | 10216 |
| Trophy Classic 1670 | 1988 | 16' 4" | 76" | 17746 | 10068 | 10202 |
| Trophy Fisherman 4684 | 86-87 | 14' 2" | 64" | 17454 | 10087 | 10208 |
| Trophy Striper 2095 | 93-94 | 20' 4" | 96" | 17738 | 10151 | 15405 |
| Ultra Pro 1603 | 92-94 | 15' 7" | 78" | 17770 | 10052 | 10179 |
| Ultra Pro 1604 | 92-93 | 15' 7" | 84" | 17770 | 10052 | 10179 |
| Ultra Pro 1700 / 1701 | 92-94 | 16' 7" | 84" | 17774 | 10054 | 10181 |
| Ultra Pro 1703 / 1702 | 92-94 | 17' 0" | 80" | 17776 | 10055 | 10182 |
| Ultra Pro 1902 | | 18' 6" | 90" | 17713 | 10027 | 10161 |
| Utility 2604 / 4604 | 92-15 | 14' 1" | 58" | 17454 | 10087 | 10208 |
| Utility 2652 | | 12' 0" | 53" | 17453 | 10086 | 10207 |
| Utility 3654 / 4650 | 92-15 | 14' 2" | 64" | 17454 | 10087 | 10208 |
| Utility 3696 / 4656 | 92-15 | 16' 0" | 64" | 17455 | 10092 | 10211 |
| Utility 4602 | | 12' 2" | 58" | 17453 | 10086 | 10207 |
| Utility 4652 | 92-15 | 12' 0" | 53" | — | — | — |
| Vision 1600 | | 16' 2" | 75" | 17456 | 10093 | 10212 |
| Vision 1600 | | 16' 2" | 75" | 17456 | 10093 | 10212 |
| Vision 1625 | | 16' 2" | 75" | 17456 | 10093 | 10212 |
| Vision 1755 | | 17' 0" | 80" | 17461 | 10103 | 10214 |
| Vision 1756 | 1996 | 17' 0" | 80" | 17714 | 10104 | 10215 |
| **MISTY RIVER** | | | | | | |
| Aurora 1600 BT / DLX | 2000 | 16' 0" | 73" | 17455 | 10092 | 10211 |
| Aurora 1600 SC / DLX | 2000 | 16' 0" | 73" | 17460 | 10102 | 10213 |
| Challenger 1600 BT | 2000 | 16' 0" | 69" | 17455 | 10092 | 10211 |
| Challenger 1600 SC | 2000 | 16' 0" | 69" | 17460 | 10102 | 10213 |
| Classic 1680 SC / DLX | 2000 | 16' 8" | 73" | 17460 | 10102 | 10213 |
| Concord 1500 BT | 2000 | 15' 0" | 73" | 17457 | 10091 | 10209 |
| Eclipse 17 SC | 2004 | 17' 5" | 76" | 17461 | 10103 | 10214 |
| Escape 17 BT | 2004 | 17' 5" | 6" | 17716 | 10105 | 10218 |
| Falcon 1600 | 00-04 | 16' 0" | 68" | 17455 | 10092 | 10211 |
| Hawk 1200 | 2004 | 12' 1" | 61" | 17453 | 10086 | 10207 |
| Hawk 1200 SP | 2004 | 12' 5" | 64" | 17453 | 10086 | 10207 |
| Hawk 1400 | 2004 | 14' 0" | 61" | 17454 | 10087 | 10208 |
| Hawk 1600 | 2000 | 11' 10" | 59" | 17453 | 10086 | 10207 |
| Nomad 1684 BT | 2000 | 16' 6" | 84" | 17714 | 10104 | 10215 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MISTY RIVER-CONTINUED** | | | | | | |
| Nomad 1684 DC | 2000 | 16' 6" | 84" | 17693 | 10136 | 10265 |
| Nomad 1684 SC | 2000 | 16' 6" | 84" | 17459 | 15429 | 15428 |
| Nomad 1876 DC | 2004 | 17' 0" | 84" | 17582 | 10110 | 17574 |
| Nomad 1986 DC | 2004 | 19' 0" | 84" | 17584 | 10112 | 17576 |
| Northstar 1690 BT | 2000 | 16' 7" | 80" | 17714 | 10104 | 10215 |
| Northstar 1690 SC | 2000 | 16' 7" | 80" | 17459 | 15429 | 15428 |
| Orion 1700 DLX SE | 2000 | 17' 8" | 84" | 17694 | 10137 | 10267 |
| Orion 1860 DLX SE | 2000 | 18' 6" | 90" | 17694 | 10137 | 10267 |
| Raven 1600 | 2000 | 16' 0" | 68" | 17455 | 10092 | 10211 |
| Scorpion 1480 | 2000 | 14' 10" | 73" | 17457 | 10091 | 10209 |
| Scorpion 1500 | 2004 | 14' 10" | 73" | 17457 | 10091 | 10209 |
| Scorpion 1600 | 00-04 | 16' 2" | 73" | 17455 | 10092 | 10211 |
| Scout 1400 | 2004 | 13' 10" | 68" | 17454 | 10087 | 10208 |
| Scout 1400 | 2000 | 13' 11" | 67" | 17454 | 10087 | 10208 |
| Scout 1600 | 2000 | 16' 0" | 68" | 17455 | 10092 | 10211 |
| Strike 1400 BT | 2004 | 14' 1" | 73" | 17454 | 10087 | 10208 |
| Strike 1400 BT | 2000 | 14' 1" | 68" | 17454 | 10087 | 10208 |
| Strike 1400 SC | 2004 | 14' 1" | 73" | 17760 | 10061 | 10187 |
| Strike 1600 BT | 2004 | 16' 1" | 73" | 17455 | 10092 | 10211 |
| Strike 1600 SC | 2004 | 16' 1" | 73" | 17460 | 10102 | 10213 |
| Viper 1884 BT | 2004 | 15' 6" | 84" | 17456 | 10093 | 10212 |
| Viper 1884 SC | 2004 | 18' 6" | 84" | 17787 | 10217 | 10240 |
| **MITCH CRAFT** | | | | | | |
| 15 DS | 85-86 | 15' 3" | 74" | 17732 | 10041 | — |
| Center Console 17/17 VC | 86-86 | 16' 6" | 82" | 17736 | 10148 | 15402 |
| Center Console 18/18 VC | 85-86 | 18' 3" | 88" | 17780 | 15412 | 15403 |
| Dual Side 17/17 VDS | 85-86 | 16' 6" | 82" | 17711 | 10025 | 10159 |
| Dual Side 18/18 VDS | 85-86 | 18' 0" | 88" | 17712 | 10026 | 10160 |
| Fisherman 14/700 | 85-86 | 14' 1" | 59" | 17454 | 10087 | 10208 |
| Lapskiff 16/1075 | 85-86 | 15' 11" | 67" | 17455 | 10092 | 10211 |
| **MONARK** | | | | | | |
| 1400 | 2006 | 14' 4" | 73" | 174044 | — | — |
| 1600 | 2006 | 16' 4" | 73" | 17046 | — | — |
| 12 V Skiff | 1988 | 12' 0" | 64" | 17453 | 10086 | 10207 |
| 14 V Skiff | 1988 | 14' 0" | 64" | 17454 | 10087 | 10208 |
| 1400 Tiller / DLX | 2006 | 14' 4" | 73" | 17454 | 10087 | 10208 |
| 1401 DLX SC | 2006 | 14' 4" | 73" | 17813 | 10088 | 10234 |
| 1430 | 91-93 | 14' 0" | 46" | 17454 | 10087 | 10208 |
| 1436 / LWS | 97-02 | 14' 0" | 57" | 17040 | — | — |
| 1437 / LW / LT | 91-95 | 14' 0" | 54" | 17040 | — | — |
| 1444 MVXS | 96-02 | 14' 0" | 63" | 17044 | — | — |
| 1448 | 86-95 | 14' 0" | 67" | 17044 | — | — |
| 1448 LW / LWS | 97-02 | 14' 0" | 72" | 17044 | — | — |
| 1539 V / VTS | 86-88 | 15' 0" | 60" | 17742 | 10066 | 10194 |
| 1542 MV | 91-95 | 15' 0" | 63" | 17044 | — | — |
| 1542 V | 87-88 | 15' 0" | 64" | 17742 | 10066 | 10194 |
| 1550 M | | 15' 8" | 68" | 17744 | 10067 | 10195 |
| 16 Camp | 93-02 | 16' 4" | 74" | 17455 | 10092 | 10211 |
| 16 SV | | 16' 0" | 67" | 17460 | 10102 | 10213 |
| 16 V Lunker | 1988 | 16' 2" | 79" | 17459 | 15429 | 15428 |
| 160 Bass | 86-87 | 16' 1" | 77" | 17762 | 10062 | 10188 |
| 160 LX / 160 SE | 1999 | 15' 8" | 71" | 17744 | 10067 | 10195 |
| 160 SS | 1999 | 15' 8" | 71" | 17046 | — | — |
| 160 SS | | 15' 11" | 81" | 17762 | 10062 | 10188 |
| 1600 Tiller / DLX | 2006 | 16' 4" | 73" | 17455 | 10092 | 10211 |
| 1601 DLX SC | 2006 | 16' 4" | 73" | 17459 | 15429 | 15428 |
| 1601 Scorpion | 2006 | 16' 6" | 82" | 17459 | 15429 | 15428 |
| 1601 Signature | 2006 | 16' 8" | 78" | 17459 | 15429 | 15428 |
| 1601 TL SC | 2006 | 16' 4" | 73" | 17459 | 15429 | 15428 |
| 1602 Sport | 2006 | 16' 4" | 90" | 17719 | 10101 | 10216 |
| 1644 M | 86-88 | 16' 0" | 68" | 17744 | 10067 | 10195 |
| 1644 MV | 97-02 | 16' 0" | 63" | 17042 | — | — |
| 1648 / S / LSW / MVXL | 86-02 | 16' 0" | 67" | 17046 | — | — |
| 1650 MV | 93-95 | 16' 0" | 75" | 17048 | — | — |
| 1650 V / VDS | 1988 | 16' 0" | 72" | 17746 | 10068 | 10202 |
| 1664 V | | 16' 0" | 68" | 17744 | 10067 | 10195 |
| 170 SE | 1999 | 16' 9" | 71" | 17748 | 10069 | 10204 |
| 1702 Sport | 2006 | 17' 4" | 92" | 17718 | 10106 | 10219 |
| 1702 Super Sport | 2006 | 17' 4" | 92" | — | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MONARK-CONTINUED** | | | | | | |
| 171 CC | 85-87 | 16' 7" | 84" | 17736 | 10148 | 15402 |
| 171 I/O | | 16' 7" | 84" | 17723 | 10030 | 10163 |
| 171 O/B | | 16' 7" | 84" | 17711 | 10025 | 10159 |
| 1748 V | | 17' 0" | 71" | 17748 | 10069 | 10204 |
| 1750 MV | 99-02 | 17' 0" | 74" | 17048 | — | — |
| 1750 V | 1986 | 16' 10" | 75" | 17748 | 10069 | 10204 |
| 180 SS | 1988 | 17' 10" | 87" | 17775 | 10056 | 10183 |
| 181 I/O | 1987 | 17' 8" | 86" | 17724 | 10032 | 10164 |
| 1860 MV | 1995 | 18' 0" | 80" | 17048 | — | — |
| 190 Bass | 1987 | 19' 1" | 92" | 17773 | 15411 | 15401 |
| 190 FS | 1987 | 19' 1" | 92" | 17584 | 10112 | 17576 |
| 1900 DC | 1994 | 18' 9" | 90" | 17713 | 10027 | 10161 |
| 1900 SS | 1996 | 18' 9" | 90" | 17725 | 10033 | 10165 |
| 1902 Sport | 2006 | 19' 4" | 95" | 17713 | 10027 | 10161 |
| 191 CC | 85-87 | 19' 1" | 93" | 17737 | 10150 | 15404 |
| 191 I/O | 1987 | 19' 0" | 94" | 17725 | 10033 | 10165 |
| 191 O/B | 1987 | 19' 0" | 94" | 17713 | 10027 | 10161 |
| 191 Sport Boat I/O | 85-86 | 19' 1" | 93" | 17725 | 10033 | 10165 |
| 191 Sport Boat O/B | 85-86 | 19' 1" | 93" | 17713 | 10027 | 10161 |
| 215 Sunlounger | 00-02 | 20' 4" | 102" | 17879 | 10320 | 17888 |
| 240 B Sunlounger | 00-02 | 24' 1" | 102" | 17883 | 10324 | 17892 |
| 245 DC Sunlounger | 00-02 | 24' 1" | 102" | 17798 | 10318 | 10199 |
| 245 Sunlounger | 00-02 | 24' 1" | 102" | 17883 | 10324 | 17892 |
| 280 XL Sunlounger | 1990 | 28' 0" | 96" | 17792 | 10117 | 10247 |
| BP 14 L / LW / S | 91-93 | 14' 6" | 67" | 17454 | 10087 | 10208 |
| BP 16 / DLX / LW | 91-93 | 16' 2" | 67" | 17455 | 10092 | 10211 |
| Classic 140 | 1995 | 14' 0" | 56" | 17040 | — | — |
| Classic 1400 T / 1401 T | 96-97 | 14' 7" | 67" | 17454 | 10087 | 10208 |
| Classic 150SS | 93-96 | 15' 0" | 63" | 17044 | — | — |
| Classic 1600 SC | 91-94 | 16' 5" | 74" | 17460 | 10102 | 10213 |
| Classic 1600T | | 16' 4" | 74" | 17455 | 10092 | 10211 |
| Classic 165 | 1996 | 15' 10" | 72" | 17044 | — | — |
| Commander 176 DC | 99-00 | 17' 7" | 95" | 17694 | 10137 | 10267 |
| Crappie 150/SS | | 15' 0' | 72" | 17457 | 10091 | 10209 |
| Crappie Pro 160 / LX / SS | 1991 | 16' 0" | 73" | 17455 | 10092 | 10211 |
| Fantasy 180 / Fish / 4 Point | 2002 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Fantasy 200 / Fantasy 200 Fish & Play | 2002 | 20' 0" | 96" | — | 10289 | 10330 |
| Fiero 161 O/B | 85-87 | 16' 1" | 77" | — | 10288 | 10329 |
| Fish 'N Fun 1600 FS / Fish 'N Fun 1600 XT | 1991 | 16' 5" | 76.5" | — | 10288 | 10329 |
| Fish 'N Fun 1600 FS / XT | | 17' 0" | 77" | — | 10288 | 10329 |
| Fish 'N Fun 1800 FS / Fish 'N Fun 1800 XT | 91-93 | 18' 3.5" | 80" | 17712 | 10026 | 10160 |
| Fish 'N Fun 1800 FS / XT | | 18' 3" | 80" | 17712 | 10026 | 10160 |
| Fun Island 200 | 90-91 | 20' 0" | 96" | — | 10289 | 10330 |
| Fun Island 240 | 90-91 | 24' 0" | 96" | — | 10290 | 10331 |
| Fun Island 280 | 1990 | 28' 0" | 96" | — | 10291 | 10332 |
| King 160 DC | 99-00 | 16' 8" | 78" | — | 10288 | 10329 |
| King 160 SC | 98-02 | 16' 8" | 78" | — | 10288 | 10329 |
| King 160 Tiller | 98-99 | 16' 8" | 78" | — | 10288 | 10329 |
| King 165 | 2006 | 16' 4" | 90" | — | 10288 | 10329 |
| King 170 | 99-00 | 17' 4" | 89" | — | 10288 | 10329 |
| King 170 DC | 2002 | 17' 4" | 92" | 17694 | 10137 | 10267 |
| King 175 | 2006 | 17' 4" | 92" | 17694 | 10137 | 10267 |
| King 185 | 2006 | 18' 5" | 93" | 17712 | 10026 | 10160 |
| King 190 DC | 99-02 | 19' 4" | 92" | — | 10289 | 10330 |
| King 191 DC | 99-02 | 19' 4" | 92" | — | 10289 | 10330 |
| King 195 | 2006 | 19' 4" | 95" | — | 10289 | 10330 |
| Knight 160 / T DLX | 2002 | 16' 4" | 75" | — | 10288 | 10329 |
| Knight 160 SC DLX | 2002 | 16' 4" | 75" | — | 10288 | 10329 |
| Legend 155 / C | 1990 | 15' 6" | 61" | — | 10288 | 10329 |
| Legend 160 / C / PF | 1990 | 15' 10" | 69" | — | 10288 | 10329 |
| Legend 170 / XT | | 17' 0" | 69" | 17748 | 10069 | 10204 |
| Legend 170 / Legend 170 XT | 1990 | 16' 11.5" | 69" | — | 10288 | 10329 |
| Legend 180 / XT | 1990 | 17' 9" | 87" | 17775 | 10056 | 10183 |
| Legend 1800 CC | | 18' 4" | 80" | 17780 | 15412 | 15403 |
| LP 14 | | 13' 7" | 60" | — | 10120 | 10250 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MONARK-CONTINUED** | | | | | | |
| Manta 2000 | 1987 | 19' 0" | 93" | — | 10289 | 10330 |
| McFast V 16 | | 16' 1" | 77" | 17762 | 10062 | 10188 |
| McFast V 172 / SF | | 17' 2" | 84" | 17776 | 10055 | 10182 |
| McFast V 17 SF | | 17' 2" | 74" | 17582 | 10110 | 17574 |
| McFast V 80 | | 15' 0" | 73" | 17550 | — | — |
| McFast VSF16 | | 16' 1" | 77" | 17580 | 10109 | 17573 |
| Pro 16 / LX / SE | 96-98 | 15' 10" | 71" | 17744 | 10067 | 10195 |
| Pro 1650 DC | 93-97 | 16' 6" | 81" | 17580 | 10109 | 17573 |
| Pro 1650 SC | 93-97 | 16' 6" | 81" | 17459 | 15429 | 15428 |
| Pro 170 | 96-97 | 16' 9" | 72" | 17748 | 10069 | 10204 |
| Pro 1700 DC | 96-97 | 17' 0" | 85" | 17711 | 10025 | 10159 |
| Pro 1700 SC | 93-97 | 17' 0" | 85" | 17776 | 10055 | 10182 |
| Pro 180 | 1997 | 18' 1" | 76" | 17750 | 10070 | 10206 |
| Pro 1800 / 1800 DC | | 18' 0" | 83" | 17775 | 10056 | 10183 |
| Pro 1800 FS | | 18' 0" | 83" | 17583 | 10111 | 17575 |
| Pro 1900 | 1997 | 18' 4" | 90" | 17713 | 10027 | 10161 |
| Pro 1900 | 93-96 | 18' 9" | 90" | 17713 | 10027 | 10161 |
| Pro 650 | 1999 | 15' 8" | 71" | 17744 | 10067 | 10195 |
| Pro 754 | 99-02 | 17' 1" | 77" | 17748 | 10069 | 10204 |
| Pro 860 | 99-02 | 18' 5" | 79" | 17750 | 10070 | 10206 |
| Pro Bass 170 | 91-93 | 17' 0" | 73" | 17748 | 10069 | 10204 |
| Pro Bass 180 V | 1991 | 17' 6" | 75" | 17461 | 10103 | 10214 |
| Rocket I | 1985 | 16' 1" | 77" | 17710 | 10023 | 10158 |
| Rocket II | 85-86 | 17' 2" | 85" | 17711 | 10025 | 10159 |
| S-1 Center Console | | 16' 7" | 84" | 17736 | 10148 | 15402 |
| S-1 Sportsboat I/O | | 16' 6" | 84" | 17723 | 10030 | 10163 |
| S-1 Sportsboat O/B | | 16' 6" | 84" | 17711 | 10025 | 10159 |
| S-1 XK | | 16' 7" | 83" | 17711 | 10025 | 10159 |
| Seville 200 | 2002 | 20' 0" | 102" | 17790 | 10114 | 10244 |
| Seville 240 / 241 | 99-02 | 24' 0" | 102" | 17791 | 10116 | 10245 |
| SF 14 L / LWL / S | 99-02 | 14' 3" | 67" | 17454 | 10087 | 10208 |
| SF 16 WB Camp | 95-02 | 16' 4" | 74" | 17460 | 10102 | 10213 |
| SF 16L / 16 Camp | 97-02 | 16' 4" | 74" | 17455 | 10092 | 10211 |
| SF14S / 14 L / 14 LW | 96-97 | 14' 6" | 67" | 17457 | 10091 | 10209 |
| SF16 WB | | 16' 4" | 74" | 17460 | 10102 | 10213 |
| SF16S / 16L | 96-97 | 16' 2" | 67" | 17455 | 10092 | 10211 |
| Signature 200/Fish | 2002 | 20' 0" | 96" | — | 10289 | 10330 |
| Signature 220 RE / Fish & Play | 2002 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Signature 240 / RE | 2002 | 24' 0" | 96" | | 10290 | 10331 |
| SL 12 | | 11' 7" | 58" | 17453 | 10086 | 10207 |
| SL 14S | 94-02 | 13' 6" | 59" | 17454 | 10087 | 10208 |
| Sun Caster 180 | 1999 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Sun Caster 200 | 91-99 | 20' 0" | 96" | — | 10289 | 10330 |
| Sun Caster 240 | 93-95 | 24' 0" | 96" | — | 10290 | 10331 |
| Sun Fisher 200 | 1990 | 20' 0" | 96" | — | 10289 | 10330 |
| Sun Lite 180 | 96-97 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Sun Lite 200 | 1999 | 20' 0" | 96" | — | 10289 | 10330 |
| Sun Spa 200 | 93-99 | 20' 0" | 96" | — | 10289 | 10330 |
| Sun Spa 220 | 1999 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Sun Spa 240 | 91-99 | 24' 0" | 96" | — | 10290 | 10331 |
| Sun Spa 260 / 261 | 96-99 | 26' 0" | 96" | 17792 | 10117 | 10247 |
| Sunlite 180 | 96-97 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Sunlite 200 | 1999 | 20' 0" | 96" | — | 10289 | 10330 |
| Tracer 170 DC | 2002 | 17' 4" | 92" | 17694 | 10137 | 10267 |
| Tracer 170 SC | 2002 | 17' 4" | 92" | 17718 | 10106 | 10219 |
| V16 | 85-86 | 16' 1" | 77" | 17762 | 10062 | 10188 |
| V172 I/O | 1985 | 17' 2" | 84" | 17723 | 10030 | 10163 |
| V172 O/B / 172 Pro | 85-86 | 17' 2" | 84" | 17776 | 10055 | 10182 |
| V172 O/B F&S | 85-86 | 17' 2" | 84" | 17711 | 10025 | 10159 |
| V172SF I/O | 85-86 | 17' 3" | 85" | 17723 | 10030 | 10163 |
| V172SF O/B | 85-86 | 17' 3" | 85" | 17711 | 10025 | 10159 |
| V80 Deluxe | 1985 | 15' 1" | 74" | 17760 | 10061 | 10187 |
| **MONTEREY BOATS** | | | | | | |
| 179 BR | | 18' 0" | 84" | 17684 | 10142 | 10274 |
| 180 BR | 93-95 | 18' 6" | 86" | 17685 | 10143 | 10275 |
| 180 Edge | 2004 | 18' 5" | 92" | 17684 | 10142 | 10274 |
| 180 FS | 2008 | 18' 0" | 92" | 17684 | 10142 | 10274 |
| 184 FS w/platform | 11-14 | 20' 3" | 92" | 17687 | 10145 | 10277 |
| 186 Montura w/platform | 2015 | 18' 6" | 92" | 17684 | 10142 | 10274 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MONTEREY BOATS-CONTINUED** | | | | | | |
| 189 BR I/O | | 18' 11" | 94" | 17685 | 10143 | 10275 |
| 189 BR O/B | | 18' 11" | 94" | 17695 | 10138 | 10269 |
| 19 Cuddy | 1988 | 18' 11" | 94" | 17586 | 10128 | 10256 |
| 190 BR | 93-95 | 19' 2" | 96" | 17685 | 10143 | 10275 |
| 192 Cuddy | 93-94 | 19' 2" | 96" | 17586 | 10128 | 10256 |
| 194 FS | 2008 | 19' 7" | 100" | 17685 | 10143 | 10275 |
| 197 Blackfin | 2015 | 19' 7" | 100" | 17685 | 10143 | 10275 |
| 204 FS w/platform | 11-15 | 21' 8" | 102" | 17688 | 10146 | 10278 |
| 206 B/R | 93-95 | 20' 6" | 96" | 17686 | 10144 | 10276 |
| 206 Cuddy | 93-94 | 20' 6" | 96" | 17588 | 10130 | 10258 |
| 214 FS | 2004 | 22' 9" | 102" | 17689 | 10147 | 10279 |
| 214 FSC | 2008 | 22' 9" | 102" | 17689 | 10147 | 10279 |
| 214 SS w/platform | 2014 | 21' 8" | 102" | — | — | — |
| 217 BF w/platform | 14-15 | 20' 7" | 102" | 17687 | 10145 | 10277 |
| 223 EXP | 2004 | 22' 9" | 102" | 17689 | 10147 | 10279 |
| 224 FSC w/platform | 11-14 | 22' 9" | 102" | 17689 | 10147 | 10279 |
| 225 BR | 93-95 | 22' 8" | 102" | 17689 | 10147 | 10279 |
| 225 Cuddy | 93-95 | 22' 8" | 102" | 17590 | 10132 | 10261 |
| 233 EXP | 2004 | 22' 9" | 102" | 17689 | 10147 | 10279 |
| 234 FS / FSX | 2008 | 24' 0" | 102" | 17801 | 10072 | 10210 |
| 234 SS w/platform | 2014 | 23' 0" | 102" | — | — | — |
| 234 SS w/platform | 2014 | 23' 0" | 102" | — | — | — |
| 238 Super Sport | 2015 | 23' 0" | 102" | — | — | — |
| 244 FSX w/platform / FS / FSC | 11-15 | 24' 0" | 102" | 17801 | 10072 | 10210 |
| 263 EX | 2008 | 26' 5" | 102" | 17823 | 10096 | 10239 |
| 264 FSX w/platform / FS / FSC | 11-15 | 26' 7" | 102" | — | — | — |
| M3 w/platform | 11-15 | 23' 10" | 102" | 17801 | 10072 | 10210 |
| M5 w/platform | 11-15 | 25' 10" | 102" | 17802 | 10073 | 10221 |
| Montura 186 | | 18' 6" | 94" | 17685 | 10143 | 10275 |
| Montura 190 LS | 2004 | 18' 10" | 98" | 17685 | 10143 | 10275 |
| Montura 190 LS w/platform | 2004 | 20' 4" | 98" | 17687 | 10145 | 10277 |
| Montura 196 Fish & Ski w/ platform | 2015 | 19' 6" | 92" | 17584 | 10112 | 17576 |
| Montura 196 w/platform | 1995 | 19' 6" | 98" | 17686 | 10144 | 10276 |
| Montura 196 w/platform | 14-15 | 19' 6" | 92" | 17685 | 10143 | 10275 |
| Montura 200 LS w/platform | 2004 | 20' 11" | 102" | 17687 | 10145 | 10277 |
| Montura 200 LS | 2004 | 19' 6" | 102" | 17686 | 10144 | 10276 |
| Montura 208 Si | 2004 | 18' 10" | 98" | 17685 | 10143 | 10275 |
| Montura 208 Si w/swim latform | 2004 | 20' 8" | 98" | 17687 | 10145 | 10277 |
| Montura 210 | 1995 | 20' 10" | 100" | 17687 | 10145 | 10277 |
| Montura 218 LS | 2004 | 21' 6" | 102" | 17687 | 10145 | 10277 |
| Montura 218 LS w/platform | 2004 | 23' 0" | 102" | 17689 | 10147 | 10279 |
| Montura 218 LSC | 2004 | 21' 6" | 102" | 17687 | 10145 | 10277 |
| Montura 218 LSC w/platform | 2004 | 23' 0" | 102" | 17689 | 10147 | 10279 |
| Montura 228 SIC | 2004 | 21' 6" | 102" | 17687 | 10145 | 10277 |
| Montura 228 SIC w/platform | 2004 | 23' 4" | 102" | 17689 | 10147 | 10279 |
| Montura 236 | | 23' 6" | 102" | 17591 | 10133 | 10263 |
| Sundeck / 19 I/O | 1988 | 18' 11" | 94" | 17725 | 10033 | 10165 |
| **MOOMBA** | | | | | | |
| 246 Cruiser | | 24' 10" | 102" | 17592 | 10134 | — |
| Boomerang | 1998 | 18' 10" | 80" | 17700 | 10010 | 15413 |
| Boomerang w/platform | 1998 | 20' 1" | 80" | 17702 | 10012 | 15415 |
| Gravity XLV | 2003 | 23' 8" | 95" | — | — | — |
| Gravity XLV | 2007 | 23' 0" | 98" | — | — | — |
| Gravity XLV w/platform | 2003 | 22' 8" | 95" | — | — | — |
| Gravity XLV w/platform | 2007 | 25' 0" | 98" | — | — | — |
| Kamberra | 00-03 | 22' 0" | 95" | 17688 | 10146 | 10278 |
| Kamberra w platform | 00-02 | 24' 0" | 95" | — | — | — |
| Kanga | 98-02 | 20' 6" | 92" | 17703 | 10013 | 15416 |
| Kanga | 2002 | 22' 6" | 92" | 17689 | 10147 | 10279 |
| Mobius | 98-00 | 20' 6" | 92" | — | — | — |
| Mobius | 02-03 | 20' 8" | 95 | 17687 | 10145 | 10277 |
| Mobius LS | 2007 | 21' 6" | 97" | — | — | — |
| Mobius LS w/platform | 2007 | 23' 6" | 97" | — | — | — |
| Mobius LSV | 2003 | 20' 8" | 95" | 17687 | 10145 | 10277 |
| Mobius LSV | 07-15 | 21' 6" | 97" | — | — | — |
| Mobius LSV w/platform | 2003 | 22' 8" | 95" | — | — | — |
| Mobius LSV w/platform | 2007 | 23' 6" | 97" | — | — | — |
| Mobius V | 00-03 | 22' 0" | 95" | — | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **MOOMBA-CONTINUED** | | | | | | |
| Mobius V w/platform | 00-03 | 24' 0" | 95" | — | — | — |
| Mobius w/platform | 2000 | 22' 0" | 92" | — | — | — |
| Mobius w/platform | 2003 | 22' 8" | 95" | — | — | — |
| Mobius XLV | 2007 | 23' 0" | 98" | — | — | — |
| Mobius XLV w/platform | 2007 | 25' 0" | 98" | — | — | — |
| Mojo | 2015 | 23' 0" | 100" | — | — | — |
| Mojo 2.5 w/o platform | 13-14 | 22' 6" | 99" | — | — | — |
| Outback | 2013 | 20' 6" | 95" | — | — | — |
| Outback | 98-00 | 20' 6" | 92" | — | — | — |
| Outback LS | 2000 | 20' 6" | 92" | 1705 | 10015 | 15418 |
| Outback LS | 2003 | 20' 8" | 95" | 17687 | 10145 | 10277 |
| Outback LS | 2007 | 21' 6" | 97" | — | — | — |
| Outback LS w/platform | 2000 | 22' 0" | 92" | 1705 | 10015 | 15418 |
| Outback LS w/platform | 2003 | 22' 8" | 95" | — | — | — |
| Outback LS w/platform | 2007 | 23' 6" | 97" | — | — | — |
| Outback LSV | 2003 | 20' 8" | 95" | 17687 | 10145 | 10277 |
| Outback LSV | 2007 | 21' 6" | 97" | — | — | — |
| Outback LSV w/platform | 2003 | 22' 8" | 95" | — | — | — |
| Outback LSV w/platform | 2007 | 23' 6" | 97" | — | — | — |
| Outback V | 2007 | 20' 8" | 95" | — | — | — |
| Outback V | 13-15 | 20' 0" | 96" | — | — | — |
| Outback V w/platform | 2007 | 22' 8" | 95" | — | — | — |
| Outback w/platform | 2000 | 22' 0" | 92" | 17705 | 10015 | 15418 |
| Outback w/platform | 2003 | 22' 4' | 95" | — | — | — |
| Outback w/platform | 2007 | 22' 6" | 95" | — | — | — |
| **NAUTIQUE** | | | | | | |
| Super Air Nautique 210 | 2014 | 20' 0" | 98" | — | — | — |
| Super Air Nautique 210 w/ platform | 2014 | 23' 3.5" | 98" | — | — | — |
| Super Air Nautique 230 | 2014 | 23' 1.5" | 100.5" | — | — | — |
| Super Air Nautique 230 w/ platform | 2014 | 25' 4.5" | 100.5" | — | — | — |
| **NAUTICSTAR** | | | | | | |
| 1900 XS | 2015 | 18' 7" | 96" | 17780 | 15412 | 15403 |
| 2000 XS / DC | 13-15 | 20' 3" | 102" | 17800 | 10071 | 10205 |
| 203 DC | 2015 | 20' 4" | 102" | — | — | — |
| 203 SC | 12-13 | 20' 0" | 102" | — | — | — |
| 203 SC | 2015 | 20' 4" | 102" | — | — | — |
| 210 Angler | 2015 | 20' 4" | 98" | — | — | — |
| 210 DC | 2012 | 21' 0" | 102" | — | — | — |
| 210 FA | 2012 | 20' 4" | 98" | — | — | — |
| 210 FA | 2013 | 21' 4" | 102" | — | — | — |
| 210 SC | 2013 | 21' 0" | 102" | — | — | — |
| 210 SC O/B | 2012 | 21' 0" | 102" | — | — | — |
| 212 Legacy | 2015 | 20' 3" | 102" | 17739 | 10152 | 15406 |
| 214 XTS | 2015 | 21' 4" | 92" | 17739 | 10152 | 15406 |
| 214 XTS SB | 2015 | 21' 4" | 92" | 17739 | 10152 | 15406 |
| 222 SC I/O | 2012 | 22' 8" | 102" | 17881 | 10322 | 17890 |
| 223 DC | 13-15 | 22' 7" | 102" | 17796 | 10316 | 10190 |
| 224 XTS | 2015 | 22' 6" | 102" | 17741 | 10153 | 15407 |
| 230 DC | 12-13 | 23' 8" | 102" | — | — | — |
| 231 Angler | 2015 | 22' 9" | 102" | — | — | — |
| 232 DC I/O | 2012 | 23' 8" | 102" | 17797 | 10317 | 10191 |
| 243 DC | 2015 | 24' 3" | 102" | — | — | — |
| 252 SL I/O | 2012 | 25' 8" | 102" | 17799 | 10319 | 10200 |
| NauticBay 2200 Sport | 2013 | 22' 2" | 102" | 17741 | 10153 | 15407 |
| NauticBay 110 Sport | 13-15 | 21' 0" | 92" | 17739 | 10152 | 15406 |
| NauticBay 1810 | 13-15 | 18' 2" | 92" | 17780 | 15412 | 15403 |
| NauticBay 1910 | 2013 | 19' 3" | 92" | 17737 | 10150 | 15404 |
| NauticBay 210 Coastal | 2013 | 20' 4" | 98" | 17738 | 10151 | 15405 |
| NauticBay 2110 SB | 2013 | 21' 4" | 92" | 17739 | 10152 | 15406 |
| NauticBay 2110 SE | 2013 | 21' 0" | 92" | 17739 | 10152 | 15406 |
| NauticBay 2110 Sport | 2015 | 21' 0" | 92" | 17739 | 10152 | 15406 |
| NauticBay 2200 Pro Series | 2013 | 22' 2" | 102" | 17741 | 10153 | 15407 |
| NauticBay 2200 Sport | 2015 | 22' 2.5" | 102" | 17741 | 10153 | 15407 |
| NauticBay 2200 TE | 2013 | 22' 2" | 102" | 17741 | 10153 | 15407 |
| NauticBay 2400 Sport | 2015 | 24' 3" | 102" | 17783 | 10155 | 15409 |
| NauticBay Coastal 210 | 2015 | 20' 4" | 98" | 17738 | 10151 | 15405 |
| 1810 | 2013 | 18' 2" | 92" | 17780 | 15412 | 15403 |
| 1910 | 2013 | 19' 3" | 92" | 17737 | 10150 | 15404 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **NAUTICSTAR-CONTINUED** | | | | | | |
| 2000 XS / DC | 2013 | 20' 3" | 102" | 17800 | 10071 | 10205 |
| 203 SC | 12-13 | 20' 0" | 102" | — | — | — |
| 210 Coastal | 2013 | 20' 4" | 98" | 17738 | 10151 | 15405 |
| 210 DC | 2012 | 21' 0" | 102" | — | — | — |
| 210 FA | 2012 | 20' 4" | 98" | — | — | — |
| 210 FA | 2013 | 21' 4" | 102" | — | — | — |
| 210 SC | 2013 | 21' 0" | 102" | — | — | — |
| 210 SC O/B | 2012 | 21' 0" | 102" | — | — | — |
| 2110 SB | 2013 | 21' 4" | 92" | 17739 | 10152 | 15406 |
| 2110 SE | 2013 | 21' 0" | 92" | 17739 | 10152 | 15406 |
| 2110 Sport | 2013 | 21' 0" | 92" | 17739 | 10152 | 15406 |
| 2200 Pro Series | 2013 | 22' 2" | 102" | 17741 | 10153 | 15407 |
| 2200 Sport | 2013 | 22' 2" | 102" | 17741 | 10153 | 15407 |
| 2200 TE | 2013 | 22' 2" | 102" | 17741 | 10153 | 15407 |
| 222 SC I/O | 2012 | 22' 8" | 102" | 17881 | 10322 | 17890 |
| 223 DC | 2013 | 22' 7" | 102" | 17796 | 10316 | 10190 |
| 230 DC | 12-13 | 23' 8" | 102" | — | — | — |
| 232 DC I/O | 2012 | 23' 8" | 102" | 17797 | 10317 | 10191 |
| 252 SL I/O | 2012 | 25' 8" | 102" | 17799 | 10319 | 10200 |
| **NITRO (BY TRACKER)** | | | | | | |
| 160 TF | 1996 | 16' 0" | 78.5" | 17762 | 10062 | 10188 |
| 165 TF | | 16' 5" | 79" | 17762 | 10062 | 10188 |
| 170 TF / DC | 94-96 | 17' 0" | 79" | 17776 | 10055 | 10182 |
| 175 Sport | 99-01 | 17' 4" | 85" | 17776 | 10055 | 10182 |
| 175 TF / FS | | 17' 6" | 85" | 17776 | 10055 | 10182 |
| 180 TF / FS | 94-96 | 17' 6" | 85" | 17776 | 10055 | 10182 |
| 185 Sport SF | 97-01 | 18' 0" | 89" | 17583 | 10111 | 17575 |
| 185 TF | | 18' 10" | 87" | 17764 | 10063 | 10192 |
| 188 Sport | 2001 | 18' 1" | 93" | 17583 | 10111 | 17575 |
| 189 Sport | 05-10 | 19' 4" | 93" | 17777 | 10057 | 10184 |
| 190 TF / DC | 1994 | 19' 0" | 87" | 17773 | 15411 | 15401 |
| 2000 DC / TF | 1994 | 20' 0" | 93" | 17778 | 10058 | 10185 |
| 205 Sport SF | 96-99 | 20' 0" | 93" | 17030 | 10113 | 17577 |
| 288 Sport | 01-08 | 20' 1" | 96" | 17778 | 10058 | 10185 |
| 290 Sport | 10-13 | 19' 5" | 100" | 17777 | 10057 | 10184 |
| 640 / 640 LX | 97-08 | 16' 4" | 84" | 17774 | 10054 | 10181 |
| 700 LX | 97-05 | 17' 0" | 84" | 17774 | 10054 | 10181 |
| 750 | 05-08 | 17'6" | 86" | 17776 | 10055 | 10182 |
| 800 LXS | 97-99 | 18' 0" | 88" | 17775 | 10056 | 10183 |
| 882 | 1999 | 18' 2" | 92" | 17775 | 10056 | 10183 |
| 884 Savage SC / DC | 96-99 | 18' 4" | 91" | 17775 | 10056 | 10183 |
| 896 Savage SC / DC | 96-99 | 19' 6" | 92" | 17777 | 10057 | 10184 |
| 898 | 05-08 | 20'4" | 93" | 17778 | 10058 | 10185 |
| 901 CDX | 01-08 | 19' 2" | 96" | 17777 | 10057 | 10184 |
| 911 CDC | 99-08 | 20' 2" | 98" | 17778 | 10058 | 10185 |
| 912 Savage | 97-99 | 20' 8" | 92" | 17778 | 10058 | 10185 |
| 929 CDX | 05-08 | 20' 9" | 96" | 17025 | 10059 | 10197 |
| NX 750 | 2005 | 17' 6" | 86" | 17776 | 10055 | 10182 |
| NX 750 | 2001 | 17' 5" | 86" | 17776 | 10055 | 10182 |
| NX 882 | 99-05 | 18' 2" | 92" | 17775 | 10056 | 10183 |
| NX 898 | 2005 | 20' 4" | 93" | 17778 | 10058 | 10185 |
| Ski & Fish | | 17' 6" | 86" | 17582 | 10110 | 17574 |
| Z-5 | 2010 | 17' 4" | 90" | 17776 | 10055 | 10182 |
| Z-6 | 2008 | 17' 9" | 86" | 17776 | 10055 | 10182 |
| Z-6 | 13-15 | 17' 4" | 90" | 17776 | 10055 | 10182 |
| Z-6 SC | 11-13 | 17' 6" | 90" | 17776 | 10055 | 10182 |
| Z-7 / Z-7 SC | 08-15 | 18' 8" | 94" | 17773 | 15411 | 15401 |
| Z-7 Sport | 2011 | 19' 6" | 94" | 17777 | 10057 | 10184 |
| Z-7 Sport | 13-15 | 19' 5" | 93" | 17777 | 10057 | 10184 |
| Z-8 / Z8 SC | 10-15 | 20' 1" | 96" | 17778 | 10058 | 10185 |
| Z-9 SC / Z-9 CDC | 10-15 | 20' 9" | 96" | 17778 | 10058 | 10185 |
| Z-9 CDC | 2008 | 21' 0" | 96" | 17025 | 10059 | 10197 |
| Z-9 SC / Z-9 CDC | 10-11 | 20' 9" | 96" | 17778 | 10058 | 10185 |
| VV 18 | 2015 | 18' 11" | 102" | — | — | — |
| ZV 21 | 13-15 | 21' 7" | 100" | 17025 | 10059 | 10197 |
| **NORRIS CRAFT** | | | | | | |
| 17 X L Vee | | 19' 3" | 90" | 17775 | 10056 | 10183 |
| 19 X L Vee | | 19' 3" | 90" | 17777 | 10057 | 10184 |
| 2000 FXLD | 2004 | 20' 5" | 94" | 17778 | 10058 | 10185 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **NOVA** | | | | | | |
| NV BW 1754 | 2002 | 17' 0" | 76" | 17748 | 10069 | 10204 |
| NV BW 1860 | 2002 | 18' 0" | 81" | 17750 | 10070 | 10206 |
| NV BW 1860 DC | 2002 | 18' 0" | 81" | 17750 | 10070 | 10206 |
| NV PTC 19 / PTF 19 | 2002 | 18' 9" | 96" | 17790 | 10114 | 10244 |
| NV PTC 21 / PTF 21 | 2002 | 20' 9" | 96" | 17791 | 10116 | 10245 |
| NV PTC 25 | 2002 | 24' 9" | 96" | 17792 | 10117 | 10247 |
| **PARTI KRAFT** | | | | | | |
| Admiral 210 | 1999 | 21' 0" | 102" | 17791 | 10116 | 10245 |
| Admiral 220 | 2003 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Admiral 240 | 99-03 | 24' 0" | 102" | — | 10290 | 10331 |
| Admiral 270 | 1999 | 27' 0" | 102" | 17792 | 10117 | 10247 |
| Commander 1800 | 1999 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Commander 200 | 99-03 | 20' 0" | 96" | — | 10289 | 10330 |
| Commander 2019 | 1999 | 20' 0" | 96" | — | 10289 | 10330 |
| Commander 2020 | 1999 | 20' 0" | 96" | — | 10289 | 10330 |
| Commander 2020 | 2003 | 20' 0" | 102" | — | 10289 | 10330 |
| Commander 220 | 2003 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Commander 2221 | 1999 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Commander 2222 | 2003 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Commander 240 | 99-03 | 24' 0" | 96" | — | 10290 | 10331 |
| Commander 2424 | 99-03 | 24' 0" | 96" | — | 10290 | 10331 |
| Ensign 180 | 99-03 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Ensign 200 | 99-03 | 20' 0" | 96" | — | 10289 | 10330 |
| Ensign 220 | 99-03 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Parti Kraft 180 | 2002 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Parti Kraft 1800 | 1999 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Parti Kraft 200 | 99-02 | 20' 0" | 96" | — | 10289 | 10330 |
| Parti Kraft 2019 | 1999 | 20' 0" | 96" | — | 10289 | 10330 |
| Parti Kraft 2020 | 99-02 | 20' 0" | 96" | — | 10289 | 10330 |
| Parti Kraft 210 | 1999 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| Parti Kraft 220 | 99-02 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Parti Kraft 2221 | 1999 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Parti Kraft 240 | 99-02 | 24' 0" | 102" | — | 10290 | 10331 |
| Parti Kraft 2424 | 99-02 | 24' 0" | 96" | — | 10290 | 10331 |
| PK 1980 / F | 2011 | 19' 2" | 96" | — | 10289 | 10330 |
| PK 2180 / FCXL | 2011 | 21' 2" | 96" | 17791 | 10116 | 10245 |
| PK 2186 / DF | 2011 | 21' 2" | 102" | 17791 | 10116 | 10245 |
| PK 2386 / DF | 2011 | 23' 2" | 102" | — | 10290 | 10331 |
| PK 2586 | 2011 | 25' 2" | 102" | 17792 | 10117 | 10247 |
| PKC 220 | 2001 | 23' 1" | 102" | — | 10290 | 10331 |
| PKC 240 | 2011 | 25' 1" | 102" | 17792 | 10117 | 10247 |
| PKC 250 Parti Deck | 2011 | 26' 2" | 102" | 17792 | 10117 | 10247 |
| PKC 250 Sand Bar / Wet Bar | 2011 | 26' 2" | 102" | 17792 | 10117 | 10247 |
| PKC01780 F | 2011 | 17' 2" | 96" | 17790 | 10114 | 10244 |
| **PATHFINDER** | | | | | | |
| Pathfinder 200 | 2013 | 20' 4" | 102" | — | — | — |
| Pathfinder 2200 TRS | 13-15 | 22' 2" | 102" | — | — | — |
| Pathfinder 2200 TE | 13-15 | 22' 2" | 102" | — | — | — |
| Pathfinder 2300 HPS | 13-15 | 23' 6" | 100" | — | — | — |
| Pathfinder 2400 TRS | 13-15 | 23' 11" | 102" | — | — | — |
| Pathfinder 2600 HPS | 13-15 | 26' 2" | 106" | — | — | — |
| **PERFORMANCE** | | | | | | |
| Angler | | 15' 0" | 56" | 17550 | — | — |
| Angler Stick | | 15' 0" | 56" | 17550 | — | — |
| Dream | | 16' 3" | 77" | 17762 | 10062 | 10188 |
| Gambler | | 16' 11" | 86" | 17776 | 10055 | 10182 |
| Judge | | 16' 6" | 74" | 17762 | 10062 | 10188 |
| Magnum 150 | | 15' 4" | 73" | 17760 | 10061 | 10187 |
| Magnum 170 | | 16' 11" | 86" | 17711 | 10025 | 10159 |
| Rendezvous | | 16' 6" | 74" | 17762 | 10062 | 10188 |
| Rogue | | 15' 0" | 66" | 17760 | 10061 | 10187 |
| Thruster | | 15' 4" | 73" | 17760 | 10061 | 10187 |
| **PHOENIX** | | | | | | |
| 618 Pro | 12-15 | 18' 6" | 94" | 17773 | 15411 | 15401 |
| 619 Pro | 11-15 | 19' 8" | 96" | 17777 | 10057 | 10184 |
| 719 Pro XP | 11-12 | 19' 8" | 96" | 17777 | 10057 | 10184 |
| 721 Pro XP | 12-15 | 20' 11" | 96" | 17778 | 10058 | 10185 |
| 819 Pro | 2015 | 18' 8" | 96" | 17773 | 15411 | 15401 |
| 919 Pro XP | 2015 | 19' 8" | 96" | 1777 | 10057 | 10184 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **PHOENIX-CONTINUED** | | | | | | |
| 920 Pro XP | 2015 | 20' 6" | 96" | 17778 | 10058 | 10185 |
| 921 Pro XP | 12-15 | 21' 6" | 96" | 17778 | 10058 | 10185 |
| **PLAYBOUY** | | | | | | |
| Admiral 2419 Supreme | | 20' 0" | 96" | — | 10289 | 10330 |
| Calypso 18 | 2002 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Calypso 18 | 2003 | 18' 0" | 102" | 17790 | 10114 | 10244 |
| Calypso 20 | 99-02 | 20' 0" | 96" | — | 10289 | 10330 |
| Calypso 20 | 2003 | 20' 0" | 102" | — | 10289 | 10330 |
| Calypso 22 | 99-02 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Calypso 22 | 2003 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Calypso 22 I/O-O/B | | 22' 0" | 94" | 17791 | 10116 | 10245 |
| Calypso 24 | 99-02 | 24' 0" | 96" | — | 10290 | 10331 |
| Calypso 24 | 2003 | 24' 0" | 102" | — | 10290 | 10331 |
| Challenger 20 | 02-03 | 20' 0" | 102" | — | 10289 | 10330 |
| Challenger 20 | 93-99 | 20' 0" | 96" | — | 10289 | 10330 |
| Challenger 22 | 02-03 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Challenger 24 | 2002 | 24' 0" | 102" | — | 10290 | 10331 |
| Challenger 24 | 93-99 | 24' 0" | 96" | — | 10290 | 10331 |
| Challenger 24 / I/O | 1993 | 23' 0" | 96" | — | 10290 | 10331 |
| Eagle 18 | 92-02 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Eagle 20 | 92-02 | 20' 0" | 96" | — | 10289 | 10330 |
| Eagle 22 | 92-02 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Eagle 24 | 92-02 | 24' 0" | 96" | — | 10290 | 10331 |
| Eagle 2419 | 1993 | 23' 0" | 96" | — | 10290 | 10331 |
| Eagle DLX 18 | 95-99 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Eagle 29 / 2019 | 1993 | 19' 0" | 96" | — | 10289 | 10330 |
| Fish 'N Fun 2022 / 20 | 1999 | 20' 0" | 96" | — | 10289 | 10330 |
| Fish 'N Fun 2422 / 24 | 1999 | 24' 0" | 96" | — | 10290 | 10331 |
| Flagship 2822 Supreme | | 24' 0" | 96" | — | 10290 | 10331 |
| Kingfisher 18 | 02-03 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Kingfisher 20 | 02-03 | 20' 0" | 96" | — | 10289 | 10330 |
| Kingfisher 22 | 02-03 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Kingfisher 24 | 02-03 | 24' 0" | 96" | — | 10290 | 10331 |
| Marquise 23 | 2002 | 23' 0" | 102" | — | 10290 | 10331 |
| Marquise 25 | 2002 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| Marquise 27 | 2002 | 27' 0" | 102" | — | 10291 | 10332 |
| Scottyboat Deluxe | | 20' 0" | 96" | — | 10289 | 10330 |
| Sportfisher 2019 | 1993 | 20' 0" | 96" | — | 10289 | 10330 |
| Sportfisher 2022 | 1993 | 20' 0" | 96" | — | 10289 | 10330 |
| Supreme 2022 DLX / 20 | 1993 | 20' 0" | 96" | — | 10289 | 10330 |
| Supreme 2422 DLX | 1993 | 24' 0" | 96" | — | 10290 | 10331 |
| Supreme 2422 DLX I/O / 24 | 1993 | 24' 0" | 96" | — | 10290 | 10331 |
| Tropic 18 | 02-03 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Tropic 20 | 02-03 | 20' 0" | 96" | — | 10289 | 10330 |
| Tropic 22 | 02-03 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Tropic 24 | 02-03 | 24' 0" | 96" | — | 10290 | 10331 |
| Windjammer 18 | 02-03 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Windjammer 20 | 02-03 | 20' 0" | 96" | — | 10289 | 10330 |
| Windjammer 22 | 02-03 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Windjammer 24 | 02-03 | 24' 0" | 96" | — | 10290 | 10331 |
| Yachtsman 20 | 93-99 | 20' 0" | 96" | — | 10289 | 10330 |
| Yachtsman 2019 STD | | 20' 0" | 96" | — | 10289 | 10330 |
| Yachtsman 2019 STD / 20 | | 20' 0" | 96" | — | 10289 | 10330 |
| Yachtsman 2022 DLX | 1993 | 20' 0" | 96" | — | 10289 | 10330 |
| Yachtsman 21 | 2002 | 21' 0" | 102" | 17791 | 10116 | 10245 |
| Yachtsman 23 | 02-03 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Yachtsman 24 | 95-03 | 24' 0" | 96" | — | 10290 | 10331 |
| Yachtsman 24/IO | | 24' 0" | 96" | — | 10290 | 10331 |
| Yachtsman 2419 | | 20' 0" | 96" | — | 10289 | 10330 |
| Yachtsman 2422 DLX | | 24' 0" | 96" | — | 10290 | 10331 |
| Yachtsman 2422 DLX I/O | | 24' 0" | 96" | — | 10290 | 10331 |
| Yachtsman 25 | 2002 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| Yachtsman 2822 | | 24' 0" | 96" | — | 10290 | 10331 |
| **PLAYCRAFT** | | | | | | |
| 1700 O/B | | 17' 0" | 93" | 17711 | 10025 | 10159 |
| 1750 BR I/O | | 17' 0" | 93" | 17723 | 10030 | 10163 |
| 1905 BR I/O | | 19' 0" | 96" | 17725 | 10033 | 10165 |
| 2015 BR I/O | | 20' 8" | 96" | 17727 | 10035 | 10167 |
| 2150 BR I/O | | 21' 0" | 96" | 17687 | 10145 | 10277 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **PLAYCRAFT-CONTINUED** | | | | | | |
| 2150 Cuddy Cabin I/O | | 21' 0" | 96" | **17588** | **10130** | **10258** |
| 250 DSV | 2002 | 24' 7" | 100" | **17883** | **10324** | **17892** |
| Caliente 20 | 1997 | 20' 6" | 96" | **17014** | — | — |
| Caliente 22 | 1997 | 22' 3" | 96" | **17018** | — | — |
| Clipper 1900 / 1900 FX 4 | 1997 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| Clipper 2000 | 99-02 | 20' 6" | 96" | — | **10289** | **10330** |
| Clipper 2000 | 04-15 | 20' 0" | 101" | — | **10289** | **10330** |
| Clipper 2000 FX 4 | 2007 | 20' 0" | 96" | — | **10289** | **10330** |
| Clipper 2400 | 97-02 | 23' 0" | 96" | — | **10290** | **10331** |
| Clipper 2400 | 04-15 | 24' 0" | 101" | — | **10290** | **10331** |
| Clipper 2600 SRL | 2015 | 26' 0" | 101" | **17792** | **10117** | **10247** |
| DE20 O/B | | 20' 0" | 96" | — | **10289** | **10330** |
| DE24 O/B | | 24' 0" | 96" | — | **10290** | **10331** |
| DE28 O/B | | 28' 0" | 96" | **17792** | **10117** | **10247** |
| Deck Cruiser 20 | 96-97 | 20' 4" | 96" | — | **10289** | **10330** |
| Deck Cruiser 22 | 1997 | 22' 3" | 96" | **17791** | **10116** | **10245** |
| Deck Cruiser 24 | 96-97 | 24' 2" | 96" | — | **10290** | **10331** |
| Deluxe 20 | | 24' 2" | 96" | — | **10290** | **10331** |
| Deluxe 24 | | 24' 0" | 96" | — | **10290** | **10331** |
| FX 4 20 | | 20' 0" | 96" | — | **10289** | **10330** |
| FX 4 24 | | 24' 0" | 96" | — | **10290** | **10331** |
| FX 4 Fishdeck 20 | 96-97 | 20' 6" | 96" | — | **10289** | **10330** |
| FX 4 Fishdeck 22 | 97-07 | 22' 3" | 96" | **17791** | **10116** | **10245** |
| FX 4 Fishdeck O/B - 18 | 96-97 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| FX 4 Fishdeck 24 | 97-07 | 24' 3" | 96" | — | **10290** | **10331** |
| HT 22 I/O - O/B | | 22' 0" | 102" | **17791** | **10116** | **10245** |
| HT 26 I/O - O/B | | 26' 0" | 102" | **17792** | **10117** | **10247** |
| PC 19 O/B | | 18' 2" | 96" | **17790** | **10114** | **10244** |
| Perch Jerker | | 19' 0" | 96" | — | **10289** | **10330** |
| PJ Pro | | 20' 0" | 96" | — | **10289** | **10330** |
| Playdeck 20 I/O - O/B | | 20' 4" | 96" | — | **10289** | **10330** |
| Playdeck 24 I/O - O/B | | 24' 2" | 96" | — | **10290** | **10331** |
| Playmate 18 | | 18' 0" | 96" | **17790** | **10114** | **10244** |
| Playmate 20 | | 20' 0" | 96" | — | **10289** | **10330** |
| Playmate 24 | | 24' 0" | 96" | — | **10290** | **10331** |
| Power Deck 260 Sxi | 2015 | 26' 0" | 102" | **17823** | **10096** | **10239** |
| Power Deck X-Treme 2600 | 2015 | 26' 0" | 102" | **17823** | **10096** | **10239** |
| Power-Toon 2200 | 97-15 | 22' 0" | 101" | **17791** | **10116** | **10245** |
| Power-Toon 2400 | 97-15 | 24' 0" | 101" | — | **10290** | **10331** |
| Power-Toon 2600 | 97-15 | 26' 0" | 101" | **17792** | **10117** | **10247** |
| PowerToon Xtreme 2600 | 2004 | 26' 0" | 102" | **17792** | **10117** | **10247** |
| PP 20 / 20 FS | | 20' 0" | 96" | — | **10289** | **10330** |
| PP 24 | | 24' 0" | 96" | — | **10290** | **10331** |
| Pro Fishdeck I/O | | 20' 4" | 95" | **17790** | **10114** | **10244** |
| Pro Fishdeck O/B | | 20' 4" | 95" | **17790** | **10114** | **10244** |
| PS 20 O/B | | 20' 0" | 96" | **17790** | **10114** | **10244** |
| PS 24 O/B | | 24' 0" | 96" | — | **10290** | **10331** |
| PT 24 | | 24' 0" | 96" | — | **10290** | **10331** |
| PV 27 I/O-O/B | | 27' 0" | 102" | — | **10291** | **10332** |
| River Skiff | 2015 | 20' 6" | 66" | — | — | — |
| Sport Cruiser 2000 | 97-07 | 20' 0" | 102" | **17790** | **10114** | **10244** |
| Sport Cruiser 2400 | 97-04 | 24' 0" | 102" | — | **10290** | **10331** |
| Sport FX 4 2000 | 97-01 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| Sport FX 4 2400 | 97-01 | 24' 0" | 96" | — | **10290** | **10331** |
| Sport PT 2000 | 97-01 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| Sport PT 2400 | 97-01 | 24' 0" | 96" | — | **10290** | **10331** |
| Sunfish 2000 | 2002 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| Sunfish 2200 Troller | 2015 | 22' 0" | 101" | **177791** | **10116** | **10245** |
| Sunfish Hybrid 22 | 2015 | 22' 0" | 101" | **177791** | **10116** | **10245** |
| Sunfish 2200 FX 4 | 2015 | 22' 0" | 101" | **177791** | **10116** | **10245** |
| Sunfish 2000 FX 4 | 04-07 | 20' 0" | 102" | **17790** | **10114** | **10244** |
| Sunfish 2200 | 2002 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| Sunfish 2200 Hybrid | 04-07 | 22' 0" | 102" | **17791** | **10116** | **10245** |
| Sunfish 2400 | 2002 | 24' 0" | 96" | — | **10290** | **10331** |
| Sunfish 2400 Troller | 04-07 | 24' 0" | 102" | **17791** | **10116** | **10245** |
| Sunfish FishDeck FX 4-18 | 2004 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| Sunfish FishDeck FX 4-20 | 2004 | 20' 7" | 96" | **17790** | **10114** | **10244** |
| Sunfish FishDeck FX 4-22 | 2004 | 22' 3" | 96" | **17791** | **10116** | **10245** |
| Sunfish FishDeck FX 4-24 | 2004 | 24' 3" | 96" | — | **10290** | **10331** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **PLAYCRAFT-CONTINUED** | | | | | | |
| TT 22 O/B | | 22' 0" | 102" | **17791** | **10116** | **10245** |
| TT 26 O/B | | 26' 0" | 102" | **17792** | **10117** | **10247** |
| Ultra 2000 | 97-01 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| Ultra 2200 | 02-07 | 22' 0" | 102" | **17791** | **10116** | **10245** |
| Ultra 2400 | 97-01 | 24' 0" | 96" | — | **10290** | **10331** |
| Ultra 2500 | 02-07 | 25' 0" | 102" | **17792** | **10117** | **10247** |
| Ultra 2800 | 97-02 | 28' 0" | 96" | — | **10291** | **10332** |
| Ultra 2800 | 2004 | 28' 0" | 102" | — | **10291** | **10332** |
| Ultra 800 | 2007 | 28' 0" | 102" | — | **10291** | **10332** |
| Ultra Deck Cruiser DC-20 | 2004 | 20' 7" | 96" | — | **10289** | **10330** |
| Ultra Deck Cruiser DC-20 | 2015 | 20' 7" | 102" | — | **10289** | **10330** |
| Ultra Deck Cruiser DC-22 | 2004 | 22' 3" | 96" | **17791** | **10116** | **10245** |
| Ultra Deck Cruiser DC-22 | 2015 | 22' 3" | 102" | **17791** | **10116** | **10245** |
| Ultra Deck Cruiser DC-24 | 2004 | 24' 3" | 96" | — | **10290** | **10331** |
| Ultra Deck Cruiser DC-24 | 2015 | 24' 3" | 102" | — | **10290** | **10331** |
| Ultra Voyager 2800 | 2004 | 28' 0" | 102" | — | **10291** | **10332** |
| **POLAR KRAFT** | | | | | | |
| 1448 AW / FB 1448 / MV 1448 / MVT 1448 | 96-99 | 14' 0" | 68" | **17044** | — | — |
| 1680 | 2003 | 16' 1" | 79" | — | — | — |
| 1700 CC | 03-05 | 17' 2" | 91" | **17736** | **10148** | **15402** |
| 1700 V | 1999 | 17' 1" | 94" | **17810** | **10082** | **10231** |
| 1751 Pro | 1999 | 17' 0" | 75" | **17748** | **10069** | **10204** |
| 1788 | 2003 | 17' 7" | 89" | — | — | — |
| 1810 Bay Boat | 2005 | 18' 4" | 96" | **17737** | **10150** | **15404** |
| 1896 | 2003 | 18' 2" | 94' | — | — | — |
| 1900 CC | 03-05 | 19' 1" | 97" | **17737** | **10150** | **15404** |
| 2010 Bay Boat | 2005 | 19' 11" | 101" | **17737** | **10150** | **15404** |
| 2100 Bay Boat | 1999 | 21' 0" | 102" | **17739** | **10152** | **15406** |
| 2100 CC | 03-05 | 21' 4" | 102" | **17739** | **10152** | **15406** |
| 2100 DC | 2005 | 21' 4" | 102" | **17588** | **10130** | **10258** |
| 2100 V | 1999 | 21' 0" | 102" | — | — | — |
| 2100 WA | 2005 | 21' 4" | 102" | **17588** | **10130** | **10258** |
| 2300 Bay | 1999 | 23' 0" | 102" | **17782** | **10154** | **15408** |
| 2300 CC | 2005 | 23' 4" | 102" | **17782** | **10154** | **15408** |
| 2300 WA | 2005 | 23' 4" | 102" | **17590** | **10132** | **10261** |
| 2310 BB | 03-05 | 22' 11" | 102" | **17782** | **10154** | **15408** |
| 2700 CC | 2005 | 27' 4" | 114" | — | — | — |
| Bass TX 165 | 10-15 | 16' 5" | 84" | **17746** | **10068** | **10202** |
| Bass TX 175 FF | 10-15 | 17' 5" | 84" | **17803** | **10075** | **10224** |
| Bass TX 175 Pro | 10-15 | 17' 5" | 84" | **17803** | **10075** | **10224** |
| Cherokee | | 18' 0" | 72" | **17750** | **10070** | **10206** |
| Crappie-Console | | 15' 6" | 68" | **17744** | **10067** | **10195** |
| Crappie-Console | 97-99 | 16' 0" | 68" | **17744** | **10067** | **10195** |
| Crappie-Stick | | 15' 6" | 68" | **17744** | **10067** | **10195** |
| DS 1751 | | 17' 0" | 72" | **17048** | — | — |
| DU 1448 River Hunter | 1997 | 14' 0" | 68" | **17044** | — | — |
| DU 1648 Marsh Hunter | 1997 | 16' 0" | 72" | **17046** | — | — |
| DU 1751 Sportsman Dlx | 1997 | 17' 2" | 72" | **17048** | — | — |
| Eagle 15 | | 15' 6" | 68" | **17744** | **10067** | **10195** |
| Eagle 15 | 97-99 | 15' 0" | 68" | **17742** | **10066** | **10194** |
| Eagle 16 | 1999 | 16' 0" | 71" | **17744** | **10067** | **10195** |
| Eagle 17 | 96-97 | 17' 0" | 72" | **17748** | **10069** | **10204** |
| Eagle 17 Pro | 1997 | 17' 0" | 68" | **17748** | **10069** | **10204** |
| Eagle 18 Pro | 1997 | 18' 0" | 72" | **17750** | **10070** | **10206** |
| FB 1436 / MV 1436 | 96-99 | 14' 0" | 53" | **17040** | — | — |
| FB 1648 / 1648 AW | 96-99 | 16' 0" | 68" | **17046** | — | — |
| FB 1651 / 1651 AW | 96-99 | 16' 0" | 72" | **17046** | — | — |
| Frontier V 166 WT | 2015 | 16' 6" | 93" | **17713** | **10027** | **10161** |
| Frontier V 179 SC | 14-15 | 17' 11" | 99" | — | — | — |
| Frontier V 179 WT | 14-15 | 17' 11" | 99" | — | — | — |
| Frontier V 189 WT | 14-15 | 18' 11" | 99" | — | — | — |
| HP 176 PB | 2003 | 17' 6" | 86" | — | — | — |
| HP 180 Pro | 2003 | 18' 3" | 89" | **17820** | — | — |
| Kodiak V 165 SC | 03-14 | 16' 4" | 80" | **17459** | **15429** | **15428** |
| Kodiak V 165 SC | 2015 | 16' 7" | 85" | **17459** | **15429** | **15428** |
| Kodiak V 168 SC / DC | 03-14 | 16' 8" | 87" | **17710** | **10023** | **10158** |
| Kodiak V 170 FS | 14-15 | 17' 1" | 96" | **17718** | **10106** | **10219** |
| Kodiak V 170 FS | 10-11 | 16' 11" | 89" | **17711** | **10025** | **10159** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **POLAR KRAFT-CONTINUED** | | | | | | |
| Kodiak V 180 FS / SC / TS | 11-15 | 17' 8" | 92" | 17718 | 10106 | 10219 |
| Kodiak V 180 WT | 2014 | 17' 8" | 92" | — | — | — |
| Kodiak V 190 FS / SC / TC | 11-15 | 18' 8" | 101" | — | — | — |
| Kodiak V 190 WT | 2014 | 18' 8" | 101" | — | — | — |
| Kodiak V 200 SC | 2014 | 19' 10" | 98" | 17787 | 10217 | 10240 |
| Kodiak V 200 WT | 2014 | 19' 10" | 98" | — | — | — |
| MH 1648 | | 16' 0" | 68" | 17046 | — | — |
| MV 1442 / 1442 AW | 96-99 | 14' 0" | 62" | 17044 | — | — |
| MV 1475 / L | 2003 | 14' 0" | 75" | 17044 | — | — |
| MV 1542 / AW | 96-99 | 15' 0" | 62" | 17042 | — | — |
| MV 1566 L / LDL | 2003 | 15' 0" | 66" | 17042 | — | — |
| MV 1571 DB / SC / SS / L | 2003 | 15' 0" | 71" | — | — | — |
| MV 1585 SE | 2011 | 15' 6" | 82" | — | — | — |
| MV 160 BF / FF / SS | 2003 | 16' 0" | 75" | 17046 | — | — |
| MV 1648 / AW | 96-99 | 16' 0" | 68" | 17046 | — | — |
| MV 1675 CC / DB / HF / SC / L | 03-09 | 16' 0" | 75" | 17046 | — | — |
| MV 1680 / DB / SE | 10-11 | 16' 2" | 80" | — | — | — |
| MV 1751 / MVT 1751 / AW | 96-99 | 17' 0" | 72" | 17048 | — | — |
| MV 176 FF | 2003 | 17' 6" | 85" | — | — | — |
| MV 1775 | 2003 | 17' 0" | 75" | — | — | — |
| MV 1780 / SE | 2010 | 17' 0" | 80" | 17048 | — | — |
| MV 1785 SE | 2011 | 17' 6" | 86" | — | — | — |
| MV 180 FF | 2003 | 18' 0" | 75" | 17820 | — | — |
| MV 1860 / MVT 1860 / 1860 AW | 96-99 | 18' 0" | 80" | 17048 | — | — |
| MV 1875 / CC / HF / SC / SE | 2003 | 18' 0" | 75" | 17820 | — | — |
| MV 1885 / CC / MF / SC / SE | 2003 | 18' 0" | 85" | 17820 | — | — |
| MV 1890 DB | 2003 | 18' 0" | 90" | 17820 | — | — |
| MV 1896 / CC / SC | 10-11 | 18' 0" | 96" | — | — | — |
| Outfitter MV 1554 | 2014 | 15' 6" | 82" | — | — | — |
| Outfitter MV 1654 | 2014 | 16' 2" | 80" | 17746 | 10068 | 10202 |
| Outfitter MV 1754 | 2014 | 17' 0" | 80" | 17803 | 10075 | 10224 |
| Outfitter MV 1860 | 2014 | 18' 0" | 86" | 17804 | 10076 | 10225 |
| Outfitter MV 2072 X | 2014 | 20' 4" | 96" | 17806 | 10078 | 10227 |
| Outfitter MV 2096 X / XCC | 10-11 | 20' 4" | 96" | 17822 | — | — |
| Outlander V 156 SC | 2015 | 15' 6" | 81" | 17459 | 105429 | 15428 |
| Outlander V 160 CC | 2015 | 16' 3" | 81" | — | — | — |
| Outlander V 179 TC | 10-11 | 17' 9" | 93" | 17718 | 10106 | 10219 |
| Outlander V 186 CC | 2014 | 18' 6" | 92" | — | — | — |
| Outlander V 186 SC / T | 10-15 | 18' 6" | 92" | 17815 | 10090 | 10236 |
| Outlander V 2010 CC / SC / TC / T / CC | 10-15 | 20' 11.5" | 96" | 17020 | 10028 | 10162 |
| Outlander V 2010 WT | 14-15 | 20' 11.5" | 96" | 17020 | 10028 | 10162 |
| PK Classic V 156 SC | 2014 | 15' 6" | 92" | — | — | — |
| PK Classic V 156 T | 2014 | 15' 6" | 96" | — | — | — |
| PK Classic V 160 T | 14-15 | 16' 3" | 81" | 17459 | 15429 | 15428 |
| SB-150 MV | | 14' 10" | 65" | 17742 | 10066 | 10194 |
| SB-160 MV | | 16' 0" | 69" | 17744 | 10067 | 10195 |
| SB-170 MV | | 17' 3" | 72" | 17748 | 10069 | 10204 |
| SB-186 MV / FS | | 18' 0" | 80" | 17775 | 10056 | 10183 |
| Sierra V 194 F / SD | 2010 | 19' 4" | 101" | — | — | — |
| Sierra V 224 F /SD | 2010 | 22' 4" | 102" | — | — | — |
| Sportsman MV 1554 SE | 14-15 | 15' 6" | 82" | — | — | — |
| Sportsman MV 1654 SE | 14-15 | 16' 2" | 80" | 17746 | 10068 | 10202 |
| Sportsman MV 1754 SE | 14-15 | 17' 0" | 80" | 17803 | 10075 | 10224 |
| Sportsman MV 1760 SE | 14-15 | 17' 6" | 86' | 17803 | 10075 | 10224 |
| Sportsman MV 1860 CC | 14-15 | 18' 0" | 86" | — | — | — |
| Sportsman MV 1860 SE | 14-15 | 18' 0" | 86" | 17804 | 10076 | 10225 |
| Sportsman MV 1886 / CC / SE | 10-11 | 18' 0" | 86" | 17820 | — | — |
| Sportsman MV 2072 XCC | 14-15 | 20' 4" | 96" | — | — | — |
| Sportsman MV 2085 / CC / SC | 2003 | 20' 0" | 85" | 17822 | — | — |
| Sportsman MV 2096 / CC | 2003 | 20' 0" | 96" | 17822 | — | — |
| Sportsman MV1654 DB | 14-15 | 16' 2" | 80" | 17746 | 10068 | 10202 |
| Super Bass 160 | | 16' 7" | 66" | 17748 | 10069 | 10204 |
| Super Bass 170 | | 17' 4" | 72" | 17748 | 10069 | 10204 |
| Super Bear | | 16' 7" | 70" | 17748 | 10069 | 10204 |
| SV-1448 | | 13' 10" | 63" | 17454 | 10087 | 10208 |
| SV-1648 | | 15' 10" | 63" | 17455 | 10092 | 10211 |
| SV-174 Center Console | | 17' 4" | 86" | 17736 | 10148 | 15402 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **POLAR KRAFT-CONTINUED** | | | | | | |
| SV-174 Fish-N-Ski | | 17' 4" | 86" | 17582 | 10110 | 17574 |
| SV-174 Side Console | | 17' 4" | 86" | 17776 | 10055 | 10182 |
| V 142 T | 2003 | 14' 4" | 72" | 17454 | 10087 | 10208 |
| V 144 SC / TC | 2003 | 14' 4" | 72" | 17813 | 10088 | 10234 |
| V 150 SC / T / WB / WT | 2010 | 15' 0" | 78" | 17814 | 10089 | 10235 |
| V 156 SC | 2011 | 15' 6" | 81" | — | — | — |
| V 1578 WV / WT | 2011 | 15' 0" | 78" | 17709 | 10022 | 10157 |
| V 160 SC | 11-14 | 16' 3" | 81" | 17746 | 10068 | 10202 |
| V 163 TC / T | 2011 | 16' 6" | 93" | — | — | — |
| V 164 SC / T | 03-10 | 16' 4" | 80" | 17456 | 10093 | 10212 |
| V 1778 WB / WT | 10-11 | 17' 0" | 78" | 17711 | 10025 | 10159 |
| V 200 Pro TC | 2011 | 19' 10' | 98" | 17020 | 10028 | 10162 |
| XT 175 PB | 2006 | 17' 6" | 86" | 17810 | 10082 | 10231 |
| **POWER PLAY** | | | | | | |
| Integra/Luxury Sport | | 18' 4" | 88" | 17724 | 10032 | 10164 |
| Spectra XL 222 | | 22' 2" | 96" | 17728 | 10036 | 10168 |
| XLT-185 | | 18' 4" | 88" | 17724 | 10032 | 10164 |
| **PREMIER MARINE** | | | | | | |
| Alanta 235 | 2103 | 23' 5" | 102" | — | 10290 | 10331 |
| Alante 210 | 97-99 | 20' 2" | 98" | 17790 | 10114 | 10244 |
| Alante 225 | 2002 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Alante 230 | 2015 | 23' 5' | 102" | — | 10290 | 10331 |
| Alante 235 RF | 13-14 | 23' 5" | 102" | — | 10290 | 10331 |
| Alante 250 | 97-02 | 24' 2" | 98" | 17791 | 10116 | 10245 |
| Alante 250 | 2015 | 25' 5' | 102" | 17791 | 10116 | 10245 |
| Alante 250 RF | 13-15 | 25' 5" | 102" | 17792 | 10117 | 10247 |
| Boundary Waters | 97-02 | 26' 11" | 102" | 17792 | 10117 | 10247 |
| Cast-a-way 210 | 97-99 | 20' 2" | 98" | 17790 | 10114 | 10244 |
| Cast-A-Way 221 | 13-15 | 22' 5" | 102' | 17791 | 10116 | 10245 |
| Cast-a-Way 225 | 2002 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Cast-A-Way 231 | 13-14 | 23' 5" | 102" | — | 10290 | 10331 |
| Cast-A-Way 241 | 2015 | 24' 5" | 102" | 17791 | 10116 | 10245 |
| Cast-a-way 250 | 97-02 | 24' 2" | 102" | 17791 | 10116 | 10245 |
| Cast-A-Way 251 | 13-14 | 25' 5" | 102" | 17792 | 10117 | 10247 |
| Castmaster 225 | 2002 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| E 160 | 2015 | 16' 5" | 102' | | 10288 | 10329 |
| Entertainer 260 | 2013 | 26' 5" | 102" | 17792 | 10117 | 10247 |
| Escapade 250 | 2002 | 24' 0" | 102" | 17791 | 10116 | 10245 |
| Explorer 171 | 2013 | 17' 5" | 102" | 17790 | 10114 | 10244 |
| Explorer 180 | 2002 | 17' 9" | 96" | 17790 | 10114 | 10244 |
| Explorer 201 | 13-15 | 20' 5" | 102" | — | 10120 | 10250 |
| Explorer 210 | 2002 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Explorer 221 | 13-15 | 22' 5" | 102' | 17791 | 10116 | 10245 |
| Explorer 225 | 2002 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| FS Leisure 180 | 2013 | 17' 5" | 102" | 17790 | 10114 | 10244 |
| Gemini 201 | 13-15 | 20' 5" | 102" | 17790 | 10114 | 10244 |
| Gemini 210 | 2002 | 20' 0" | 98" | 17790 | 10114 | 10244 |
| Gemini 221 | 13-15 | 22' 5" | 102' | 17791 | 10116 | 10245 |
| Gemini 225 | 2002 | 22' 01" | 98" | 17791 | 10116 | 10245 |
| Grand Majestic 250 | 99-02 | 24' 2" | 98" | 17791 | 10116 | 10245 |
| Grand Majestic 270 | 97-02 | 26' 2" | 100" | 17792 | 10117 | 10247 |
| Grand Majestic LTD 235 | 2013 | 23' 5" | 102" | — | 10290 | 10331 |
| Grand Isle SL 250 | 2015 | 25' 5" | 102" | 17792 | 10117 | 10247 |
| Grand Isle SL 260 | 14-15 | 26' 5" | 102" | 17792 | 10117 | 10247 |
| Grand View 260 | 13-15 | 26' 5" | 102" | 17792 | 10117 | 10247 |
| Intrigue 250 | 13-14 | 25' 5" | 102" | 17792 | 10117 | 10247 |
| S-Series 250 | 13-14 | 25' 5" | 102" | 17792 | 10117 | 10247 |
| Grand Entertainer 260 | 14-15 | 26' 5" | 102" | 17792 | 10117 | 10247 |
| Grand Entertainer 240 | 14-15 | 24' 5" | 102" | 17791 | 10116 | 10245 |
| Isle 260 | 2013 | 26' 5" | 102" | 17792 | 10117 | 10247 |
| Legend 210 | 99-02 | 20' 2" | 102" | 17790 | 10114 | 10244 |
| Legend 225 | 2002 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Legend 250 | 99-02 | 24' 2" | 102" | 17791 | 10116 | 10245 |
| Navigator 200 | 13-15 | 19' 5" | 102" | — | 10120 | 10250 |
| Navigator 220 | 13-15 | 21' 5" | 102" | 17791 | 10116 | 10245 |
| Leisure Navigator 200 | 2013 | 20' 5" | 102" | 17790 | 10114 | 10244 |
| Leisure Navigator 220 | 2013 | 22' 5" | 102" | 17791 | 10116 | 10245 |
| Leisure Sunspree 180 | 2013 | 18' 5" | 102" | 17790 | 10114 | 10244 |
| Leisure Sunspree 200 | 2013 | 20' 5" | 102" | — | 10120 | 10250 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **PREMIER MARINE** | | | | | | |
| Leisure Sunspree 220 | 2013 | 22' 5" | 102" | 17791 | 10116 | 10245 |
| Majestic 210 | 97-99 | 20' 2" | 98" | 17790 | 10114 | 10244 |
| Majestic 250 | 97-02 | 24' 2" | 102" | 17791 | 10116 | 10245 |
| Majestic 255 | 2002 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Odyse Ski | 1997 | 17' 6" | 98" | 17790 | 10114 | 10244 |
| Odyse Ski 210 | 97-99 | 20' 2" | 98" | 17790 | 10114 | 10244 |
| Solaris RF 250 | 14-15 | 25' 5" | 102" | 17792 | 10117 | 10247 |
| Solaris RF 230 | 14-15 | 23' 5" | 102" | — | 10290 | 10331 |
| Solaris 160 | 2013 | 16' 5" | 102" | — | 10288 | 10329 |
| Solaris 180 | 2013 | 18' 5" | 102" | 17790 | 10114 | 10244 |
| Solaris RE 200 | 13-14 | 20' 5" | 102" | 17790 | 10114 | 10244 |
| Solaris RE 230 | 13-15 | 23' 5" | 102" | — | 10290 | 10331 |
| Solaris RE 250 | 13-15 | 25' 5" | 102" | — | 10290 | 10331 |
| Sunrise 200 | 1999 | 18' 2" | 98" | 17790 | 10114 | 10244 |
| Sunrise 240 | 1999 | 22' 2" | 98" | 17791 | 10116 | 10245 |
| SunSation 160 | 13-14 | 16' 5" | 102" | — | 10288 | 10329 |
| SunSation 180 | 2002 | 18' 0" | 98" | 17790 | 10114 | 10244 |
| SunSation 180 | 13-15 | 18' 5" | 102" | 17790 | 10114 | 10244 |
| SunSation 200 | 13-15 | 20' 5" | 102" | 17790 | 10114 | 10244 |
| SunSation 210 | 97-02 | 20' 2" | 98" | 17790 | 10114 | 10244 |
| SunSation 220 | 13-15 | 22' 5" | 102" | 17791 | 10116 | 10245 |
| SunSation 225 | 2002 | 22' 0" | 98" | 17791 | 10116 | 10245 |
| SunSation 240 | 13-15 | 24' 5" | 102" | 17791 | 10116 | 10245 |
| SunSation 250 | 97-02 | 24' 2" | 98" | 17791 | 10116 | 10245 |
| SunSpree 200 | 2014 | 19' 5" | 102" | — | 10120 | 10250 |
| SunSpree 220 | 2014 | 21' 5" | 102" | 17791 | 10116 | 10245 |
| **PRINCE CRAFT** | | | | | | |
| Amarok DLX WS | 2015 | 16' 6" | 88" | 17710 | 10023 | 10158 |
| Amarok DLX WS | 2015 | 16' 6" | 88" | 17710 | 10023 | 10158 |
| Fisherman / LX | 96-15 | 14' 0" | 60" | 17454 | 10087 | 10208 |
| Holiday | 04-10 | 16' 4" | 83" | 17714 | 10104 | 10215 |
| Holiday DLX BT | 96-02 | 16' 4" | 83" | 17762 | 10062 | 10188 |
| Holiday DLX BT | 04-08 | 16' 4" | 82" | 17714 | 10104 | 10215 |
| Holiday DLX BT | 09-10 | 16' 2" | 84" | 17762 | 10062 | 10188 |
| Holiday DLX SC | 98-08 | 16' 4" | 82" | 17459 | 15429 | 15428 |
| Holiday DLX SC | 09-15 | 16' 2" | 84" | 17746 | 10068 | 10202 |
| Holiday DLX WS | 09-15 | 16' 2" | 84" | 17710 | 10023 | 10158 |
| Hudson DLX BT | 2010 | 19' 1" | 87" | 17812 | 10084 | 10233 |
| Hudson DLX BT | 2015 | 19' 0" | 91" | 17812 | 10084 | 10233 |
| Hudson DLX SC | 98-08 | 19' 4" | 84" | 17787 | 10217 | 10240 |
| Hudson DLX SC | 09-15 | 19' 0" | 87" | 17787 | 10217 | 10240 |
| Hudson DLX WS | 2015 | 19' 0" | 91" | 17713 | 10027 | 10161 |
| Nanook DLX SC | 2015 | 16' 6" | 88" | 17787 | 10217 | 10240 |
| Nanook DLX WS | 2015 | 16' 6" | 88" | 17713 | 10027 | 10161 |
| P 1436 / 1436 M | | 14' 0" | 56" | 17040 | — | — |
| P 1542 M | | 14' 11" | 65" | 17044 | — | — |
| P 1648 M | | 15' 10" | 70" | 17046 | — | — |
| Platinum SE 176 | 2015 | 17' 6" | 92" | 17711 | 10025 | 10159 |
| Platinum SE 176 FnP | 2010 | 17' 5" | 92" | 17711 | 10025 | 10159 |
| Platinum SE 186 | 10-15 | 18' 6" | 95" | 17712 | 10026 | 10160 |
| Platinum SE 206 | 10-15 | 20' 0" | 99" | 17020 | 10028 | 10162 |
| Platinum SE 207 | 10-15 | 20' 0" | 100" | 17020 | 10028 | 10162 |
| Platinum SE 198 | 2010 | 19' 5" | 97" | 17713 | 10027 | 10161 |
| Pro 140 BT | | 14' 0" | 60" | 17454 | 10087 | 10208 |
| Pro 142 BT | 96-02 | 14' 6" | 73" | 17457 | 10091 | 10209 |
| Pro 142 SC | 2004 | 14' 6" | 73" | 17760 | 10061 | 10187 |
| Pro 162 BT | 96-04 | 16' 0" | 73" | 17456 | 10093 | 10212 |
| Pro 162 LX / DLX / SC | 96-04 | 16' 0" | 73" | 17460 | 10102 | 10213 |
| Pro 162 SS | 2004 | 16' 0" | 75" | 17692 | 10135 | — |
| Pro 162 SS | 2006 | 16' 6" | 84" | 17716 | 10105 | 10218 |
| Pro 164 | 2002 | 16' 9" | 83" | 17693 | 10136 | 10265 |
| Pro 164 BT | | 16' 6" | 80" | 17714 | 10104 | 10215 |
| Pro 164 SC | | 16' 6" | 80" | 17774 | 10054 | 10181 |
| Pro 164 SS | 04-09 | 16' 6" | 88" | 17693 | 10136 | 10265 |
| Pro 164 SS | 2009 | 16' 6" | 84" | 17693 | 10136 | 10265 |
| Pro 165 SC / PRO 165 BT | 05-08 | 16' 2" | 84" | 17459 | 15429 | 15428 |
| Pro 165 SC / PRO 165 BT | 2010 | 16' 2" | 87" | 17693 | 10136 | 10265 |
| Pro 166 | 02-08 | 16' 6" | 88" | 17693 | 10136 | 10265 |
| Pro 166 | | 15' 11" | 80" | 17710 | 10023 | 10158 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **PRINCE CRAFT-CONTINUED** | | | | | | |
| Pro 167 BT | 2002 | 16' 5" | 81" | 17714 | 10104 | 10215 |
| Pro 167 SC | 96-04 | 16' 6" | 80" | 17774 | 10054 | 10181 |
| Pro 167 T | | 16' 6" | 80" | 17714 | 10104 | 10215 |
| Pro 169 | | 16' 6" | 80" | 17774 | 10054 | 10181 |
| Pro 169 BT | 04-09 | 16' 2" | 87" | 17714 | 10104 | 10215 |
| Pro 169 LX / SC | 04-10 | 16' 2" | 87" | 17719 | 10101 | 10216 |
| Pro 169 WS | 09-10 | 16' 2" | 87" | 17710 | 10023 | 10158 |
| Pro 172 SS | 2009 | 17' 5" | 92" | 17711 | 10025 | 10159 |
| Pro 174 | 2002 | 17' 7" | 85" | 17694 | 10137 | 10267 |
| Pro 174 SS | 04-09 | 17' 5" | 92" | 17694 | 10137 | 10267 |
| Pro 176 | 02-08 | 17' 5" | 92" | 17694 | 10137 | 10267 |
| Pro 176 | 2009 | 17' 6" | 92" | 17694 | 10137 | 10267 |
| Pro 177 | | 17' 1" | 85" | 17718 | 10106 | 10219 |
| Pro 178 | | 17' 7" | 85" | 17718 | 10106 | 10219 |
| Pro 179 DX BT SC | 04-06 | 17' 10" | 92" | 17716 | 10105 | 10218 |
| Pro 179 LX | 04-06 | 17' 10" | 92" | 17718 | 10106 | 10219 |
| Pro 179 SC | 09-10 | 17' 4" | 92" | 17148 | 10106 | 10219 |
| Pro 179 WS | 09-10 | 17' 4" | 92" | 17711 | 10026 | 10159 |
| Pro 184 | 2002 | 18' 4" | 94" | 17694 | 10137 | 10267 |
| Pro 185 GL | 98-09 | 18' 6" | 95" | 17694 | 10137 | 10267 |
| Pro 186 | 08-09 | 18' 6" | 95" | 17694 | 10137 | 10267 |
| Pro 196 | 04-06 | 19' 6" | 96" | 17695 | 10138 | 10269 |
| Pro 196 GL | 04-06 | 19' 6" | 96" | 17695 | 10138 | 10269 |
| Pro 206 | 2009 | 20' 0" | 99" | 17020 | 10028 | 10162 |
| Pro 207 | 2009 | 20' 0" | 100" | 17020 | 10028 | 10162 |
| Pro Series 142 BT | 1998 | 14' 6" | 73" | 17457 | 10091 | 10209 |
| Pro Series 1500 | | 15' 0" | 61" | 17744 | 10067 | 10195 |
| Pro Series 162 BT | 1998 | 16' 0" | 73" | 17455 | 10092 | 10211 |
| Pro Series 166 | 1998 | 16' 9" | 83" | 17693 | 10136 | 10265 |
| Pro Series 167 BT | 1998 | 16' 6" | 81" | 17714 | 10104 | 10215 |
| Pro Series 167 SC | 1998 | 16' 6" | 81" | 17459 | 15429 | 15428 |
| Pro Series 169 BT | 1998 | 16' 6" | 80" | 17714 | 10104 | 10215 |
| Pro Series 169 DLX | 1998 | 16' 6" | 80" | 17459 | 15429 | 15428 |
| Pro Series 174 | 1998 | 17' 5" | 85" | 17693 | 10136 | 10265 |
| Pro Series 1750 | | 17' 0" | 73" | 17748 | 10069 | 10204 |
| Resorter 20 | 96-09 | 14' 6" | 73" | 17457 | 10091 | 10209 |
| Resorter DLX BT | 2016 | 16' 0" | 73" | 17455 | 10092 | 10211 |
| Resorter DLX BT | 98-09 | 14' 6" | 73" | 17457 | 10091 | 10209 |
| Resorter DLX SC | 04-09 | 14' 6" | 73" | 17760 | 10061 | 10187 |
| Resorter DLX SC | 2015 | 16' 0" | 73" | 17459 | 15429 | 15428 |
| Scamper | 10-15 | 14' 4" | 58" | 17454 | 10087 | 10208 |
| Sea Sprite | 10-15 | 12' 4" | 58" | 17453 | 10086 | 10207 |
| Sport 167 | 2015 | 16' 6" | 90" | — | — | — |
| Sport 172 | 2015 | 17' 5" | 91" | — | — | — |
| Sport 177 | 2015 | 17' 5" | 92" | 17711 | 10025 | 10159 |
| Sport 187 | 2015 | 18' 6" | 95" | 17712 | 10026 | 10160 |
| Sportfisher 18 | 96-09 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Sportfisher 18 L4S / 18 ST2S | 05-06 | 18' 4" | 96" | 17790 | 10114 | 10244 |
| Sportfisher 20 | 96-09 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Sportfisher 20 L4S | 05-06 | 20' 4" | 96" | 17790 | 10114 | 10244 |
| Sportfisher 20 LX | 2009 | 20' 6" | 102" | 17790 | 10114 | 10244 |
| Sportfisher 22 | 02-05 | 22' 5" | 96" | 17791 | 10116 | 10245 |
| Sportfisher 22 LX | 2009 | 22' 4" | 102" | 17791 | 10116 | 10245 |
| Sportfisher 24 | 96-04 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| Sportfisher 24 LPS | 05-06 | 24' 5" | 96" | 17792 | 10117 | 10247 |
| Sportfisher 24 LX | 2009 | 24' 7" | 102" | 17792 | 10117 | 10247 |
| Springbok 20 | 09-10 | 16' 0" | 68" | 17455 | 10092 | 10211 |
| Springbok DL BT | 10-15 | 16' 0" | 68" | 17455 | 10092 | 10211 |
| SS 164 | 2010 | 16' 6" | 84" | 17710 | 10023 | 10158 |
| SS 172 | 2010 | 17' 5" | 92" | 17711 | 10025 | 10159 |
| SS 174 | 2010 | 17' 5" | 92" | 17711 | 10025 | 10159 |
| SS 182 | 2010 | 18' 6" | 95" | 17712 | 10026 | 10160 |
| Starfish 15 | 96-10 | 16' 0" | 73" | 17455 | 10092 | 10211 |
| Starfish 20 | 04-10 | 16' 0" | 73" | 17455 | 10092 | 10211 |
| Starfish DLX BT | 98-10 | 16' 0" | 73" | 17455 | 10092 | 10211 |
| Starfish DLX SC | 04-10 | 16' 0" | 73" | 17744 | 10067 | 10195 |
| Super Pro 169 DLX | 2004 | 16' 2" | 88" | 17719 | 10101 | 10216 |
| Super Pro 175 | 96-98 | 17' 4" | 85" | 17736 | 10148 | 15402 |
| Super Pro 175 | 2010 | 17' 6" | 92" | 17736 | 10148 | 15402 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **PRINCE CRAFT-CONTINUED** | | | | | | |
| Super Pro 176 | 98-02 | 17' 5" | 89" | 17693 | 10136 | 10265 |
| Super Pro 176 | 2015 | 17' 6" | 92" | 17693 | 10136 | 10265 |
| Super Pro 176 / FNP | 04-06 | 17' 5" | 87" | 17693 | 10136 | 10265 |
| Super Pro 176 / FNP | 2009 | 17' 5" | 92" | 17736 | 10148 | 15402 |
| Super Pro 178 BT | 1998 | 17' 4" | 85" | 17716 | 10105 | 10218 |
| Super Pro 178 DLX | 98-04 | 17' 5" | 92" | 17718 | 10106 | 10219 |
| Super Pro 178 SC | 06-09 | 17' 5" | 92" | 17716 | 10105 | 10218 |
| Super Pro 178 SC SE | 08-09 | 17' 5" | 92" | 17716 | 10105 | 10218 |
| Super Pro 179 DLX | 1998 | 17' 5" | 87" | 17718 | 10106 | 10219 |
| Super Pro 180 | 98-02 | 18' 2" | 89" | 17694 | 10137 | 10267 |
| Super Pro 185 GL | 10-15 | 18' 6" | 95" | 17694 | 10137 | 10267 |
| Super Pro 186 | 2004 | 18' 4" | 94" | 17694 | 10137 | 10267 |
| Super Pro 186 | 2010 | 18' 6" | 95" | 17694 | 10137 | 10267 |
| Super Pro 186 / 186 FNP | 05-06 | 18' 4" | 94" | 17694 | 10137 | 10267 |
| Super Pro 186 FNP I/O | 2004 | 18' 4" | 94" | 17684 | 10142 | 10274 |
| Super Pro 186 SE | 2008 | 18' 4" | 96" | 17694 | 10137 | 10267 |
| Super Pro 186 SE | 2009 | 18' 6" | 95" | 17694 | 10137 | 10267 |
| Super Pro 188 BT | 2004 | 18' 4" | 94" | 17713 | 10027 | 10161 |
| Super Pro 188 DLX | 2004 | 18' 4" | 94" | 17694 | 10137 | 10267 |
| Super Pro 190 | 2002 | 18' 4" | 94" | 17694 | 10137 | 10267 |
| Super Pro 195 | 1991 | 19' 4" | 92" | 17737 | 10150 | 15404 |
| Super Pro 196 | 04-06 | 19' 6" | 96" | 17584 | 10112 | 17576 |
| Super Pro 196 I/O | 96-04 | 19' 6" | 96" | 17725 | 10033 | 10165 |
| Super Pro 196 O/B | 96-02 | 19' 6" | 96" | 17584 | 10112 | 17576 |
| Super Pro 196 SC SE | 08-09 | 19' 5" | 97" | 17787 | 10217 | 10240 |
| Super Pro 198 SC | 06-09 | 19' 5" | 97" | 17787 | 10217 | 10240 |
| Super Pro 206 | 08-10 | 20' 0" | 99" | 17030 | 10113 | 17577 |
| Super Pro 207 | 2010 | 20' 10" | 100" | 17030 | 10113 | 17577 |
| Super Pro 207 SE | 08-09 | 20' 0" | 84" | 17020 | 10028 | 10162 |
| SVX 25 | 09-10 | 23' 6" | 102" | — | — | — |
| SVX 25 I/O | 2010 | 23' 10" | 102" | — | — | — |
| Ungava | 10-15 | 12' 0" | 60" | 17453 | 10086 | 10207 |
| Vacanza 210 V I/O | 2004 | 20' 11" | 101" | 17794 | 10314 | 10201 |
| Vacanza 210 V O/B | 2004 | 20' 11" | 101" | 17879 | 10320 | 17888 |
| Vacanza 220 I/O-O/B | | 22' 0" | 96" | 17018 | — | — |
| Vacanza 220V LPW I/O | 05-06 | 22' 0" | 102" | 17796 | 10316 | 10190 |
| Vacanza 240V I/O | 2004 | 23' 11" | 101" | 17797 | 10317 | 10191 |
| Vacanza 250V LPW I/O | 05-10 | 25' 0" | 102" | 17799 | 10319 | 10200 |
| Vantage 20 B / ST / L | 96-06 | 20' 4" | 96" | 17790 | 10114 | 10244 |
| Vantage 20 SF | 2010 | 20' 0" | 102" | 17790 | 10114 | 10244 |
| Vantage 21 | 09-10 | 20' 9" | 102" | 17790 | 10114 | 10244 |
| Vantage 22 L / LP / SS / LPS | 02-06 | 22' 4" | 96" | 17791 | 10116 | 10245 |
| Vantage 22 SF | 2010 | 20' 0" | 102" | 17790 | 10114 | 10244 |
| Vantage 22 SS | 2004 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Vantage 23 | 2010 | 22' 9" | 102" | 17791 | 10116 | 10245 |
| Vantage 23-2S | 2010 | 22' 9" | 102" | 17791 | 10116 | 10245 |
| Vantage 24 B / ST / L | 96-02 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| Vantage 24 L | 04-06 | 24' 4" | 96" | 17791 | 10116 | 10245 |
| Vantage 24 SF | 2010 | 24' 0" | 102" | 17791 | 10116 | 10245 |
| Vantage 25 | 09-10 | 24' 9" | 102" | 17791 | 10116 | 10245 |
| Vectra 16 | 2004 | 16' 4" | 72" | 17790 | 10114 | 10244 |
| Vectra 161 | 2004 | 16' 4" | 96" | 17790 | 10114 | 10244 |
| Vectra 17 | 2010 | 16' 1" | 96" | — | — | — |
| Vectra 18 | 0-10 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Vectra 18 SF | 09-10 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Vectra 180 / 180 L | 04-06 | 18' 4" | 96" | 17790 | 10114 | 10244 |
| Vectra 180 / 181 | 96-02 | 17' 10" | 96" | 17790 | 10114 | 10244 |
| Vectra 181 / 181 L | 04-06 | 18' 4" | 96" | 17790 | 10114 | 10244 |
| Vectra 182 | 2004 | 18' 4" | 96" | 17790 | 10114 | 10244 |
| Vectra 20 | 2010 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Vectra 200 / 201 | 96-06 | 20' 4" | 96" | 17790 | 10114 | 10244 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **PRINCE CRAFT-CONTINUED** | | | | | | |
| Vectra 201 L | 04-06 | 20' 4" | 96" | 17790 | 10114 | 10244 |
| Vectra 21 | 09-10 | 20' 0" | 101" | 17790 | 10114 | 10244 |
| Vectra 241 L | 06-09 | 24' 4" | 96" | 17791 | 10116 | 10245 |
| Vectra 26 | 2004 | 16' 4" | 72" | 17790 | 10114 | 10244 |
| Ventura 190 | | 19' 0" | 96" | 17018 | — | — |
| Ventura 190 | 09-10 | 19' 2" | 97" | 17879 | 10320 | 17888 |
| Ventura 190 I/O | 09-10 | 19' 2" | 97" | 17879 | 10320 | 17888 |
| Ventura 190 I/O | 09-10 | 19' 2" | 97" | 17879 | 10320 | 17888 |
| Ventura 190 V I/O | 2009 | 19' 2" | 97" | 17794 | 10314 | 10201 |
| Ventura 190 V L I/O | 05-06 | 19' 2" | 97" | 17794 | 10314 | 10201 |
| Ventura 190 V O/B | 2004 | 19' 2" | 97" | 17889 | 10320 | 17888 |
| Ventura 190 WS | 09-10 | 19' 2" | 97" | 17794 | 10314 | 10201 |
| Ventura 191 | | 19' 0" | 96" | 17018 | — | — |
| Ventura 191 V | 2004 | 19' 2" | 97" | 17889 | 10320 | 17888 |
| Ventura 192 | 09-10 | 19' 2" | 97" | 17879 | 10320 | 17888 |
| Ventura 192 V L2S I/O | 05-06 | 19' 2" | 97" | 17794 | 10314 | 10201 |
| Ventura 194 | 09-10 | 19' 2" | 97" | 17879 | 10320 | 17888 |
| Ventura 220 | 2009 | 22' 0" | 96" | 17012 | — | — |
| Ventura 220 | 2010 | 20' 2" | 97" | 17879 | 10320 | 17888 |
| Ventura 220 WS | 2009 | 22' 0" | 97" | 17796 | 10316 | 10190 |
| Ventura 221 V L4S O/B | 04-06 | 22' 2" | 97" | 17881 | 10322 | 17890 |
| Ventura 222 | 09-10 | 22' 2" | 97" | 17881 | 10322 | 17890 |
| Ventura 222 V L2S I/O | 04-06 | 22' 2" | 97" | 17796 | 10316 | 10190 |
| Ventura 224 | 09-10 | 22' 2" | 97" | 17796 | 10316 | 10190 |
| Versailles 20 | 96-99 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Versailles 20 | 2009 | 20' 11" | 102" | 17790 | 10114 | 10244 |
| Versailles 20 | 2006 | 20' 4" | 102" | 17790 | 10114 | 10244 |
| Versailles 21 | 2010 | 21' 6' | 102" | 17791 | 10116 | 10245 |
| Versailles 22 | 99-09 | 22' 4" | 102" | 17791 | 10116 | 10245 |
| Versailles 23-2S | 2010 | 23' 6" | 102" | 17791 | 10116 | 10245 |
| Versailles 24 | 96-06 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| Versailles 24 | 2009 | 24' 11" | 102" | 177*91 | 10116 | 10245 |
| Versailles 25 I/O | 2009 | 25' 1" | 102" | 17792 | 10117 | 10247 |
| Versailles 25 I/O | 2010 | 25' 6" | 102" | 17792 | 10117 | 10247 |
| Versailles 26 | 99-09 | 26' 4" | 102" | 17792 | 10117 | 10247 |
| Vision 19 | 09-10 | 18' 7" | 96" | 17790 | 10114 | 10244 |
| Vision 21 | 09-10 | 20' 7" | 102" | 17790 | 10114 | 10244 |
| Vision 23 | 09-10 | 22' 7" | 102" | 17790 | 10114 | 10244 |
| Voyageur 20 | 98-99 | 20' 4" | 96" | 17790 | 10114 | 10244 |
| Xpedition 170 SC | 2015 | 16' 11" | 91" | 17718 | 10106 | 10219 |
| Xpedition 170 WC | 2015 | 16' 11" | 91" | 17718 | 10106 | 10219 |
| Xpedition 200 SC | 2015 | 20' 0" | 92" | 17816 | 10094 | 10237 |
| Xpedition 200 WS | 2015 | 20' 0" | 92" | 17816 | 10094 | 10237 |
| Xperience 188 | 2015 | 19' 0" | 98" | 17787 | 10217 | 10240 |
| Yukon 15 / 20 | 98-10 | 14' 3" | 68" | 17454 | 10087 | 10208 |
| Yukon DL BT / DLX BT | 10-15 | 14' 3" | 68" | 17708 | 10021 | — |
| **PROCRAFT** | | | | | | |
| 170 | 97-98 | 17' 2" | 84" | 17776 | 10055 | 10182 |
| 180 | 97-98 | 18' 2" | 88" | 17775 | 10056 | 10183 |
| 200 | 97-98 | 20' 4" | 91" | 17025 | 10059 | 10197 |
| 1510 Crappie | 1986 | 15' 1" | 76" | 17760 | 10061 | 10187 |
| 1510 Fish-N-Ski | 1986 | 15' 1" | 76" | 17578 | 10108 | — |
| 1510 V Bass | 1986 | 15' 1" | 76" | 17760 | 10061 | 10187 |
| 1540 Fish-N-Ski | 1986 | 15' 4" | 74" | 17578 | 10108 | — |
| 1540 V Bass | 1986 | 15' 4" | 74" | 17760 | 10061 | 10187 |
| 16 Bass | 1997 | 15' 10" | 72" | 17770 | 10052 | 10179 |
| 1600 Bass / Crappie | 1986 | 16' 0" | 80" | 17762 | 10062 | 10188 |
| 1600 Fish-N-Ski | 1986 | 16' 0" | 80" | 17762 | 10062 | 10188 |
| 1650 / 1650 V Bass | 1986 | 16' 6" | 80" | 17774 | 10054 | 10181 |
| 1650 Fish-N-Ski | 1986 | 16' 6" | 79" | 17580 | 10109 | 17573 |
| 1660 V Bass / Competitor | 1986 | 16' 6" | 82" | 17774 | 10054 | 10181 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **PROCRAFT-CONTINUED** | | | | | | |
| 1660 V Fish-N-Ski | 1986 | 16' 6" | 82" | 17580 | 10109 | 17573 |
| 17 Bass | 97-98 | 17' 2" | 84" | 17776 | 10055 | 10182 |
| 170 CC | 1994 | 16' 11" | 86" | 17736 | 10148 | 15402 |
| 170 Combo | 00-01 | 17' 4" | 85" | 17582 | 10110 | 17574 |
| 170 Combo | 92-93 | 16' 10" | 82" | 17693 | 10136 | 10265 |
| 170 Pro | 91-95 | 16' 10" | 84" | 17776 | 10055 | 10182 |
| 1750 / 1750 V Bass | 1986 | 17' 9" | 86" | 17776 | 10055 | 10182 |
| 1750 Fish-N-Ski / Competitor | 1986 | 17' 6" | 84" | 17582 | 10110 | 17574 |
| 1780 V Bass | 1986 | 17' 8" | 86" | 17775 | 10056 | 10183 |
| 1780 V Competitor | 1986 | 17' 8" | 86" | 17775 | 10056 | 10183 |
| 1780 V Fish-N-Ski | 1986 | 17' 8" | 86" | 17583 | 10111 | 17575 |
| 180 Combo | 00-01 | 18' 4" | 96" | 17583 | 10111 | 17575 |
| 180 Combo | 97-98 | 18' 2" | 87" | 17583 | 10111 | 17575 |
| 180 Combo | 93-96 | 18' 1" | 92" | 17583 | 10111 | 17575 |
| 180 Dual Pro / Pro | 92-94 | 18' 3" | 91" | 17775 | 10056 | 10183 |
| 180 I/O | | 17' 9" | 86" | 17724 | 10032 | 10164 |
| 180 O/B | | 17' 9" | 86" | 17712 | 10026 | 10160 |
| 180 Pro | 91-95 | 18' 3" | 91" | 17775 | 10056 | 10183 |
| 185 Pro Combo | 93-98 | 18' 1" | 91" | 17583 | 10111 | 17575 |
| 185 Pro / 185 D P | 96-00 | 18' 11" | 90" | 17773 | 15411 | 15401 |
| 190 CC | 1994 | 19' 2" | 88" | 17737 | 10150 | 15404 |
| 190 SuperPro | 00-01 | 18' 6" | 93" | 17773 | 15411 | 15401 |
| 1950 V Bass / V Competitor | 86-87 | 19' 6" | 88" | 17777 | 10057 | 10184 |
| 1950 V Fish-N-Ski | 1986 | 19' 6" | 88" | 17584 | 10112 | 17576 |
| 200 Combo | 00-01 | 20' 4" | 96" | 17030 | 10113 | 17577 |
| 200 Combo | 97-99 | 20' 2" | 91" | 17030 | 10113 | 17577 |
| 200 Combo | 93-96 | 19' 6" | 93" | 17584 | 10112 | 17576 |
| 200 Pro | 91-94 | 19' 6" | 92" | 17777 | 10057 | 10184 |
| 200 SuperPro | 00-01 | 19' 4" | 93" | 17777 | 10057 | 10184 |
| 205 Pro Combo | 1997 | 19' 6" | 93" | 17584 | 10112 | 17576 |
| 205 Pro / 205 D P | 96-01 | 20' 6" | 93" | 17778 | 10058 | 10185 |
| 210 CC | 1994 | 20' 6" | 102" | 17739 | 10152 | 15406 |
| 210 SuperPro | 2001 | 20' 9" | 93" | 17778 | 10058 | 10185 |
| 375 / 375 D P | 1996 | 17' 2" | 84" | 17776 | 10055 | 10182 |
| AP 1600 | 1994 | 16' 6" | 80" | 17774 | 10054 | 10181 |
| AP 1750 / 1760 | 1994 | 17' 4" | 86" | 17776 | 10055 | 10182 |
| Bass Hunter 1673 | 1987 | 16' 0" | 73" | 17746 | 10068 | 10202 |
| Bass Hunter Prodeck 1773 | 1987 | 17' 0" | 73" | 17748 | 10069 | 10204 |
| Crappie Hunter 1560 | 1987 | 15' 0" | 60" | 17742 | 10066 | 10194 |
| Crappie Hunter 1673 | 1987 | 16' 0" | 73" | 17746 | 10068 | 10202 |
| Crappiethon 160 | 1987 | 16' 4" | 80" | 17746 | 10068 | 10202 |
| Family Fisher 170 | 1991 | 16' 10" | 82" | 17580 | 10109 | 17573 |
| Family Fisher 180 | 87-91 | 18' 0" | 86" | 17583 | 10111 | 17575 |
| Family Fisher 190 | 87-91 | 19' 10" | 88" | 17584 | 10112 | 17576 |
| Fishchaser 20 / Funchaser 20 | 1987 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Funchaser 20 | 1987 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Funchaser 24 / LE | 1987 | 21' 5" | 96" | 17791 | 10116 | 10245 |
| Funchaser 28 / LE | 1987 | 27' 0" | 96" | 17792 | 10117 | 10247 |
| Pro 165 | 00-01 | 16' 2" | 82" | 17772 | 10053 | 10180 |
| Pro 175 | 00-01 | 17' 2" | 84" | 17776 | 10055 | 10182 |
| Pro 185 | 2001 | 18' 2" | 88" | 17775 | 10056 | 10183 |
| Procaster 180 / Tourney 180 | 1987 | 18' 0" | 86" | 17775 | 10056 | 10183 |
| Procaster 190 / Tourney 190 | 1987 | 19' 10" | 88" | 17777 | 10057 | 10184 |
| SP-180 | | 18' 4" | 89" | 17775 | 10056 | 10183 |
| Stalker 150 | 87-91 | 15' 5" | 76" | 17770 | 10052 | 10179 |
| Stalker 160 | 1987 | 16' 4" | 80" | 17762 | 10062 | 10188 |
| Stalker 170 | 87-91 | 16' 10" | 82" | 17776 | 10055 | 10182 |
| Stalker 180 | 1987 | 18' 0" | 86" | 17775 | 10056 | 10183 |
| Stalker 190 | 1987 | 19' 10" | 88" | 17777 | 10057 | 10184 |
| Super Pro 200 | 94-98 | 20' 1" | 91" | 17778 | 10058 | 10185 |
| V-150 B | 94-96 | 15' 3" | 72" | 17760 | 10061 | 10187 |
| V-170 B | 94-96 | 17' 2" | 82" | 17776 | 10055 | 10182 |
| V-170 C | 1996 | 17' 2" | 82" | 17582 | 10110 | 17574 |
| V-180 B | 94-96 | 17' 10" | 87" | 17775 | 10056 | 10183 |
| V-180 C | 93-96 | 17' 10" | 87" | 17583 | 10111 | 17575 |
| V-200 B | 95-96 | 20' 2" | 91" | 17778 | 10058 | 10185 |
| V-200 C | 95-96 | 20' 2" | 91" | 17030 | 10113 | 17577 |
| V-200 DC | 94-96 | 20' 2" | 91" | 17778 | 10058 | 10185 |
| Viper 150 B | 92-93 | 15' 3" | 72" | 17760 | 10061 | 10187 |
| Viper 170 B | 1992 | 16' 8" | 83" | 17774 | 10054 | 10181 |
| Viper 180 B | 92-93 | 17' 10" | 87" | 17775 | 10056 | 10183 |
| Viper 180 C | 1992 | 17' 10" | 87" | 17582 | 10110 | 17574 |
| **PRO-LINE** | | | | | | |
| 17 Sport | 05-06 | 17' 4" | 92" | 17736 | 10148 | 15402 |
| 17 Sportsman / Classic | 1991 | 17' 0" | 92" | 17736 | 10148 | 15402 |
| 170 Stalker | | 17' 0" | 90" | 17736 | 10148 | 15402 |
| 180 Stalker | | 18' 10" | 96" | 17737 | 10150 | 15404 |
| 19 Sport | 05-06 | 19' 2" | 93" | — | — | — |
| 20 Bay | 05-06 | 20' 5" | 102" | 17738 | 10151 | 15405 |
| 20 Express | 2014 | 23' 0" | 102" | — | — | — |
| 20 Sport | 2001 | 20' 2" | 96" | 17738 | 10151 | 15405 |
| 20 Sport | 2015 | 20' 6" | 101" | — | — | — |
| 20 Sportfisherman | | 20' 0" | 92" | 17738 | 10151 | 15405 |
| 20 Sportsman / Classic | 1991 | 20' 1" | 92" | 17738 | 10151 | 15405 |
| 21 Dual Console | 05-06 | 20' 6" | 98" | 17587 | 10129 | 10257 |
| 21 Sport | 2006 | 21' 8" | 101" | — | — | — |
| 21 Sportfisherman | | 20' 6" | 96" | 17739 | 10152 | 15406 |
| 21 Sportsman | | 20' 6" | 96" | 17738 | 10151 | 15405 |
| 21 Walk | 05-06 | 21' 8" | 101" | 17589 | 10131 | 10259 |
| 22 Bay | 05-09 | 21' 11" | 102" | 17741 | 10153 | 15407 |
| 22 Sport | 2001 | 22' 5" | 99" | 17741 | 10153 | 15407 |
| 23 Dual Console | 05-06 | 22' 5" | 98" | 17590 | 10132 | 10261 |
| 23 Dual Console | 2014 | 23' 0" | 102" | — | — | — |
| 23 Sport | 05-06 | 23' 7" | 101" | — | — | — |
| 23 Walk | 05-06 | 23' 7" | 101" | — | — | — |
| 230 Classic | 2014 | 23' 0" | 102" | — | — | — |
| 24 Bay | 05-06 | 23' 11" | 102" | 17783 | 10155 | 15409 |
| 24 Sport | 2005 | 24' 5" | 102" | — | — | — |
| 24 Super Sport | 2006 | 24' 5" | 102" | — | — | — |
| 24 Walk | 05-06 | 24' 5" | 102" | — | — | — |
| 25 Sport | 05-09 | 25' 5" | 102" | — | — | — |
| 26 Super Sport | 2006 | 26' 5" | 102" | — | — | — |
| 27 Sport | 2005 | 27' 0" | 102" | — | — | — |
| 27 Walk | 2005 | 27' 0" | 102" | — | — | — |
| **PURSUIT** | | | | | | |
| 2100 Center Console O/B | 1990 | 20' 6" | 96" | 17739 | 10152 | 15406 |
| 2150 Cuddy Cabin O/B | 1997 | 20' 6" | 96" | 17588 | 10130 | 10258 |
| 2270 Center Console O/B | 97-99 | 21' 8" | 96" | 17741 | 10153 | 15407 |
| DC 235 Dual Console | 2015 | 23' 0" | 102" | — | — | — |
| 2470 Center Console O/B | 97-99 | 24' 7" | 102" | 17784 | 10156 | 15410 |
| **QUANTUM** | | | | | | |
| 1600 XB Bass Boat | 1988 | 15' 7" | 70" | 17760 | 10061 | 10187 |
| 1700 XB Fish & Ski | 1988 | 16' 5" | 80" | 17580 | 10109 | 17573 |
| 1800 XB Fish & Ski | 1988 | 17' 10" | 87" | 17583 | 10111 | 17575 |
| 2000 XB | 1988 | 19' 7" | 96" | 17584 | 10112 | 17576 |
| **QUEST** | | | | | | |
| 170 CC | 1995 | 16' 9" | 89" | 17736 | 10148 | 15402 |
| 187 CC | 95-96 | 17' 9" | 92" | 17780 | 15412 | 15403 |
| 190 CC | 1995 | 19' 0" | 96" | 17737 | 10150 | 15404 |
| 207 CC | 95-96 | 19' 3" | 98" | 17737 | 10150 | 15404 |
| 220 CC | 95-96 | 21' 8" | 96" | 17741 | 10153 | 15407 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **RANGER** | | | | | | |
| 107 Cherokee | | 17' 0" | 72" | **17748** | **10069** | **10204** |
| 1600 V / V2 / V3 | 86-86 | 16' 4" | 68" | **17762** | **10062** | **10188** |
| 165 VS | 05-07 | 16' 5" | 84" | **17774** | **10054** | **10181** |
| 1652 | 2014 | 16' 2" | 77" | **17744** | **10067** | **10195** |
| 168 Phantom | 05-10 | 16' 8" | 83" | **10294** | **—** | **10296** |
| 170 VS | 08-11 | 17' 0" | 84.5" | **17776** | **10055** | **10182** |
| 170 VS / VX | 08-11 | 17' 0" | 84.5" | **17776** | **10055** | **10182** |
| 173 Ghost | 08-10 | 17' 3" | 86.5" | **10294** | **—** | **10296** |
| 175 T Angler | 13-15 | 17' 6" | 86" | **17779** | **10055** | **10182** |
| 175 VS | 05-07 | 17' 5" | 87" | **17776** | **10055** | **10182** |
| 1750 VS Reata | 05-12 | 17' 5" | 94" | **17776** | **10055** | **10182** |
| 1760 | 2014 | 17' 6" | 86" | **17803** | **10075** | **10224** |
| 1760 Angler | 11-12 | 17' 6" | 94" | **17776** | **10055** | **10182** |
| 1760 VS Angler | 2013 | 17' 6" | 94' | **17776** | **10055** | **10182** |
| 1760 VS Angler | 2008 | 17' 6" | 95.5" | **17776** | **10055** | **10182** |
| 177 TR | 08-12 | 17' 7" | 83.5" | **17776** | **10055** | **10182** |
| 178 VS | 10-11 | 17' 8" | 90" | **17776** | **10055** | **10182** |
| 178 VX | 2008 | 17' 8" | 90" | **17776** | **10055** | **10182** |
| 180 Reata | 07-08 | 18' 5" | 92" | **17773** | **15411** | **15401** |
| 181-1 Intracoastal | 06-10 | 18' 8" | 92.5" | **17773** | **15411** | **15401** |
| 183 Ghost | 05-08 | 18' 3" | 85.5" | **10294** | **—** | **10296** |
| 184 Ghost | 2010 | 18'3" | 85.5" | **17773** | **15411** | **15401** |
| 185 VS | 2007 | 18' 5" | 92" | **17773** | **15411** | **15401** |
| 185 VX | 2007 | 18' 5" | 92" | **17773** | **15411** | **15401** |
| 1850 LS Reata | 14-15 | 18' 8" | 100" | **17773** | **15411** | **15401** |
| 1850 RS Reata | 10-12 | 18' 5" | 96.5" | **17773** | **15411** | **15401** |
| 185-I | 2007 | 18' 5" | 92" | **17773** | **15411** | **15401** |
| 186 VS Reata | 2014 | 18' 8" | 100" | **17773** | **15411** | **15401** |
| 186 VS Reata | 10-15 | 18' 6" | 96.5" | **17773** | **15411** | **15401** |
| 1860 VS Angler | 11-13 | 18' 6" | 98" | **17773** | **15411** | **15401** |
| 1862 | 2014 | 18' 4" | 90" | **17804** | **10076** | **10225** |
| 1862cc | 2014 | 18' 4" | 90" | **—** | **—** | **—** |
| 188 Intercoastal | 05-08 | 18' 8" | 92.5" | **17773** | **15411** | **15401** |
| 188 VS | 2005 | 18' 8" | 92.5" | **17773** | **15411** | **15401** |
| 188 VX | 08-11 | 18' 8" | 92.5" | **17773** | **15411** | **15401** |
| 1880 VS Angler | 14-15 | 18' 8" | 100" | **—** | **—** | **—** |
| 190 Reata | 2005 | 18' 5" | 96.5" | **17773** | **15411** | **15401** |
| 190 Reata | 2007 | 19' 0" | 91.5" | **17584** | **10112** | **17576** |
| 190 Reata | 08-11 | 19' 0" | 90" | **17584** | **10112** | **17576** |
| 190 VS | 2010 | 19' 0" | 90" | **17584** | **10112** | **17576** |
| 191 Cayman | 2008 | 18' 9" | 93" | **10294** | **—** | **10296** |
| 191 Cayman | 06-10 | 19' 1" | 93" | **10294** | **—** | **10296** |
| 195-I | 2007 | 19' 5" | 92" | **17777** | **10057** | **10184** |
| 198 VX | 2008 | 19' 0" | 91.5" | **17777** | **10057** | **10184** |
| 198VX | 2011 | 19' 0" | 92.5" | **17777** | **10057** | **10184** |
| 2000 Bay Ranger | 05-10 | 19' 6" | 100.5" | **17737** | **10150** | **15404** |
| 2050 VS Reata | 08-13 | 20' 5" | 96.5" | **17778** | **10058** | **10185** |
| 2050 LS Reata LS | 14-15 | 20' 5" | 96" | **17778** | **10058** | **10185** |
| 207 Cherokee | | 16' 9" | 80" | **17774** | **10054** | **10181** |
| 208 VX | 10-11 | 20' 9" | 92.5" | **17778** | **10058** | **10185** |
| 210 Reata | 07-08 | 21' 4" | 93" | **17031** | **10292** | **17579** |
| 211 VS Reata | 10-12 | 21' 4" | 93" | **17031** | **10292** | **17579** |
| 212 LS Reata | 14-15 | 21' 4" | 94" | **17031** | **10292** | **17579** |
| 2200 Bay Ranger | 05-10 | 22' 0" | 100.5" | **17741** | **10153** | **15407** |
| 223 Cayman | 06-10 | 22' 3" | 92.5" | **17741** | **10153** | **15407** |
| 2250 SS | 2008 | 22' 6" | 101" | **17781** | **10322** | **17890** |
| 2300 Bay Ranger | 2006 | 23' 2" | 100.5" | **17782** | **10154** | **15408** |
| 2310 Bay | 2010 | 23' 4" | 100" | **17782** | **10154** | **15408** |
| 2400 Bay Ranger | 06-10 | 23' 7" | 100.5" | **17782** | **10154** | **15408** |
| 2410 Bay Ranger | 08-10 | 23' 8" | 100.5" | **17782** | **10154** | **15408** |
| 320 V Comanche / Apache | 85-93 | 15' 10" | 78" | **17762** | **10062** | **10188** |
| 325 V Comanche | 85-86 | 15' 10" | 78" | **17762** | **10062** | **10188** |
| 330 V/ 333 V / 335 V Comanche / Apache | 85-93 | 16' 10" | 82" | **17774** | **10054** | **10181** |
| 340 V Comanche | 85-86 | 16' 6" | 88" | **17774** | **10054** | **10181** |
| 350 V Comanche | 85-88 | 17' 10" | 82" | **17775** | **10056** | **10183** |
| 354 V Comanche / Apache / 354 XT | 87-94 | 17' 10" | 82" | **17775** | **10056** | **10183** |
| 357 V Comanche | 86-88 | 17' 10" | 82" | **17583** | **10111** | **17575** |
| 360 V / 361V / 362 V Comanche | 86-93 | 17' 10" | 88" | **17775** | **10056** | **10183** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **RANGER-CONTINUED** | | | | | | |
| 362 XT / 361 XT | 92-94 | 17' 10" | 88" | **17775** | **10056** | **10183** |
| 363 V / 364 V / 365 V Comanche | 87-93 | 17' 10" | 88" | **17775** | **10056** | **10183** |
| 370 V Comanche | 85-88 | 17' 10" | 88" | **17775** | **10056** | **10183** |
| 371V / 373 V / 374 V Comanche / Apache | 85-88 | 17' 10" | 88" | **17775** | **10056** | **10183** |
| 372 V Comanche / Apache / 372 XT | 85-94 | 17' 10" | 88" | **17775** | **10056** | **10183** |
| 375 V Comanche / Apache | 85-93 | 17' 10" | 88" | **17775** | **10056** | **10183** |
| 377 V Apache | 92-93 | 17' 10" | 88" | **17583** | **10111** | **17575** |
| 380 Chief | 85-86 | 18' 8" | 90" | **17737** | **10150** | **15404** |
| 390 V Comanche / V Apache | 1993 | 19' 3.5" | 90" | **17777** | **10057** | **10184** |
| 390 V Comanche / V Apache | 86-88 | 19' 3" | 90" | **17777** | **10057** | **10184** |
| 391 V Comanche / 391 XT | 1994 | 19' 3.5" | 90" | **17777** | **10057** | **10184** |
| 391 V Comanche / 391 XT | | 19' 3" | 90" | **17777** | **10057** | **10184** |
| 392 V Comanche | 85-89 | 20' 1" | 90" | **17778** | **10058** | **10185** |
| 393 V Comanche / V Apache | 87-89 | 19' 3.5" | 90" | **17777** | **10057** | **10184** |
| 395 VS Comanche | 85-92 | 20' 1" | 90" | **17778** | **10058** | **10185** |
| 396 V Comanche / V Apache | 86-88 | 19' 3.5" | 90" | **17777** | **10057** | **10184** |
| 397 V Apache O/B / 397 XT | 92-93 | 19' 3" | 90" | **17584** | **10112** | **17576** |
| 451 V Comanche | 92-94 | 17' 6" | 84" | **17776** | **10055** | **10182** |
| 461 VS | | 17' 10" | 89" | **17775** | **10056** | **10183** |
| 461 VS | 95-98 | 18' 9" | 89" | **17773** | **15411** | **15401** |
| 481 VS | 1997 | 19' 3" | 90" | **17777** | **10057** | **10184** |
| 482 V Comanche / 481 / 485 | 92-93 | 18' 0" | 90" | **17775** | **10056** | **10183** |
| 487 VS / 488 VS | | 19' 0" | 90" | **17777** | **10057** | **10184** |
| 487 VS / 488 VS | 94-98 | 20' 3" | 90" | **17778** | **10058** | **10185** |
| 491 V / 491 VS / 495 V / 492 VS | 1993 | 20' 2" | 92" | **17778** | **10058** | **10185** |
| 491 VS / 492 VS | 95-98 | 21' 5" | 92" | **17025** | **10059** | **10197** |
| 492 VS / 495 V | 92-94 | 20' 2" | 92" | **17778** | **10058** | **10185** |
| 518 SVS Comanche | 97-98 | 19' 0" | 92" | **17773** | **15411** | **15401** |
| 519 SVS Comanche | 97-98 | 20' 6" | 92" | **17778** | **10058** | **10185** |
| 519 VX | 2007 | 19' 0" | 91.5" | **17777** | **10057** | **10184** |
| 520 VX | 07-08 | 20' 9" | 92.5" | **17778** | **10058** | **10185** |
| 521 VX | 05-07 | 21' 3" | 92.5" | **17025** | **10059** | **10197** |
| 618 SVS / DVS | 2007 | 18' 0" | 83" | **17775** | **10056** | **10183** |
| 618 T Fisherman | 07-15 | 18' 4" | 90" | **17716** | **10105** | **10218** |
| 619 SVS / DVS | 2007 | 19' 2" | 92" | **17777** | **10057** | **10184** |
| 619 VS Fisherman | 08-15 | 19' 6" | 96" | **17777** | **10057** | **10184** |
| 620 SVS / DVS | 2007 | 19' 10" | 94.5" | **17777** | **10057** | **10184** |
| 620 T Fisherman | 2005 | 20' 6" | 90" | **17778** | **10058** | **10185** |
| 620 T Fisherman | 10-15 | 20' 1" | 90" | **17778** | **10058** | **10185** |
| 620 VS Fisherman | 05-15 | 20' 3" | 96" | **17778** | **10058** | **10185** |
| 621 VS Fisherman | 2005 | 20' 3" | 94.75" | **17778** | **10058** | **10185** |
| 621 VS Fisherman | 07-08 | 21' 0" | 94" | **17025** | **10059** | **10197** |
| 621 VS Fisherman | 10-15 | 21' 5" | 99.5" | **17025** | **10059** | **10197** |
| 680 C / 680 T Fisherman | 86-93 | 16' 11" | 80" | **17774** | **10054** | **10181** |
| 681 C / 681 T | 92-98 | 16' 11" | 80" | **17714** | **10104** | **10215** |
| 681 VS | 97-98 | 17' 8" | 80" | **17776** | **10055** | **10182** |
| 690 C / 690 T / 690 VS | 92-93 | 18' 0" | 90" | **17775** | **10056** | **10183** |
| 690 VS | 94-98 | 18' 9" | 90" | **17773** | **15411** | **15401** |
| 692 C / 692 VS | 92-93 | 18' 0" | 90" | **17583** | **10111** | **17575** |
| 692 VS | 94-98 | 18' 9" | 90" | **17584** | **10112** | **17576** |
| Banshee | 06-10 | 16' 8" | 81.5" | **10294** | **—** | **10296** |
| Banshee Extreme | 05-10 | 16' 8" | 81.5" | **10294** | **—** | **10296** |
| F-20 Cherokee | | 18' 8" | 102" | **17790** | **10114** | **10244** |
| R-61 | 1998 | 16' 3" | 83" | **17772** | **10053** | **10180** |
| R-70 / 72 | | 16' 6" | 81" | **17774** | **10054** | **10181** |
| R-70 / 72 | 94-97 | 17' 0" | 81" | **17774** | **10054** | **10181** |
| R-71 | 1998 | 17' 1" | 83" | **17776** | **10055** | **10182** |
| R-73 | 1998 | 17' 1" | 83" | **17776** | **10055** | **10182** |
| R-77 | 94-98 | 17' 0" | 81" | **17582** | **10110** | **17574** |
| R-77 | | 16' 6" | 81" | **17580** | **10109** | **17573** |
| R-80 | 97-98 | 17' 10" | 88" | **17776** | **10055** | **10182** |
| R-91 | 1998 | 19' 8" | 90" | **17777** | **10057** | **10184** |
| R-97 | 1998 | 19' 1" | 92" | **17773** | **15411** | **15401** |
| Rawhide | | 15' | 74" | **17760** | **10061** | **10187** |
| RT 178 | 2014 | 17' 8" | 92" | **—** | **—** | **—** |
| RT 178c | 2014 | 17' 8" | 92" | **—** | **—** | **—** |
| RT 188 | 2014 | 18' 8" | 92" | **17804** | **10076** | **10225** |
| RT 188 c | 2014 | 18' 8" | 92" | **—** | **—** | **—** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **RANGER-CONTINUED** | | | | | | |
| V Apache I/O | | 19' 3" | 90" | 17685 | 10143 | 10275 |
| Z 117 | 13-15 | 17' 8" | 89" | 17776 | 10055 | 10182 |
| Z 118 | 10-13 | 18' 8" | 92.5" | 17685 | 10143 | 10275 |
| Z 118 c | 14-15 | 18' 8" | 94" | — | — | — |
| Z 119 | 05-13 | 19' 6" | 95" | 17777 | 10057 | 10184 |
| Z 119 c | 14-15 | 19' 6" | 95" | 17777 | 10057 | 10184 |
| Z 120 | 10-11 | 20' 5" | 95' | 17778 | 10058 | 10185 |
| Z-19 | 2008 | 19'6" | 95" | 17777 | 10057 | 10184 |
| Z-20 | 07-11 | 20' 5" | 95" | 17778 | 10058 | 10185 |
| Z-21 | 05-08 | 21' 2" | 95" | 17025 | 10059 | 10197 |
| Z-21 Intercostal | 05-10 | 21' 2" | 95" | 17025 | 10059 | 10197 |
| Z-22 | 05-08 | 22' 2" | 95" | — | — | — |
| Z-250 | 2008 | 20'9" | 95" | 17778 | 10058 | 10185 |
| Z-518 Comanche | 10-13 | 18' 8" | 92.5" | 17773 | 15411 | 15401 |
| Z 518 c Comanche | 14-15 | 18' 8" | 94" | 17773 | 15411 | 15401 |
| Z 519c Comanche | 10-15 | 19' 6" | 95" | 1777 | 10057 | 10184 |
| Z 520 c Comanche | 05-15 | 20' 9" | 95" | 17778 | 10058 | 10185 |
| Z 521 Comanche | 10-13 | 21' 3" | 95" | 17025 | 10059 | 10197 |
| Z 521 c Comanche | 14-15 | 21' 7" | 96' | 17025 | 10059 | 10197 |
| Z 522 Comanche | 10-15 | 22' 4" | 95" | — | — | — |
| **REGAL** | | | | | | |
| 1700 LSR | 97-99 | 17' 0" | 90" | 17683 | 10141 | — |
| 1800 LSR | 1999 | 18' 2" | 96" | 17684 | 10142 | 10274 |
| 1900 Bowrider | 13-15 | 19' 10" | 99" | 17685 | 10143 | 10275 |
| 1900 Bowrider | 06-08 | 19' 9" | 99" | 17685 | 10143 | 10275 |
| 1900 ES | 2015 | 19' 0" | 99" | 17685 | 10143 | 10275 |
| 1900 EX | 2015 | 19' 0" | 99" | 17685 | 10143 | 10275 |
| 1900 LSR | 97-99 | 18' 7" | 96" | 17685 | 10143 | 10275 |
| 2000 | 2010 | 24' 0" | 102" | 17801 | 10072 | 10210 |
| 2000 Bowrider | 06-13 | 20' 2" | 102" | 17686 | 10144 | 10276 |
| 2100 Bowrider | 10-15 | 21' 0" | 102" | 17687 | 10145 | 10277 |
| 2100 LSR | 97-99 | 20' 10" | 101" | 17687 | 10145 | 10277 |
| 2100 RX Bowrider | 2013 | 21' 0" | 102" | — | — | — |
| 2150 LSC | 97-99 | 20' 10" | 101" | 17588 | 10130 | 10258 |
| 2200 Bowrider | 06-10 | 22' 2" | 102" | 17688 | 10146 | 10278 |
| 2220 Bowrider | 06-10 | 22' 2" | 102" | 17688 | 10146 | 10278 |
| 2250 Cuddy | 08-15 | 22' 2" | 102" | 17589 | 10131 | 10259 |
| 2300 Bowrider | 2013 | 24' 0" | 102" | — | — | — |
| 2300 RX Bowrider | 2013 | 24' 0" | 102" | — | — | — |
| 24 Fasdeck | 13-15 | 24' 3" | 102" | — | — | — |
| 24 RX Fasdeck | 2013 | 24' 3" | 102" | — | — | — |
| 2500 Bowrider | 2013 | 26' 3" | 102" | — | — | — |
| 2550 Cuddy | 2013 | 26' 3" | 102" | — | — | — |
| Commodore 242 | 98-99 | 24' 6" | 101" | 17592 | 10134 | — |
| Destiny 200 | 96-98 | 20' 1" | 102" | 17014 | — | — |
| Empress / Express 200 XL BR | 84-89 | 19' 6" | 96" | 17726 | 10034 | 10166 |
| Majestic 210 Cuddy | 1989 | 20' 6" | 96" | 17588 | 10130 | 10258 |
| Majestic 210 XL / VBR | 85-89 | 20' 6" | 96" | 17727 | 10035 | 10167 |
| Medallion 175 | 1985 | 16' 5" | 82" | 17723 | 10030 | 10163 |
| Medallion 185 / 185 XL | 1989 | 17' 10" | 87" | 17724 | 10032 | 10164 |
| Medallion 195 | 1985 | 18' 8" | 88" | 17725 | 10033 | 10165 |
| Regency 21 FF | 1985 | 20' 11" | 96" | 17588 | 10130 | 10258 |
| Sebring 195 / 195 XL / VBR | 1989 | 18' 10" | 94" | 17725 | 10033 | 10165 |
| Valanti 173 / 176 SE | 98-99 | 17' 3" | 88" | 17683 | 10141 | — |
| Valanti 176 O/B | 1998 | 17' 1" | 88" | 17693 | 10136 | 10265 |
| Valanti 182 SE | 95-96 | 18' 2" | 99" | 17684 | 10142 | 10274 |
| Valanti 196 I/O | 1998 | 19' 6" | 88" | 17685 | 10143 | 10275 |
| Valanti 196 O/B | 1998 | 19' 4" | 88" | 17695 | 10138 | 10269 |
| Valanti 202 SC | 1995 | 19' 9" | 99" | 17567 | — | — |
| Valanti 202 SE | 95-96 | 19' 10" | 99" | 17686 | 10144 | 10276 |
| Valanti 206 SC | 1995 | 20' 2" | 94" | 17587 | 10129 | 10257 |
| Valanti 206 SE | 1993 | 20' 2" | 94" | 17686 | 10144 | 10276 |
| Valanti 222 SC | 95-96 | 21' 9" | 99" | 17589 | 10131 | 10259 |
| Valanti 222 SE | 95-96 | 21' 9" | 99" | 17688 | 10146 | 10278 |
| Valanti 230 SE | 1995 | 22' 7" | 102" | 17689 | 10147 | 10279 |
| Ventura 6.8 | 96-99 | 22' 7" | 102" | 17570 | — | — |
| Ventura 7.0 | 96-99 | 23' 1" | 102" | 17689 | 10147 | 10279 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **REINELL** | | | | | | |
| 170 | 2000 | 16' 2" | 81" | 17682 | 10140 | — |
| 180 | 2000 | 17' 5" | 86" | 17683 | 10141 | — |
| 184 | 2000 | 18' 4" | 92" | 17684 | 10142 | 10274 |
| 185 | 2000 | 18' 5" | 86" | 17684 | 10142 | 10274 |
| 197 | 2000 | 19' 7" | 102" | 17686 | 10144 | 10276 |
| 203 | 2000 | 20' 3" | 96" | 17686 | 10144 | 10276 |
| 230 | 2000 | 22' 6" | 102" | 17689 | 10147 | 10279 |
| 160 Bowrider | 2015 | 16' 1" | 78" | 17682 | 10140 | 10243 |
| 180 Bowrider | 2015 | 17' 10" | 92" | 17683 | 10141 | 10242 |
| 185 Bowrider | 2015 | 20' 0" | 86" | 17686 | 10144 | 10276 |
| 197 Bowrider | 2015 | 21' 6" | 96" | 17687 | 10145 | 10277 |
| 197 C | 2000 | 19' 7" | 102" | 17567 | — | — |
| 200 C | 2000 | 20' 0" | 96" | 17567 | — | — |
| 207 LX Bowrider | 2015 | 22' 6" | 96" | 17688 | 10146 | 10278 |
| 220 C | 2000 | 22' 0" | 102" | 17569 | — | — |
| 240 C | 2000 | 24' 0" | 102" | 17571 | — | — |
| **RINKER** | | | | | | |
| 170 Captiva Bowrider OB | 2015 | 16' 10" | 88" | 17683 | 10141 | 10242 |
| 180 Bowrider | 2002 | 18' 5" | 89" | 17684 | 10142 | 10274 |
| 180 I/O | 1990 | 18' 1" | 89" | 17684 | 10142 | 10274 |
| 182 Bow Rider | 97-99 | 18' 5" | 89" | 17684 | 10142 | 10274 |
| 186 Captiva | | 18' 6" | 90" | 17685 | 10143 | 10275 |
| 186 Captiva Bowrider | 12-15 | 18' 11" | 89" | 17685 | 10143 | 10275 |
| 186 Captiva Bowrider OB | 12-15 | 18' 8" | 89" | 17694 | 10137 | 10267 |
| 186 Captiva Fish & Ski | 12-15 | 18' 11" | 94" | 17483 | 10111 | 17575 |
| 186 Captiva Fish & Ski O/B | 12-15 | 18' 8" | 94" | 17483 | 10111 | 17575 |
| 190 Captiva | 1990 | 18' 11" | 94" | 17685 | 10143 | 10275 |
| 190 MTX | 2010 | 19' 4" | 96" | — | — | — |
| 190 MTX w/swim platform | 2010 | 21' 0" | 96" | — | — | — |
| 192 Captiva Bowrider | 97-09 | 19' 2" | 96" | 17685 | 10143 | 10275 |
| 192 Captiva Bowrider w/swim platform | 06-08 | 21' 1" | 96" | 17687 | 10145 | 10277 |
| 196 Captiva Bowrider | 2012 | 19' 6" | 94" | 17685 | 10143 | 10275 |
| 196 Captiva Bowrider | 13-15 | 19' 6" | 96" | 17685 | 10143 | 10275 |
| 196 Captiva Bowrider OB | 2012 | 19' 6" | 94" | 17695 | 10138 | 10269 |
| 196 Captiva Bowrider OB | 13-15 | 19' 6" | 96" | 17685 | 10143 | 10275 |
| 196 Captiva Bowrider w/swim platform | 13-14 | 21' 0" | 96" | 17687 | 10145 | 10277 |
| 200 MTX | 2013 | 20' 10" | 96" | — | — | — |
| 200 MTX | 2014 | 20' 10" | 98" | — | — | — |
| 200 MTX Captiva | 2015 | 19' 4" | 96" | — | — | — |
| 202 Festiva Cuddy | | 20' 1" | 89" | 17587 | 10129 | 10257 |
| 206 Captiva Cuddy | 88-90 | 20' 6" | 98" | 17588 | 10130 | 10258 |
| 206 Captiva Open Bow | 88-90 | 20' 6" | 98" | 17687 | 10145 | 10277 |
| 209 Captiva | | 20' 6" | 102" | 17687 | 10145 | 10277 |
| 209 Captiva Cuddy | | 20' 6" | 102" | 17588 | 10130 | 10258 |
| 210 MTX Captiva Sportboat | 09-10 | 21' 0" | 98" | — | — | — |
| 210 MTX w/swim platform | 2010 | 22' 9" | 98" | — | — | — |
| 210 MTXC Captiva Sportboat | 2009 | 21' 0" | 98" | — | — | — |
| 210-C MTX | 2010 | 21' 0" | 98" | — | — | — |
| 210-C MTX w/swim platform | 2010 | 22' 9" | 98" | — | — | — |
| 212 Captiva Bow Rider | 96-02 | 20' 10" | 102" | 17687 | 10145 | 10277 |
| 212 Captiva Cuddy | 96-97 | 20' 10" | 102" | 17568 | — | — |
| 212 Festiva Cuddy | 97-99 | 21' 10" | 102" | 17589 | 10131 | 10259 |
| 216 Captiva Bowrider | 2012 | 21' 0" | 102" | 17687 | 10145 | 10277 |
| 216 Captiva Bowrider | 13-15 | 21' 0" | 101" | 17687 | 10145 | 10277 |
| 216 Captiva Bowrider w/swim platform | 13-14 | 22' 3" | 101" | 17688 | 10146 | 10278 |
| 220 MTX | 2012 | 22' 9" | 98" | — | — | — |
| 220 MTX | 13-14 | 22' 7" | 98" | — | — | — |
| 220 MTX Captiva | 2015 | 21' 0" | 98" | — | — | — |
| 220 MTXC Captiva | 2015 | 21' 0" | 98" | — | — | — |
| 220 MTX CC | 13-14 | 22' 7" | 98" | — | — | — |
| 220 MTX CC | 2012 | 22' 9" | 98" | — | — | — |
| 226 BR | 06-09 | 23' 6" | 102" | 17801 | 10072 | 10210 |
| 226 Captiva Bowrider | 06-12 | 23' 6" | 102" | 17801 | 10072 | 10210 |
| 226 XL | 2010 | 23' 6' | 102" | 17801 | 10072 | 10210 |
| 226XL Captiva Sportboat | 2009 | 23' 6" | 102" | — | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **RINKER-CONTINUED** | | | | | | |
| 228 Captiva Deck Boat | 2009 | 22' 8" | 102" | **17796** | **10316** | **10190** |
| 228 Flotilla | 2010 | 22' 0" | 102" | — | — | — |
| 230 Atlantic | 2007 | 22' 0" | 94" | — | — | — |
| 230 Atlantic w/swim platform | 2007 | 24' 0" | 102" | — | — | — |
| 230 Captiva CC | 2012 | 24' 0" | 102" | — | — | — |
| 230 Festiva Cuddy | 1990 | 23' 0" | 102" | **17590** | **10132** | **10261** |
| 230 RT | 2008 | 22' 0" | 102" | **17589** | **10131** | **10259** |
| 232 Captiva Bowrider | 96-08 | 23' 6" | 102" | **17689** | **10147** | **10279** |
| 232 Captiva Cuddy | 96-02 | 23' 6" | 102" | **17591** | **10133** | **10263** |
| 236 Captiva Bowrider | 13-15 | 23' 6" | 102" | **17689** | **10147** | **10279** |
| 236 Captiva CC | 14-15 | 23' 6" | 102" | **17570** | — | — |
| 236 Cuddy | 1990 | 23' 5" | 102" | **17590** | **10132** | **10261** |
| 240 Captiva Deckboat | 2007 | 25' 8" | 102" | **17799** | **10319** | **10200** |
| 243 Siesta | 2002 | 24' 3" | 102" | **17798** | **10318** | **10199** |
| 246 Captiva Bowrider | 07-15 | 26' 2" | 102" | — | — | — |
| 246 Captiva Cuddy | 07-15 | 26' 2" | 102" | — | — | — |
| 248 Captiva Deck Boat | 08-09 | 24' 8" | 102" | **17798** | **10318** | **10199** |
| 248 Flotilla | 2010 | 24' 8" | 102" | — | — | — |
| 260 Captiva Deckboat | 2007 | 25' 10" | 102" | **17799** | **10319** | **10200** |
| V 150 | 1985 | 15' 0" | 72" | **17760** | **10061** | **10187** |
| V 153 | 1985 | 15' 3" | 77" | **17709** | **10022** | **10157** |
| V 165 I/O | | 16' 5" | 81" | **17723** | **10030** | **10163** |
| V 165 O/B | | 16' 5" | 81" | **17711** | **10025** | **10159** |
| V 170 I/O | 1985 | 16' 6" | 86" | **17723** | **10030** | **10163** |
| V 170 O/B | 85-90 | 16' 6" | 86" | **17711** | **10025** | **10159** |
| V 173 I/O | | 17' 3" | 86" | **17723** | **10030** | **10163** |
| V 173 O/B | | 17' 3" | 86" | **17711** | **10025** | **10159** |
| V 180 I/O | 85-90 | 17' 7" | 87" | **17724** | **10032** | **10164** |
| V 181 | 1990 | 18' 1" | 87" | **17684** | **10142** | **10274** |
| V 190 Cuddy | 85-90 | 18' 11" | 89" | **17586** | **10128** | **10256** |
| V 190 I/O | 1985 | 18' 11" | 89" | **17725** | **10033** | **10165** |
| V 195 | 1988 | 20' 6" | 98" | **17727** | **10035** | **10167** |
| V 205 CC | 1985 | 20' 5" | 96" | **17588** | **10130** | **10258** |
| **RIVER HAWK** | | | | | | |
| 13' Original | 14-15 | 12' 6" | 44" | — | — | — |
| 13' Duck Boat | 2015 | 12' 7" | 44" | | | |
| 15' Duck Boat | 2015 | 15' 2" | 44" | | | |
| 15' Original | 2014 | 15' 0" | 44" | — | — | — |
| 15' Original | 2015 | 15' 2" | 44" | | | |
| 1686 Bay Hawk | 2015 | 16' 7" | 86" | | | |
| B-52 | 14-15 | 15' 8" | 52" | — | — | — |
| B-52 Duck Boat | 2015 | 15' 8" | 52" | | | |
| B-60 | 14-15 | 15' 3" | 60" | — | — | — |
| B-60 Duck Boat | 2014 | 15' 3" | 60" | — | — | — |
| B-60 Duck Boat | 2015 | 15' 3" | 60" | | | |
| B-60 Kingfisher | 14-15 | 15' 3" | 60" | — | — | — |
| B-60 Pro Caster Deluxe | 14-15 | 15' 3" | 60" | — | — | — |
| B-60 Pro Caster Standard | 14-15 | 15' 3" | 60" | — | — | — |
| B-60 Special | 2014 | 15' 3" | 60" | — | — | — |
| B-72 | 2014 | 16' 3" | 72" | **17455** | **10092** | **10211** |
| B-72 | 2015 | 16' 5" | 72" | **17455** | **10092** | **10211** |
| B-72 Osprey | 2015 | 16' 5" | 72" | **17455** | **10092** | **10211** |
| Bay Hawk | 2014 | 16' 6" | 86" | **17456** | **10093** | **10212** |
| **RIVIERA CRUISER** | | | | | | |
| C 2422-7T | | 20' 0 | 96" | **17790** | **10114** | **10244** |
| C 24-7 | | 20' 0 | 96" | **17790** | **10114** | **10244** |
| FD 1823 / RE | | 17' 0" | 96" | **17790** | **10114** | **10244** |
| FD 2023 / RE | | 19' 0" | 96" | **17790** | **10114** | **10244** |
| FD 2423 / RE | | 20' 0" | 96" | **17790** | **10114** | **10244** |
| FDL 2023 | | 19' 0" | 96" | **17790** | **10114** | **10244** |
| FDL 2023 LTD | | 19' 0" | 96" | **17790** | **10114** | **10244** |
| FDL 2423 | | 21' 0" | 96" | **17791** | **10116** | **10245** |
| FDL 2423 LTD | | 21' 0" | 96" | **17791** | **10116** | **10245** |
| FDL 2623 I/O | | 23' 0" | 96" | **17791** | **10116** | **10245** |
| FDL 2823 | | 25' 0" | 96" | **17791** | **10116** | **10245** |
| RCX 2422 | | 20' 0 | 96" | **17790** | **10114** | **10244** |
| RXL 2822 | | 24' 0" | 96" | **17791** | **10116** | **10245** |
| SA 2X2-2423 XL | | 23' 0" | 96" | **17791** | **10116** | **10245** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **RIVIERA CRUISER-CONTINUED** | | | | | | |
| Sport Angler 2 X 2 / SA 2X2-2023 | | 19' 0" | 96" | **17790** | **10114** | **10244** |
| Sport Angler 2/SA2 -1823 | | 17' 0" | 96" | **17790** | **10114** | **10244** |
| Sport Angler Lounge | | 17' 0" | 96" | **17790** | **10114** | **10244** |
| TCF DL 2623 | | 23' 0" | 96" | **17791** | **10116** | **10245** |
| TR 2625 / 2625 I/O | | 23' 0" | 96" | **17791** | **10116** | **10245** |
| TR 2825 / 2825 I/O | | 25' 0" | 96" | **17792** | **10117** | **10247** |
| **ROBALO** | | | | | | |
| 206 Cayman | 2015 | 20' 6" | 96" | **17738** | **10151** | **15405** |
| 2160 CC | 92-94 | 21' 4" | 96" | **17588** | **10130** | **10258** |
| 226 Cayman | 2015 | 22' 6" | 102" | **17741** | **10153** | **15407** |
| 246 Cayman | 2015 | 24' 6" | 108" | — | — | — |
| R 180 | 215 | 18' 4" | 96" | **17780** | **15412** | **15403** |
| R 1820 | 1985 | 18' 1" | 87" | **17780** | **15412** | **15403** |
| R 190 | 2005 | 18' 4" | 96" | **17737** | **10150** | **15404** |
| R 200 | 03-05 | 20' 1" | 96" | **17686** | **10144** | **10276** |
| R 200 | 2015 | 20' 7" | 100" | **17686** | **10144** | **10276** |
| R 2020 | 1985 | 19' 4" | 96" | **17739** | **10152** | **15406** |
| R 207 | 2015 | 20' 7" | 100" | **17686** | **10144** | **10276** |
| R 220 | 2005 | 21' 6" | 102" | — | — | — |
| R 225 | 2005 | 22' 3" | 102" | — | — | — |
| R 227 | 05-15 | 21' 6" | 102" | — | — | — |
| R 230 | 03-05 | 24' 6" | 102" | — | — | — |
| R 235 | 03-05 | 24' 6" | 102" | — | — | — |
| R 247 | 2015 | 24' 0" | 105" | **17686** | **10144** | **10276** |
| R 260 | 2005 | 26' 5" | 108" | — | — | — |
| R 265 | 2005 | 26' 1" | 108" | — | — | — |
| R190 | 2003 | 18' 7" | 96" | **17780** | **15412** | **15403** |
| **ROUGHNECK: SEE LOWE** | | | | | | |
| **SABRE** | | | | | | |
| 24-19 SAB | | 20' 0" | 96" | **17790** | **10114** | **10244** |
| 28-22 SAB | | 24' 0" | 96" | **17791** | **10116** | **10245** |
| **SANPAN SEE: GODFREY** | | | | | | |
| **SCOUT BOATS** | | | | | | |
| 145 Sportfish | 2004 | 14' 5" | 78" | — | — | — |
| 151 Series | 13-15 | 14' 7" | 77" | **17813** | **10088** | **10234** |
| 160 Dorado | 2004 | 15' 6" | 82" | — | — | — |
| 160 Fish | 2004 | 15' 6" | 82" | — | — | — |
| 160 Series | 13-15 | 15' 6" | 82" | — | — | — |
| 160 Sportfish Flats | 2004 | 15' 6" | 82" | — | — | — |
| 162 Sportfish | 98-02 | 16' 2" | 82" | — | **10294** | **10296** |
| 170 Costa | 2004 | 16' 9" | 88" | — | — | — |
| 172 Dorado | 98-99 | 172' 2" | 88" | **17693** | **10136** | **10265** |
| 172 Sportfish | 98-02 | 172' 2" | 88" | **17736** | **10148** | **15402** |
| 175 Dorado | 00-04 | 17' 5" | 89" | **17693** | **10136** | **10265** |
| 175 Sportfish | 04-15 | 17' 5" | 89" | **17736** | **10148** | **15402** |
| 177 Dorado | 13-15 | 17' 7" | 87" | **1776** | **10148** | **15402** |
| 177 Series | 2013 | 17' 7" | 87" | **1776** | **10148** | **15402** |
| 177 Sportfish Flats | 2004 | 17' 7" | 93" | **17736** | **10148** | **15402** |
| 177 Winyah | 13-15 | 17' 7" | 87" | — | — | — |
| 185 Dorado | 98-04 | 18' 5" | 95" | **17694** | **10137** | **10267** |
| 185 Sportfish | 2004 | 18' 5" | 95" | **17790** | **15412** | **15403** |
| 187 Dorado | 13-15 | 18' 7" | 95" | **17780** | **15412** | **15403** |
| 187 Sportfish | 13-15 | 18' 5" | 95" | **17780** | **15412** | **15403** |
| 191 Bay Scout | 13-15 | 18' 10" | 102" | — | — | — |
| 192 Sportfish | 98-02 | 18' 8" | 98" | — | **10295** | **10297** |
| 195 Sportfish | 13-15 | 19' 5" | 102" | — | — | — |
| 200 Bay Scout | 2004 | 19' 10" | 102" | **17738** | **10151** | **15405** |
| 201 Bay Scout | 13-15 | 19' 10" | 102" | — | — | — |
| 202 Dorado | 2004 | 22' 2" | 102" | — | — | — |
| 202 Sportfish | 98-02 | 19' 10" | 100" | **17738** | **10151** | **15405** |
| 210 Dorado | 13-15 | 20' 10" | 100" | — | — | — |
| 210 Sportfish | 2004 | 20' 10" | 102" | — | — | — |
| 210 XSF | 13-15 | 20' 10" | 100" | — | — | — |
| 220 Bay Scout | 2004 | 21' 10" | 102" | **17741** | **10153** | **15407** |
| 221 Winyah Bay | 13-15 | 22' 0" | 102" | — | — | — |
| 222 Dorado | 2004 | 19' 10" | 100" | **17695** | **10138** | **10269** |
| 225 Dorado | 13-15 | 22' 5" | 102" | **17589** | **10131** | **10259** |
| 225 XSF | 13-15 | 22' 5" | 102" | — | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SCOUT BOATS-CONTINUED** | | | | | | |
| 235 Sportfish | 2004 | 22' 10" | 102" | — | — | — |
| 240 Bay Scout | 2004 | 23' 10" | 102" | **17782** | **10154** | **15408** |
| 242 Abaco | 2004 | 24' 2" | 102" | — | — | — |
| 245 Dorado | 2013 | 24' 5" | 102" | **17591** | **10133** | **10263** |
| 245 XSF | 2013 | 24' 5" | 102" | — | — | — |
| 251 XS | 13-15 | 24' 10" | 102" | — | — | — |
| 262 Abaco | 13-15 | 26' 2" | 106" | — | — | — |
| 275 LXF | 13-15 | 27' 6" | 108" | — | — | — |
| 280 Abaco | 2004 | 28' 6" | 113" | — | — | — |
| 280 Sportfish | 2004 | 28' 6" | 113" | — | — | — |
| **SEA ARK** | | | | | | |
| 1542-P | 95-00 | 15' 0" | 61" | **17742** | **10066** | **10194** |
| 1648-P | 95-00 | 16' 0" | 67" | **17744** | **10067** | **10195** |
| 1652 Crappie | 2015 | 16' 0" | 72" | **17744** | **10067** | **10195** |
| 1652-P | 2000 | 16' 0" | 72" | **17046** | — | — |
| Bay Extreme BX 220 | 2015 | 21' 9" | 94" | **17807** | **10079** | **10228** |
| Big Daddy | 2015 | 24' 0" | 94" | — | — | — |
| Big Easy | 2015 | 24' 0" | 95" | — | — | — |
| Crappie 150 | 1995 | 15' 0" | 63" | **17044** | — | — |
| Crappie Jon | 1995 | 15' 7" | 54" | **17046** | — | — |
| CRX 190 | 2015 | 18' 6" | 83" | **17750** | **10070** | **10206** |
| DXS 1542-DKLD / SLD | 2015 | 15' 0" | 61 | **17742** | **10066** | **10194** |
| DXS 1548-DKLD / SLD | 2015 | 15' 0" | 67" | **17825** | **10074** | **10223** |
| DXS 1652-DKLD / DLS | 2015 | 16' 0" | 72" | **1744** | **10067** | **10195** |
| DXS 1860-SLD | 2015 | 18'0" | 82" | **17750** | **10070** | **10206** |
| Easy 200 | 2015 | 20' 1" | 95" | **17806** | **10078** | **10227** |
| McBass 150 L | 1995 | 15' 0" | 62" | **17742** | **10066** | **10194** |
| McBass 160 | 95-00 | 16' 0" | 68" | **17744** | **10067** | **10195** |
| McBass 170 | 1995 | 17' 0" | 72" | **17748** | **10069** | **10204** |
| Mud Runner 170 | 2015 | 17' 0" | 67" | **17048** | — | — |
| Mud Runner 180 | 2015 | 18' 0" | 72" | **17820** | — | — |
| MV 1448 / AW | 95-00 | 14' 0" | 67" | **17044** | — | — |
| MV 1542 / AW | 95-00 | 15' 0" | 61" | **17044** | — | — |
| MV 1648 / AW | 95-00 | 16' 0" | 67" | **17046** | — | — |
| MV 1652 / AW | 95-00 | 16' 0" | 72" | **17046** | — | — |
| MV 1852 / AW | 95-00 | 18' 0" | 72" | **17046** | — | — |
| Predator 200 AK | 20015 | 20' 6" | 94" | — | — | — |
| Predator 200 FS CC | 2015 | 20' 6" | 94" | — | — | — |
| Predator 220 FS CC | 2015 | 22' 6" | 94" | — | — | — |
| Pro Cat 200 | 2015 | 20' 1" | 94" | — | — | — |
| Pro Cat 240 | 2015 | 24' 0" | 94" | — | — | — |
| Stealth 170 | 2015 | 17' 2" | 77" | **17714** | **10104** | **10215** |
| Stealth 190 | 2015 | 18' 6" | 83" | **17811** | **10083** | **10232** |
| Stealth 210 | 2015 | 20' 6" | 83" | — | — | — |
| Sun Station 23 | 95-00 | 23' 1" | 96" | **17018** | — | — |
| Suntastic 20 | 95-00 | 20' 1" | 96" | **17014** | — | — |
| V Cat 200 | 2015 | 20' 1" | 94" | — | — | — |
| ZX 170 | 99-00 | 17' 2" | 79" | **17748** | **10069** | **10204** |
| ZX 180 | 99-00 | 18' 0" | 84" | **17750** | **10070** | **10206** |
| **SEA CHASER** | | | | | | |
| 160 FS | 2006 | 15' 10" | 84" | — | **10294** | **10296** |
| 170 BR | 2006 | 16' 6" | 90" | **17736** | **10148** | **15402** |
| 175 RG | 2006 | 17' 5" | 91" | **17736** | **10148** | **15402** |
| 180 FS | 2006 | 17' 9.5" | 85" | — | **10295** | **10297** |
| 190 BR | 2006 | 18' 7" | 90" | **17780** | **15412** | **15403** |
| 200 FS | 2006 | 20' 2" | 92" | **17738** | **10151** | **15405** |
| 210 LX BR | 2006 | 20' 6" | 103" | **17738** | **10151** | **15405** |
| 220 BR | 2006 | 21' 7" | 91" | **17739** | **10152** | **15406** |
| 230 LX BR | 2006 | 22' 9" | 103" | **17741** | **10153** | **15407** |
| 250 LX BR | 2006 | 24' 6" | 103" | **17783** | **10155** | **15409** |
| 1800 CC | 2006 | 17' 7" | 90" | **17736** | **10148** | **15402** |
| 1800 RG | 2006 | 18' 0" | 95.5" | **17780** | **15412** | **15403** |
| 1900 CC | 2006 | 18' 10" | 103" | — | — | — |
| 1950 RG | 2006 | 19' 7" | 95.5" | **17737** | **10150** | **15404** |
| 2100 CC | 2006 | 21' 1" | 103" | — | **10152** | **15405** |
| 2100 RG | 2006 | 21' 4" | 108" | **17739** | **10152** | **15405** |
| 2100 WA | 2006 | 21' 1" | 103" | — | — | — |
| 2400 CC | 2006 | 24' 1" | 103" | **17783** | **10155** | **15409** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SEA CHASER-CONTINUED** | | | | | | |
| 2400 WA | 2006 | 24' 1" | 103" | — | — | — |
| 2600 CC | 2006 | 26' .75" | 110.25" | — | — | — |
| **SEA DOO** | | | | | | |
| 180 Challenger | 2012 | 17' 7" | 98" | — | — | — |
| 210 Challenger | 2012 | 20' 6" | 102" | — | — | — |
| 230 Challenger | 2012 | 23' 6" | 105" | — | — | — |
| 180 SP | 2012 | 17' 7" | 98" | — | — | — |
| 210 Wake | 2012 | 20' 6" | 102" | — | — | — |
| 210 SP | 2012 | 20' 6" | 102" | — | — | — |
| 230 Wake | 2012 | 23' 6" | 105" | — | — | — |
| 230 SP | 2012 | 23' 6" | 105" | — | — | — |
| 150 Speedster | 2012 | 15' 4" | 88" | — | — | — |
| 200 Speedster | 2012 | 19' 9" | 96" | — | — | — |
| **SEA FOX** | | | | | | |
| 106 CC | 2011 | 16' 1" | 74" | — | — | — |
| 172 CC | 2011 | 17' 1" | 82" | — | — | — |
| 180 Viper | | 18' 1" | 96" | **17780** | **15412** | **15403** |
| 186 Commander | 2104 | 18' 4" | 96" | **17780** | **15412** | **15403** |
| 187 Center Console | 07-11 | 18' 0" | 92" | **17780** | **15412** | **15403** |
| 197 Center Console | 07-11 | 19' 8" | 92" | — | — | — |
| 199 Commander | 2014 | 19' 9" | 97" | **17737** | **10150** | **15404** |
| 200 Viper | | 20' 1" | 96" | **17738** | **10151** | **15405** |
| 200 XT | 2011 | 20' 1" | 96" | — | — | — |
| 205 Bay Fisher | 2007 | 20' 6" | 102" | — | — | — |
| 216 Center Console | 07-11 | 21' 3" | 102" | — | — | — |
| 216 Dual Console | 07-11 | 21' 3" | 102" | — | — | — |
| 216 Voyager | | 21' 3 | 102" | — | — | — |
| 216 Walk Around | 07-11 | 21' 3" | 102" | — | — | — |
| 220 Viper | | 22' 4" | 102" | — | — | — |
| 220 XT | 2011 | 22' 4" | 102" | — | — | — |
| 225 Bay Fisher | 2007 | 22' 6" | 102" | — | — | — |
| 226 CC | 11-14 | 24' 4" | 102' | — | — | — |
| 226 Traveler | 2014 | 22' 0" | 102" | — | — | — |
| 236 Voyager | 2015 | 23' 7" | 92: | — | — | — |
| 236 Center Console | 07-11 | 23' 3" | 102" | — | — | — |
| 236 DC | 2011 | 23' 3 | 102" | — | — | — |
| 236 Walk Around | 07-1 | 23' 3" | 102" | — | — | — |
| 240 Viper | 2015 | 24' 0" | 94" | — | — | — |
| 240 XT | 2011 | 24' 4" | 102" | — | — | — |
| 244 Avenger | 2015 | 24' 4" | 102" | — | — | — |
| 245 Bay Fisher | 2007 | 24' 0" | 102" | — | — | — |
| 256 Center Console | 07-12 | 25' 0" | 111" | — | — | — |
| 256 Walk Around | 07-11 | 25' 0" | 111" | — | — | — |
| 287 Center Console | 2007 | 28' 0" | 116" | — | — | — |
| 287 Walk Around | 2007 | 28' 0" | 116" | — | — | — |
| **SEA HUNT** | | | | | | |
| BX 20 BR | 2015 | 20' 3" | 97" | **17738** | **10151** | **15405** |
| BX 21T | 2007 | 20' 6" | 99" | — | — | — |
| BX 22 BR | 2015 | 22' 3" | 97" | **17741** | **10153** | **15407** |
| BX 22 Pro | 2015 | 22' 3" | 97" | — | — | — |
| BX 22 Pro | 2011 | 22' 3" | 102" | **17741** | **10153** | **15407** |
| BX 22T | 2007 | 22' 3" | 99" | — | — | — |
| BX 24 BR | 2015 | 24' 6" | 102" | **17783** | **10155** | **15409** |
| BX 24 Pro / BX 24 BR | 2011 | 24' 0" | 102" | — | — | — |
| Escape 175 | 2002 | 17' 2" | 89" | **17693** | **10136** | **10265** |
| Escape 186 | 2007 | 18' 6" | 93" | **17694** | **10137** | **10267** |
| Escape 188 LE | 2011 | 18' 8" | 93" | **17694** | **10137** | **10267** |
| Escape 200 | 2002 | 19' 6" | 96" | **17695** | **10138** | **10269** |
| Escape 200 | 2007 | 20' 4" | 96" | **17800** | **10071** | **10205** |
| Escape 207 LE | 2011 | 20' 7" | 99" | **17800** | **10071** | **10205** |
| Escape 211 LE | 2015 | 21' 1" | 98" | **17800** | **10071** | **10205** |
| Escape 220 | 2007 | 22' 0" | 102" | — | — | — |
| Escape 220 LE | 2011 | 22' 0" | 102" | — | — | — |
| Escape 235 LE | 2015 | 23' 5" | 102" | | | |
| FQ 1800 / FF1800 | 95-96 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| FQ 2000 / FF2000 | 94-96 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| FQ 2400 | 94-96 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| Gamefish 25 | 2011 | 25' 6" | 108" | — | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SEA HUNT** | | | | | | |
| KF 2000 | 94-96 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| SK 180 / SKS 180 | 95-96 | 17' 9" | 96" | 17790 | 10114 | 10244 |
| SKF 180 | 95-96 | 17' 9" | 96" | 17790 | 10114 | 10244 |
| SKF 200 | 94-96 | 19' 9" | 96" | 17790 | 10114 | 10244 |
| SKS 200 / SK 200 | 94-96 | 19' 9" | 96" | 17790 | 10114 | 10244 |
| SQ 1800 / SF1800 | 95-96 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| SQ 2000 / SF 2000 | 94-96 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| SQ 2400 | 94-96 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| SQ 2800 | 94-96 | 28' 0" | 96" | 17792 | 10117 | 10247 |
| SSF 180 | 95-96 | 17' 9" | 96" | 17790 | 10114 | 10244 |
| SSF 200 | 94-96 | 19' 9" | 96" | 17790 | 10114 | 10244 |
| Triton 172 | 2007 | 17' 2" | 89" | 17736 | 10148 | 15402 |
| Triton 177 | 2011 | 17' 7" | 92" | 17736 | 10148 | 15402 |
| Triton 188 | 11-15 | 18' 8" | 93" | 17780 | 15412 | 15403 |
| Triton 200 | 2002 | 19' 6" | 96" | 17737 | 10150 | 15404 |
| Triton 202 | 2002 | 19' 7" | 97" | 17738 | 10151 | 15405 |
| Triton 202 | 2011 | 20' 0" | 98" | 17738 | 10151 | 15405 |
| Triton 207 | 07-11 | 20' 7" | 99" | — | — | — |
| Triton 210 | 2015 | 21' 1" | 98" | 17739 | 10152 | 15406 |
| Triton 220 | 2007 | 22' 0" | 102" | — | — | — |
| Triton 225 | 2015 | 22' 5" | 102" | 17741 | 10153 | 15407 |
| Triton 232 | 02-07 | 23' 4" | 102" | 17782 | 10154 | 15408 |
| Triton 240 | 07-11 | 24' 0" | 102" | — | — | — |
| Triton 260 | 2007 | 26' 0" | 111" | — | — | — |
| Ultra 196 | 11-15 | 19' 7" | 97" | 17737 | 10150 | 15404 |
| Ultra 210 | 2011 | 20' 7" | 99" | — | — | — |
| Ultra 211 | 2016 | 21' 1" | 99" | 17739 | 10152 | 15406 |
| Ultra 225 | 2015 | 22' 5" | 102" | 17741 | 10153 | 15407 |
| Ultra 232 | 2011 | 23' 2" | 102" | — | — | — |
| Ultra 234 | 2015 | 23' 4" | 102" | 17782 | 10154 | 15408 |
| Victory 207 | 2007 | 20' 7" | 99" | — | — | — |
| Victory 225 | 2007 | 22' 0" | 102" | — | — | — |
| Victory 225 | 2011 | 22' 0" | 102" | — | — | — |
| Victory 245 | 2011 | 24' 0" | 102" | — | — | — |
| XP 19 | 2011 | 19' 3" | 93" | 17737 | 10150 | 15404 |
| XP 21 | 2011 | 21' 2" | 93" | 17739 | 10152 | 15406 |
| **SEA NYMPH** | | | | | | |
| 1256 | 93-98 | 12' 1" | 56" | 17453 | 10086 | 10207 |
| 1457 | 96-98 | 14' 1" | 57" | 17454 | 10087 | 10208 |
| 1462 | 96-98 | 13' 8" | 62" | 17454 | 10087 | 10208 |
| 12 E / K / R | 1984 | 12' 0" | 52" | 17453 | 10086 | 10207 |
| 14 K | 84-92 | 14' 1" | 57" | 17454 | 10087 | 10208 |
| 14 M-4 / M-3 | 84-92 | 14' 5" | 66" | 17454 | 10087 | 10208 |
| 14 R | 84-92 | 13' 8" | 62" | 17454 | 10087 | 10208 |
| 1436 / M / L | 93-98 | 14' 0" | 57" | 17040 | — | — |
| 1440 M | 1998 | 14' 0" | 59" | 17040 | — | — |
| 1448 / M / MW | 93-98 | 14' 0" | 70" | 17044 | — | — |
| 1465 / T / WT | 1993 | 14' 0" | 68" | 17454 | 10087 | 10208 |
| 1467 / T / WT | 96-98 | 13' 11" | 67" | 17454 | 10087 | 10208 |
| 1472T | 1993 | 14' 0" | 74" | 17454 | 10087 | 10208 |
| 1542 M / VT | 1998 | 14' 11" | 63" | 17044 | — | — |
| 16 R / M | 84-87 | 16' 5" | 72" | 17456 | 10093 | 10212 |
| 1640 M | 93-98 | 15' 10" | 60'" | 17042 | — | — |
| 1648 / V / VT / TNN / M / MT / MW | 93-98 | 15' 10" | 70" | 17046 | — | — |
| 1652 MT / T | 93-98 | 15' 10" | 75" | 17046 | — | — |
| 1666 / T / WT | 1996 | 16' 1" | 68" | 17455 | 10092 | 10211 |
| 1667 / T | 96-98 | 15' 11" | 67" | 17455 | 10092 | 10211 |
| 1752D / VCT | 93-98 | 17' 0" | 74" | 17048 | — | — |
| 1760 MT | 1998 | 17' 0" | 83" | 17048 | — | — |
| 1848 / MT | 93-98 | 18' 0" | 70" | 17048 | — | — |
| 1852 MT / MTNN | 93-98 | 18' 0" | 75" | 17048 | — | — |
| 1880 T | 1996 | 17' 11" | 80" | 17716 | 10105 | 10218 |
| BT 165 | 1993 | 15' 11" | 68" | 17456 | 10093 | 10212 |
| BT 175 | 93-96 | 17' 4" | 85" | 17716 | 10105 | 10218 |
| CC 170/171 | 84-91 | 16' 7" | 82" | 17736 | 10148 | 15402 |
| CC 191 | 87-91 | 19' 0" | 89" | 17737 | 10150 | 15404 |
| FM 141 | 1996 | 14' 8" | 72" | 17760 | 10061 | 10187 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SEA NYMPH-CONTINUED** | | | | | | |
| FM 142 | 1986 | 14' 5" | 66" | 17454 | 10087 | 10208 |
| FM 144 / 145 / 146 | 84-92 | 14' 5" | 66" | 17454 | 10087 | 10208 |
| FM 160 | 84-95 | 16' 0" | 69" | 17460 | 10102 | 10213 |
| FM 161 | 84-96 | 16' 5" | 72" | 17460 | 10102 | 10213 |
| FM 164 | 84-96 | 16' 5" | 72" | 17460 | 10102 | 10213 |
| FM 170 | 95-96 | 16' 10" | 80" | 17774 | 10054 | 10181 |
| FM 200 | 1993 | 19' 6" | 96" | 17790 | 10114 | 10244 |
| GL 195 O/B | 91-93 | 19' 0" | 87" | 17713 | 10027 | 10161 |
| GLS 175 O/B | 93-96 | 17' 4" | 85" | 17711 | 10025 | 10159 |
| GLS 195 I/O/SS | 90-91 | 19' 0" | 89" | 17725 | 10033 | 10165 |
| GLS 195 O/B | 87-91 | 19' 0" | 89" | 17713 | 10027 | 10161 |
| GLS 220 I/O | 87-93 | 22' 0" | 102" | 17589 | 10131 | 10259 |
| JB 151 / 154 | 84-85 | 15' 0" | 62" | 17742 | 10066 | 10194 |
| JB 160 / 161 / 164 / 165 | 84-85 | 16' 4" | 72" | 17746 | 10068 | 10202 |
| SC 170 / Sidewinder | 1993 | 16' 9" | 84" | 17774 | 10054 | 10181 |
| SC 175 / Sidewinder | 92-96 | 17' 4" | 85" | 17718 | 10106 | 10219 |
| SP 200 | | 19' 6" | 96" | 17790 | 10114 | 10244 |
| SP 240 | | 23' 6" | 96" | 17791 | 10116 | 10245 |
| SS 150 / SS 155 | 84-85 | 15' 0" | 82" | 17709 | 10022 | 10157 |
| SS 165 | 1984 | 16' 3" | 82" | 17460 | 10102 | 10213 |
| SS 165 F/S | 95-96 | 15' 11" | 77" | 17710 | 10023 | 10158 |
| SS 171 / Fish-N-Ski | 85-90 | 16' 7" | 82" | 17711 | 10025 | 10159 |
| SS 171 Ski Sport O/B | 84-88 | 16' 7" | 82" | 17711 | 10025 | 10159 |
| SS 191 I/O | 1986 | 19' 0" | 89" | 17725 | 10033 | 10165 |
| SS 191 Ski Sport | 86-90 | 19' 0" | 89" | 17713 | 10027 | 10161 |
| SS 195 Fish-N-Ski | 86-90 | 19' 0" | 89" | 17713 | 10027 | 10161 |
| SS 195 Fish-N-Ski I/O | 84-93 | 19' 0" | 87" | 17725 | 10033 | 10165 |
| TC 195 | 95-96 | 19' 1" | 86" | 17713 | 10027 | 10161 |
| TX 140 | 1991 | 14' 0" | 63" | 17740 | 10065 | 10193 |
| TX 150/TX 155 | 87-93 | 15' 1" | 63" | 17742 | 10066 | 10194 |
| TX 160/161 | 1992 | 16' 1" | 70" | 17746 | 10068 | 10202 |
| TX 161 | 95-96 | 15' 10" | 72" | 17746 | 10068 | 10202 |
| TX 162 | 1991 | 16' 1" | 72" | 17744 | 10067 | 10195 |
| TX 162 | 95-96 | 15' 10" | 72" | 17744 | 10067 | 10195 |
| TX 165 | 92-93 | 16' 1" | 70" | 17746 | 10068 | 10202 |
| TX 165 | 95-96 | 15' 10" | 72" | 17746 | 10068 | 10202 |
| TX 175 Tournament Pro | 95-96 | 17' 0" | 73" | 17748 | 10069 | 10204 |
| TX 175 Tournament Pro | 92-93 | 17' 2" | 70" | 17748 | 10069 | 10204 |
| **SEA OX** | | | | | | |
| 180 Center Console | 1986 | 18' 3" | 88" | 17737 | 10150 | 15404 |
| 180 D | 1986 | 18' 3" | 88" | 17712 | 10026 | 10160 |
| 200 Center Console | 1986 | 20' 3" | 96" | 17738 | 10151 | 15405 |
| **SEA PRO** | | | | | | |
| 170 CC | 96-99 | 17' 0" | 82" | 17736 | 10148 | 15402 |
| 170 DC | 96-99 | 17' 0" | 82" | 17711 | 10025 | 10159 |
| 180 CC | 96-99 | 17' 6" | 89" | 17780 | 15412 | 15403 |
| 190 CC | 96-99 | 18' 5" | 96" | 17737 | 10150 | 15404 |
| 190 DC | 96-99 | 18' 5" | 96" | 17586 | 10128 | 10256 |
| 204 CC | 96-99 | 20' 4" | 96" | 17738 | 10151 | 15405 |
| 210 CC | 96-99 | 20' 6" | 102" | 17739 | 10152 | 15406 |
| **SEA RAY** | | | | | | |
| 160 Bow Rider I/O | 1988 | 16' 9" | 85" | 17683 | 10141 | — |
| 160 Bow Rider O/B | 1988 | 16' 9" | 85" | 17693 | 10136 | 10265 |
| 170 Bow Rider I/O | | 18' 2" | 84" | 17684 | 10142 | 10274 |
| 175 BR O/B | 96-97 | 18' 2" | 84" | 17694 | 10137 | 10267 |
| 175 BR XL / BR I/O | 96-97 | 18' 2" | 84" | 17684 | 10142 | 10274 |
| 175 F/S | 96-97 | 18' 2" | 84" | 17583 | 10111 | 17575 |
| 175 Sport | 05-11 | 17' 6" | 84" | 17683 | 10141 | — |
| 180 Bow Rider / Closed Bow | 98-00 | 18' 0" | 90" | 17684 | 10142 | 10274 |
| 180 Bow Rider I/O | 98-00 | 18' 8" | 90" | 17685 | 10143 | 10275 |
| 180 Bow Rider O/B | 99-00 | 18' 0" | 90" | 17694 | 10137 | 10267 |
| 180 Dual Console | 99-00 | 18' 0" | 90" | 17684 | 10142 | 10274 |
| 185 / 187 Monaco | 1987 | 17' 6" | 96" | 17724 | 10032 | 10164 |
| 185 Bow Rider | 95-00 | 18' 6" | 90" | 17685 | 10143 | 10275 |
| 185 Outboard Sport | 03-05 | 18' 0" | 90" | 17694 | 10137 | 10267 |
| 185 Sport | 05-12 | 19' 8" | 87" | 17685 | 10143 | 10275 |
| 185 Sport | 2003 | 18' 6" | 90" | 16538 | 17684 | 10142 |
| 19 SPX | 2015 | 19' 6" | 100" | 17685 | 10143 | 10275 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SEA RAY-CONTINUED** | | | | | | |
| 190 Bow Rider / Closed Bow | 97-00 | 19' 0" | 101" | 17685 | 10143 | 10275 |
| 190 Bow Rider I/O | 1996 | 18' 6" | 90" | 17685 | 10143 | 10275 |
| 190 Cuddy Cabin | 99-00 | 19' 0" | 98" | 17586 | 10128 | 10256 |
| 190 Ski Ray | 1995 | 18' 8" | 90" | 17695 | 10138 | 10269 |
| 190 Sport | 11-15 | 19' 8" | 87" | 17685 | 10143 | 10275 |
| 195 / 197 Monaco | 1987 | 19' 6" | 96" | 17726 | 10034 | 10166 |
| 195 BR | 1995 | 20' 2" | 91" | 17685 | 10143 | 10275 |
| 195 Sport | 05-11 | 20' 2" | 90" | 17726 | 10034 | 10166 |
| 200 / 207 Monaco | 1987 | 20' 8" | 96" | 17727 | 10035 | 10167 |
| 200 Bow Rider I/O | | 20' 10" | 94" | 17687 | 10145 | 10277 |
| 200 BR/Select | 1995 | 20' 6" | 96" | 17687 | 10145 | 10277 |
| 200 Cuddy Cabin | | 20' 10" | 94" | 17588 | 10130 | 10258 |
| 200 Overnighter / Select | 96-97 | 20' 2" | 91" | 17587 | 10129 | 10257 |
| 200 Overnighter LTD | | 21' 4" | 96" | 17588 | 10130 | 10258 |
| 200 Select | 2005 | 21' 0" | 101" | 17687 | 10145 | 10277 |
| 200 SR | | 20' 2" | 91" | 17686 | 10144 | 10276 |
| 200 Sundeck | 04-11 | 21' 0" | 100" | 17687 | 10145 | 10277 |
| 205 Sport | 05-15 | 21' 0" | 96" | 17687 | 10145 | 10277 |
| 21 SPX | 2015 | 21' 6" | 102" | 17687 | 10145 | 10277 |
| 21 SPX OB | 2015 | 21' 6" | 102" | 17687 | 10145 | 10277 |
| 210 SXL | 2015 | 21' 0" | 99" | 17687 | 10145 | 10277 |
| 210 Bow Rider | 97-00 | 21' 0" | 102" | 17687 | 10145 | 10277 |
| 210 Bow Rider / Select | 1996 | 20' 6" | 96" | 17728 | 10036 | 10168 |
| 210 Monaco / SXL | 1987 | 21' 0" | 96" | 17588 | 10130 | 10258 |
| 210 Overnighter | 11-12 | 21' 3" | 101" | 17687 | 10145 | 10277 |
| 210 Select | 05-11 | 21' 0" | 102" | 17687 | 10145 | 10277 |
| 210 Select Fission | 09-11 | 21' 0" | 102" | 17687 | 10145 | 10277 |
| 210 SLX | 13-14 | 21' 0" | 99" | 17687 | 10145 | 10277 |
| 210 SLX | 11-12 | 21' 0" | 102" | 17687 | 10145 | 10277 |
| 210 SLX | 13-14 | 21' 0" | 99" | 17687 | 10145 | 10277 |
| 210 Sundeck | 98-00 | 21' 0" | 102" | 17687 | 10145 | 10277 |
| 210 Sundeck | 2009 | 22' 0" | 100" | 17688 | 10146 | 10278 |
| 215 Express Cruiser | 96-00 | 21' 6" | 102" | 17589 | 10131 | 10259 |
| 215 Weekender | 04-08 | 22' 0" | 102" | 17589 | 10131 | 10259 |
| 22 Pachanga | 2009 | 24' 0" | 100" | 17801 | 10072 | 10210 |
| 220 BB / SR / OV | | 21' 4" | 96" | 17687 | 10145 | 10277 |
| 220 BR | 1995 | 22' 5" | 98" | 17688 | 10146 | 10178 |
| 220 BR | | 20' 6" | 96" | 17687 | 10145 | 10277 |
| 220 Cuddy | | 23' 8" | 102" | 17591 | 10133 | 10263 |
| 220 Overnighter | 1995 | 22' 5" | 98" | 17590 | 10132 | 10261 |
| 220 Select | 04-07 | 23' 0" | 102" | 17689 | 10147 | 10279 |
| 220 Sundeck | 2011 | 22' 0" | 100" | 17688 | 10146 | 10178 |
| 220 Sundeck | 04-06 | 23' 6" | 102" | 17689 | 10147 | 10279 |
| 220 Sundeck | 13-15 | 22' 6" | 100" | 17689 | 10147 | 10279 |
| 220 Sundeck O/B | 11-15 | 22' 0" | 100" | 17688 | 10146 | 10178 |
| 225 Weekender | 06-08 | 24' 7" | 102" | 17591 | 10133 | 10263 |
| 230 Bow Rider | 97-00 | 22' 10" | 102" | 17689 | 10147 | 10279 |
| 230 BR / Select | 96-00 | 22' 10" | 101" | 17689 | 10147 | 10279 |
| 230 Cuddy | 87-88 | 23' 0" | 96" | 17591 | 10133 | 10263 |
| 230 Overnighter / Select | 98-00 | 22' 10" | 102" | 17590 | 10132 | 10261 |
| 230 Overnighter / Select | 98-00 | 22' 5" | 98" | 17590 | 10132 | 10261 |
| 230 Select | 09-11 | 23' 0" | 102" | 17689 | 10147 | 10279 |
| 230 Select Fission | 09-11 | 23' 0" | 102" | 17689 | 10147 | 10279 |
| 230 SLX | 11-15 | 23' 0" | 102" | 17689 | 10147 | 10279 |
| 230 Sundeck | 2009 | 24' 1" | 102" | 17801 | 10072 | 10210 |
| 235 Weekender | 11-12 | 24' 7" | 102" | 17571 | — | — |
| 240 BR | 1995 | 23' 10" | 102" | 17571 | — | — |
| 240 Overnighter | 96-97 | 23' 10" | 102" | 17591 | 10133 | 10263 |
| 240 Sun Sport | 2012 | 25' 5" | 101" | 17592 | 10134 | — |
| 240 Sundancer | 97-98 | 23' 6" | 102" | 17591 | 10133 | 10263 |
| 240 Sundancer | 06-08 | 24' 6" | 102" | 17591 | 10133 | 10263 |
| 240 Sundancer | 2011 | 24' 10" | 102" | 17591 | 10133 | 10263 |
| 240 Sundancer | 2011 | 24' 10" | 102" | 17591 | 10133 | 10263 |
| 240 Sundeck | 12-15 | 24' 6" | 102" | 17801 | 10072 | 10210 |
| 240 Sundeck O/B | 13-15 | 24' 0" | 102" | 17801 | 10072 | 10210 |
| 250 Ambejack | 2005 | 26' 0" | 102" | — | — | — |
| 250 Amberjack | 2006 | 26' 3" | 102" | — | — | — |
| 250 Select EX | 06-09 | 26' 6" | 102" | — | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SEA RAY-CONTINUED** | | | | | | |
| 250 SLX | 11-15 | 26' 6" | 102" | — | — | — |
| 260 Sundancer | 2011 | 26' 7" | 102" | — | — | — |
| 260 Sundeck | 11-14 | 26' 4" | 102" | — | — | — |
| 270 Sundeck | 2006 | 26' 6" | 106" | — | — | — |
| Laguana 18 Center Console | 95-97 | 18' 0" | 90" | 17780 | 15412 | 15403 |
| Monaco 185 / 187 | | 17' 6" | 96" | 17724 | 10032 | 10164 |
| Monaco 195 / 197 | | 19' 6" | 96" | 17726 | 10034 | 10166 |
| Monaco 200 / 207 | | 20' 8" | 96" | 17727 | 10035 | 10167 |
| Pachanga 19 | 1987 | 19' 2" | 94" | 17685 | 10143 | 10275 |
| Pachanga 22 | 1987 | 20' 10" | 96" | 17687 | 10145 | 10277 |
| Pachanga 22 | 87-09 | 24' 0" | 100" | 17801 | 10072 | 10210 |
| Seville 17 BR (5.0 M) | 1987 | 16' 6" | 84" | 17723 | 10030 | 10163 |
| Seville 19 (5.6 M) | 1987 | 18' 6" | 90" | 17725 | 10033 | 10165 |
| Seville 19 Cuddy (5.6 M) | 1987 | 18' 6" | 90" | 17586 | 10128 | 10256 |
| Seville 20 BR I/O | | 20' 10" | 92" | 17727 | 10035 | 10167 |
| Seville 20 CC | | 20' 10" | 92" | 17588 | 10130 | 10258 |
| Seville 21 BR I/O | 1987 | 20' 10" | 96" | 17728 | 10036 | 10168 |
| Seville 21 Cuddy (6.3 M) | 1987 | 20' 10" | 96" | 17588 | 10130 | 10258 |
| Ski Ray 190 SK O/B | 95-96 | 18' 8" | 90" | 17713 | 10027 | 10161 |
| Ski Ray Spitfire /w platform | 1995 | 20' 5" | 83" | 17686 | 10144 | 10276 |
| Ski Ray Sportster BR | 95-96 | 21' 11" | 92" | 17728 | 10036 | 10168 |
| Sorrento 19/ 19 SXL | 1987 | 19' 2" | 94" | 17725 | 10033 | 10165 |
| Sorrento 21 / 21 SXL | 1987 | 20' 8" | 96" | 17727 | 10035 | 10167 |
| Sorrento 23 / 23 SXL | 1987 | 22' 6" | 96" | 17728 | 10036 | 10168 |
| Sorrento 24 / 24 SXL | 1987 | 23' 6" | 96" | 17591 | 10133 | 10263 |
| Sorrento 24 / 24 SXL | 1987 | 23' 6" | 96" | 17591 | 10133 | 10263 |
| Sportster BR | | 21' 11" | 92" | 17688 | 10146 | 10278 |
| SRV 186 / 187 | | 17' 6" | 96" | 17724 | 10032 | 10164 |
| SRV 195 / 197 | | 19' 6" | 96" | 17726 | 10034 | 10166 |
| SRV 200 / 207 | | 20' 8" | 96" | 17727 | 10035 | 10167 |
| **SEA SPORT** | | | | | | |
| 1740 | 1997 | 17' 1" | 82" | 17736 | 10148 | 15402 |
| 1840 | 1997 | 17' 6" | 87" | 17736 | 10148 | 15402 |
| 1940 | 1997 | 19' 1" | 87" | 17737 | 10150 | 15404 |
| 1940 DC | 1997 | 19' 1" | 87" | 17584 | 10112 | 17576 |
| 1940 Fish & Ski | 1997 | 19' 1" | 87" | 17584 | 10112 | 17576 |
| **SEA SPRITE** | | | | | | |
| 155/160 O/B BR | 1990 | 15' 0" | 76" | 17709 | 10022 | 10157 |
| 1600 FS | 89-90 | 16' 0" | 84" | 17710 | 10023 | 10158 |
| 1600 MC | 1989 | 16' 0" | 84" | 17772 | 10053 | 10180 |
| 1600 Pro | 89-90 | 16' 0" | 84" | 17772 | 10053 | 10180 |
| 1700 ES | | 17' 8" | 92" | 17684 | 10142 | 10274 |
| 175 I/O BR | 87-90 | 17' 2" | 89" | 17723 | 10030 | 10163 |
| 175 O/B BR / Fish n Ski | 87-90 | 17' 2" | 89" | 17711 | 10025 | 10159 |
| 175 S BR | 1989 | 18' 2" | 88" | 17724 | 10032 | 10164 |
| 175 XL O/B | 1986 | 16' 9" | 80" | 17711 | 10025 | 10159 |
| 180 BR I/O | | 17' 6" | 90" | 17724 | 10032 | 10164 |
| 180 XL O/B | 1986 | 17' 9" | 89" | 17712 | 10026 | 10160 |
| 180 XL Sandpiper | | 17' 9" | 89" | 17724 | 10032 | 10164 |
| 1800 FS | 89-90 | 18' 6" | 92" | 17712 | 10026 | 10160 |
| 1800 MC | 1989 | 18' 6" | 92" | 17773 | 15411 | 15401 |
| 1800 Pro | 89-90 | 18' 6" | 92" | 17773 | 15411 | 15401 |
| 185 I/O | 1987 | 17' 5" | 93" | 17724 | 10032 | 10164 |
| 185 XL Sea Spirit | 1986 | 18' 3" | 96" | 17724 | 10032 | 10164 |
| 190 BR I/O | | 18' 7" | 90" | 17725 | 10033 | 10165 |
| 1900 ES | 89-91 | 19' 5" | 92" | 17685 | 10143 | 10275 |
| 1900 Mid Console | 1991 | 18' 6" | 96" | 17737 | 10150 | 15404 |
| 195 I/O Bowrider | 1987 | 19' 5" | 93" | 17726 | 10034 | 10166 |
| 195 I/O BR | 89-90 | 19' 0" | 93" | 17725 | 10033 | 10165 |
| 195 I/O CC / Cuddy Liner | 89-90 | 19' 0" | 93" | 17586 | 10128 | 10256 |
| 195 O/B BR / CC / Cuddy Liner | 89-90 | 19' 0" | 93" | 17713 | 10027 | 10161 |
| 195 XL | 86-87 | 19' 3" | 93" | 17725 | 10033 | 10165 |
| 200 BR | | 19' 8" | 92" | 17686 | 10144 | 10276 |
| 200 S BR | 89-90 | 21' 0" | 96" | 17739 | 10152 | 15406 |
| 210 Bow Rider | 1990 | 19' 9" | 96" | 17686 | 10144 | 10276 |
| 210 Cuddy | 1991 | 19' 0" | 96" | 17587 | 10129 | 10257 |
| 210 XL Sea Skiff / I/O | 1986 | 19' 8" | 96" | 17726 | 10034 | 10166 |
| 2100 ES | 89-91 | 21' 1" | 93" | 17687 | 10145 | 10277 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SEA SPRITE-CONTINUED** | | | | | | |
| 2100 ES Cuddy | 89-91 | 21' 1" | 93" | 17568 | — | — |
| 225 BR | 1990 | 21' 9" | 96" | 17688 | 10146 | 10278 |
| 225 Cuddy | 1987 | 21' 9" | 96" | 17589 | 10131 | 10259 |
| 2300 ES Cuddy | | 23' 6" | 102" | 17570 | — | — |
| Mark I | 1986 | 16' 9" | 80" | 17723 | 10030 | 10163 |
| Mark I BR | 89-90 | 17' 6" | 90" | 17724 | 10032 | 10164 |
| Mark II | 86-90 | 18' 7" | 90" | 17725 | 10033 | 10165 |
| Mark III | 1986 | 18' 7" | 90" | 17586 | 10128 | 10256 |
| Mark IV | 1986 | 19' 8" | 96" | 17726 | 10034 | 10166 |
| Mark V | 1989 | 19' 9" | 96" | 17587 | 10129 | 10257 |
| SS 160 S/A | | 17' 6" | 82" | 17683 | 10141 | — |
| SS 175 BR | | 18' 6" | 88" | 17725 | 10033 | 10165 |
| SS 200 BR/CC | | 20' 11" | 96" | 17588 | 10130 | 10258 |
| **SEASQUIRT** | | | | | | |
| Big Seasquirt | 1984 | 18' 3" | 83" | 17780 | 15412 | 15403 |
| Seasquirt Big Hooker | 1984 | 18' 3" | 83" | 17780 | 15412 | 15403 |
| Seasquirt II | 1984 | 16' 6" | 79" | 17736 | 10148 | 15402 |
| **SEASWIRL** | | | | | | |
| 17' Spyder | 1986 | 17' 4" | 85" | 17723 | 10030 | 10163 |
| 170 Bowrider I/O | 97-98 | 17' 4" | 85" | 17683 | 10141 | — |
| 170 Bowrider O/B | 97-98 | 17' 4" | 85" | 17693 | 10136 | 10265 |
| 170 SPL O/B / 170 BR | 1996 | 17' 3" | 90" | 17693 | 10136 | 10265 |
| 170 SPL Spyder | | 17' 3" | 90" | 17693 | 10136 | 10265 |
| 172 Striker | | 17' 2" | 87" | 17736 | 10148 | 15402 |
| 1730 Center Console | 97-03 | 17' 3" | 90" | 17736 | 10148 | 15402 |
| 1730 Striper CC | 96-02 | 17' 3" | 90" | 17736 | 10148 | 15402 |
| 174 I/O Spyder | 1995 | 17' 5" | 94" | 17684 | 10142 | 10274 |
| 174 O/B Spyder | 1995 | 17' 5" | 94" | 17694 | 10137 | 10267 |
| 174 Spyder | 1996 | 17' 5" | 94" | 17684 | 10142 | 10274 |
| 175 Bowrider I/O | 99-03 | 17' 5" | 90" | 17683 | 10141 | — |
| 175 Bowrider O/B | 99-03 | 17' 2" | 90" | 17693 | 10136 | 10265 |
| 175 SE / LX | 92-94 | 17' 3" | 90" | 17683 | 10141 | — |
| 180 BR I/O | 96-98 | 18' 4" | 91" | 17684 | 10142 | 10274 |
| 180 BR O/B | 96-97 | 18' 3" | 91" | 17694 | 10137 | 10267 |
| 180 Fish N Ski | 1998 | 18' 3" | 91" | 17583 | 10111 | 17575 |
| 180 SE w/platform / 208 SE / LX | 92-95 | 18' 2" | 90" | 17684 | 10142 | 10274 |
| 1850 Dual Console | 97-99 | 18' 9" | 95" | 17713 | 10027 | 10161 |
| 1850 Striper DC | 97-99 | 18' 9" | 95" | 17713 | 10027 | 10161 |
| 1851 Center Console | 02-05 | 18' 6" | 90" | 17780 | 15412 | 15403 |
| 1851 Dual Console | 02-05 | 18' 6" | 90" | 17694 | 10137 | 10267 |
| 1851 Walk Around | 02-05 | 18' 6" | 90" | 17585 | 10127 | 10255 |
| 188 I/O Spyder w/ platform | 92-94 | 19' 8" | 94" | 17686 | 10144 | 10276 |
| 188 O/B Spyder w/platform | 92-94 | 19' 8" | 94" | 17695 | 10138 | 10269 |
| 190 SE / 195 SE w/platform | 92-94 | 20' 1" | 95" | 17686 | 10144 | 10276 |
| 195 Bowrider | 1999 | 19' 6" | 96" | 17685 | 10143 | 10275 |
| 198 I/O Spyder | 95-98 | 19' 8" | 94" | 17686 | 10144 | 10276 |
| 20' Spyder | 1990 | 20' 2" | 93" | 17686 | 10144 | 10276 |
| 201 I/O Cuddy | 95-96 | 20' 1" | 95" | 17587 | 10129 | 10257 |
| 201 LE | 95-96 | 20' 1" | 95" | 17686 | 10144 | 10276 |
| 201 O/B | 95-96 | 20' 1" | 95" | 17020 | 10028 | 10162 |
| 202 Striker | | 20' 2" | 91" | 17726 | 10034 | 10166 |
| 208 BR I/O | 96-98 | 20' 8" | 96" | 17687 | 10145 | 10277 |
| 208 Cuddy I/O | 97-98 | 20' 8" | 96" | 17568 | — | — |
| 208 Spyder w/platform | 1992 | 20' 9" | 98" | 17687 | 10145 | 10277 |
| 210 Bowrider | 2003 | 20' 6" | 99" | 17687 | 10145 | 10277 |
| 210 Bowrider | 1999 | 20' 11" | 96" | 17687 | 10145 | 10277 |
| 210 Cuddy Cabin | 1999 | 20' 11" | 96" | 17568 | — | — |
| 210 I/O Cuddy | | 20' 1" | 95" | 17587 | 10129 | 10257 |
| 2100 Striper CC | 1998 | 19' 11" | 101" | 17738 | 10151 | 15405 |
| 2100 Striper DC | 96-98 | 19' 11" | 101" | 17020 | 10028 | 10162 |
| 2101 Center Console | 02-05 | 21' 6" | 102" | — | — | — |
| 2101 Dual Console | 02-05 | 21' 6" | 102" | 17568 | — | — |
| 2101 Walk Around | 02-05 | 21' 6" | 102" | — | — | — |
| 2120 Cuddy Striper | 1995 | 21' 4" | 96" | 17588 | 10130 | 10258 |
| 220 BR I/O | 95-96 | 21' 10" | 98" | 17688 | 10146 | 10278 |
| 220 Catalina BR | 1997 | 21' 10" | 98" | 17688 | 10146 | 10278 |
| 220 I/O Spyder | 95-96 | 21' 10" | 98" | 17688 | 10146 | 10278 |
| 220 Spyder | 95-96 | 21' 10" | 98" | 17688 | 10146 | 10278 |
| 222 I/O | 95-96 | 22' 0" | 101" | 17018 | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SEASWIRL-CONTINUED** | | | | | | |
| 222 O/B | 95-98 | 22' 0" | 101" | 17018 | — | — |
| 230 Bowrider | 2003 | 22' 9" | 100" | 17688 | 10146 | 10278 |
| 230 Catalina Cuddy | 1997 | 23' 1" | 100" | 17590 | 10132 | 10261 |
| 230 Cuddy Cabin | 1999 | 22' 9" | 99" | 17570 | — | — |
| 230 I/O Cuddy | | 23' 0" | 100" | 17590 | 10132 | 10261 |
| 2301 Center Console | 02-05 | 24' 2" | 102" | — | — | — |
| 2301 Walk Around | 03-05 | 24' 2" | 102" | — | — | — |
| 250 I/O Cuddy | 1995 | 25' 0" | 102" | 17592 | 10134 | — |
| 2500 Cuddy Striper | | 25' 0" | 102" | 17592 | 10134 | — |
| 2601 Center Console | 02-05 | 25' 7" | 102" | — | — | — |
| 2601 Walk Around | 02-05 | 25' 7" | 102" | — | — | — |
| Sable 21' | 1990 | 21' 2" | 96" | 17588 | 10130 | 10258 |
| Sierra 18' I/O | 1986 | 18' 0" | 90" | 17724 | 10032 | 10164 |
| Sierra 18' I/O Cuddy | 1986 | 18' 0' | 90" | 17585 | 10127 | 10255 |
| Sierra 18' O/B | 1986 | 18' 0" | 90" | 17712 | 10026 | 10160 |
| Sierra 18-1/2' I/O | | 18' 6" | 90" | 17725 | 10033 | 10165 |
| Sierra 18-1/2' O/B | | 18' 6" | 90" | 17713 | 10027 | 10161 |
| Spirit 16' | 1986 | 16' 0" | 81" | 17722 | 10029 | — |
| Spitfire 17' | | 16' 8" | 84" | 17723 | 10030 | 10163 |
| Tahoe 16' I/O | 1990 | 16' 2" | 81" | 17722 | 10029 | — |
| Tahoe 16' O/B | | 16' 2" | 81" | 17710 | 10023 | 10158 |
| Tempo 17' I/O | 1986 | 17' 2" | 87" | 17723 | 10030 | 10163 |
| Tempo 17' O/B | 1986 | 17' 2" | 87" | 17711 | 10025 | 10159 |
| Topaz Open Bow 20' | 1986 | 20' 1" | 91" | 17726 | 10034 | 10166 |
| **SIERRA BOATS** | | | | | | |
| 150 T | | 14' 9" | 70" | 17732 | 10041 | — |
| 160 V | | 15' 7" | 78" | 17710 | 10023 | 10158 |
| 165 Jet | | 16' 3" | 79" | 17722 | 10029 | — |
| 165 V I/O | | 16' 3" | 79" | 17722 | 10029 | — |
| 165 V O/B | | 16' 3" | 79" | 17710 | 10023 | 10158 |
| 165 VFS | | 16' 3" | 79" | 17762 | 10062 | 10188 |
| 166 V O/B | | 16' 3" | 79" | 17460 | 10102 | 10213 |
| 168 V O/B | | 15' 8" | 78" | 17456 | 10093 | 10212 |
| 178 V O/B | | 16' 10" | 86" | 17711 | 10025 | 10159 |
| 180 V I/O | | 17' 10" | 89" | 17724 | 10032 | 10164 |
| 180 V O/B | | 17' 11" | 89" | 17712 | 10026 | 10160 |
| 185 V O/B | | 18' 0" | 90" | 17694 | 10137 | 10267 |
| 195 V I/O | | 19' 4" | 90" | 17725 | 10033 | 10165 |
| 210 V Cuddy | | 20' 9" | 100" | 17588 | 10130 | 10258 |
| Kingfisher 15 | | 15' 0" | 71" | 17550 | — | — |
| Nova 14 | | 15' 0" | 71" | 17732 | 10041 | — |
| SX 1500 | | 15' 2" | 77" | 17760 | 10061 | 10187 |
| SX 1602 | | 15' 9" | 79" | 17578 | 10108 | — |
| SX 1700 | | 16' 9" | 86" | 17774 | 10054 | 10181 |
| SX 1800 | | 18' 2" | 93" | 17775 | 10056 | 10183 |
| Tempest 16 Jet | | 16' 0" | 79" | 17722 | 10029 | — |
| Tempest 16 V O/B | | 16' 0" | 79" | 17710 | 10023 | 10158 |
| **SILVER KING** | | | | | | |
| Fly Fisher | 96-98 | 16' 3" | 87" | — | 10294 | 10296 |
| Grande Master | 96-98 | 18' 8" | 91" | — | 10295 | 10297 |
| Signature 16 | 96-98 | 16' 3" | 87" | — | 10294 | 10296 |
| Silver Flash | 96-98 | 16' 3" | 87" | — | 10294 | 10296 |
| **SILVER WAVE** | | | | | | |
| 200 Fish / Play / Fish & Play | 2013 | 20' 10" | 102" | — | 10289 | 10330 |
| 210 Island CC | 2015 | 20' 10" | 102" | — | 10289 | 10330 |
| 210 Island CL / CLS | 2015 | 20' 10" | 102" | — | 10289 | 10330 |
| 210 Island F | 2015 | 20' 10" | 102" | — | 10289 | 10330 |
| 210 Island L / LP | 2015 | 20' 10" | 102" | — | 10289 | 10330 |
| 220 Fish / Play / Fish & Play | 2013 | 22' 10" | 102" | 17791 | 10116 | 10245 |
| 230 Island CL / CLS | 2015 | 23' 10" | 102" | — | 10290 | 10331 |
| 230 Island F | 2015 | 23' 10" | 102" | — | 10290 | 10331 |
| 230 Island CC | 2015 | 23' 10" | 102" | — | 10290 | 10331 |
| 230 Island L / RLP / LP | 2015 | 23' 10" | 102" | — | 10290 | 10331 |
| 230 Island RL | 2015 | 23' 0" | 102" | — | 10290 | 10331 |
| 230 Play | 2013 | 23' 0" | 102" | — | 10290 | 10331 |
| 250 Island CL / CLS | 2015 | 25' 6" | 102" | 17792 | 10117 | 10247 |
| 250 Island L / LP | 2015 | 25' 6" | 102" | 17792 | 10117 | 10247 |
| 250 Island SB / SL | 2015 | 25' 6" | 102" | 17792 | 10117 | 10247 |
| 250 Play / Fish & Play | 2013 | 25' 6" | 102" | 17792 | 10117 | 10247 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SKEETER** | | | | | | |
| 1436 | 1999 | 14' 0" | 56" | **17040** | — | — |
| 1648 | 1999 | 16' 0" | 70" | **17046** | — | — |
| 1860 | 1999 | 18' 0" | 80" | **17048** | — | — |
| 140 SL | | 17' 6" | 82" | **17582** | **10110** | **17574** |
| 150 SL | | 18' 3" | 89" | **17583** | **10111** | **17575** |
| 1650 | | 16' 4" | 80" | **17774** | **10054** | **10181** |
| 1756 | 1999 | 17' 0" | 77" | **17048** | — | — |
| 1850 | | 18' 6" | 88" | **17773** | **15411** | **15401** |
| 1850 DV | | 18' 6" | 88" | **17583** | **10111** | **17575** |
| 200 SL | | 19' 7" | 91" | **17584** | **10112** | **17576** |
| 20i | 07-13 | 20' 2" | 94" | **17778** | **10058** | **10185** |
| 21i | 07-13 | 21' 0" | 94" | **17025** | **10059** | **10197** |
| 22i | 07-13 | 21' 8" | 94" | **17025** | **10059** | **10197** |
| Bay Pro 19 | | 19' 0" | 98" | **17737** | **10150** | **15404** |
| Bay Pro 21 | | 21' 0" | 100" | **17739** | **10152** | **15406** |
| Champ C 265 | | 16' 0" | 65" | **17552** | — | — |
| Deep V 1650 C | 1999 | 16' 5" | 85" | **17459** | **15429** | **15428** |
| Deep V 1750 C | 1999 | 17' 6" | 92" | **17718** | **10106** | **10219** |
| Deep V 1775 | 1999 | 17' 8" | 88" | **17694** | **10137** | **10267** |
| Deep V 1850 | 1999 | 18' 6" | 88" | **17694** | **10137** | **10267** |
| Deep V 1850 C | 1999 | 18' 6" | 92" | **17787** | **10217** | **10240** |
| F 80 Strada | | 15' 3" | 76" | **17770** | **10052** | **10179** |
| FS 80 Strada | | 15' 3" | 76" | **17578** | **10108** | — |
| FX 20 | 11-15 | 20' 2" | 95" | **17790** | **10114** | **10244** |
| FX 21 | 11-15 | 20' 10" | 95" | **17790** | **10114** | **10244** |
| FXi 21 | 2015 | 21' 0" | 94" | **17025** | **10059** | **10197** |
| MX 1825 | 12-13 | 18' 4" | 97" | **17773** | **15411** | **15401** |
| MX 2025 | 2013 | 20' 4" | 97" | **17778** | **10058** | **10185** |
| PB 20 | 1999 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| PB 24 | 1999 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| R 90 Strata | | 15' 3" | 76" | **17709** | **10022** | **10157** |
| S 135 / 135D | | 17' 2" | 84" | **17776** | **10055** | **10182** |
| S 1650 / 1650 T | | 16' 4" | 80" | **17772** | **10053** | **10180** |
| SD 125 | | 17' 0" | 80" | **17776** | **10055** | **10182** |
| SD 125 FS | | 17' 0" | 80" | **17582** | **10110** | **17574** |
| SD 80 | | 15' 3" | 77" | **17770** | **10052** | **10179** |
| SD 80 FS | | 15' 3" | 77" | **17760** | **10061** | **10187** |
| SD 90 R | | 15' 3" | 77" | **17709** | **10022** | **10157** |
| SF 115 Starfire | | 16' 4" | 85" | **17774** | **10054** | **10181** |
| SF 140 | | 16' 4" | 85" | **17772** | **10053** | **10180** |
| SF 150 | | 17' 0" | 87" | **17776** | **10055** | **10182** |
| SF 150 FS | | 17' 0" | 87" | **17582** | **10110** | **17574** |
| SF 150 Starfire | | 17' 0" | 86" | **17776** | **10055** | **10182** |
| SF 150 SX | | 17' 0" | 87" | **17776** | **10055** | **10182** |
| SF 160 Starfire | | 17' 0" | 86" | **17582** | **10110** | **17574** |
| SF 175 | | 18' 5" | 87" | **17775** | **10056** | **10183** |
| SF 175 D / DF / DX | | 18' 5" | 87" | **17775** | **10056** | **10183** |
| SF 175 FS | | 18' 5" | 87" | **17583** | **10111** | **17575** |
| SF 175 S | | 18' 5" | 87" | **17775** | **10056** | **10183** |
| SF 175 Starfire | | 18' 5" | 87" | **17775** | **10056** | **10183** |
| SF 175 SX | | 18' 5" | 87" | **17775** | **10056** | **10183** |
| SF 180 Regency | | 18' 5" | 87" | **17583** | **10111** | **17575** |
| SF 200 DX | | 19' 7" | 91" | **17777** | **10057** | **10184** |
| SF 200 SX | | 19' 7" | 91" | **17777** | **10057** | **10184** |
| SF 80 | | 15' 10" | 73" | **17762** | **10062** | **10188** |
| SF 90 Starfire | | 15' 10" | 73" | **17762** | **10062** | **10188** |
| SK 1700 | | 17' 9" | 88" | **17775** | **10056** | **10183** |
| SK 2000 | | 20' 7" | 96" | **17778** | **10058** | **10185** |
| SL 176 | 1999 | 17' 6" | 89" | **17582** | **10110** | **17574** |
| SL 180 | 02-03 | 17' 6" | 89" | **17582** | **10110** | **17574** |
| SL 180 | 07-09 | 17' 8" | 89" | **17582** | **10110** | **17574** |
| SL 1800 | 11-13 | 18' 0" | 93" | **17583** | **10111** | **17575** |
| SL 185 | 1999 | 18' 5" | 92" | **17583** | **10111** | **17575** |
| SL 190 | 02-15 | 18' 5" | 94" | **17583** | **10111** | **17575** |
| SL 1900 | 09-13 | 19' 0" | 98" | **17584** | **10112** | **17576** |
| SL 210 | 02-15 | 20' 2" | 94" | **17030** | **10113** | **17577** |
| SL 220 | 1999 | 19' 7" | 91" | **17584** | **10112** | **17576** |
| Sports wrangler SW-150 XSP | | 16' 2" | 84" | **17772** | **10053** | **10180** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SKEETER-CONTINUED** | | | | | | |
| SS 1 Fisherman | | 15' 0" | 71" | **17760** | **10061** | **10187** |
| SS 1 Sports fisherman | | 15' 0" | 71" | **17578** | **10108** | — |
| SS 140 / 140 D / SS 140 LXD | | 17' 6" | 82" | **17776** | **10055** | **10182** |
| SS 180 Sierra | | 15' 7" | 73" | **17770** | **10052** | **10179** |
| SS 90 / 90 D / SS 90 LXD | 96-99 | 16' 2" | 82" | **17772** | **10053** | **10180** |
| ST 15 | 2002 | 15' 7" | 78" | **17770** | **10052** | **10179** |
| SX 17 | 1999 | 17' 0" | 72" | **17748** | **10069** | **10204** |
| SX 170 | | 16' 8" | 82" | **17774** | **10054** | **10181** |
| SX 170 | 2009 | 16' 8" | 87" | **17774** | **10054** | **10181** |
| SX 176 | 1999 | 17' 8" | 82" | **17776** | **10055** | **10182** |
| SX 18 | 1999 | 18' 0" | 72" | **17750** | **10070** | **10206** |
| SX 180 | 02-08 | 17' 8" | 82" | **17776** | **10055** | **10182** |
| SX 180 | 2009 | 17' 8" | 88" | **17776** | **10055** | **10182** |
| SX 186 | 1999 | 18' 5" | 89" | **17773** | **15411** | **15401** |
| SX 190 | 02-06 | 18' 5" | 89" | **17773** | **15411** | **15401** |
| SX 190 | 07-09 | 18' 5" | 90" | **17773** | **15411** | **15401** |
| SX 200 | 02-08 | 19' 6" | 94" | **17777** | **10057** | **10184** |
| SX 200 | 2014 | 19' 8" | 98" | — | **10327** | — |
| SX 220 | 2014 | 21' 10" | 98" | — | — | — |
| SX 220 T | 2014 | 21' 10" | 98" | — | — | — |
| SX240 | 2014 | 24' 1" | 101" | — | — | — |
| TZX 170 | 12-13 | 17' 0" | 89" | **1773** | **15411** | **15401** |
| TZX 180 | 12-15 | 17' 8" | 89" | **1773** | **15411** | **15401** |
| TZX 190 | 12-15 | 18' 5" | 92" | **17773** | **15411** | **15404** |
| Wrangler HP 150 XSP | | 16' 2" | 84" | **17772** | **10053** | **10180** |
| Wrangler II HP 120 XSP | | 15' 1" | 83" | **17768** | **10051** | — |
| WX 1790 T | 07-12 | 17' 6" | 89" | **17810** | **10082** | **10231** |
| WX 1850 | 11-13 | 18' 9" | 95" | **17712** | **10026** | **10160** |
| WX 1880 | 07-08 | 18' 9" | 95" | **17712** | **10026** | **10160** |
| WX 1900 | 11-13 | 18' 9" | 95" | **17712** | **10026** | **10160** |
| WX 1990 | 11-13 | 19' 10" | 97.5" | **17713** | **10027** | **10161** |
| WX 2000 T | 11-12 | 20' 1" | 99" | **17020** | **10028** | **10162** |
| WX 2100 | 10-12 | 21' 0" | 97.5" | **17800** | **10071** | **10205** |
| WX 2190 | 2013 | 21' 8" | 101" | **17800** | **10071** | **10205** |
| ZX 150 / 150D | | 18' 3" | 89" | **17775** | **10056** | **10183** |
| ZX 17 | 1999 | 17' 0" | 84" | **17748** | **10069** | **10204** |
| ZX 170 | 2011 | 17' 0" | 89" | **17748** | **10069** | **10204** |
| ZX 175 / 175 Pro / 175 D | | 18' 8" | 91" | **17773** | **15411** | **15401** |
| ZX 176 | 98-99 | 17' 6" | 89" | **17776** | **10055** | **10182** |
| ZX 1775 SC | 2002 | 17' 8" | 88" | **17776** | **10055** | **10182** |
| ZX 1775 WT | 2002 | 17' 8" | 88" | **17582** | **10110** | **17574** |
| ZX 18 | 1999 | 18' 0" | 84" | **17750** | **10070** | **10206** |
| ZX 180 | 08-11 | 17' 8" | 89" | **17776** | **10055** | **10182** |
| ZX 180 / ZXD 180 | | 18' 3" | 89" | **17775** | **10056** | **10183** |
| ZX 185 | 98-99 | 18' 5" | 92" | **17773** | **15411** | **15401** |
| ZX 190 / ZD 190 | 11-13 | 18' 5" | 92" | **17773** | **15411** | **15401** |
| ZX 190C | 1998 | 19' 0" | 91" | **17773** | **15411** | **15401** |
| ZX 195 | 1999 | 19' 5" | 92" | **17777** | **10057** | **10184** |
| ZX 1950 | 2002 | 19' 6" | 94" | **17584** | **10112** | **17576** |
| ZX 20 | 12-13 | 20' 2" | 94" | **17778** | **10058** | **10185** |
| ZX 20 Bay | 07-11 | 19' 8" | 98" | **17737** | **10150** | **15404** |
| ZX 200 | 07-15 | 19 '5" | 92" | **17777** | **10057** | **10184** |
| ZX 200 / ZXD 200 | 98-02 | 19' 9" | 92" | **17777** | **10057** | **10184** |
| ZX 202 | 98-99 | 20' 2" | 92" | **17778** | **10058** | **10185** |
| ZX 2050 | 2007 | 20' 4" | 94" | **17738** | **10151** | **15405** |
| ZX 21 | 12-13 | 21' 0" | 94" | **17778** | **10058** | **10185** |
| ZX 210 | 98-99 | 21' 0" | 92" | **17778** | **10058** | **10185** |
| ZX 22 Bay | 2011 | 21' 10" | 98" | **17739** | **10152** | **15406** |
| ZX 22 Bay T | 2011 | 21' 10" | 98" | **17739** | **10152** | **15406** |
| ZX 22 V | 07-11 | 22' 6" | 101" | **17741** | **10153** | **15407** |
| ZX 225 | 02-03 | 20' 2" | 92" | **17778** | **10058** | **10185** |
| ZX 225 | 07-11 | 20' 2" | 94" | **17778** | **10058** | **10185** |
| ZX 225 | 2015 | 19' 11" | 95" | **17777** | **10057** | **10184** |
| ZX 2250 | 07-11 | 22' 6" | 101" | **17741** | **10153** | **15407** |
| ZX 24 V | 07-11 | 24' 1" | 101" | **17783** | **10155** | **15409** |
| ZX 250 | 07-11 | 21' 0" | 94" | **17739** | **10152** | **15406** |
| ZX 250 | 02-03 | 21' 0" | 92" | **17025** | **10059** | **10197** |
| ZX 250 | 2015 | 20' 11" | 95" | **17778** | **10058** | **10185** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SKI SANGER** | | | | | | |
| 18 Fisherman | 1999 | 18' 6" | 96" | 17790 | 10114 | 10244 |
| 20 Fisherman | 1999 | 20' 6" | 96" | 17791 | 10116 | 10245 |
| 20 Sun Goddess | 1999 | 20' 6" | 96" | 17791 | 10116 | 10245 |
| 20 Supreme Tanner | 1999 | 20' 6" | 96" | 17791 | 10116 | 10245 |
| Sanger DLX | 2000 | 20' 8" | 90" | 17703 | 10013 | 15416 |
| Sanger DXII | 2000 | 20' 4" | 88" | 17703 | 10013 | 15416 |
| Sanger V210 | 2000 | 20' 8" | 90" | 17703 | 10013 | 15416 |
| SC 206 | 1999 | 20' 6" | 96" | 17791 | 10116 | 10245 |
| **SKI SUPREME** | | | | | | |
| Medalist 210 | 1991 | 21' 2" | 90" | 17704 | 10014 | 15417 |
| Medalist 212 | 1991 | 21' 2" | 90" | 17704 | 10014 | 15417 |
| MS Tournament Series | 1991 | 19' 0" | 81" | 17700 | 10010 | 15413 |
| Sierra Supreme | | 20' 2" | 92" | 17703 | 10013 | 15416 |
| Ski Supreme | | 18' 11" | 81" | 17700 | 10010 | 15413 |
| **SMOKER CRAFT** | | | | | | |
| 1032 Jon | 2015 | 10' 0" | 51" | — | — | — |
| 12' Alaskan | 96-97 | 11' 11" | 63" | 17453 | 10086 | 10207 |
| 12 Alaskan TL | 2015 | 11' 10" | 63" | — | — | — |
| 12' Canadian | 86-15 | 11' 9" | 56" | 17453 | 10086 | 10207 |
| 12' Sportsman | 86-02 | 11' 9" | 52" | 17453 | 10086 | 10207 |
| 1232 Jon | 2015 | 12' 0" | 51" | 17819 | — | — |
| 13' Alaskan | 1996 | 13' 0" | 66" | 17454 | 10087 | 10208 |
| 13 Alaskan DLX | 2015 | 12' 11" | 66" | 17453 | 10086 | 10207 |
| 14' Alaskan | 1994 | 13' 9" | 67" | 17454 | 10087 | 10208 |
| 14 Big Fish | 2015 | 14' 2" | 68" | 17454 | 10087 | 10208 |
| 14' Big Fisherman | 93-02 | 14' 2" | 68" | 17454 | 10087 | 10208 |
| 14' Canadian | 93-15 | 13' 10" | 58" | 17454 | 10087 | 10208 |
| 14' Voyager | 96-15 | 14' 2" | 68" | 17454 | 10087 | 10208 |
| 14 Voyager SS | 2015 | 14' 2" | 68" | 17454 | 10087 | 10208 |
| 140 Magnum | 89-91 | 14' 5" | 67" | 17454 | 10087 | 10208 |
| 140 Pro Mag | 93-15 | 14' 5" | 67" | 17454 | 10087 | 10208 |
| 142 Pro Mag w/console | 94-97 | 14' 2" | 68" | 17454 | 10087 | 10208 |
| 143 OB | 1991 | 14' 3" | 72" | 17708 | 10021 | — |
| 1432 Jon | 96-15 | 14' 0" | 57" | 17040 | — | — |
| 1436 / LW / LT | 95-15 | 14' 0" | 57" | 17040 | — | — |
| 1444 / MVX / MV | 95-02 | 14' 0" | 63" | 17044 | — | — |
| 1448 / LW | 95-02 | 14' 0" | 72" | 17044 | — | — |
| 148 Crappie | 1995 | 14' 8" | 63" | 17044 | — | — |
| 15 Alaskan DLX | 2015 | 14' 11" | 68" | 17457 | 10091 | 10209 |
| 15' Alaskan | 86-94 | 14' 11" | 68" | 17457 | 10091 | 10209 |
| 15' Bass Catcher | 85-89 | 15' 1" | 62" | 17742 | 10066 | 10194 |
| 15' Big Fisherman / Super Fisherman | 85-97 | 15' 5" | 72" | 17457 | 10091 | 10209 |
| 15 Pro Bass | 85-87 | 14' 8" | 66" | 17760 | 10061 | 10187 |
| 15' Resorter w/Console | 89-97 | 15' 5" | 72" | 17456 | 10093 | 10212 |
| 15' Resorter w/o Console | 89-97 | 15' 5" | 72" | 17455 | 10092 | 10211 |
| 15' Stinger | 98-02 | 15' 0" | 76" | 17457 | 10091 | 10209 |
| 151 Resorter | 11-15 | 15' 1" | 75" | 17457 | 10091 | 10209 |
| 1540 / LW | 95-97 | 15' 0" | 61" | 17042 | — | — |
| 1544 Crappie | 1994 | 15' 0" | 67" | 17742 | 10066 | 10194 |
| 155 Pro Alaskan | 94-95 | 15' 5" | 72" | 17457 | 10091 | 10209 |
| 1550 / MVX | 95-02 | 15' 0" | 74" | 17046 | — | — |
| 157 Super Fisherman | 2002 | 15' 5" | 72" | 17457 | 10091 | 10209 |
| 16' Alaskan | 94-95 | 15' 10" | 75" | 17456 | 10093 | 10212 |
| 16' Alaskan / Split Seat | 93-97 | 15' 10" | 75" | 17456 | 10093 | 10212 |
| 16' Bass | 2000 | 16' 2" | 73" | 17744 | 10067 | 10195 |
| 16 Big Fish | 2015 | 14' 2" | 70" | 17455 | 10092 | 10211 |
| 16' Big Fisherman | 95-02 | 16' 5" | 70" | 17455 | 10092 | 10211 |
| 16' King Troller | 96-97 | 16' 5" | 80" | 17459 | 15429 | 15428 |
| 16 Pro Alaskan Dual | 1997 | 15' 10" | 75" | 17710 | 10023 | 10158 |
| 16' Side Console Angler | | 16' 2" | 76" | 17460 | 10102 | 10213 |
| 16 Split Seat Alaskan | 93-97 | 15' 10" | 75" | 17456 | 10093 | 10212 |
| 16 Sports Angler | 85-86 | 16' 2" | 76" | 17710 | 10023 | 10158 |
| 16 Stinger DC | 2000 | 16' 0" | 82" | 17692 | 10135 | — |
| 16' Stinger SC | 98-01 | 16' 0" | 81" | 17459 | 15429 | 15428 |
| 16 Voyager | 2015 | 16' 2" | 68" | 17456 | 10093 | 10212 |
| 16 Voyager | 96-02 | 16' 5" | 70" | 17455 | 10092 | 10211 |
| 160 Freedom | 2015 | 16' 11" | 89 | 17456 | 10083 | 10212 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SMOKER CRAFT-CONTINUED** | | | | | | |
| 160 Magnum / 161 Magnum | 86-91 | 16' 2" | 76" | 17456 | 10093 | 10212 |
| 160 Pro Camp | 11-15 | 16' 4" | 74" | 17459 | 15429 | 15428 |
| 160 Pro Tiller | 93-00 | 16' 5" | 80.5" | 17456 | 10093 | 10212 |
| 160 Stinger Tiller | 98-02 | 16' 0" | 81" | 17456 | 10093 | 10212 |
| 161 Pro Angler | 11-15 | 16' 0" | 81" | 17710 | 10023 | 10158 |
| 161 Pro Angler XL | 11-15 | 16' 0" | 91" | — | — | — |
| 161 Pro Camp | 11-15 | 16' 4" | 74" | 17455 | 10092 | 10211 |
| 161 Pro Mag SC | 93-00 | 16' 5" | 80" | 17459 | 15429 | 15428 |
| 161 Spitfire | 1998 | 16' 5" | 84" | 17459 | 15429 | 15428 |
| 161 Stilletto | 93-97 | 16' 5" | 80" | 17459 | 15429 | 15428 |
| 161 Stinger / Stealth | 2002 | 16' 0" | 81" | 17459 | 15429 | 15428 |
| 161 Stinger SC | 98-00 | 16' 0" | 81" | 17459 | 15429 | 15428 |
| 162 Magnum / Spirit Fish & Ski | 89-91 | 16' 2" | 76" | 17710 | 10023 | 10158 |
| 162 Pro Alaskan | 94-97 | 15' 10" | 75" | 17710 | 10023 | 10158 |
| 162 Pro Angler | 2015 | 16' 0" | 81" | 17456 | 10093 | 10212 |
| 162 Pro Angler XL | 11-15 | 16' 0" | 91" | — | — | — |
| 162 Pro Bass / Pro Crappie | 95-97 | 16' 2" | 75" | 17744 | 10067 | 10195 |
| 162 Pro Mag | 93-00 | 16' 5" | 80" | 17580 | 10109 | 17573 |
| 162 Spitfire | 1998 | 16' 5" | 84" | 17710 | 10023 | 10158 |
| 162 Stilletto | 93-97 | 16' 5" | 80" | 17580 | 10109 | 17573 |
| 162 Stinger / Stealth | 2002 | 16' 0" | 81" | 17692 | 10135 | — |
| 1644 / MVX | 95-02 | 16' 0" | 63" | 17042 | — | — |
| 1648 / LW | 95-15 | 16' 0" | 72" | 17046 | — | — |
| 165 Pro Mag | 96-97 | 16' 5" | 71" | 17460 | 10102 | 10213 |
| 168 Magnum | 89-91 | 16' 10" | 69" | 17710 | 10023 | 10158 |
| 168 Pro Mag | 93-02 | 16' 10" | 69" | 17710 | 10023 | 10158 |
| 17' Alante I/O | 1989 | 16' 8" | 90" | 17723 | 10030 | 10163 |
| 17' Alante O/B | 1989 | 16' 8" | 90" | 17711 | 10025 | 10159 |
| 17' Alaskan | 86-89 | 16' 11" | 73" | 17461 | 10103 | 10214 |
| 17' Bass | 2000 | 17' 5" | 77" | 17748 | 10069 | 10204 |
| 17' Bass Catcher | 85-87 | 17' 0" | 73" | 17748 | 10069 | 10204 |
| 17' Millentia DC | 2000 | 17' 2" | 91" | 17693 | 10136 | 10265 |
| 17' Millentia SC | 2000 | 17' 2" | 91" | 17718 | 10106 | 10219 |
| 17 Pro Angler | 85-87 | 16' 9" | 72.5" | 17461 | 10103 | 10214 |
| 17 Pro Bass | 85-89 | 17' 1" | 84" | 17776 | 10055 | 10182 |
| 17 Sports Angler | 85-86 | 18' 5" | 84" | 17712 | 10026 | 10160 |
| 170 Phantom DC | 97-98 | 16' 8" | 85" | 17711 | 10025 | 10159 |
| 170 Phantom SC | 97-98 | 16' 8" | 85" | 17459 | 15429 | 15428 |
| 171 Bass | 2011 | 17' 10" | 81" | 17803 | 10075 | 10244 |
| 171 Elite / 172 Elite | 1995 | 17' 8" | 86" | 17712 | 10026 | 10160 |
| 171 Fazer / 172 Frazer | 89-94 | 17' 5" | 81" | 17461 | 10103 | 10214 |
| 171 Lazer | 1989 | 17' 1" | 80" | 17461 | 10103 | 10214 |
| 171 Millentia | 2002 | 17' 2" | 91" | 17718 | 10106 | 10219 |
| 171 Pro Angler XL | 2015 | 17' 3" | 96" | 17803 | 10075 | 10024 |
| 171 Pro Bass | 2011 | 17' 10" | 81" | 17803 | 10075 | 10024 |
| 172 Fazer F/S | 93-94 | 17' 5" | 81" | 17582 | 10110 | 17574 |
| 172 Millentia / Stinger | 02-15 | 17' 2" | 91" | 17693 | 10136 | 10265 |
| 172 Pro Alaskan / 171 Pro Alaskan | 94-97 | 17' 5" | 86" | 17711 | 10025 | 10159 |
| 172 Pro Angler | 11-15 | 16' 8" | 92' | — | — | — |
| 172 Pro Angler XL | 2015 | 17' 3" | 96" | 17748 | 10069 | 10204 |
| 172 Pro Bass | 95-97 | 17' 2" | 75" | 17748 | 10069 | 10204 |
| 172 Salmon | 1998 | 17' 5" | 85" | 17711 | 10025 | 10159 |
| 172 Stealth | 00-02 | 17' 5" | 86" | 17693 | 10136 | 10265 |
| 172 Ultima | 2011 | 17' 2" | 91" | 17748 | 10069 | 10204 |
| 172 Ultima | 2015 | 17' 3" | 96" | 17748 | 10069 | 10204 |
| 1720 Phantom+G5009 SC | 1998 | 16' 8" | 85" | 17459 | 15429 | 15428 |
| 175 Ultima | 94-98 | 17' 8" | 86" | 17712 | 10026 | 10160 |
| 175 Ultima F/S | 96-98 | 17' 8" | 86" | 17582 | 10110 | 17574 |
| 1750 MV / MVX | 95-02 | 17' 0" | 74" | 17048 | — | — |
| 1750 Pro Bass | 93-94 | 17' 0" | 75" | 17748 | 10069 | 10204 |
| 178 Frazer | 97-98 | 17' 8" | 91" | 17712 | 10026 | 10160 |
| 18 Sports Angler | | 18' 5" | 84" | 17712 | 10026 | 10160 |
| 180 Freedom TL | 2015 | 18' 11" | 89" | 17713 | 10105 | 10218 |
| 180 Phantom | 97-98 | 18' 6" | 84.5" | 17724 | 10032 | 10164 |
| 180 Sabre | 95-97 | 18' 3" | 82" | 17775 | 10056 | 10183 |
| 182 Magnum / Pro Magnum | 89-91 | 18' 5" | 84" | 17712 | 10026 | 10160 |
| 182 Pro Angler XL | 2015 | 18' 5" | 96" | 17716 | 10105 | 10218 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SMOKER CRAFT-CONTINUED** | | | | | | |
| 182 Pro Mag | 93-00 | 18' 5" | 84" | 17583 | 10111 | 17575 |
| 182 Pro Mag | 11-15 | 18' 2" | 96" | 17712 | 10026 | 10160 |
| 182 Ultima O/B | 00-02 | 17' 8" | 91" | 17748 | 10069 | 10204 |
| 19' Alante I/O | 86-89 | 18' 7" | 96" | 17725 | 10033 | 10165 |
| 19' Millentia DC | 2001 | 18' 6" | 96" | 17695 | 10138 | 10269 |
| 19 Sun Ship | 94-97 | 18' 8" | 96" | 17790 | 10114 | 10244 |
| 1900 SD Sun Chaser | | 18' 6" | 93" | 17790 | 10114 | 10244 |
| 1900 Sunship | 2002 | 18' 8" | 96" | 17790 | 10114 | 10244 |
| 191 Millentia | 01-15 | 18' 10" | 96" | 17787 | 10217 | 10240 |
| 192 Fazer | 91-00 | 18' 10" | 87" | 17713 | 10027 | 10161 |
| 192 Millentia / Ultima O/B | 02-11 | 18' 10" | 96" | 17695 | 10138 | 10269 |
| 192 Salmon | 98-02 | 18' 10" | 87" | 17713 | 10027 | 10161 |
| 192 Stealth DC | 2000 | 18' 10" | 96" | 17695 | 10138 | 10269 |
| 192 Ultima I/O | 2002 | 18' 10" | 96" | 17684 | 10142 | 10274 |
| 2000 SD Sun Chaser | | 19' 8" | 93" | 17790 | 10114 | 10244 |
| 2030 Commander | 2002 | 20' 0" | 96" | 17014 | — | — |
| 2080 Commander I/O | 01-02 | 20' 8" | 102" | 17794 | 10314 | 10201 |
| 21 Sun Ship | 94-97 | 21' 4" | 96" | 17791 | 10116 | 10245 |
| 2100 Sunship | 01-02 | 22' 3" | 96" | 17791 | 10116 | 10245 |
| 23 Sun Ship | 94-97 | 23' 4" | 104" | 17791 | 10116 | 10245 |
| 2310 Commander I/O | 2002 | 23' 4" | 99" | 17882 | 10323 | 17891 |
| 818 4.0 Sun Chaser Oasis | 2015 | 18' 10" | 96" | 17790 | 10114 | 10244 |
| 818 Classic / Infinity | 94-02 | 18' 3" | 96" | 17790 | 10114 | 10244 |
| 818 Cruise Fish / DS / Oasis | 13-15 | 18' 10" | 96" | 17790 | 10114 | 10244 |
| 818 Fish Sun Chaser Oasis | 2015 | 18' 10" | 96" | 17790 | 10114 | 10244 |
| 818 Mighty Mite | 1998 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| 818 Sun Sport | 96-97 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| 819 Neptune | 1991 | 19' 0" | 96" | 17790 | 10114 | 10244 |
| 82.4.0 Sun Chaser Oasis | 2015 | 22' 10" | 96" | 17791 | 10116 | 10245 |
| 820 4.0 Fish-N-Cruise | 1997 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 820 Sun Chaser CNF Oasis | 2015 | 20' 10" | 96" | 17790 | 10114 | 10244 |
| 820 Cruise / 4 PT. / Oasis | 13-15 | 20' 10" | 96" | — | 10289 | 10330 |
| 820 Dolphin | 1997 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 820 EXSV | 94-97 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 820 Fish King II | 89-97 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 820 Fish-N-Fun | 1997 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 820 Flagship | 93-97 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 820 Infinity / Escape | 2002 | 20' 3" | 96" | 17790 | 10114 | 10244 |
| 820 PR Special | 95-97 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 820 Sonesta | 93-94 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 820 Sun Sport Cruise | 1998 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 820 Sun Sport Fish | 1998 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 820 Tradewinds | 1998 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 821 Neptune | 1989 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| 821 Sun Sport | 9394 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| 822 Fish-N-Cruise | 1998 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| 822 Imagination | 1998 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| 822 Infinity | 2002 | 22' 3" | 96" | 17791 | 10116 | 10245 |
| 822 Pleasure Isle | 1998 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 823 Neptune | 1991 | 23' 0" | 96" | 17791 | 10116 | 10245 |
| 824 Dolphin | 1997 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 824 EXSV | 94-97 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 824 Fish King II | 89-97 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 824 Fish-N-Cruise | 97-98 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 824 Fish-N-Fun | 1997 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 824 Flagship | 93-97 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 824 Infinity | 2002 | 24' 3" | 96" | 17791 | 10116 | 10245 |
| 824 Neptune | 89-93 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 824 Pleasure Deck | 89-91 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 824 PR Special | 1997 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 824 Sonesta | 93-94 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 824 Sports Classic | 86-91 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 824 Tradewinds | 1998 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 826 Pleasure Isle | 1998 | 26' 0" | 102" | 17792 | 10117 | 10247 |
| 8520 Cruise / 4-PT. | 2013 | 20' 10" | 102" | — | 10289 | 10330 |
| 8520 Paradise | 2002 | 20' 3" | 102" | 17790 | 10114 | 10244 |
| 8522 Sun Chaser Cruise / Oasis | 2013 | 23' 10" | 102" | — | 10290 | 10331 |
| 8522 Sun Chaser LR /LR DH / CNF / DS / ENT / EXP | 2013 | 23' 10" | 102" | — | 10290 | 10331 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SMOKER CRAFT-CONTINUED** | | | | | | |
| 8522 Paradise / Classic | 2002 | 22' 3" | 102" | 17791 | 10116 | 10245 |
| 8524 Sun Chaser LR / LR DS / Cruise | 13-15 | 25' 10" | 102" | 17792 | 10117 | 10247 |
| 8524 Paradise / Serenity | 2002 | 24' 3" | 102" | 17791 | 10116 | 10245 |
| 8526 Paradise | 2002 | 26' 3" | 102" | 17792 | 10117 | 10247 |
| Challenger 14 | 85-86 | 14' 5" | 67" | 17708 | 10021 | — |
| Challenger 16 | 82-86 | 16' 2" | 76" | 17710 | 10023 | 10158 |
| Challenger 18 | 1985 | 18' 6" | 84" | 17712 | 10026 | 10160 |
| DS 20 Sun Chaser Cruise | 2015 | 20' 10" | 102" | | 10289 | 10330 |
| DS 22 Sun Chaser Cruise | 2015 | 23' 10" | 102" | | 10290 | 10331 |
| DS 24 Sun Chaser Cruise | 2015 | 25' 10" | 102" | 17792 | 10117 | 10241 |
| Osprey 162 American Angler | 2015 | 16' 4" | 90" | — | — | — |
| Osprey 172 American Angler | 2015 | 17' 4" | 92 | — | — | — |
| Phantom 202 American Angler | 2015 | 20' 1" | 93" | 17020 | 10028 | 10162 |
| Phantom 202 S American Angler | 2015 | 22' 6" | 93" | 17020 | 10028 | 10162 |
| Phantom 182 American Angler | 2015 | 18' 0" | 88" | 17712 | 10026 | 10160 |
| Phantom 220 OS American Angler | 2015 | 24' 11" | 94" | — | — | — |
| Pro Angler | | 16' 5" | 72" | 17554 | — | — |
| Pro Lodge 160 American Angler | 2015 | 16' 6" | 82" | 17456 | 10093 | 10212 |
| Pro Tracer 162 American Angler | 2015 | 16' 6" | 82" | 17456 | 10093 | 10212 |
| Side Console Angler | | 16' 2" | 76" | 17460 | 10102 | 10213 |
| Sportsman 1660 / 1660 Pro American Angler | 2015 | 16' 0" | 86" | 17456 | 10093 | 10212 |
| Sportsman 1866 / 1866 Pro American Angler | 2015 | 18' 0" | 94" | 17716 | 10105 | 10218 |
| V 178 Cobra | 1998 | 17' 8" | 88" | 17712 | 10026 | 10160 |
| V 180 Cobia I/O | 1986 | 18' 3" | 76" | 17724 | 10032 | 10164 |
| V 180 Cobra | 98-00 | 18' 0" | 96" | 17712 | 10026 | 10160 |
| V 180 Cobra O/B | 97-02 | 18' 0" | 96" | 17694 | 10137 | 10267 |
| V 186 Alante' | 01-02 | 19' 2" | 96" | 17685 | 10143 | 10275 |
| V 196 Alante' | 2002 | 19' 6" | 96" | 17685 | 10143 | 10275 |
| V 210 Alante' | 2002 | 20' 10" | 102" | 17687 | 10145 | 10277 |
| **SPECTRUM** | | | | | | |
| 1200 LD | 1991 | 11' 8" | 59" | 17453 | 10086 | 10207 |
| 14 Avenger SC | 95-96 | 14' 6" | 67" | 17457 | 10091 | 10209 |
| 14 Avenger T | 95-96 | 14' 6" | 67" | 17454 | 10087 | 10208 |
| 1400 / 1401 | 1990 | 13' 8" | 65" | 17454 | 10087 | 10208 |
| 1400 LD | 1991 | 13' 7" | 59" | 17454 | 10087 | 10208 |
| 1437 / LW / LT | 94-96 | 14' 0" | 54" | 17040 | — | — |
| 1448 | 1996 | 14' 0" | 67" | 17044 | — | — |
| 15 Dominator | 95-96 | 15' 4" | 65" | 17742 | 10066 | 10194 |
| 1500 / 1500 C / 1501 | 1990 | 14' 8" | 65" | 17457 | 10091 | 10209 |
| 1509 | 90-91 | 14' 11" | 63" | 17742 | 10066 | 10194 |
| 1542 MV | 95-96 | 15' 0" | 63" | 17044 | — | — |
| 16 Avenger SC | 94-95 | 16' 4" | 74" | 17460 | 10102 | 10213 |
| 16 Avenger T | 94-95 | 16' 4" | 74" | 17714 | 10104 | 10215 |
| 16 Dominator | 94-96 | 15' 10" | 70" | 17744 | 10067 | 10195 |
| 16 Dominator DS | 1996 | 16' 3" | 72" | 17744 | 10067 | 10195 |
| 16 Pro Avenger / SC / T | 1994 | 16' 4" | 74" | 17460 | 10102 | 10213 |
| 16 Sport | 94-96 | 16' 4" | 77" | 17710 | 10023 | 10158 |
| 1600 Sportster | 90-93 | 16' 4" | 79" | 17710 | 10023 | 10158 |
| 1606 | 90-91 | 16' 4" | 77" | — | — | — |
| 1608 | 90-91 | 16' 4" | 77" | 17456 | 10093 | 10212 |
| 1648 | 95-96 | 16' 0" | 67" | 17046 | — | — |
| 1650 MV / DLX | 95-96 | 16' 0" | 75" | 17046 | — | — |
| 1669 V | 1991 | 16' 0" | 69" | 17455 | 10092 | 10211 |
| 16-9 | | 15' 7" | 66" | 17744 | 10067 | 10195 |
| 17 Dominator | 1994 | 17' 0" | 70" | 17748 | 10069 | 10204 |
| 17 Pro Avenger | 95-96 | 17' 4" | 87" | 17582 | 10110 | 17574 |
| 17 Pro Avenger SC | 95-96 | 17' 4" | 87" | 17776 | 10055 | 10182 |
| 1700 | 1990 | 17' 1" | 79" | 17711 | 10025 | 10159 |
| 1700 O/B | 1993 | 17' 4" | 83" | 17711 | 10025 | 10159 |
| 1703 | | 16' 8" | 79" | 17736 | 10148 | 15402 |
| 1704 | 1990 | 16' 7" | 75" | 17762 | 10062 | 10188 |
| 1706 | 90-91 | 17' 4" | 86" | 17711 | 10025 | 10159 |
| 1709 | 90-91 | 16' 7" | 66" | 17748 | 10069 | 10204 |
| 1750 I/O | 1993 | 17' 4" | 87" | 17723 | 10030 | 10163 |
| 18 Cruiser / 18 Fish | 1994 | 18' 0" | 96" | 17790 | 10114 | 10244 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SPECTRUM-CONTINUED** | | | | | | |
| 18 Sport | 94-96 | 18' 6" | 86" | 17712 | 10026 | 10160 |
| 18 Sport SD | 94-96 | 18' 6" | 86" | 17724 | 10032 | 10164 |
| 1804 | 90-91 | 17' 4" | 78" | 17761 | 10139 | 10203 |
| 1860 MV | 95-96 | 18' 0" | 80" | 17048 | — | — |
| 19 Fish / Resort | 95-96 | 19' 0" | 96" | 17790 | 10114 | 10244 |
| 19 Pro Avenger / SD | 95-96 | 19' 4" | 89" | 17584 | 10112 | 17576 |
| 1900 / 1906 / 1956 / 1957 I/O | 90-93 | 19' 4" | 89" | 17725 | 10033 | 10165 |
| 1900 O/B | 1989 | 18' 10" | 82" | 17713 | 10027 | 10161 |
| 1906 O/B | 1990 | 18' 10" | 85" | 17713 | 10027 | 10161 |
| 1950 I/O | 1989 | 18' 10" | 82" | 17725 | 10033 | 10165 |
| 20 Cruiser DLX | 94-96 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 20 Spectra Deck | 1996 | 20' 1" | 100" | 17014 | — | — |
| 24 Cruiser Deluxe | 94-96 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 2407 | 1994 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| HD 1400 / LW | 91-93 | 14' 6" | 67" | 17457 | 10091 | 10209 |
| HD 1600 / LW / DLXC | 91-93 | 16' 2" | 67" | 17460 | 10102 | 10213 |
| SF 14 S / 14 L / 14 LW | 94-96 | 14' 6" | 67" | 17457 | 10091 | 10209 |
| SF 16 / SL | 94-96 | 16' 2" | 67" | 17455 | 10092 | 10211 |
| SF 16 WB Camp | 95-96 | 16' 4" | 74" | 17456 | 10093 | 10212 |
| SL 12 | 91-96 | 11' 7" | 58" | 17453 | 10086 | 10207 |
| SL 14 | 91-96 | 13' 6" | 59" | 17454 | 10087 | 10208 |
| **SPLENDOR** | | | | | | |
| 220 Odyssey I/O | 2015 | 20' 0" | 100" | 17794 | 10314 | 10201 |
| 220 Odyssey OB | 2015 | 22' 0" | 100" | — | — | — |
| 239 Sunstar | 2015 | 24' 0" | 100" | 17798 | 10318 | 10199 |
| 259 Sunstar | 2015 | 26' 0" | 100" | 17823 | 10096 | 10239 |
| 240 Platinum | 2015 | 24' 0" | 100" | 17798 | 10318 | 10199 |
| 259 Platinum | 2015 | 26' 0" | 100" | 17823 | 10096 | 10239 |
| 240 Cuddy Cabin | 2015 | 24' 0" | 100" | — | — | — |
| 259 Cuddy Cabin | 2015 | 26' 0" | 100" | — | — | — |
| **SPORT-CRAFT** | | | | | | |
| 1500 Sprint BR / CB | | 15' 3" | 77" | 17709 | 10022 | 10157 |
| 160 Ski King | | 16' 0" | 84" | 17722 | 10029 | — |
| 160 Sportsman BR / Special | | 15' 3" | 77" | 17709 | 10022 | 10157 |
| 1600 Sprint BR / CB | | 16' 0" | 84" | 17682 | 10140 | — |
| 170 Adventurer | | 16' 1" | 76" | 17710 | 10023 | 10158 |
| 170 Fish-N-Ski | | 16' 1" | 76" | 17710 | 10023 | 10158 |
| 172 Fisherman | | 17' 1" | 86" | 17736 | 10148 | 15402 |
| 180 Fishmaster | | 18' 0" | 96" | 17737 | 10150 | 15404 |
| 180 Sportsman BR | | 17' 1" | 86" | 17723 | 10030 | 10163 |
| 185 Ski King | | 18' 5" | 91" | 17725 | 10033 | 10165 |
| 190 C Eagle | | 18' 9" | 90" | 17586 | 10128 | 10256 |
| 190 Fish-N-Ski | | 18' 2" | 92" | 17712 | 10026 | 10160 |
| 190 Ski King | | 18' 2" | 92" | 17726 | 10034 | 10166 |
| 190 Sportsman | | 18' 2" | 92" | 17724 | 10032 | 10164 |
| 1900 Avanza | | 19' 8" | 96" | 17686 | 10144 | 10276 |
| 1900 Sprint CB / BR | | 18' 2" | 92" | 17684 | 10142 | 10274 |
| 1900 Sprint Cuddy | | 18' 2" | 92" | 17585 | 10127 | 10255 |
| 200 Fisherman | | 20' 0" | 90" | 17738 | 10151 | 15405 |
| 202 Fisherman/Fishmaster | | 20' 2" | 96" | 17738 | 10151 | 15405 |
| 205 WT Fisherman | | 20' 2" | 96" | 17587 | 10129 | 10257 |
| 2050 Avanza BR | | 20' 8" | 96" | 17687 | 10145 | 10277 |
| 2050 Avanza Cuddy | | 20' 8" | 96" | 17588 | 10130 | 10258 |
| 2100 Sprint Cuddy | | 20' 9" | 96" | 17588 | 10130 | 10258 |
| 230 Fisherman | | 22' 2" | 90" | 17589 | 10131 | 10259 |
| 230 Sportsman | | 22' 2" | 90" | 17589 | 10131 | 10259 |
| Sportsman BR | | 18' 2" | 92" | 17724 | 10032 | 10164 |
| **SPRINT (FIBER SPORT, INC.)** | | | | | | |
| 207 FS | 99-00 | 20' 3" | 94" | 17030 | 10113 | 17577 |
| 207 PRO / DC | 96-99 | 20' 3" | 94" | 17778 | 10058 | 10185 |
| 221 Pro | 2000 | 20' 10" | 94" | 17025 | 10059 | 10197 |
| 221 Tournament | 2000 | 20' 10" | 94" | 17025 | 10059 | 10197 |
| 255/252 | 96-00 | 15' 2" | 76" | 17760 | 10061 | 10187 |
| 266 FS | | 16' 3" | 82" | 17580 | 10109 | 17573 |
| 266 / 262 / 267 | 96-99 | 16' 3" | 82" | 17772 | 10053 | 10180 |
| 267 FS | 97-99 | 16' 3" | 82" | 17580 | 10109 | 17573 |
| 270 Bass Boat | 2000 | 16' 3" | 82" | 17772 | 10053 | 10180 |
| 270 FS | 2000 | 16' 3" | 82" | 17772 | 10053 | 10180 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SPRINT (FIBER SPORT, INC.) -CONTINUED** | | | | | | |
| 275 FS | | 17' 7" | 82" | 17582 | 10110 | 17574 |
| 277 FS | 96-00 | 17' 3" | 89" | 17582 | 10110 | 17574 |
| 277 Pro / S | 96-99 | 17' 3" | 89" | 17776 | 10055 | 10182 |
| 280 Pro | 2000 | 17' 3" | 89" | 17776 | 10055 | 10182 |
| 286 PRO / DC | 96-99 | 18' 3" | 89" | 17775 | 10056 | 10183 |
| 287 FS | 96-97 | 18' 3" | 89" | 17712 | 10026 | 10160 |
| 289 FS | 99-00 | 18' 9" | 94" | 17584 | 10112 | 17576 |
| 290 Pro | 2000 | 18' 3" | 89" | 17775 | 10056 | 10183 |
| 296 Pro / DC | 98-00 | 19' 0" | 94" | 17777 | 10057 | 10184 |
| **STARCRAFT** | | | | | | |
| 1032 | 2006 | 10' 0" | 51" | — | — | — |
| 1232 | 2006 | 12' 0" | 51" | 17819 | — | — |
| 1432 | 2006 | 14' 0" | 57" | 17040 | — | — |
| 1436 | 2006 | 14' 0" | 63" | 17040 | — | — |
| 1448 | 2006 | 14' 0" | 72" | 17040 | — | — |
| 1648 | 2006 | 16' 0" | 63" | 17046 | — | — |
| 1436 | 97-02 | 14' 4" | 57" | 17040 | — | — |
| 1437 / LW / LT | | 14' 0" | 54" | 17040 | — | — |
| 1448 | 93-02 | 14' 0" | 67" | 17044 | — | — |
| 1448 LW | 93-02 | 14' 4" | 72" | 17044 | — | — |
| 1542 MV | 1993 | 15' 0" | 63" | 17040 | — | — |
| 1644 MV | 97-02 | 16' 4" | 63" | 17042 | — | — |
| 1648 / LW | 96-02 | 16' 0" | 67" | 17046 | — | — |
| 1650 MV | 1993 | 16' 0" | 75" | 17046 | — | — |
| 170 Bass Boat | 2006 | 17' 1" | 78" | 17711 | 10025 | 10159 |
| 1700 / 1701 | 93-97 | 17' 2" | 82" | 17693 | 10136 | 10265 |
| 1709 Fish N Ski | 1999 | 17' 2" | 82" | 17693 | 10136 | 10265 |
| 1710 / 1711 | 93-97 | 17' 2" | 82" | 17683 | 10141 | — |
| 1750 MV | 97-02 | 17' 5" | 74" | 17048 | — | — |
| 180 Cruise | 2002 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| 1800 | 2002 | 18' 1" | 96" | 17684 | 10142 | 10274 |
| 1800 DC / LXS | 1999 | 18' 2" | 90" | 17694 | 10137 | 10267 |
| 1809 Fish & Ski | 2002 | 18' 1" | 96" | 17684 | 10142 | 10274 |
| 1809 Fish N Ski | 1999 | 18' 2" | 92" | 17694 | 10137 | 10267 |
| 1810 | 2002 | 18' 1" | 96" | 17684 | 10142 | 10274 |
| 1810 / SS / LS / LSX | 93-97 | 18' 2" | 92" | 17684 | 10142 | 10274 |
| 1811 SS | 93-99 | 18' 2" | 92" | 17684 | 10142 | 10274 |
| 1860 MV | 96-02 | 18' 0" | 80" | 17048 | — | — |
| 200 Saturn / Cruise | 2002 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 200 SCX I/O Crossover | 2013 | 20' 4" | 102" | — | — | — |
| 200 SCX O/B Crossover | 2013 | 20' 4" | 102" | — | — | — |
| 2010 / LX / LXS / SS / 2012 | 93-97 | 20' 2" | 102" | 17686 | 10144 | 10276 |
| 2012 LX / LXS | 93-99 | 20' 2" | 102" | 17567 | — | — |
| 210 SCX I/O | 2014 | 20' 4" | 102" | — | — | — |
| 210 SCX O/B | 13-14 | 21' 9" | 102" | — | — | — |
| 211 SCX I/O | | 20' 4" | 102" | — | — | — |
| 211 SCX OB | 2014 | 21' 9" | 102" | — | — | — |
| 220 Orion / Cruise | 2002 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 220 SCX I/O | 2013 | 21' 7" | 102" | — | — | — |
| 220 SCX O/B | 13-14 | 21' 7" | 102" | — | — | — |
| 2210 LX / LXS | 93-99 | 22' 2" | 102" | 17688 | 10146 | 10278 |
| 2210 SS | 93-97 | 22' 2" | 102" | 17688 | 10146 | 10278 |
| 2212 / LX | 93-99 | 22' 2" | 102" | 17589 | 10131 | 10259 |
| 230 SCX I/O | 2014 | 21' 7" | 102" | — | — | — |
| 230 SCXOB | 2014 | 21' 7" | 102" | — | — | — |
| 240 Orion / Saturn | 2002 | 24' 0" | 102" | 17791 | 10116 | 10245 |
| 240 SCX I/O | 2013 | 24' 3" | 102" | — | — | — |
| 240 SCX O/B | 2013 | 24' 3" | 102" | — | — | — |
| 241 Orion / Saturn | 2002 | 24' 0" | 102" | 17791 | 10116 | 10245 |
| 2448-16 MV | | 16' 0" | 69" | 17455 | 10092 | 10211 |
| 250 SCX I/O | 2014 | 24' 3" | 102" | — | — | — |
| 250 SCX OB | 2014 | 24' 3" | 102" | — | — | — |
| 261 Elite | 1999 | 26' 0" | 96" | 17792 | 10117 | 10247 |
| Aurora 2000 | 2002 | 20' 4" | 102" | 17794 | 10314 | 10201 |
| Aurora 2005 | 2002 | 20' 4" | 102" | 17879 | 10320 | 17888 |
| Aurora 2009 Fish & Ski | 2002 | 20' 4" | 102" | 17879 | 10320 | 17888 |
| Aurora 2015 | 2002 | 20' 4" | 102" | 17879 | 10320 | 17888 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **STARCRAFT-CONTINUED** | | | | | | |
| Aurora 2405 B | 2002 | 24' 1" | 102" | **17883** | **10324** | **17892** |
| Aurora 2415 | 2002 | 24' 1" | 102" | **17883** | **10324** | **17892** |
| Aurora SS 190 I/O | 2007 | 19' 4" | 102" | — | — | — |
| Aurora SS 220 I/O | 2007 | 20' 4" | 102" | **17879** | **10320** | **17888** |
| Aurora SS 221 I/O | 2007 | 21' 7" | 102" | **17880** | **10321** | **17889** |
| Bass Boss 140 | | 14' 0" | 63" | **17740** | **10065** | **10193** |
| Bass Boss 150 | | 15' 8" | 63" | **17744** | **10067** | **10195** |
| Bass Boss 150 / SC 1500 | | 14' 11" | 63" | **17742** | **10066** | **10194** |
| Bass Boss 160 / SC1600 / 1609DS / FS | | 15' 10" | 70" | **17744** | **10067** | **10195** |
| Bass Boss 170 / SC 1700 | | 16' 11" | 70" | **17748** | **10069** | **10204** |
| Bass V 150 | 86-87 | 15' 5" | 72" | **17454** | **10087** | **10208** |
| Bass V 170 | 86-87 | 17' 6" | 75" | **17461** | **10103** | **10214** |
| Bass V 180 | | 17' 6" | 74" | **17776** | **10055** | **10182** |
| Bluewater 180 | | 18' 0" | 96" | **17737** | **10150** | **15404** |
| Bluewater 180 | | 16' 0" | 96" | **17737** | **10150** | **15404** |
| Bluewater 2210 S | | 22' 3" | 96" | **17741** | **10153** | **15407** |
| Camper / Weekender 226 CMP | 2007 | 22' 3" | 102" | **17791** | **10116** | **10245** |
| Camper / Weekender 226 WK | 2007 | 24' 3" | 102" | — | **10290** | **10331** |
| Camper / Weekender 246 CMP | 2007 | 24' 3" | 102" | — | **10290** | **10331** |
| Camper / Weekender 246 WK | 2007 | 24' 3" | 102" | — | **10290** | **10331** |
| Citori 170 SC | 1999 | 17' 4" | 86" | **17718** | **10106** | **10219** |
| Citori 170 T | 1999 | 17' 4" | 86" | **17716** | **10105** | **10218** |
| Cla 2310 I/O | 2007 | 21' 7" | 102" | **17880** | **10321** | **17889** |
| Classic 140 / F | 2007 | 14' 4" | 96" | — | **10120** | **10250** |
| Classic 180 / RE / RE F | 2007 | 18' 5" | 96" | **17790** | **10114** | **10244** |
| Classic 200 2-PT / 4-PT / CR / RE / RE CR F | 2007 | 20' 6" | 96" | — | **10289** | **10330** |
| Coastal 2009 OB | 13-14 | 20' 4" | 102" | **17879** | **10320** | **17888** |
| Coastal 2210 OB | 13-14 | 21' 6" | 102" | **17880** | **10321** | **17889** |
| Coastal 2410 OB | 13-14 | 24' 1" | 102" | **17883** | **10324** | **17892** |
| CSF 191 | 1986 | 18' 9" | 96" | **17586** | **10128** | **10256** |
| CSF 221 O/S | | 22' 2" | 96" | **17589** | **10131** | **10259** |
| CSS 150 | 1985 | 15' 2" | 80" | **17709** | **10022** | **10157** |
| CSS 160 B | 1985 | 16' 2" | 82" | **17710** | **10023** | **10158** |
| CSS 161 B | 1985 | 16' 2" | 82" | **17722** | **10029** | — |
| CSS 180 B | 1985 | 17' 9" | 82" | **17712** | **10026** | **10160** |
| CSS 181 B | 1985 | 17' 10" | 82" | **17724** | **10032** | **10164** |
| Elite 246 | 2007 | 24' 3" | 102" | — | **10290** | **10331** |
| Elite 206 / CR / RE / RE CR | 2007 | 20' 3" | 102" | — | **10289** | **10330** |
| Elite 226 / CR / RE / RE CR | 2007 | 22' 6" | 102" | **17791** | **10116** | **10245** |
| Elite 246 CR / RE / RE CR | 2007 | 24' 3" | 102" | — | **10290** | **10331** |
| Elite Sport 226 RE FSH SPT / RE SPT | 2007 | 22' 3" | 102" | **17791** | **10116** | **10245** |
| Escort | 1986 | 16' 2" | 86" | **17772** | **10053** | **10180** |
| EX 18 C | 2015 | 18' 10" | 96" | **17790** | **10114** | **10244** |
| EX 18 F | 2015 | 18' 10" | 96" | **17790** | **10114** | **10244** |
| EX 20 CF | 2015 | 20' 10" | 96" | — | **10289** | **10330** |
| EX 20 CF | 2015 | 20' 10" | 96" | — | **10289** | **10330** |
| EX 20 F | 2015 | 20' 10" | 96" | — | **10289** | **10330** |
| Fishmaster 140 SC / T | 1997 | 14' 6" | 67" | **17454** | **10087** | **10208** |
| Fishmaster 150 T | | 14' 6" | 67" | **17457** | **10091** | **10209** |
| Fishmaster 160 | 1987 | 16' 1" | 77" | **17460** | **10102** | **10213** |
| Fishmaster 160 | 93-97 | 16' 4" | 74" | **17710** | **10023** | **10158** |
| Fishmaster 160 SC | 1997 | 16' 4" | 74" | **17460** | **10102** | **10213** |
| Fishmaster 160 T | 1997 | 16' 4" | 74" | **17456** | **10093** | **10212** |
| Fishmaster 165 C | | 16' 5" | 74" | **17456** | **10093** | **10212** |
| Fishmaster 170 | 1997 | 17' 0" | 85" | **17711** | **10025** | **10159** |
| Fishmaster 176 DC | 99-02 | 17' 8" | 93" | **17694** | **10137** | **10267** |
| Fishmaster 190 | 96-97 | 18' 10" | 89" | **17713** | **10027** | **10161** |
| Fishmaster 190 CC | 1997 | 18' 9" | 90" | **17737** | **10150** | **15404** |
| Fishmaster 196 DC | 99-02 | 19' 4" | 99" | **17695** | **10138** | **10269** |
| Fishmaster 1961 | 2002 | 19' 9" | 100" | **17686** | **10144** | **10276** |
| Flat Deck 161 | 2007 | 15' 4" | 90" | — | — | — |
| Flat Deck 191 | 2007 | 19' 0" | 102" | — | — | — |
| Flat Deck 226 | 2007 | 22' 3" | 98" | **17881** | **10322** | **17890** |
| Gambler | 1987 | 16' 11" | 85" | **17776** | **10055** | **10182** |
| Heritage | | 18' 3" | 86" | **17712** | **10026** | **10160** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **STARCRAFT-CONTINUED** | | | | | | |
| Holiday 150 | | 15' 7" | 74" | **17710** | **10023** | **10158** |
| Holiday 180 | 1985 | 18' 4" | 81" | **17712** | **10026** | **10160** |
| Holiday 181 | | 18' 4" | 81" | **17724** | **10032** | **10164** |
| Holiday 191 | | 19' 2" | 92" | **17725** | **10033** | **10165** |
| Holiday 220 | | 22' 0" | 96" | **17728** | **10036** | **10168** |
| Islander 191 | 96-99 | 19' 0" | 96" | **17586** | **10128** | **10256** |
| Islander 221 | 96-99 | 22' 0" | 96" | **17589** | **10131** | **10259** |
| Judge | 1986 | 16' 6" | 73" | **17762** | **10062** | **10188** |
| Limited 172 O/B / O/B Ski Fish / Sport | 13-14 | 16' 10" | 90" | **17693** | **10136** | **10265** |
| Limited 185 I/O Ski Fish / I/O Sport | 2013 | 18' 2" | 90" | **17684** | **10142** | **10274** |
| Limited 1915 OB | 07-14 | 19' 0" | 102" | — | — | — |
| Limited 1918 I/O / I/O Ski Fish / Sport | 13-14 | 19' 9" | 92" | **17685** | **10143** | **10275** |
| Limited 200 CR / CR 4-PT | 2007 | 20' 3" | 102" | **17879** | **10320** | **17888** |
| Limited 2000 I/O | 07-14 | 20' 4" | 102" | **17879** | **10320** | **17888** |
| Limited 2000 OB | | 20' 4" | 102" | — | — | — |
| Limited 2000 OB Fish | 13-14 | 20' 4" | 102" | **17879** | **10320** | **17888** |
| Limited 2009 OB | 2007 | 20' 4" | 102" | — | — | — |
| Limited 2010 I/O | 2007 | 20' 4" | 102" | **17879** | **10320** | **17888** |
| Limited 2010 OB | 2007 | 20' 4" | 102" | — | — | — |
| Limited 2015 I/O | 2007 | 20' 4" | 102" | **17879** | **10320** | **17888** |
| Limited 2015 OB | 2007 | 20' 4" | 102" | — | — | — |
| Limited 2018 I/O | 13-14 | 20' 2" | 98" | **17685** | **10144** | **10276** |
| Limited 2119 I/O | 13-14 | 21' 3" | 102" | **17689** | **10147** | **10279** |
| Limited 2210 I/O | 2007 | 21' 7" | 102" | **17880** | **10321** | **17889** |
| Limited 2210 OB | 2007 | 21' 6" | 102" | — | — | — |
| Limited 2310 I/O | 2007 | 21' 7" | 102" | **17880** | **10321** | **17889** |
| Limited 2321 Cuddy I/O | 13-14 | 23' 3" | 102" | — | — | — |
| Limited 2321 I/O | 13-14 | 23' 3" | 102" | — | — | — |
| Limited 240 CR / CR 2-PT | 2007 | 24' 3" | 102" | **17883** | **10324** | **17892** |
| Limited 2410 I/O | 2007 | 24' 1" | 102" | **17883** | **10324** | **17892** |
| Limited 2410 OB | 2007 | 24' 1" | 102" | — | — | — |
| Magnum | 1987 | 15' 4" | 73" | **17760** | **10061** | **10187** |
| Majestic 236 | 2015 | 24' 10" | 102" | | **10290** | **10331** |
| Majestic 216 RE CR | 2007 | 21' 5" | 102" | **17791** | **10116** | **10245** |
| Majestic 236 RE CR | 2007 | 24' 6" | 102" | — | **10290** | **10331** |
| Majestic 236 Star port | 2015 | 24' 10" | 102" | — | **10290** | **10331** |
| Majestic 256 | 2015 | 26' 10" | 102" | **1792** | **10117** | **10247** |
| Majestic 256 RE CR | 2007 | 26' 6" | 102" | **17792** | **10117** | **10247** |
| Majestic 256 Starliner | 2015 | 26' 10" | 102" | **17792** | **10117** | **10247** |
| Majestic 256 Starliner Starport | 2015 | 26' 10" | 102" | **17792** | **10117** | **10247** |
| Majestic 256 Starlounger | 2015 | 26' 10" | 102" | **17792** | **10117** | **10247** |
| Majestic 256 Starlounger Starport | 2015 | 26' 10" | 102" | **17792** | **10117** | **10247** |
| Majestic 256 Starport | 2015 | 26' 10" | 102" | **17792** | **10117** | **10247** |
| Mariner 170 | 93-95 | 17' 0" | 84" | **17736** | **10148** | **15402** |
| Mariner 180 | 1986 | 18' 3" | 79" | **17780** | **15412** | **15403** |
| Mariner 190 | 1993 | 19' 0" | 92" | **17737** | **10150** | **15404** |
| Mariner 210 | 1986 | 21' 2" | 86" | **17739** | **10152** | **15406** |
| Mariner 220 V | 1987 | 22' 3" | 95" | **17741** | **10153** | **15407** |
| Medalist 1500 | | 15' 2" | 81" | **17709** | **10022** | **10157** |
| Medalist 1600 O/B | 1986 | 16' 3" | 77" | **17710** | **10023** | **10158** |
| Medalist 1601 I/O | 1986 | 16' 3" | 77" | **17722** | **10029** | — |
| Medalist 1700 | | 16' 2" | 83" | **17710** | **10023** | **10158** |
| Medalist 1701 | | 16' 2" | 83" | **17722** | **10029** | — |
| Medalist 1900 | | 18' 7" | 86" | **17713** | **10027** | **10161** |
| Medalist 1901 | 1986 | 18' 6" | 86" | **17725** | **10033** | **10165** |
| MX 23 C | 2015 | 24' 10" | 102" | — | **10290** | **10331** |
| MX 23 CP | 2015 | 24' 10" | 102" | — | **10290** | **10331** |
| MX 23 L | 2015 | 24' 10" | 102" | — | **10290** | **10331** |
| MX 23 LP | 2015 | 24' 10" | 102" | — | **10290** | **10331** |
| MX 25 C | 2015 | 26' 10" | 102" | **17792** | **10117** | **10247** |
| MX 25 CP | 2015 | 26' 10" | 102" | **17792** | **10117** | **10247** |
| MX 25 DL | 2015 | 26' 10" | 102" | **17792** | **10117** | **10247** |
| MX 25 DLC | 2015 | 26' 10" | 102" | **17792** | **10117** | **10247** |
| MX 25 E | 2015 | 26' 10" | 102" | **17792** | **10117** | **10247** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **STARCRAFT-CONTINUED** | | | | | | |
| MX 25 EP | 2015 | 26' 10" | 102" | 17792 | 10117 | 10247 |
| MX 25 L | 2015 | 26' 10" | 102" | 17792 | 10117 | 10247 |
| MX 25 LP | 2015 | 26' 10" | 102" | 17792 | 10117 | 10247 |
| Nexstar 1910 | 2002 | 19' 2" | 102" | 17685 | 10143 | 10275 |
| Nexstar 1959 Fish & Ski | 2002 | 19' 2" | 102" | 17685 | 10143 | 10275 |
| Nexstar 2310 | 2002 | 23' 2" | 102" | 17689 | 10147 | 10279 |
| Nexstar 2312 Cuddy | 2002 | 23' 2" | 102" | 17590 | 10132 | 10261 |
| Offshore 221 | | 22' 3" | 96" | 17589 | 10131 | 10259 |
| Pikemaster 140 | | 14' 6" | 67" | 17457 | 10091 | 10209 |
| Pikemaster 160 / 160 C / 160T | 1987 | 16' 5" | 74" | 17460 | 10102 | 10213 |
| Pikemaster 180 | | 18' 4" | 79" | 17764 | 10063 | 10192 |
| Pro Elite 1800 DC | 99-02 | 18' 2" | 100" | 17694 | 10137 | 10267 |
| Rogue 1686 | 2006 | 16' 0" | 85" | 177146 | 10068 | 10202 |
| Rogue 1886 | 2006 | 18' 7" | 85" | 17750 | 10070 | 10206 |
| Seafarer 12 | | 12' 1" | 56" | 17453 | 10086 | 10207 |
| Seafarer 14 / D / SS / DLX / SF14L / S | 1993 | 14' 6" | 67" | 17457 | 10091 | 10209 |
| Seafarer 16 / D / SS / DLX | 1986 | 16' 3" | 67" | 17455 | 10092 | 10211 |
| Sealite 12 / SL-12 | | 11' 7" | 59" | 17453 | 10086 | 10207 |
| Sealite 14 / SL14 | | 13' 7" | 59" | 17454 | 10087 | 10208 |
| Select 170 | | 17' 4" | 94" | 17711 | 10025 | 10159 |
| Select 171 S | | 17' 4" | 94" | 17723 | 10030 | 10163 |
| Select 190 | | 18' 10" | 96" | 17713 | 10027 | 10161 |
| Select 191 S | | 18' 10" | 94" | 17725 | 10033 | 10165 |
| Select 225 Cuddy | | 21' 8" | 96" | 17741 | 10153 | 15407 |
| SF 14 L / LSS / LTS / LWL / S / SS / STS | 2006 | 14' 3" | 67" | 17454 | 10087 | 10208 |
| SF 14 L / LW / S | 96-99 | 14' 6" | 67" | 17454 | 10087 | 10208 |
| SF 16 / L / S | 96-99 | 16' 2" | 67" | 17455 | 10092 | 10211 |
| SF 16 Camp | 2006 | 16' 4" | 74" | 17455 | 10092 | 10211 |
| SF 16 L / LSS / TS | 2006 | 16' 2" | 67" | 17455 | 10092 | 10211 |
| SF 16WB / Camp | 96-06 | 16' 4" | 74" | 17456 | 10093 | 10212 |
| SL 12 | 93-99 | 11' 7" | 58" | 17453 | 10086 | 10207 |
| SL 14 | 93-99 | 13' 6" | 59" | 17454 | 10087 | 10208 |
| SL 14 S | 2006 | 14' 3" | 67" | 17454 | 10087 | 10208 |
| SLS 3 | 2015 | 24' 10" | 102" | — | 10290 | 10331 |
| SLS 5 | 2015 | 16' 10" | 102" | — | 10288 | 10329 |
| ST 150 | | 15' 1" | 76" | 17709 | 10022 | 10157 |
| Stalker 1800 | | 17' 8" | 86" | 17775 | 10056 | 10183 |
| Stalker 1800 FS | | 17' 8" | 86" | 17583 | 10111 | 17575 |
| Stalker 1900 | 1987 | 19' 1" | 86" | 17773 | 15411 | 15401 |
| Star Step 220 I/O | 13-14 | 21' 10" | 102" | — | — | — |
| Starcaster 1600 | | 15' 10" | 70" | 17744 | 10067 | 10195 |
| Starcaster 1650 | 1999 | 15' 8" | 71" | 17744 | 10067 | 10195 |
| Starcaster 1700 | | 17' 2" | 74" | 17748 | 10069 | 10204 |
| Starcaster 1754 | 99-02 | 16' 9" | 76" | 17748 | 10069 | 10204 |
| Starcaster 1860 | 99-02 | 18' 5" | 79" | 17750 | 10070 | 10206 |
| Starcaster SC 1600 | 1997 | 15' 10" | 71" | 17744 | 10067 | 10195 |
| Starcaster SC 1700 | 1997 | 16' 9" | 72" | 17748 | 10069 | 10204 |
| Starcaster SC 1800 | 1997 | 18' 1" | 76" | 17750 | 10070 | 10206 |
| Stardeck 200 Classic / Elite | 97-99 | 20' 0" | 96" | — | 10289 | 10330 |
| Stardeck 200 DLX | 1993 | 20' 0" | 96" | — | 10289 | 10330 |
| Stardeck 200 F | 1987 | 17' 8" | 96" | — | 10289 | 10330 |
| Stardeck 206 4-PT | 2015 | 20' 10" | 102" | — | 10289 | 10330 |
| Stardeck 206 CNF | 2015 | 20' 10" | 102" | — | 10289 | 10330 |
| Stardeck 206 Cruise | 2015 | 20' 10" | 102" | — | 10289 | 10330 |
| Stardeck 216 4-PT | 2015 | 20' 10" | 102" | — | 10289 | 10330 |
| Stardeck 216 CNF | 2015 | 20' 10" | 102" | — | 10289 | 10330 |
| Stardeck 216 Cruise | 2015 | 20' 10" | 102" | — | 10289 | 10330 |
| Stardeck 216 Starlounger | 2015 | 20' 10" | 102" | — | 10289 | 10330 |
| Stardeck 236 4-PT | 2015 | 23' 10" | 102" | — | 10290 | 10331 |
| Stardeck 236 CNF | 2015 | 23' 10" | 102" | — | 10290 | 10331 |
| Stardeck 236 Cruise | 2015 | 23' 10" | 102" | — | 10290 | 10331 |
| Stardeck 236 Party Lounger | 2015 | 23' 10" | 102" | — | 10290 | 10331 |
| Stardeck 236 Starlounger Starport | 2015 | 23' 10" | 102" | — | 10290 | 10331 |
| Stardeck 236 Starlounger | 2015 | 23' 10" | 102" | — | 10290 | 10331 |
| Stardeck 236 Starport | 2015 | 23' 10" | 102" | — | 10290 | 10331 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **STARCRAFT-CONTINUED** | | | | | | |
| Stardeck 240 / Classic / DLX / Elite | 93-99 | 24' 0" | 96" | — | 10290 | 10331 |
| Stardeck 241 / Classic / Elite | 97-99 | 24' 0" | 96" | — | 10290 | 10331 |
| Stardeck 256 Starlounger | 2015 | 24' 10" | 102" | — | 10290 | 10331 |
| Stardeck 256 Starlounger Starport | 2015 | 24' 10" | 102" | — | 10290 | 10331 |
| Stardeck 280 | | 26' 0" | 96" | 17792 | 10117 | 10247 |
| Starfire 160 DC | 99-02 | 16' 1" | 85" | 17692 | 10135 | — |
| Starfire 160 SC | 99-02 | 16' 1" | 85" | 17459 | 15429 | 15428 |
| Starfire 160 T | 99-02 | 16' 1" | 85" | 17456 | 10093 | 10212 |
| Starfire 170 DC | 2002 | 16' 11" | 90" | 17693 | 10136 | 10265 |
| Starfire 170 LE | 1999 | 17' 0" | 85" | 17693 | 10136 | 10265 |
| Starfish 180 | 96-02 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Starfish 200 | 93-02 | 20' 0" | 96" | — | 10289 | 10330 |
| Starfish 227 RE CR | 2007 | 22' 3" | 102" | 17791 | 10116 | 10245 |
| Starfish 240 | 93-02 | 24' 0" | 96" | — | 10290 | 10331 |
| Starfish 246 RE CR | 2007 | 24' 3" | 102" | — | 10290 | 10331 |
| Starship 2000 | 95-97 | 20' 4" | 102" | — | 10289 | 10330 |
| Starship 2005 | 1997 | 20' 4" | 102" | 17014 | — | — |
| Starfish 227 CR | 2007 | 22' 3" | 102" | 17791 | 10116 | 10245 |
| Starfish 246 CR | 2007 | 24' 3" | 102" | — | 10290 | 10331 |
| Startron I | | 20' 5" | 92" | 17726 | 10034 | 10166 |
| Super Fisherman 160 | 1986 | 16' 0" | 77" | 17710 | 10023 | 10158 |
| Super Fisherman 160 | 95-97 | 16' 4" | 74" | 17710 | 10023 | 10158 |
| Super Fisherman 160 SC | 96-97 | 16' 4" | 74" | 17460 | 10102 | 10213 |
| Super Fisherman 170 | 93-97 | 17' 5" | 85" | 17710 | 10023 | 10158 |
| Super Fisherman 170 | 1992 | 16' 11" | 85" | 17711 | 10025 | 10159 |
| Super Fisherman 170 SC | 1997 | 16' 6" | 81" | 17459 | 15429 | 15428 |
| Super Fisherman 176 DC | 99-02 | 17' 8" | 93" | 17694 | 10137 | 10267 |
| Super Fisherman 180 | 1986 | 18' 3" | 79" | 17712 | 10026 | 10160 |
| Super Fisherman 190 | 1993 | 19' 0" | 92" | 17713 | 10027 | 10161 |
| Super Fisherman 190 | 95-97 | 18' 9" | 90" | 17713 | 10027 | 10161 |
| Super Fisherman 191 | 1993 | 19' 0" | 92" | 17713 | 10027 | 10161 |
| Super Fisherman 196 | 99-02 | 19' 4" | 99" | 17695 | 10138 | 10269 |
| Super Sport 150 | 1985 | 15' 7" | 74" | 17710 | 10023 | 10158 |
| Super Sport 160 | 1985 | 16' 0" | 76" | 17710 | 10023 | 10158 |
| Super Sport 170 | 2002 | 16' 11" | 85" | 17693 | 10136 | 10265 |
| Super Sport 170 I/O | 93-95 | 16' 6" | 81" | 17722 | 10029 | — |
| Super Sport 170 O/B | 93-95 | 16' 6" | 81" | 17710 | 10023 | 10158 |
| Super Sport 180 | 1985 | 18' 3" | 79" | 17712 | 10026 | 10160 |
| Super Sport 181 | 1985 | 18' 4" | 79" | 17724 | 10032 | 10164 |
| Super Sport 190 | 2002 | 18' 9" | 89" | 17695 | 10138 | 10269 |
| Super Sport 191 | | 18' 8" | 88" | 17725 | 10033 | 10165 |
| Super Sport 201 | 1985 | 20' 8" | 96" | 17727 | 10035 | 10167 |
| TF 160 | | 16' 2" | 82" | 17710 | 10023 | 10158 |
| Thruster DLX / STD | 1987 | 15' 4" | 73" | 17760 | 10061 | 10187 |
| Tournament 170 Fish | | 16' 6" | 81" | 17774 | 10054 | 10181 |
| Tournament 180 | 93-95 | 18' 6" | 95" | 17787 | 10217 | 10240 |
| Tournament Pro 160 / T | 1995 | 16' 6" | 80" | 17774 | 10054 | 10181 |
| Tournament Pro 170 | 95-97 | 17' 4" | 86" | 17776 | 10055 | 10182 |
| Tournament Pro 180 | 1995 | 18' 6" | 95" | 17787 | 10217 | 10240 |
| Tournament 180 Fish | | 18' 9" | 90" | 17773 | 15411 | 15401 |
| Troller 160 | 1987 | 16' 5" | 74" | 17460 | 10102 | 10213 |
| Ultrastar | | 21' 6" | 96" | 17728 | 10036 | 10168 |
| V-160 | | 16' 3" | 77" | 17710 | 10023 | 10158 |
| V-161 B | | 16' 3" | 77" | 17722 | 10029 | — |
| V-170 | | 17' 6" | 75" | 17761 | 10139 | 10203 |
| V-190 B | | 18' 6" | 86" | 17713 | 10027 | 10161 |
| V-191 B | | 18' 6" | 86" | 17725 | 10033 | 10165 |
| Walleye 170 | 1993 | 16' 6" | 81" | 17774 | 10054 | 10181 |
| Walleye 180 | 1993 | 18' 9" | 90" | 17773 | 15411 | 15401 |
| WV-170 | | 17' 3" | 83" | 17711 | 10025 | 10159 |
| WV-171 | | 17' 3" | 83" | 17723 | 10030 | 10163 |
| XV-150 | | 15' 6" | 75" | 17710 | 10023 | 10158 |
| **STARFIRE** | | | | | | |
| 183 / 190 | | 18' 3" | 90" | 17725 | 10033 | 10165 |
| 210 Starchaser BR | 1991 | 20' 10" | 98" | 17588 | 10130 | 10258 |
| 220 Starchaser BR | 1998 | 22' 3" | 98" | 17589 | 10131 | 10259 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **STARFIRE-CONTINUED** | | | | | | |
| 156 Catalina O/B | | 15' 6" | 74" | 17732 | 10041 | — |
| 194 Del Ray / 200 Del ray | 1987 | 19' 4" | 91" | 17725 | 10033 | 10165 |
| 174 Laguna | 1987 | 17' 4" | 83" | 17723 | 10030 | 10163 |
| 180 Laguna I/O | | 17' 4" | 84" | 17723 | 10030 | 10163 |
| 180 Laguna O/B | 1987 | 17' 4" | 83" | 17711 | 10025 | 10159 |
| 174 Malibu I/O | | 17' 4" | 83" | 17723 | 10030 | 10163 |
| 174 Malibu O/B | | 17' 4" | 83" | 17711 | 10025 | 10159 |
| 180 Malibu WT | 1987 | 17' 4" | 84" | 17723 | 10030 | 10163 |
| 183 Monterrey | | 18' 3" | 90" | 17724 | 10032 | 10164 |
| 190 Monterrey | | 18' 3" | 90" | 17724 | 10032 | 10164 |
| 190 New Yorker | 1987 | 18' 3" | 90" | 17724 | 10032 | 10164 |
| 207 New Yorker / 207 Fisherman | 1987 | 20' 7" | 95" | 17727 | 10035 | 10167 |
| 194 Saltaire | 1988 | 19' 4" | 91" | 17726 | 10034 | 10166 |
| 200 Saltaire | 87-88 | 19' 4" | 91" | 17725 | 10033 | 10165 |
| 225 Santa Cruz | 87-88 | 21' 2" | 96" | 17728 | 10036 | 10168 |
| 183 Sportster | | 18' 3" | 90" | 17724 | 10032 | 10164 |
| **STARLINE** | | | | | | |
| 150 Sierra O/B | | 15' 0" | 76" | 17709 | 10022 | 10157 |
| 155 Bass Champ | | 15' 1" | 71" | 17760 | 10061 | 10187 |
| 158 Magnum | | 15' 11" | 73" | 17762 | 10062 | 10188 |
| 162 Magnum | | 16' 1" | 77" | 17762 | 10062 | 10188 |
| 166 Sport | | 16' 7" | 76" | 17711 | 10025 | 10159 |
| 170 Malibu | | 16' 3" | 85" | 17722 | 10029 | — |
| 172 Magnum | | 17' 1" | 86" | 17776 | 10055 | 10182 |
| 180 Cavalier | | 16' 9" | 85" | 17723 | 10030 | 10163 |
| 186 T/V | | 18' 2" | 86" | 17775 | 10056 | 10183 |
| 188 Night Hawk | | 18' 0" | 85" | 17775 | 10056 | 10183 |
| 190 Mirage | | 17' 11" | 85" | 17724 | 10032 | 10164 |
| 190 Sundown Cuddy | | 18' 3" | 88" | 17585 | 10127 | 10255 |
| 2000 BR | | 19' 7" | 88" | 17725 | 10033 | 10165 |
| 2000 Cuddy | | 19' 7" | 88" | 17586 | 10128 | 10256 |
| **STEALTH BOATS** | | | | | | |
| DX 200 | | 20' 3" | 96" | 17778 | 10058 | 10185 |
| DX 200 F/S | | 20' 3" | 96" | 17686 | 10144 | 10276 |
| FFB 165 | | 16' 9" | 83" | 17774 | 10054 | 10181 |
| FX 165 F/S | | 16' 9" | 83" | 17582 | 10110 | 17574 |
| FX 180 F/S | | 18' 0" | 89" | 17583 | 10111 | 17575 |
| FX 190 F/S | | 19' 1" | 89" | 17584 | 10112 | 17576 |
| SX 165 | | 16' 9" | 82" | 17774 | 10054 | 10181 |
| SX 180 | | 18' 0" | 89" | 17775 | 10056 | 10183 |
| **STINGRAY** | | | | | | |
| 180 L Bowrider | 2013 | 18' 0" | 85" | 17684 | 10142 | 10274 |
| 180 L Bowrider | 2013 | 18' 0" | 85" | 17684 | 10142 | 10274 |
| 180 LS / LX / RS / RX | 97-15 | 18' 0" | 85" | 17684 | 10142 | 10274 |
| 181 RS | 97-98 | 17' 10" | 84" | 17694 | 10137 | 10267 |
| 185 L Bowrider | 07-12 | 18' 5" | 85" | — | — | — |
| 185 LS / LX | 04-05 | 18' 5" | 85" | 17684 | 10142 | 10274 |
| 188 LE Sport | 2015 | 18' 11" | 88" | 17684 | 10142 | 10274 |
| 188 LF Sport | 2015 | 18' 11" | 88" | 17684 | 10142 | 10274 |
| 190 CS / CX / FX / LS / LX | 01-04 | 19' 0" | 91" | 17685 | 10143 | 10275 |
| 190 LS / LX | 2004 | 19' 0" | 91" | 17685 | 10143 | 10275 |
| 190 LS / LX / RS / RX | 97-02 | 19' 0" | 90" | 17685 | 10143 | 10275 |
| 191 LX Outboard | 2013 | 19' 3" | 91" | — | — | — |
| 191 RX Outboard | 13-15 | 19' 3" | 91" | — | — | — |
| 192 RS / RX | 1998 | 19' 0" | 90" | 17685 | 10143 | 10275 |
| 192 SC Deck | 2015 | 20' 1" | 100" | — | — | — |
| 194 LF Fish | 2015 | 16' 6" | 94" | — | — | — |
| 194 LX Fish | 2015 | 16' 6" | 94" | — | — | — |
| 195 CS / CX | 2005 | 19' 6" | 91" | 17685 | 10143 | 10275 |
| 195 Cuddy Cabin | 07-13 | 19' 6" | 91" | 17685 | 10143 | 10275 |
| 195 F / L | 07-12 | 19' 6" | 91" | 17685 | 10143 | 10275 |
| 195 FX | 05-12 | 19' 6" | 91" | 17685 | 10143 | 10275 |
| 195 L Bowrider | 07-13 | 19' 6" | 91" | 17685 | 10143 | 10275 |
| 195 LR / LS | 04-05 | 19' 6" | 91" | 17685 | 10143 | 10275 |
| 195 RX Bowrider | 11-13 | 19' 6" | 91" | 17685 | 10143 | 10275 |
| 198 LF Fish | 2015 | 19' 9" | 94" | 17584 | 10112 | 17576 |
| 198 LX Fish | 2015 | 19' 9" | 94" | 17584 | 10112 | 17576 |
| 200 CS / CX | 09-12 | 20' 3" | 92" | 17686 | 10144 | 10276 |
| 200 Cuddy | 2007 | 20' 3" | 92" | 17686 | 10144 | 10276 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **STINGRAY-CONTINUED** | | | | | | |
| 200 L Bowrider | 2007 | 20' 3" | 92" | 17686 | 10144 | 10276 |
| 200 LS / LX | 97-05 | 20' 3" | 92" | 17686 | 10144 | 10276 |
| 200 MS / MZ | 2002 | 20' 3" | 95" | 17686 | 10144 | 10276 |
| 204 LF Fish | 2015 | 20' 5" | 99" | — | — | — |
| 204 LR Outboard | 2013 | 20' 5" | 99" | — | — | — |
| 204 LR Sport Deck | 12-15 | 20' 5" | 99" | — | — | — |
| 205 Cuddy | 2009 | 20' 11" | 93" | 17686 | 10144 | 10276 |
| 205 L Bowrider | 2009 | 20' 11" | 93" | 17686 | 10144 | 10276 |
| 208 LR Sport Deck | 11-15 | 20' 8" | 99" | — | — | — |
| 210 Bowrider / L | 2007 | 21' 2" | 93" | 17589 | 10131 | 10259 |
| 210 Cuddy | 2007 | 21' 2" | 93" | 17589 | 10131 | 10259 |
| 210 LR Sport Deck | 2013 | 21' 11" | 101" | — | — | — |
| 214 LR Outboard | 2015 | 21' 8" | 101" | — | — | — |
| 215 CR Sport Deck | 11-15 | 21' 11" | 101" | — | — | — |
| 215 LR Sport Deck | 11-15 | 21' 11" | 101" | — | — | — |
| 220 CS / CX | 97-04 | 21' 6" | 97" | 17589 | 10131 | 10259 |
| 220 Cuddy | 2007 | 21' 6" | 97" | 17687 | 10145 | 10277 |
| 220 D Bowrider | 2007 | 22' 3" | 99" | 17688 | 10146 | 10278 |
| 220 DR | 04-09 | 22' 3" | 99" | 17796 | 10316 | 10190 |
| 220 LS / LX | 97-05 | 21' 6" | 97" | 17687 | 10145 | 10277 |
| 220 S / SX | 97-05 | 21' 6" | 97" | 17687 | 10145 | 10277 |
| 225 CR Cuddy / Cuddy LR | 09-15 | 22' 11" | 100" | 17688 | 10146 | 10278 |
| 225 LR Bowrider | 09-15 | 22' 11" | 100" | 17688 | 10146 | 10278 |
| 225 SX Sport Boat | 13-15 | 22' 11" | 100' | 17688 | 10146 | 10278 |
| 230 Bowrider / L / LX / S / SX | 01-09 | 22' 8" | 96" | 17688 | 10146 | 10278 |
| 230 Sport SX | 97-05 | 22' 8" | 96" | 17689 | 10147 | 10279 |
| 234 LR | 2015 | 23' 8" | 101" | — | — | — |
| 235 CR Sport Deck | 15-Nov | 23' 11" | 101" | 17590 | 10132 | 10261 |
| 235 LR Sport Deck | 11-15 | 23' 11" | 101" | 17590 | 10132 | 10261 |
| 240 CS | 97-09 | 23' 6" | 102" | 17591 | 10133 | 10263 |
| 240 LR | 04-05 | 23' 6" | 102" | 17689 | 10147 | 10279 |
| 250 CR / CS / L / LR | 05-15 | 25' 0" | 102" | 17802 | 10073 | 10221 |
| 255 SX Sport Deck | 11-12 | 22' 11" | 100" | 17688 | 10146 | 10278 |
| 696 SVX / 609 SVX / 698 Sun | | 22' 8" | 96" | 17689 | 10147 | 10279 |
| SV 175 | | 17' 3" | 84" | 17723 | 10030 | 10163 |
| SV 190 | | 18' 7" | 84" | 17725 | 10033 | 10165 |
| SVB 160 | | 16' 0" | 82" | 17710 | 10023 | 10158 |
| SVB 165 | | 16' 0" | 82" | 17722 | 10029 | — |
| SVB 170 | | 17' 3" | 84" | 17711 | 10025 | 10159 |
| SVB 175 / SV 176 | | 17' 3" | 84" | 17723 | 10030 | 10163 |
| SVB 176 I/O | | 17' 3" | 84" | 17723 | 10030 | 10163 |
| SVB 190 / SVC 190 | | 18' 7" | 88" | 17725 | 10033 | 10165 |
| SVB 192 | | 18' 7" | 84" | 17725 | 10033 | 10165 |
| SVB 195 | | 18' 7" | 84" | 17725 | 10033 | 10165 |
| SVB 198 | | 19' 3" | 93" | 17725 | 10033 | 10165 |
| SVB 205 | | 20' 1" | 96" | 17726 | 10034 | 10166 |
| SVC 195 | | 18' 7" | 84" | 17586 | 10128 | 10256 |
| SVC 199 | | 19' 3" | 93" | 17586 | 10128 | 10256 |
| SVC 200 | | 19' 3" | 93" | 17586 | 10128 | 10256 |
| SVC 207 | | 20' 1" | 96" | 17587 | 10129 | 10257 |
| SVC 222 | | 21' 8" | 96" | 17728 | 10036 | 10168 |
| SVS 220 | | 19' 3" | 93" | 17725 | 10033 | 10165 |
| SVS 222 | | 21' 8" | 96" | 17728 | 10036 | 10168 |
| ZP 501 | | 16' 6" | 74" | 17692 | 10135 | — |
| ZP 536 | | 17' 5" | 88" | 17684 | 10142 | 10274 |
| ZP 537 | | 17' 5" | 88" | 17684 | 10142 | 10274 |
| ZP 551 | | 17' 10" | 84" | 17694 | 10137 | 10267 |
| ZP 556 / 558 | | 18' 0" | 85" | 17684 | 10142 | 10274 |
| ZP 586 | | 19' 0" | 90" | 17685 | 10143 | 10275 |
| ZP 596 | | 19' 5" | 94" | 17686 | 10144 | 10276 |
| ZP 597 | | 19' 5" | 94" | 17686 | 10144 | 10276 |
| ZP 598 | | 19' 5" | 94" | 17686 | 10144 | 10276 |
| ZP 606 / 608 | | 20' 3" | 92" | 17686 | 10144 | 10276 |
| ZP 609 | | 20' 3" | 92" | 17567 | — | — |
| ZP 656 | | 21' 5" | 97" | 17687 | 10145 | 10277 |
| ZP 657 | | 21' 5" | 97" | 17588 | 10130 | 10258 |
| ZP 658 | | 21' 6" | 97" | 17687 | 10145 | 10277 |
| ZP 659 | | 21' 6" | 97" | 17589 | 10131 | 10259 |
| ZP 719 / 729 | | 23' 6" | 102" | 17591 | 10133 | 10263 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **STRATOS** | | | | | | |
| 159 V | | 15' 10" | 83" | 17772 | 10053 | 10180 |
| 169 V | | 16' 9" | 81" | 17774 | 10054 | 10181 |
| 17 XL | 2002 | 17' 5" | 86" | 17776 | 10055 | 10182 |
| 1700 CC | | 17' 4" | 87" | 17736 | 10148 | 15402 |
| 1700 FL | 1998 | 16' 5" | 82" | — | 10294 | 10296 |
| 1700 SP | | 16' 9" | 89" | 17736 | 10148 | 15402 |
| 1700 XL | | 17' 3" | 84" | 17723 | 10030 | 10163 |
| 176 VLO | 2014 | 17' 6" | 84" | 17723 | 10030 | 10163 |
| 176 XT | 09-13 | 17' 6" | 84" | 17723 | 10030 | 10163 |
| 1760 DV | 09-15 | 17' 6" | 92" | 17723 | 10030 | 10163 |
| 179 FS | | 17' 8" | 86" | 17582 | 10110 | 17574 |
| 179 VF / DC / SX | | 17' 8" | 86" | 17775 | 10056 | 10183 |
| 18 XL | 2002 | 18' 4" | 91" | 17773 | 15411 | 15401 |
| 18 XL FS | 2002 | 18' 2" | 91" | 17583 | 10111 | 17575 |
| 180 CC | | 18' 0" | 92" | 17780 | 15412 | 15403 |
| 180 DC | | 18' 0" | 92" | 17712 | 10026 | 10160 |
| 180 VT | | 18' 2" | 90" | 17775 | 10056 | 10183 |
| 1800 XL | | 18' 11" | 96" | 17725 | 10033 | 10165 |
| 181 P / PF | | 18' 4" | 91" | 17775 | 10056 | 10183 |
| 183 Elite | 11-13 | 18' 3" | 96" | 17775 | 10056 | 10183 |
| 1850 Striper / CC | | 18' 0" | 88" | 17780 | 15412 | 15403 |
| 186 VLO | 2014 | 18' 9" | 89" | 17780 | 15412 | 15403 |
| 186 XT | 09-13 | 18' 9" | 89" | 17775 | 10056 | 10183 |
| 1870 CC | 1998 | 18' 0" | 89" | 17780 | 15412 | 15403 |
| 189 FS | | 19' 1" | 92" | 17584 | 10112 | 17576 |
| 189 V / DC | | 19' 1" | 92" | 17773 | 15411 | 15401 |
| 189 VLO | 12-14 | 18' 9" | 93" | 17773 | 15411 | 15401 |
| 19 XL | 2002 | 19' 1" | 92" | 17777 | 10057 | 10184 |
| 1900 SP | | 19' 1" | 96" | 17737 | 10150 | 15404 |
| 1950 CC | 1998 | 19' 4" | 96" | 17737 | 10150 | 15404 |
| 20 XL | 2002 | 20' 1" | 92" | 17778 | 10058 | 10185 |
| 200 CC | | 19' 8" | 98" | 17738 | 10151 | 15405 |
| 200 VT | | 20' 4" | 91" | 17778 | 10058 | 10185 |
| 200 XL | | 20' 5" | 96" | 17778 | 10058 | 10185 |
| 200 XL | 09-10 | 20' 1" | 95" | 17778 | 10058 | 10185 |
| 2000 Striper | | 19' 8" | 99" | 17738 | 10151 | 15405 |
| 2000 XL | | 20' 5" | 96" | 17587 | 10129 | 10257 |
| 201 F / S | 96-98 | 20' 1" | 93" | 17778 | 10058 | 10185 |
| 201 PE / 201 PEPD | 97-99 | 20' 5" | 91" | 17778 | 10058 | 10185 |
| 201 Pro | | 20' 2" | 92" | 17778 | 10058 | 10185 |
| 201 Pro XL / DC / PD | | 20' 4" | 91" | 17778 | 10058 | 10185 |
| 201 XL Evolution | 11-14 | 20' 9" | 96" | 17778 | 10058 | 10185 |
| 201 XLC | 09-10 | 20' 8" | 95" | 17778 | 10058 | 10185 |
| 201 XLE | 09-14 | 20' 9" | 96" | 17778 | 10058 | 10185 |
| 202 Elite | 11-12 | 19' 8" | 95" | 17773 | 15411 | 15401 |
| 210 Elite | 11-13 | 20' 10" | 95" | 17778 | 10058 | 10185 |
| 210 XL | 2002 | 20' 8" | 92" | 17778 | 10058 | 10185 |
| 2100 DV | 1998 | 21' 5" | 101" | 17741 | 10153 | 15407 |
| 2100 SP | | 21' 8" | 96" | 17741 | 10153 | 15407 |
| 217 CF / F / TF | 96-99 | 17' 5" | 85" | 17776 | 10055 | 10182 |
| 219 CF / F / DC | 97-98 | 19' 3" | 91" | 17777 | 10057 | 10184 |
| 250V | | 15' 6" | 72" | 17760 | 10061 | 10187 |
| 254V | | 15' 6" | 72" | 17760 | 10061 | 10187 |
| 255 V / 256 V | | 15' 6" | 76" | 17770 | 10052 | 10179 |
| 258 V | 97-98 | 15' 6" | 72" | 17770 | 10052 | 10179 |
| 258 V | | 15' 6" | 74" | 17770 | 10052 | 10179 |
| 260 FS | | 16' 8" | 82" | 17580 | 10109 | 17573 |
| 260 V | | 16' 8" | 82" | 17774 | 10054 | 10181 |
| 264 FS | | 17' 1" | 84" | 17582 | 10110 | 17574 |
| 264 V / DC | | 16' 8" | 82" | 17774 | 10054 | 10181 |
| 266 FS / 268 FS | | 16' 8" | 85" | 17580 | 10109 | 17573 |
| 268 FS | 97-98 | 16' 8" | 84" | 17580 | 10109 | 17573 |
| 268 V | 96-99 | 16' 8" | 84" | 17774 | 10054 | 10181 |
| 269 V | | 16' 8" | 80" | 17762 | 10062 | 10188 |
| 270 FS | | 17' 9" | 89" | 17583 | 10111 | 17575 |
| 270 VF / DC | | 17' 9" | 89" | 17775 | 10056 | 10183 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **STRATOS-CONTINUED** | | | | | | |
| 273 VR | 98-99 | 17' 3" | 86" | 17776 | 10055 | 10182 |
| 274 VF / DC | | 17' 9" | 91" | 17775 | 10056 | 10183 |
| 274FS | | 17' 10" | 91" | 17583 | 10111 | 17575 |
| 275 Pro | | 17' 9" | 91" | 17775 | 10056 | 10183 |
| 275 Pro XL PD | | 17' 9" | 84" | 17775 | 10056 | 10183 |
| 275 XL | 2009 | 18' 6" | 91" | 17773 | 15411 | 15401 |
| 278 FS / 279 FS | | 17' 9" | 90" | 17583 | 10111 | 17575 |
| 278 V / DC | | 17' 9" | 90" | 17775 | 10056 | 10183 |
| 279 V | | 17' 6" | 89" | 17775 | 10056 | 10183 |
| 280 SF | 96-98 | 18' 10" | 90" | 17584 | 10112 | 17576 |
| 282 FS | 1997 | 18' 3" | 91" | 17583 | 10111 | 17575 |
| 282 VF / 282 VR | 1997 | 18' 3" | 91" | 17775 | 10056 | 10183 |
| 283 FS | 98-99 | 18' 3" | 91" | 17583 | 10111 | 17575 |
| 283 VR | 98-99 | 18' 3" | 91" | 17775 | 10056 | 10183 |
| 284 FS | | 18' 1" | 91" | 17583 | 10111 | 17575 |
| 284 VF / DC / VR | | 17' 11" | 91" | 17775 | 10056 | 10183 |
| 285 PE | 97-99 | 18' 10" | 89" | 17773 | 15411 | 15401 |
| 285 Pro | | 18' 5" | 91" | 17775 | 10056 | 10183 |
| 285 Pro XL / DC | | 18' 10" | 89" | 17773 | 15411 | 15401 |
| 285 XL | 09-13 | 18' 6" | 91" | 17773 | 15411 | 15401 |
| 288 DC / VF / 288 VR | | 18' 3" | 91" | 17775 | 10056 | 10183 |
| 288 FS | | 18' 1" | 91" | 17583 | 10111 | 17575 |
| 289 FS | | 19' 4" | 95" | 17584 | 10112 | 17576 |
| 289 V | | 19' 4" | 95" | 17777 | 10057 | 10184 |
| 290 FS | 96-99 | 20' 7" | 95" | 17030 | 10113 | 17577 |
| 294 XL Evolution | 11-13 | 19' 6" | 91" | 17777 | 10057 | 10184 |
| 294 XLC | 09-10 | 19' 6" | 91" | 17777 | 10057 | 10184 |
| 294 XLE | 09-14 | 19' 6" | 91" | 17777 | 10057 | 10184 |
| 295 PE | 97-99 | 19' 5" | 91" | 17777 | 10057 | 10184 |
| 295 Pro PD / DC | | 19' 7" | 91" | 17777 | 10057 | 10184 |
| 295 XLE | 2009 | 19' 6" | 91" | 17777 | 10057 | 10184 |
| 326 XF | 12-14 | 20' 5" | 100" | — | — | — |
| 355 V | | 15' 10" | 79" | 17770 | 10052 | 10179 |
| 365 V | | 16' 9" | 81" | 17774 | 10054 | 10181 |
| 375 DC | | 17' 8" | 86" | 17775 | 10056 | 10183 |
| 375 Fish-N-Ski | | 17' 8" | 86" | 17775 | 10056 | 10183 |
| 375 V / VF | | 17' 8" | 86" | 17775 | 10056 | 10183 |
| 375 VT | | 18' 2" | 90" | 17775 | 10056 | 10183 |
| 385 XF | 2015 | 18' 6" | 99" | 17775 | 10056 | 10183 |
| 385 V | | 19' 1" | 92" | 17773 | 15411 | 15401 |
| 386 XF | 09-13 | 18' 6" | 99" | — | — | — |
| 476 SF | 09-13 | 17' 6" | 93" | 1776 | 10055 | 10182 |
| 476 SF | 09-13 | 17' 6" | 96" | 1776 | 10055 | 10182 |
| 486 SDF | 2013 | 18' 6" | 96" | 17773 | 15411 | 15401 |
| 486 SF | 09-13 | 18' 6" | 96" | 17773 | 15411 | 15401 |
| **SUMMIT** | | | | | | |
| 175 Sport / Crappie | 01-02 | 17' 0" | 74" | 17748 | 10069 | 10204 |
| 176 Magnum | 2002 | 17' 0" | 85" | 17748 | 10069 | 10204 |
| **SUN CATCHER** | | | | | | |
| Elite 22 C / 332 C | 2010 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| Elite 324 SS | 13-15 | 23' 10" | 102" | — | 10290 | 10331 |
| Elite 325 C | 10-11 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| Elite 326 DC | 10-11 | 26' 0" | 102" | 17792 | 10117 | 10247 |
| Elite 326 DLX SS / SS | 13-15 | 26' 5" | 102" | 17792 | 10117 | 10247 |
| V 16 FC | 13-15 | 16' 0" | 102" | — | 10288 | 10329 |
| V 18 F / C | 13-15 | 18' 0" | 102" | 17790 | 10114 | 10244 |
| V 20 FC / F / C | 13-15 | 20' 0" | 102" | — | 10289 | 10330 |
| V 22 C / FC / F / GT / RC / RF | 13-15 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| V 322 C / FC / F / GT / RC / RF | 13-15 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| X 20 C / 320 C | 2015 | 20' 0" | 102" | — | — | — |
| X 22 DLX / RF / FC / C | 13-15 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| X 24 RS / SS | 13-15 | 23' 11" | 102" | — | 10290 | 10331 |
| X 322 DLX / RF / FC / C | 13-15 | 22' 6" | 102" | 17791 | 10116 | 10245 |
| X 324 RS / SS | 13-15 | 23' 11" | 102" | — | 10290 | 10331 |
| X 34 RD | 2013 | 23' 11" | 102" | — | 10290 | 10331 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SUN CHASER: SEE SMOKER CRAFT** | | | | | | |
| **SUN PATIO** | | | | | | |
| Striker 20 | | 20' 0" | 96" | 17790 | 10114 | 10244 |
| SunCruiser 20 | 96-99 | 20' 6" | 96" | 17790 | 10114 | 10244 |
| SunCruiser 24 | 96-99 | 24' 6" | 96" | 17791 | 10116 | 10245 |
| SunCruiser 28 | | 28' 0" | 96" | 17792 | 10117 | 10247 |
| SunDance 20 | 96-99 | 20' 6" | 96" | 17790 | 10114 | 10244 |
| SunLiner 20 | | 20' 0" | 96" | 17790 | 10114 | 10244 |
| SunLiner 24 | | 24' 0" | 96" | 17791 | 10116 | 10245 |
| SunLiner 28 | | 28' 0" | 96" | 17792 | 10117 | 10247 |
| **SUN RAY** | | | | | | |
| 1575V O/B Fishing Boat | | 15' 0" | 75" | 17760 | 10061 | 10187 |
| 165 B | | 15' 11" | 76" | 17722 | 10029 | — |
| 165 V | | 15' 11" | 76" | 17722 | 10029 | — |
| 1700 V I/O Open Bow Dlx | | 16' 5" | 84" | 17722 | 10029 | — |
| 1700 V O/B Open Bow | | 16' 5" | 84" | 17710 | 10023 | 10158 |
| 175 B | | 16' 6" | 87" | 17723 | 10030 | 10163 |
| 1800 V O/B Fish-n-Ski | | 18' 0" | 85" | 17583 | 10111 | 17575 |
| 1900 V I/O Cuddy | | 18' 9" | 91" | 17586 | 10128 | 10256 |
| 1900 V I/O Open Bow Dlx | | 18' 7" | 91" | 17725 | 10033 | 10165 |
| 1900 V Super Sport | | 18' 7" | 91" | 17725 | 10033 | 10165 |
| 195 B | | 18' 3" | 92" | 17724 | 10032 | 10164 |
| 195 CV | | 18' 3" | 92" | 17724 | 10032 | 10164 |
| 21 SPE | | 20' 2" | 96" | 17726 | 10034 | 10166 |
| 2100 V BR I/O Dlx | | 21' 1" | 96" | 17727 | 10035 | 10167 |
| 2100 V I/O Cuddy | | 21' 2" | 96" | 17588 | 10130 | 10258 |
| 215 B | | 20' 2" | 96" | 17726 | 10034 | 10166 |
| 215 CV | | 20' 2" | 96" | 17726 | 10034 | 10166 |
| 220 CV | | 20' 2" | 96" | 17726 | 10034 | 10166 |
| 220 WC I/O | | 20' 2" | 96" | 17587 | 10129 | 10257 |
| 231 CC | | 21' 8" | 96" | 17741 | 10153 | 15407 |
| GTS | | 20' 8" | 96" | 17687 | 10145 | 10277 |
| **SUN TRACKER** | | | | | | |
| Bass Buggy 16 DLX | 14-15 | 16' 0 ' | 85" | — | 10288 | 10329 |
| Bass Buggy 18 | 2009 | 20' 1" | 97" | — | 10289 | 10330 |
| Bass Buggy 18 | 05-06 | 19' 7" | 97" | — | 10289 | 10330 |
| Bass Buggy 18' | 96-02 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Bass Buggy 18 DLX | 14-15 | 20' 0" | 98" | 17790 | 10114 | 10244 |
| Bass Buggy 20' | | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Bass Buggy 24' | | 24' 0" | 96" | 17791 | 10116 | 10245 |
| Fishin' Barge | 2005 | 21' 7" | 97" | 17791 | 10116 | 10245 |
| Fishin' Barge 20 DLX | 14-15 | 21' 11" | 102" | 17791 | 10116 | 10245 |
| Fishin' Barge 21 | 2009 | 21' 11" | 97" | — | — | — |
| Fishin' Barge 21 | 96-02 | 20' 6" | 96" | 17790 | 10114 | 10244 |
| Fishin' Barge 22 DLX | 14-15 | 22' 2" | 102' | 17791 | 10116 | 10245 |
| Fishin' Barge 24 DLX | 14-15 | 26' 2" | 102' | 17792 | 10117 | 10247 |
| Fishin' Barge 25 | 1999 | 23' 8" | 102" | 17791 | 10116 | 10245 |
| Fishin' Barge 25 | 2002 | 24' 6" | 102" | 17792 | 10117 | 10247 |
| Fishin' Deck 21 | 05-06 | 20' 7" | 101" | — | 10289 | 10330 |
| Fun Barge 240 | | 24' 0" | 96" | 17791 | 10116 | 10245 |
| Fun Fish 200 | 97-99 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Party Barge 20 | 2009 | 20' 1" | 102" | — | 10289 | 10330 |
| Party Barge 20 DLX | 14-15 | 21' 11" | 102" | 17791 | 10116 | 10245 |
| Party Barge 17 | 05-06 | 17' 2" | 97" | 17790 | 10114 | 10244 |
| Party Barge 18 | 05-06 | 19' 7" | 97" | — | 10289 | 10330 |
| Party Barge 18 | 2009 | 20' 1" | 97" | — | 10289 | 10330 |
| Party Barge 18 DLX | 14-15 | 20' 0" | 98" | — | 10289 | 10330 |
| Party Barge 190 | 2009 | 19' 7" | 96" | — | 10289 | 10330 |
| Party Barge 200 | 2009 | 21' 7" | 96" | 17791 | 10116 | 10245 |
| Party Barge 21 | 05-06 | 21' 7" | 97" | 17791 | 10116 | 10245 |
| Party Barge 21 | 2009 | 21' 11" | 97" | 17791 | 10116 | 10245 |
| Party Barge 22 | 05-06 | 24' 4" | 102" | — | 10290 | 10331 |
| Party Barge 22 | 2009 | 24' 1" | 102' | — | 10290 | 10331 |
| Party Barge 22 DLX | 14-15 | 22' 2" | 102" | — | — | — |
| Party Barge 22 SF | 2009 | 24' 1" | 102' | — | 10290 | 10331 |
| Party Barge 22 XP3 | 14-15 | 22' 2" | 102" | 17791 | 10116 | 10245 |
| Party Barge 24 | 05-06 | 25' 7" | 97" | 17792 | 10117 | 10247 |
| Party Barge 24 | 2009 | 25' 10" | 97" | 17792 | 10117 | 10247 |
| Party Barge 24 DLX | 14-15 | 26' 2" | 102" | 17792 | 10117 | 10247 |
| Party Barge 24 XP3 | 14-15 | 26' 2" | 102" | 17792 | 10117 | 10247 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SUN TRACKER-CONTINUED** | | | | | | |
| Party Barge 25 | 05-06 | 26' 4" | 102" | 17792 | 10117 | 10247 |
| Party Barge 27 | 05-06 | 28' 5" | 102" | — | 10291 | 10332 |
| Party Barge 27 | 2009 | 27' 10" | 102" | — | 10291 | 10332 |
| Party Deck 21 | 2005 | 20' 7" | 101" | — | 10289 | 10330 |
| Party Express 2400 | | 23' 10" | 102" | 17791 | 10116 | 10245 |
| Regency Party 220 Barge DLX | 14-15 | 25' 4" | 102" | 17792 | 10117 | 10247 |
| Regency Party 220 Barge XP3 | 14-15 | 25' 4" | 102" | 17792 | 10117 | 10247 |
| **SUNBIRD** | | | | | | |
| 150 BR | 1998 | 15' 4" | 75" | 17709 | 10022 | 10157 |
| 170 BR | 1998 | 17' 1" | 85" | 17683 | 10141 | — |
| 170 BR OB | 1998 | 17' 1" | 85" | 17693 | 10136 | 10265 |
| 170 F&S | 1998 | 17' 1" | 85" | 17582 | 10110 | 17574 |
| 170 SL | 1998 | 17' 1" | 85" | 17683 | 10141 | — |
| 172 FS | | 16' 6" | 84" | 17711 | 10025 | 10159 |
| 175 | | 16' 6" | 84" | 17723 | 10030 | 10163 |
| 177 | | 16' 6" | 84" | 17723 | 10030 | 10163 |
| 180 BR / SL | 1998 | 17' 10" | 94" | 17684 | 10142 | 10274 |
| 185 BR | | 17' 6" | 86" | 17724 | 10032 | 10164 |
| 188 Cuddy | | 17' 3" | 87" | 17585 | 10127 | 10255 |
| 190 BR | 1998 | 19' 2" | 100" | 17695 | 10138 | 10269 |
| 190 F&S | 1998 | 19' 2" | 100" | 17695 | 10138 | 10269 |
| 195 BR | | 18' 10" | 91" | 17725 | 10033 | 10165 |
| 195 Cuddy | 1998 | 19' 0" | 93" | 17566 | — | — |
| 198 Cuddy | | 18' 10" | 91" | 17586 | 10128 | 10256 |
| 200 BR / SL | 1998 | 20' 1" | 100" | 17686 | 10144 | 10276 |
| 200 Cuddy | 1998 | 20' 1" | 100" | 17567 | — | — |
| 200 SL | 1998 | 20' 1" | 100" | 17686 | 10144 | 10276 |
| 208 Cuddy | | 19' 8" | 96" | 17587 | 10129 | 10257 |
| 215 BR | | 20' 7" | 96" | 17727 | 10035 | 10167 |
| 216 Cuddy | | 20' 7" | 96" | 17588 | 10130 | 10258 |
| 218 Cuddy | | 20' 7" | 96" | 17588 | 10130 | 10258 |
| 220 BR | 1988 | 22' 0" | 104" | 17688 | 10146 | 10278 |
| 220 Cuddy | 1998 | 22' 0" | 104" | 17569 | — | — |
| Coral 180 BR & SL | 1997 | 17' 10" | 94" | 17684 | 10142 | 10274 |
| Coral 190 BR | 199 | 18' 10" | 93" | 17685 | 10143 | 10275 |
| Coral 200 BR &SL | 1997 | 20' 1" | 100" | 17686 | 10144 | 10276 |
| Coral 200 Cuddy | 1997 | 20' 1" | 100" | 17567 | — | — |
| Coral 220 BR & SL | 1997 | 22' 0" | 95" | 17688 | 10146 | 10278 |
| Coral 220 Cuddy | 1997 | 22' 0" | 95" | 17569 | — | — |
| Corsair 170 F/S | | 16' 4" | 82" | 17580 | 10109 | 17573 |
| Corsair 175 | | 17' 6" | 83" | 17683 | 10141 | — |
| Corsair 180 / SL I/O | 1996 | 17' 10" | 94" | 17684 | 10142 | 10274 |
| Corsair 180 BR / SL | | 18' 7" | 89" | 17685 | 10143 | 10275 |
| Corsair 185 / SL / Corsair 187 | | 18' 2" | 85" | 17684 | 10142 | 10274 |
| Corsair 190 BR | | 18' 10" | 91" | 17695 | 10138 | 10269 |
| Corsair 190 Cuddy | | 18' 10" | 91" | 17566 | — | — |
| Corsair 198 | | 19' 2" | 92" | 17685 | 10143 | 10275 |
| Corsair 200 / SL | 1996 | 20' 1" | 100" | 17686 | 10144 | 10276 |
| Corsair 200 BR / SL | | 19' 4" | 94" | 17685 | 10143 | 10275 |
| Corsair 200 Cuddy | | 19' 2" | 91" | 17566 | — | — |
| Corsair 205 / SL | | 20' 1" | 92" | 17686 | 10144 | 10276 |
| Corsair 218 Cuddy | | 21' 11" | 100" | 17589 | 10131 | 10259 |
| Corsair 220 Cuddy | | 22' 0" | 100" | 17569 | — | — |
| Corsair I/O | | 17' 3" | 87" | 17723 | 10030 | 10163 |
| Corsica 170 / Corsair 175 | | 16' 6" | 83" | 17683 | 10141 | — |
| Corsica 185 | | 17' 7" | 87" | 17724 | 10032 | 10164 |
| Corsica 195 | | 19' 0" | 93" | 17725 | 10033 | 10165 |
| Eurosport 190 QR | | 18' 11" | 87" | 17685 | 10143 | 10275 |
| Eurosport I / SL | | 18' 6" | 88" | 17685 | 10143 | 10275 |
| Eurosport II BR / SL | | 20' 4" | 96" | 17726 | 10034 | 10166 |
| Eurosport II Cuddy | | 20' 4" | 96" | 17587 | 10129 | 10257 |
| Eurosport II SLC | | 21' 3" | 96" | 17727 | 10035 | 10167 |
| GT 205 | | 20' 4" | 96" | 17726 | 10034 | 10166 |
| GT 208 Cuddy Cabin | | 20' 4" | 96" | 17587 | 10129 | 10257 |
| Neptune 160 CC | 1998 | 16' 8" | 83" | 17736 | 10148 | 15402 |
| Neptune 17 | | 17' 0" | 82" | 17736 | 10148 | 15402 |
| Neptune 180 CC | 97-98 | 18' 2" | 84" | 17780 | 15412 | 15403 |
| Neptune 181 DC | 97-98 | 18' 2" | 88" | 17585 | 10127 | 10255 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SUNBIRD-CONTINUED** | | | | | | |
| Neptune 200 / 202 / 20 | 97-98 | 19' 6" | 93" | 17738 | 10151 | 15405 |
| Neptune 201 DC | 97-98 | 19' 6" | 93" | 17586 | 10128 | 10256 |
| Odyssey 21 (Pontoon) | 97-98 | 21' 0" | 98" | 17791 | 10116 | 10245 |
| Odyssey 21 (Pontoon) | | 21' 0" | 96" | 17791 | 10116 | 10245 |
| Odyssey 210 / 21 Fish | | 21' 0" | 96" | 17791 | 10116 | 10245 |
| Prowler O/B | | 16' 11" | 74" | 17762 | 10062 | 10188 |
| Regency 210 QR | | 21' 3" | 96" | 17687 | 10145 | 10277 |
| Saturn 170 | | 16' 8" | 72" | 17692 | 10135 | — |
| Spirit 150 BR O/B | 1997 | 15' 4" | 75" | 17709 | 10022 | 10157 |
| Spirit 150 SS | | 15' 4" | 76" | 17709 | 10022 | 10157 |
| Spirit 170 BR I/O | 1997 | 17' 1" | 85" | 17683 | 10141 | — |
| Spirit 170 BR O/B | 1997 | 17' 1" | 85" | 17693 | 10136 | 10265 |
| Spirit 170 F/S | | 17' 2" | 84" | 17582 | 10110 | 17574 |
| Spirit 170 FS | 1997 | 17' 1" | 85" | 17582 | 10110 | 17574 |
| Spirit 170 I/O / Spirit 10 SL | 1997 | 17' 1" | 85" | 17683 | 10141 | — |
| Spirit 170 SL | 1997 | 17' 1" | 85" | 17683 | 10141 | — |
| Spirit 170 SS O/B | | 17' 1" | 85" | 17693 | 10136 | 10265 |
| SPL 150 | | 15' 3" | 73" | 17709 | 10022 | 10157 |
| SPL 160 / 160 FS | | 16' 2" | 80" | 17710 | 10023 | 10158 |
| SPL 170 Bowrider | | 16' 6" | 84" | 17711 | 10025 | 10159 |
| SPL 173 | | 17' 3" | 87" | 17736 | 10148 | 15402 |
| SPL 190 | | 19' 0" | 93" | 17713 | 10027 | 10161 |
| Stinger | | 17' 3" | 82" | 17683 | 10141 | — |
| SWL 173 | | 17' 4" | 87" | 17736 | 10148 | 15402 |
| SWL 203 | | 20' 0" | 93" | 17738 | 10151 | 15405 |
| **SUNCRUISER** | | | | | | |
| BM 200 | | 19' 0" | 96" | 17790 | 10114 | 10244 |
| BM 242 | | 23' 0" | 96" | 17791 | 10116 | 10245 |
| JM 200 | 99-02 | 19' 0" | 96" | 17790 | 10114 | 10244 |
| JM 220 | 2002 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| JM 224 | 2002 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| JM 240L / XL | | 23' 0" | 96" | 17791 | 10116 | 10245 |
| JM 250 | 2002 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| JM 252 | 2002 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| ML 200 | 99-02 | 19' 6" | 96" | 17790 | 10114 | 10244 |
| ML 201 | 1999 | 17' 11" | 96" | 17790 | 10114 | 10244 |
| ML 240 | 1999 | 23' 6" | 96" | 17791 | 10116 | 10245 |
| Sundeck 200 Group D | | 19' 0" | 96" | 17790 | 10114 | 10244 |
| Sundeck 240 / Sunshine 240 | | 23' 0" | 96" | 17791 | 10116 | 10245 |
| Sundeck 280 | | 27' 0" | 96" | 17792 | 10117 | 10247 |
| Sunfisher 200 Sport | | 19' 0" | 96" | 17790 | 10114 | 10244 |
| Sunfisher 240 Sport | | 23' 0" | 96" | 17791 | 10116 | 10245 |
| Sunshine 201 | | 19' 0" | 96" | 17790 | 10114 | 10244 |
| Sunshine 240 Group D | | 23' 0" | 96" | 17791 | 10116 | 10245 |
| TH 1920 | 1999 | 19' 0" | 96" | 17790 | 10114 | 10244 |
| TH 2210 | 1999 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| TH 2220 / 2220 SD | | 22' 1" | 96" | 17018 | — | — |
| TH 2400 / 2400 SD | | 24' 0" | 102" | 17791 | 10116 | 10245 |
| TM 220 | 1999 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| TM 250 | 1999 | 25' 0" | 96" | 17792 | 10117 | 10247 |
| TR 180 | 99-02 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| TR 182 | 2002 | 18' 0" | 102" | 17790 | 10114 | 10244 |
| TR 184 | 2002 | 18' 0" | 102" | 17790 | 10114 | 10244 |
| TR 200 | 99-02 | 19' 6" | 96" | 17790 | 10114 | 10244 |
| TR 201 | 1999 | 18' 9" | 96" | 17790 | 10114 | 10244 |
| TR 201L | | 19' 2" | 96" | 17790 | 10114 | 10244 |
| TR 202 | 2002 | 19' 8" | 102" | 17790 | 10114 | 10244 |
| TR 204 | 2002 | 19' 8" | 102" | 17790 | 10114 | 10244 |
| TR 220 | 99-02 | 21' 3" | 96" | 17791 | 10116 | 10245 |
| TR 221 | 1999 | 21' 3" | 96" | 17791 | 10116 | 10245 |
| TR 222 | 2002 | 21' 8" | 102" | 17791 | 10116 | 10245 |
| TR 224 | 2002 | 21' 8" | 102" | 17791 | 10116 | 10245 |
| TR 240 G / 240 L | | 23' 0" | 96" | 17791 | 10116 | 10245 |
| TR 241 | 1999 | 23' 0" | 96" | 17791 | 10116 | 10245 |
| TR 242 | 2002 | 23' 8" | 102" | 17791 | 10116 | 10245 |
| TR 244 | 2002 | 23' 0" | 102" | 17791 | 10116 | 10245 |
| TR240 / FD | 99-02 | 23' 0" | 96" | 17791 | 10116 | 10245 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SUNDANCER** | | | | | | |
| 180 | 2004 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| 200 | 2004 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 240 | 2004 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 180 / 180 F / Sport | 96-02 | 17' 11" | 96" | 17790 | 10114 | 10244 |
| 180 F | 2004 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| 180 FT | 2004 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| 200 C / 200FC | 96-04 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 200 D / 200 FD | 96-04 | 20' 6" | 96" | 17790 | 10114 | 10244 |
| 200 FC | 2004 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 200 FCTY | 2004 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 200 S | 96-02 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 200 SD Cruise | 2004 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 200 SD Fish | 2004 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| 2000 DXL | 2004 | 20' 0" | 101" | 17790 | 10114 | 10244 |
| 220 Custom | 2002 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| 220 D Legend | 2004 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| 220 FCT | 2004 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| 2200 DXL | 2004 | 22' 0" | 101" | 17791 | 10116 | 10245 |
| 240 Majestic | 2004 | 24' 0" | 101" | 17791 | 10116 | 10245 |
| 240 C | 2004 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 240 C / 240 FCT | 1996 | 24' 6" | 96" | 17791 | 10116 | 10245 |
| 240 D / Majestic / Custom / Sport | 96-04 | 24' 6" | 96" | 17791 | 10116 | 10245 |
| 240 D Legend / Sundeck | 2004 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| 240 Majestic Legend | 2004 | 24' 0" | 101" | 17791 | 10116 | 10245 |
| 260 D / Majestic | 1996 | 26' 6" | 96" | 17792 | 10117 | 10247 |
| 260 D Legend | 2004 | 26' 0" | 96" | 17792 | 10117 | 10247 |
| 260 Majestic Legend | 2004 | 26' 0" | 101" | 17792 | 10117 | 10247 |
| 280 D / Majestic | 1996 | 28' 6" | 96" | 17792 | 10117 | 10247 |
| 280 D / Sundeck | 2004 | 28' 0" | 96" | 17792 | 10117 | 10247 |
| 280 Majestic | 2004 | 26' 0" | 101" | 17792 | 10117 | 10247 |
| **SUPRA** | | | | | | |
| 242 | 2012 | 24' 1" | 102" | — | — | — |
| 20 V | 2012 | 20' 8" | 95" | — | — | — |
| 20 V w/platform | 2012 | 22' 10" | 95" | — | — | — |
| 21 V | 2012 | 21' 4" | 99" | — | — | — |
| 21 V w/platform | 2012 | 23' 0" | 99" | — | — | — |
| 22 V | 2012 | 22' 6" | 100" | — | — | — |
| 22 V w/platform | 2012 | 24' 6" | 100" | — | — | — |
| 242 w/platform | 2012 | 26' 1" | 102" | — | — | — |
| Comp | 00-01 | 20' 0" | 91" | 17702 | 10012 | 15415 |
| Comp 20 | 06-07 | 20' 8" | 95" | — | — | — |
| Comp / Impulse / Esprit | | 19' 9" | 86" | 17702 | 10012 | 15415 |
| Gravity Games 24 SSV | 2007 | 24' 0" | 102" | — | — | — |
| Launch | 01-02 | 21' 8" | 95" | 17686 | 10144 | 10276 |
| Launch 20 / Launch 20 SSV | 06-07 | 20' 8" | 95" | — | — | — |
| Launch 21 / Launch 21V | 06-07 | 21' 2" | 100" | — | — | — |
| Launch 22 SSV | 2006 | 21' 8" | 95" | — | — | — |
| Launch 22 SSV | 2007 | 22' 6" | 100" | — | — | — |
| Launch 24 SSV | 06-07 | 24' 0" | 102" | — | — | — |
| Legacy | 00-01 | 20' 4" | 91" | 17703 | 10013 | 15416 |
| Santera | 00-01 | 21' 8" | 95" | 17686 | 10144 | 10276 |
| Spirit | | 20' 3" | 96" | 17686 | 10144 | 10276 |
| Sunsport | 00-01 | 19' 9" | 95" | 17686 | 10144 | 10276 |
| Sunsport | 2007 | 22' 0" | 100" | — | — | — |
| Sunsport 20 V | 06-07 | 20' 8" | 95" | — | — | — |
| Sunsport 22 V | 2006 | 21' 8" | 95" | — | — | — |
| Sunsport 22 V | 2007 | 22' 6" | 100" | — | — | — |
| Sunsport 24 V | 2007 | 24' 0" | 102" | — | — | — |
| Supreme | | | | | | |
| S 21 | 2015 | 20' 11" | 102" | — | — | — |
| S 226 | 2015 | 22' 6" | 102" | — | — | — |
| Sierra Supreme | | 20' 2" | 92" | 17703 | 10013 | 15416 |
| Sierra Supreme SS | | 20' 3" | 96" | 17726 | 10034 | 10166 |
| Ski Supreme | | 18' 11" | 81" | 17701 | 10011 | 15414 |
| **SWEETWATER: SEE GODFREY** | | | | | | |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SYLVAN** | | | | | | |
| 1400 Bluefish | 1999 | 14' 2" | 67" | **17454** | **10087** | **10208** |
| 1432 | 96-02 | 14' 0" | 51" | **17040** | — | — |
| 1436 / LW / LT | 96-02 | 14' 0" | 57" | **17040** | — | — |
| 1444 MV / MVX | 96-00 | 14' 0" | 63" | **17044** | — | — |
| 1448 / 1448 LW | 96-02 | 14' 0" | 72" | **17044** | — | — |
| 148 Crappie Deluxe | | 14' 8" | 63" | **17742** | **10066** | **10194** |
| 1500 Explorer Tiller | 1999 | 15' 5" | 72" | **17455** | **10092** | **10211** |
| 1540 / 1540 LW | | 15' 0" | 61" | **17040** | — | — |
| 1550 / 1550 MVX | 96-00 | 15' 0" | 74" | **17044** | — | — |
| 16' Adventurer LXDC | 1999 | 16' 6" | 88" | **17693** | **10136** | **10265** |
| 16 Back Troller Select | | 16' 4" | 82" | **17774** | **10054** | **10181** |
| 16 Pro Select | | 16' 4" | 83" | **17774** | **10054** | **10181** |
| 16 Pro Select Dual | | 16' 4" | 82" | **17710** | **10023** | **10158** |
| 16 Super Select | 96-97 | 16' 4" | 82" | **17710** | **10023** | **10158** |
| 1600 Adventurer DC | 1999 | 16' 6" | 88" | **17693** | **10136** | **10265** |
| 1600 Explorer SC | 1999 | 16' 0" | 79" | **17459** | **15429** | **15428** |
| 1600 Explorer Tiller | 1999 | 16' 0" | 79" | **17456** | **10093** | **10212** |
| 162 Bass Select / Crappie | | 16' 2" | 75" | **17744** | **10067** | **10195** |
| 1644 / 1644 MVX | 96-02 | 16' 0" | 63" | **17042** | — | — |
| 1648 / 1648 LW | 96-02 | 16' 0" | 72" | **17046** | — | — |
| 17 Pro Select | 96-99 | 17' 4" | 84" | **17461** | **10103** | **10214** |
| 17 Pro Select Dual | 96-99 | 17' 4" | 84" | **17711** | **10025** | **10159** |
| 17 Super / Sport Select | | 17' 4" | 84" | **17713** | **10027** | **10161** |
| 1700 Bass Boat | 2002 | 17' 1" | 78" | **17748** | **10069** | **10204** |
| 1700 Bluefish DC | 1999 | 17' 4" | 84" | **17693** | **10136** | **10265** |
| 1700 Bluefish SC | 1999 | 17' 4" | 84" | **17461** | **10103** | **10214** |
| 172 Bass Select | | 17' 2" | 75" | **17748** | **10069** | **10204** |
| 1750 / 1750 MVX | 96-00 | 17' 0" | 74" | **17048** | — | — |
| 180 Falcon | | 18' 3" | 82" | **17764** | **10063** | **10192** |
| 1800 Space Ship | | 18' 5" | 87" | **17010** | — | — |
| 19 Pro Select | | 18' 10" | 87" | **17713** | **10027** | **10161** |
| 19 Pro Select | 96-97 | 18' 10" | 87" | **17787** | **10217** | **10240** |
| 19 Pro Select Dual | 96-97 | 18' 10" | 87" | **17713** | **10027** | **10161** |
| 19 Sport Select | | 18' 10" | 87" | **17713** | **10027** | **10161** |
| 1900 Bluefish DC | 1999 | 18' 10" | 87" | **17695** | **10138** | **10269** |
| 2001 Space Ship | 96-97 | 20' 0" | 94" | **17014** | — | — |
| 2030 Space Ship | 98-02 | 20' 0" | 96" | **17014** | — | — |
| 2080 Spaceship I/O | 2002 | 20' 8" | 102" | **17794** | **10314** | **10201** |
| 21 Pro Select | | 20' 7" | 90" | **17020** | **10028** | **10162** |
| 21 Sport Select I/O | | 20' 7" | 90" | **17726** | **10034** | **10166** |
| 2230 Space Ship | 97-99 | 22' 3" | 98" | **17018** | — | — |
| 2310 Spaceship I/O | 2002 | 23' 4" | 99" | **17882** | **10323** | **17891** |
| 818 Castaway | 2002 | 18' 3" | 96" | **17790** | **10114** | **10244** |
| 820 Mirage/Freedom | 2002 | 20' 3" | 96" | — | **10289** | **10330** |
| 822 Mirage | 2002 | 22' 3" | 96" | **17791** | **10116** | **10245** |
| 824 Mirage | 2002 | 24' 3" | 96" | — | **10290** | **10331** |
| 8520 Mandalay | 2002 | 20' 3" | 102" | — | **10289** | **10330** |
| 8522 Mandalay / Castaway | 2002 | 22' 3" | 102" | **17791** | **10116** | **10245** |
| 8523 Mandalay | 2011 | 23' 3" | 102" | — | **10290** | **10331** |
| 8524 Mandalay / Castaway | 2002 | 25' 3" | 102" | **17791** | **10116** | **10245** |
| 8525 Mandalay | 2011 | 25' 3" | 102" | **17791** | **10116** | **10245** |
| 8525 Mandalay | 2015 | 26' 10" | 102" | **17791** | **10116** | **10245** |
| 8526 Mandalay | 2002 | 26' 3" | 102" | **17792** | **10117** | **10247** |
| Advantage 12 | 96-99 | 11' 9" | 52" | **17453** | **10086** | **10207** |
| Advantage 20 | | 20' 0" | 96" | — | **10289** | **10330** |
| Advantage Dlx 24 | | 24' 0" | 96" | — | **10290** | **10331** |
| Adventurer 1900 DC | 00-02 | 18' 10" | 96" | **17695** | **10138** | **10269** |
| Adventurer 1900 I/O | 2002 | 18' 10" | 96" | **17685** | **10143** | **10275** |
| Backtroller 14 | | 14' 5" | 67" | **17454** | **10087** | **10208** |
| Backtroller 16 | | 16' 2" | 76" | **17460** | **10102** | **10213** |
| Bass 1600 | 2000 | 16' 2" | 73" | **17744** | **10067** | **10195** |
| Bass 1644 | | 16' 0" | 67" | **17744** | **10067** | **10195** |
| Bass 1700 | 2000 | 17' 5" | 77" | **17748** | **10069** | **10204** |
| Bass Catcher 15 | | 15' 1" | 63" | **17742** | **10066** | **10194** |
| Bass Hawk 17 | | 16' 7" | 73" | **17748** | **10069** | **10204** |
| Classic Fisherman 14 | 96-97 | 14' 2" | 64" | **17454** | **10087** | **10208** |
| Classic Fisherman 16 | | 16' 5" | 71" | **17460** | **10102** | **10213** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SYLVAN-CONTINUED** | | | | | | |
| Combo 15 | | 15' 2" | 74" | **17709** | **10022** | **10157** |
| Eliminator 1800 | 1999 | 19' 3" | 88" | **17695** | **10138** | **10269** |
| Eliminator 2000 | 1999 | 17' 6" | 85" | **17693** | **10136** | **10265** |
| Eliminator 17 | | 16' 9" | 83" | **17461** | **10103** | **10214** |
| Eliminator 17 Dual | | 16' 9" | 83" | **17711** | **10025** | **10159** |
| Eliminator 19 | | 18' 10" | 87" | **17777** | **10057** | **10184** |
| Eliminator 19 Dual | | 18' 10" | 87" | **17713** | **10027** | **10161** |
| Elite 818 | 1999 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| Elite 820 | 1997 | 19' 5" | 96" | — | **10289** | **10330** |
| Elite 824 | 1999 | 24' 0" | 96" | — | **10290** | **10331** |
| Excursion 1600 DC | 00-02 | 16' 6" | 88" | **17693** | **10136** | **10265** |
| Excursion 1700 | 2002 | 17' 1" | 91" | **17693** | **10136** | **10265** |
| Excursion 1900 | 2002 | 18' 10" | 96" | **17695** | **10138** | **10269** |
| Excursion 1900 DC | 2000 | 18' 10" | 96" | **17695** | **10138** | **10269** |
| Explorer 14 | | 14' 5" | 67" | **17454** | **10087** | **10208** |
| Explorer 1500 T | 2000 | 15' 5" | 72" | **17455** | **10092** | **10211** |
| Explorer 16 | 1997 | 16' 0" | 79" | **17460** | **10102** | **10213** |
| Explorer 1600 DC | 2002 | 16' 2" | 82" | **17692** | **10135** | — |
| Explorer 1600 SC | 00-02 | 16' 0" | 79" | **17459** | **15429** | **15428** |
| Explorer 1600 T | 2000 | 16' 0" | 79" | **17456** | **10093** | **10212** |
| Explorer 1700 DC | 2002 | 17' 6" | 85" | **17693** | **10136** | **10265** |
| Explorer 1700 SC | 2002 | 17' 6" | 85" | **17683** | **10141** | — |
| Fish N Cruise 824 | 1999 | 24' 0" | 96" | — | **10290** | **10331** |
| Fisherman Advantage | | 11' 9" | 52" | **17453** | **10086** | **10207** |
| Fishing Advantage 20 / 820 | | 17' 4" | 96" | **17790** | **10114** | **10244** |
| Fishing Advantage 24 / 824 | | 21' 4" | 96" | **17791** | **10116** | **10245** |
| Four Point 818 | 1999 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| Four Point Angler 820 | 1997 | 19' 5" | 96" | — | **10289** | **10330** |
| Four Point Angler 822 | 1999 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| Master Fisherman | | 20' 0" | 96" | — | **10289** | **10330** |
| Mirage Cruise 818 C | 2011 | 22' 3" | 102" | **17791** | **10116** | **10245** |
| Mirage Cruise 8520 C | 2011 | 20' 3 | 102" | — | **10289** | **10330** |
| Mirage Cruise 8522 C | 2011 | 22' 3" | 102" | **17791** | **10116** | **10245** |
| Mirage Cruise 8524 | 2015 | 25' 10" | 102" | **17792** | **10117** | **10247** |
| Mirage Cruise LE 8524 | 2015 | 25' 10" | 102" | **17792** | **10117** | **10247** |
| Mirage Fish 818 F | 2011 | 18' 3" | 96" | **17790** | **10114** | **10244** |
| Mirage Fish 8520 | 2011 | 20' 3" | 102" | — | **10289** | **10330** |
| Mirage Fish 8520 | 2015 | 20' 10" | 102" | — | **10289** | **10330** |
| Mirage Fish 8522 | 2011 | 22' 3" | 102" | **17791** | **10116** | **10245** |
| Mirage Fish 8522 | 2015 | 23' 10" | 102" | | **10290** | **10331** |
| Mirage Fish LE 8520 | 2015 | 20' 10" | 102" | — | **10289** | **10330** |
| Mirage Fish LE 8522 | 2015 | 23' 10" | 102" | — | **10290** | **10331** |
| Navigator 1600 DC | 2002 | 16' 0" | 81" | **17692** | **10135** | — |
| Navigator 1600 SC | 2002 | 16' 0" | 81" | **17459** | **15429** | **15428** |
| Navigator 1700 DC | 00-02 | 17' 4" | 84" | **17693** | **10136** | **10265** |
| Navigator 1900 DC | 2000 | 18' 10" | 96" | **17695** | **10138** | **10269** |
| Nexus 822 | 1999 | 22' 0" | 102" | **17791** | **10116** | **10245** |
| Offshore Fisherman | 1999 | 23' 2" | 102" | **17590** | **10132** | **10261** |
| Party Fish 820 | | 18' 6" | 96" | **17790** | **10114** | **10244** |
| Pro Bass 1750 | | 17' 0" | 75" | **17748** | **10069** | **10204** |
| Pro Crappie 1650 | | 16' 0" | 75" | **17746** | **10068** | **10202** |
| Pro Missile 15 | | 14' 8" | 66" | **17760** | **10061** | **10187** |
| Pro Missile 17 | | 17' 1" | 84" | **17776** | **10055** | **10182** |
| Profisherman 16 | | 16' 2" | 76" | **17710** | **10023** | **10158** |
| Profisherman 16 Dual | | 16' 2" | 76" | **17710** | **10023** | **10158** |
| Profisherman 17 Dual | | 16' 9" | 83" | **17711** | **10025** | **10159** |
| Profisherman 18 Dual | | 18' 5" | 82" | **17712** | **10026** | **10160** |
| Rodmaster 16 | | 16' 2" | 76" | **17460** | **10102** | **10213** |
| Rodmaster 18 | | 18' 5" | 84" | **17737** | **10150** | **15404** |
| Rodmaster 20 / 21 | | 20' 7" | 90" | **17739** | **10152** | **15406** |
| Rodmaster 22 | | 21' 7" | 91" | **17741** | **10153** | **15407** |
| S 3 | 2015 | 24' 10" | 102" | — | **10290** | **10331** |
| S 5 | 2015 | 26' 10" | 102" | **17792** | **10117** | **10247** |
| Sea Breeze 1200 | 96-02 | 11' 9" | 56" | **17453** | **10086** | **10207** |
| Sea Breeze 1400 | 96-02 | 13' 10" | 56" | **17454** | **10087** | **10208** |
| Sea Monster 15 | 96-97 | 15' 5" | 73" | **17760** | **10061** | **10187** |
| Sea Monster 16 Side Console | 96-97 | 16' 2" | 76" | **17762** | **10062** | **10188** |
| Sea Snapper 14 | | 14' 4" | 64" | **17454** | **10087** | **10208** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SYLVAN-CONTINUED** | | | | | | |
| Sea Snapper 1400 | 95-02 | 14' 2" | 68" | **17454** | **10087** | **10208** |
| Sea Snapper 1600 | 96-02 | 16' 5" | 70" | **17455** | **10092** | **10211** |
| Sea Troller 16 | | 16' 2" | 76" | **17460** | **10102** | **10213** |
| Signature 8520 | 2011 | 20' 3" | 102" | — | **10289** | **10330** |
| Signature 8522 | 2011 | 22' 3" | 102" | **17791** | **10116** | **10245** |
| Signature 8524 | 2011 | 24' 3" | 102" | — | **10290** | **10331** |
| Signature Sport 8522 | 2011 | 22' 3" | 102" | **17791** | **10116** | **10245** |
| Skipper I/O | | 18' 6" | 91" | **17725** | **10033** | **10165** |
| Skipper I/O | | 21' 7" | 91" | **17728** | **10036** | **10168** |
| Skipper O/B | | 18' 6" | 84" | **17713** | **10027** | **10161** |
| Space Deck 19' | 1998 | 18' 8" | 96" | **17790** | **10114** | **10244** |
| Space Deck 1900 | 96-02 | 18' 8" | 96" | **17790** | **10114** | **10244** |
| Space Deck 21' | 1998 | 21' 3" | 96" | **17791** | **10116** | **10245** |
| Space Deck 2100 | 96-02 | 21' 3" | 96" | **17791** | **10116** | **10245** |
| Space Deck 2230 | 1998 | 22' 3" | 98" | **17791** | **10116** | **10245** |
| Space Deck 2300 | | 23' 4" | 104" | **17791** | **10116** | **10245** |
| Special Edition 820 | | 18' 6" | 96" | **17790** | **10114** | **10244** |
| Special Edition 824 | 96-97 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| Special Edition 828 | | 26' 6" | 96" | **17792** | **10117** | **10247** |
| Sport Cruiser 21 | | 20' 11" | 96" | **17588** | **10130** | **10258** |
| Sport Troller 14 | 96-00 | 14' 5" | 67" | **17454** | **10087** | **10208** |
| Sport Troller 1400 | 2002 | 14' 5" | 67" | **17454** | **10087** | **10208** |
| Sport Troller 16 | 96-00 | 16' 5" | 69" | **17460** | **10102** | **10213** |
| Sportfish I/O | 1999 | 18' 10" | 87" | **17685** | **10143** | **10275** |
| Sportfish O/B | 1999 | 18' 10" | 87" | **17695** | **10138** | **10269** |
| Sportmaster 16 | | 16' 2" | 76" | **17710** | **10023** | **10158** |
| Sportmaster 17 | | 16' 9" | 83" | **17711** | **10025** | **10159** |
| Sportmaster 18 | | 18' 6" | 84" | **17713** | **10027** | **10161** |
| Sportster 14 O/B | | 14' 5" | 67" | **17709** | **10022** | **10157** |
| Sportster 16 O/B | | 16' 2" | 76" | **17710** | **10023** | **10158** |
| Sportster 18 I/O | | 18' 5" | 84" | **17725** | **10033** | **10165** |
| Sportster 18 O/B | | 18' 5" | 84" | **17713** | **10027** | **10161** |
| Sportster 22 I/O | | 21' 7" | 91" | **17728** | **10036** | **10168** |
| Striker 1500 | 96-00 | 15' 5" | 72" | **17457** | **10091** | **10209** |
| Sunchaser 820 | | 17' 4" | 96" | **17790** | **10114** | **10244** |
| Sunchaser 824 | | 22' 6" | 96" | **17791** | **10116** | **10245** |
| Sunfish 822 | 1999 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| Super Select / Sport 16 | | 16' 4" | 82" | **17710** | **10023** | **10158** |
| Supersnapper 1400 | 96-02 | 14' 2" | 69" | **17454** | **10087** | **10208** |
| Supersnapper 1600 | 96-02 | 16' 5" | 71" | **17456** | **10093** | **10212** |
| Supersportster 16 O/B | | 16' 2" | 76" | **17710** | **10023** | **10158** |
| Supersportster 17 I/O | | 16' 9" | 83" | **17723** | **10030** | **10163** |
| Supersportster 17 O/B | | 16' 9" | 83" | **17711** | **10025** | **10159** |
| Supersportster 18 O/B | | 18' 5" | 84" | **17713** | **10027** | **10161** |
| Supersportster 19 I/O | | 18' 10" | 87" | **17725** | **10033** | **10165** |
| Supersportster 19 O/B | | 18' 10" | 87" | **17713** | **10027** | **10161** |
| Supersportster 21 I/O | | 20' 7" | 90" | **17727** | **10035** | **10167** |
| Supreme 820 | 1999 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| Supreme 824 | 1999 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| V 153 O/B | | 15' 3" | 83" | **17709** | **10022** | **10157** |
| V 170 O/B | | 17' 0" | 83" | **17711** | **10025** | **10159** |
| V 171 O/B | | 16' 8" | 90" | **17711** | **10025** | **10159** |
| V 171 Sport I/O | | 16' 8" | 90" | **17723** | **10030** | **10163** |
| V 178 I/O | | 17' 8" | 88" | **17684** | **10142** | **10274** |
| V 178 O/B | | 17' 8" | 88" | **17694** | **10137** | **10267** |
| V 178 Viper | 96-00 | 17' 8" | 88" | **17583** | **10111** | **17575** |
| V 180 Sport I/O | 96-00 | 18' 6" | 96" | **17685** | **10143** | **10275** |
| V 180 Sport O/B | 99-00 | 18' 0" | 96" | **17694** | **10137** | **10267** |
| V 180 Viper / GLX | 98-02 | 18' 0" | 96" | **17712** | **10026** | **10160** |
| V 186 Sport / Fish-N-Ski | 2002 | 19' 2" | 96" | **17685** | **10143** | **10275** |
| V 188 Sport I/O / Sport I/O | | 18' 8" | 90" | **17685** | **10143** | **10275** |
| V 190 Sport I/O | | 18' 7" | 96" | **17725** | **10033** | **10165** |
| V 196 Sport | 97-02 | 19' 6" | 96" | **17685** | **10143** | **10275** |
| V 209 Sport I/O / Sport I/O | | 20' 9" | 98" | **17687** | **10145** | **10277** |
| V 210 Sport | 98-02 | 20' 10" | 102" | **17687** | **10145** | **10277** |
| VF 173 | | 16' 8" | 90" | **17711** | **10025** | **10159** |
| VFC 175 | | 16' 8" | 90" | **17736** | **10148** | **15402** |
| VFC 195 | | 18' 7" | 96" | **17737** | **10150** | **15404** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **SYLVAN-CONTINUED** | | | | | | |
| Westwind 819 | | 19' 0" | 96" | **17790** | **10114** | **10244** |
| Westwind 823 | | 24' 0" | 96" | **17791** | **10116** | **10245** |
| Windsong 821 | | 17' 4" | 96" | **17790** | **10114** | **10244** |
| **TAHOE** | | | | | | |
| 234 | 2006 | 25' 3" | 102" | **17884** | **10325** | **17893** |
| 1450 T | 1997 | 14' 0" | 67" | **17454** | **10087** | **10208** |
| 1600 SC | 1997 | 16' 0" | 67" | **17460** | **10102** | **10213** |
| 1600 T | 1997 | 16' 0" | 67" | **17455** | **10092** | **10211** |
| 1700 | 1997 | 17' 0" | 80" | **17461** | **10103** | **10214** |
| 1822 Alpine | | 17' 4" | 96" | **17790** | **10114** | **10244** |
| 195 Deck Boat | 06-09 | 19' 10" | 102" | **17879** | **10320** | **17888** |
| 195 I/O | 09-15 | 19' 11" | 102" | **17879** | **10320** | **17888** |
| 195 OB | 2009 | 19' 11" | 102" | **17695** | **10138** | **10269** |
| 196 WT OB | 06-09 | 19' 10" | 102" | **17695** | **10138** | **10269** |
| 202 I/O | 2001 | 20' 0" | 102" | **17879** | **10320** | **17888** |
| 2022 / Fisher / Tahoe / Alpine | | 19' 4" | 96" | **17790** | **10114** | **10244** |
| 204 Deck Boat | 06-07 | 20' 0" | 102" | **17879** | **10320** | **17888** |
| 204 WT I/O | 2001 | 20' 0" | 102" | **17794** | **10314** | **10201** |
| 215 CC | 07-10 | 21' 2" | 102" | **17795** | **10315** | **10189** |
| 215 Deck Boat | 07-15 | 21' 6" | 102" | **17795** | **10315** | **10189** |
| 215 IO | 06-08 | 21' 2" | 102" | **17795** | **10315** | **10189** |
| 215 Xi | 09-15 | 21' 6" | 102" | **17880** | **10321** | **17889** |
| 216 WT | 07-10 | 21' 6" | 102" | **17795** | **10315** | **10189** |
| 22 Deck Boat | | 22' 0" | 94" | **17791** | **10116** | **10245** |
| 220 I/O | 2001 | 21' 9" | 102" | **17780** | **15412** | **15403** |
| 222 Deck Boat | 06-07 | 22' 5" | 102" | **17796** | **10316** | **10190** |
| 225 Deck Boat | 09-10 | 22' 5" | 102 | **17796** | **10316** | **10190** |
| 228 Deck Boat | 06-10 | 22' 5" | 102" | **17796** | **10316** | **10190** |
| 234 I/O | 2001 | 23' 2" | 102" | **17797** | **10317** | **10191** |
| 2422 / Fisher / Tahoe / Alpine | | 23' 4" | 96" | **17790** | **10114** | **10244** |
| 265 Deck boat | 07-10 | 25' 10" | 102" | **17799** | **10319** | **10200** |
| 500 TF | 2015 | 19' 10" | 94" | **17584** | **10112** | **17576** |
| 500 TS | 2015 | 19' 10" | 94" | **17685** | **10143** | **10275** |
| Alpine 18 | 97-02 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| Alpine 20 | 97-02 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| Alpine 22 | 2002 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| Alpine 24 | 1997 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| Aspen 18 | 2002 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| Aspen 20 | 97-02 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| Aspen 22 | 97-02 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| Aspen 24 | 97-02 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| Blue Ridge 18 | 2002 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| Blue Ridge 20 | 2002 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| Blue Ridge 22 | 2002 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| Blue Ridge 24 | 2002 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| Cascade 18 | 2002 | 18' 0" | 96" | **17790** | **10114** | **10244** |
| Cascade 20 | 2002 | 20' 0' | 96" | **17790** | **10114** | **10244** |
| Cascade 22 | 2002 | 22' 0" | 96" | **17791** | **10116** | **10245** |
| Cascade 24 | 2002 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| Grand Fisher 20 | 97-99 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| Grand Fisher 24 | 97-99 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| Grand Tahoe 20 | 1997 | 20' 0" | 96" | **17790** | **10114** | **10244** |
| Grand Tahoe 21 | 99-02 | 21' 0" | 96" | **17791** | **10116** | **10245** |
| Grand Tahoe 23 | 2002 | 23' 0" | 102" | **17791** | **10116** | **10245** |
| Grand Tahoe 24 | 1997 | 24' 0" | 96" | **17791** | **10116** | **10245** |
| Grand Tahoe 25 | 99-02 | 25' 0" | 96" | **17792** | **10117** | **10247** |
| Q3 I/O | 99-01 | 17' 10" | 91" | **17684** | **10142** | **10274** |
| Q3 O/B | 99-01 | 17' 10" | 91" | **17694** | **10137** | **10267** |
| Q4i | 14-15 | 18' 1" | 91" | **17684** | **10142** | **10274** |
| Q4i SF | 14-15 | 18' 1" | 91" | **17583** | **10111** | **17575** |
| Q4 L | 2006 | 19' 5" | 91" | **17685** | **10143** | **10275** |
| Q4 OB | 06-09 | 18' 7" | 91" | **17684** | **10142** | **10274** |
| Q4 SF | 09-10 | 18' 1" | 91" | **17685** | **10143** | **10275** |
| Q4 SF I/O | 06-07 | 19' 5" | 91" | **17584** | **10112** | **17576** |
| Q4 SF OB | 06-09 | 18' 7" | 91" | **17694** | **10137** | **10267** |
| Q4 Sport I/O | 06-07 | 19' 5" | 91" | **17685** | **10143** | **10275** |
| Q4 SS | 08-10 | 18' 1" | 91" | **17684** | **10142** | **10274** |
| Q5 | 99-01 | 18' 8" | 96" | **17685** | **10143** | **10275** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **TAHOE-CONTINUED** | | | | | | |
| Q5i / Spot / SF | 14-15 | 19' 5" | 91" | 17685 | 10143 | 10275 |
| Q6 SF | 06-08 | 20' 6" | 96" | 17030 | 10113 | 17577 |
| Q6 Sport | 06-08 | 20' 6" | 96" | 17686 | 10144 | 10276 |
| Q7 | 2002 | 21' 0" | 100" | 17687 | 10145 | 10277 |
| Q7i | 06-15 | 20' 6" | 96" | 17686 | 10144 | 10276 |
| Q7i SF | 14-15 | 20' 6" | 96" | 17030 | 10113 | 17577 |
| Q7 SSF | 09-14 | 20' 6" | 96" | 17686 | 10144 | 10276 |
| Q7 SSi | 09-10 | 20' 6" | 96" | 17686 | 10144 | 10276 |
| Q8i | 06-10 | 21' 8" | 102" | 17687 | 10145 | 10277 |
| Sierra 18 | 1999 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Sierra 20 | 99-02 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Sierra 22 | 2002 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| Sierra 24 | 99-02 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| Striker 18 | 97-99 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Striker 20 | 97-99 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Striker 24 | 1997 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| Summit 21 | 1999 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| Summit 23 | 2002 | 23' 0" | 102" | 17791 | 10116 | 10245 |
| Summit 25 | 99-02 | 25' 0" | 96" | 17792 | 10117 | 10247 |
| Tahoe 195 | 2014 | 19' 11" | 102" | 17879 | 10320 | 10788 |
| Vista 18 | 2002 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| Vista 20 | 2002 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| Vista 22 | 2002 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| Vista 24 | 2002 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| **THOMPSON** | | | | | | |
| 18 Calae | 1999 | 17' 5" | 96" | 17684 | 10142 | 10274 |
| 20 Torrent | 1999 | 19' 8" | 97" | 17686 | 10144 | 10276 |
| 22 Calae | 1999 | 21' 4" | 102" | 17688 | 10146 | 10278 |
| **THUNDER CRAFT** | | | | | | |
| 1750 LS / SD | | 17' 5" | 92" | 17724 | 10032 | 10164 |
| 190 CC | 2002 | 18' 6" | 88" | 17780 | 15412 | 15403 |
| 1960 LS / SD 200 CC | | 19' 6" | 100" | 17588 | 10130 | 10258 |
| 1960 LS / SD / 196 SD | | 19' 6" | 96" | 17686 | 10144 | 10276 |
| 220 CC | 2002 | 21' 9" | 96" | 17741 | 10153 | 15407 |
| 220 SC | | 21' 8" | 98" | 17589 | 10131 | 10259 |
| 240 CC | 2002 | 23' 6" | 102" | 17783 | 10155 | 15409 |
| Capri 152 / SS | | 15' 0" | 72" | 17709 | 10022 | 10157 |
| Citation 170 I/O | | 16' 8" | 85" | 17723 | 10030 | 10163 |
| Citation 170 O/B | | 16' 8" | 85" | 17711 | 10025 | 10159 |
| Citation 170 SD / LS | | 16' 7" | 85" | 17724 | 10032 | 10164 |
| Expo 1500 | | 14' 10" | 75" | 17732 | 10041 | — |
| Legacy 180 SD / LS | | 17' 9" | 86" | 17724 | 10032 | 10164 |
| Legacy 180 / 1800 SS | | 17' 9" | 86" | 17724 | 10032 | 10164 |
| Magnum 160 O/B | | 15' 8" | 75" | 17733 | 10042 | 10169 |
| Malibu 190 | | 18' 5" | 85" | 17725 | 10033 | 10165 |
| Malibu 190SD / LS | | 18' 7" | 85" | 17725 | 10033 | 10165 |
| Nova 177 I/O / 1770 LS / SD | | 17' 4" | 92" | 17724 | 10032 | 10164 |
| Regency 162 O/B | | 16' 2" | 81" | 17710 | 10023 | 10158 |
| Regency 162 / SD I/O L / S / SS | | 16' 2" | 81" | 17722 | 10029 | — |
| Sierra 195 Cuddy | | 18' 7" | 85" | 17586 | 10128 | 10256 |
| Titan | | 14' 10" | 75" | 17732 | 10041 | — |
| **THUNDERBIRD: SEE FORMULA** | | | | | | |
| **TIDE CRAFT** | | | | | | |
| 100 Spitfire | 1999 | 15' 3" | 74" | 17768 | 10051 | — |
| 115 Spitfire | 1999 | 15' 9" | 77" | 17770 | 10052 | 10179 |
| 120 Wildfire | 1999 | 16' 0" | 78" | 17772 | 10053 | 10180 |
| 175 Wildfire FS | 1999 | 17' 11" | 90" | 17583 | 10111 | 17575 |
| 200 Firehawk | 1999 | 19' 7" | 91" | 17777 | 10057 | 10184 |
| 225 Firehawk | 1999 | 20' 3" | 95" | 17778 | 10058 | 10185 |
| Fundancer VR 90 | 1983 | 15' 0" | 75" | 17709 | 10022 | 10157 |
| Rustler | 1983 | 14' 10" | 65" | 17760 | 10061 | 10187 |
| Spitfire V15 | 1983 | 15' 3" | 74" | 17760 | 10061 | 10187 |
| Sundancer VR 115 | | 16' 0" | 76" | 17710 | 10023 | 10158 |
| Sunfire V15 FS | 1983 | 15' 3" | 74" | 17760 | 10061 | 10187 |
| TLS 1800 Inferno | | 18' 0" | 87" | 17775 | 10056 | 10183 |
| TLT 1600 Shalale | | 15' 9" | 74" | 17770 | 10052 | 10179 |
| Wildfire 115 / TLT 1650 | | 16' 1" | 77" | 17762 | 10062 | 10188 |
| Wildfire 115 FS / TLT 1660 | | 16' 1" | 77" | 17580 | 10109 | 17573 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **TIDE CRAFT-CONTINUED** | | | | | | |
| Wildfire 150 FS/ TLT 1710 | 96-99 | 17' 1" | 86" | 17582 | 10110 | 17574 |
| Wildfire 150 TLT 1700 | 96-99 | 17' 1" | 86" | 17776 | 10055 | 10182 |
| Wildfire 175 | | 17' 11" | 89" | 17775 | 10056 | 10183 |
| Wildfire XV 115 | 1983 | 15' 9" | 77" | 17770 | 10052 | 10179 |
| Wildfire XV 115 Fish-N-Ski | 1983 | 15' 9" | 77" | 17770 | 10052 | 10179 |
| Wildfire XV 150 | 1983 | 16' 8" | 86" | 17774 | 10054 | 10181 |
| Wildfire XV 150 Fish-N-Ski | 1983 | 16' 8" | 86" | 17774 | 10054 | 10181 |
| **TIGÉ** | | | | | | |
| 22Vé | | 22' 0" | 102" | — | — | — |
| 24Vé | | 24' 0" | 102" | — | — | — |
| ASR | 2015 | 23' 0" | 102" | — | — | — |
| R20 | 13-15 | 20' 0" | 94" | — | — | — |
| RZ2 | 13-15 | 22' 0" | 102" | — | — | — |
| RZ4 | 13-15 | 24' 0" | 102" | — | — | — |
| RZR | 13-15 | 20' 0" | 94" | — | — | — |
| Z1 | 14-15 | 21.5" | 102' | — | — | — |
| Z3 | 14-15 | 23' 0" | 102" | — | — | — |
| **TOYOTA** | | | | | | |
| Epic 21 | 1999 | 20' 10" | 90" | 17704 | 10014 | 15417 |
| Epic 22 | 1999 | 21' 8" | 93" | 17705 | 10015 | 15418 |
| **TRACKER** | | | | | | |
| 1448 Jon | 2015 | 14' 0" | 72" | — | — | — |
| 1548 MVX Sportsman | 2015 | 16' 4" | 73" | 17744 | 10067 | 10195 |
| 1648 Jon | 2015 | 16' 1" | 72" | 17744 | 10067 | 10195 |
| 1648 VVX SC | 2015 | 16' 1" | 72" | 17744 | 10067 | 10195 |
| 1654 MVX Sportsman | 2015 | 17' 4" | 78" | 17748 | 10069 | 10204 |
| 1754 Jon | 2015 | 17' 1" | 78" | 17748 | 10069 | 10204 |
| 1754 MVX SC | 2015 | 17' 1" | 78" | 17748 | 10069 | 10204 |
| 1754 SC | 06-08 | 17' 4" | 76" | 17748 | 10069 | 10204 |
| 1800 FS / TF | | 18' 0" | 86" | 17775 | 10056 | 10183 |
| 1860 Jon | 2015 | 18' 1" | 84" | 17775 | 10056 | 10183 |
| 1860 MVX CC | 2015 | 19' 2" | 84" | — | — | — |
| 1860 MVX SC | 2015 | 18' 1" | 84" | 17750 | 10070 | 10206 |
| 2072 MVX CC | 2015 | 21' 4" | 97" | — | — | — |
| 2072 SC | 06-08 | 20' 3" | 95" | 17806 | 10078 | 10227 |
| Avalanche SC / DC | 06-08 | 18' 2" | 96" | 17804 | 10076 | 10225 |
| Bantam 3X | | 18' 11" | 48" | 17600 | — | — |
| Grizzly 1232 | 06-10 | 12' 0" | 46" | 17818 | — | — |
| Grizzly 1436 / LW | 06-10 | 13' 11" | 53" | 17040 | — | — |
| Grizzly 1448 | 06-08 | 14' 0" | 71" | 17044 | — | — |
| Grizzly 1448 / SC | 10-12 | 14' 0" | 72" | 17044 | — | — |
| Grizzly 1542 LW | 2010 | 15' 0" | 60" | 17457 | 10091 | 10209 |
| Grizzly 1548 T | 06-08 | 15' 2" | 67" | 17457 | 10091 | 10209 |
| Grizzly 1648 | 06-08 | 16' 2" | 71" | 17044 | — | — |
| Grizzly 1648 / SC | 10-12 | 16' 0" | 72" | 17455 | 10092 | 10211 |
| Grizzly 1648 T | 06-08 | 16' 2" | 71" | 17455 | 10092 | 10211 |
| Grizzly 1654 | 06-08 | 16' 4" | 76" | 17044 | — | — |
| Grizzly 1654 SC | 06-08 | 16' 4" | 76" | 17744 | 10067 | 10195 |
| Grizzly 1754 / SC | 06-08 | 17' 4" | 76" | 17748 | 10069 | 10204 |
| Grizzly 1754 / SC | 10-12 | 17' 0" | 78" | 17748 | 10069 | 10204 |
| Grizzly 1860 | 06-08 | 18' 3" | 83" | 17750 | 10070 | 10206 |
| Grizzly 1860 | 11-12 | 18' 4" | 84" | 17750 | 10070 | 10206 |
| Grizzly 1860 CC | 10-12 | 19' 8" | 84" | 17805 | 10077 | 10226 |
| Grizzly 1860 SC | 06-08 | 18' 3" | 83" | 17750 | 10070 | 10206 |
| Grizzly 1860 SC | 10-12 | 18' 4" | 84" | 17750 | 10070 | 10206 |
| Grizzly 2072 | 11-12 | 20' 4" | 96" | — | — | — |
| Grizzly 2072 / CC | 10-12 | 21' 8" | 96" | 17739 | 10152 | 15406 |
| Grizzly 2072 / SC | 06-10 | 20' 3" | 95" | 17816 | 10094 | 10237 |
| Grizzly Bass | 06-08 | 16' 2" | 71" | 17744 | 10067 | 10195 |
| Guide V-12 | 06-08 | 12' 2" | 66" | 17040 | — | — |
| Guide V-12 | 96-01 | 12' 0" | 64" | 17453 | 10086 | 10207 |
| Guide V-12 Lite | 06-08 | 11' 1" | 61" | 17819 | — | — |
| Guide V-14 | 10-15 | 14' 2" | 68" | 17454 | 10087 | 10208 |
| Guide V-14 | 96-01 | 13' 10" | 66" | 17454 | 10087 | 10208 |
| Guide V-14 / Guide -14 Laker | 06-08 | 14' 3" | 67" | 17044 | — | — |
| Guide V-14 / Utility | 96-99 | 14' 3" | 63" | 17454 | 10087 | 10208 |
| Guide V-14 Lite | 06-08 | 13' 11" | 61" | 17044 | — | — |
| Guide V-15 Laker | 2010 | 15' 1" | 74" | 17457 | 10091 | 10209 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **TRACKER-CONTINUED** | | | | | | |
| Guide V-16 | 06-08 | 16' 3" | 67" | **17455** | **10092** | **10211** |
| Guide V-16 | 96-01 | 15' 9" | 66" | **17455** | **10092** | **10211** |
| Guide V-16 Lake Deep V | 11-12 | 16' 0" | 76" | **17456** | **10093** | **10212** |
| Guide V-16 Lake DLX T | 14-15 | 16' 0" | 74" | **17456** | **10093** | **10212** |
| Magna 17 Convertible | | 17' 0" | 84" | **17711** | **10025** | **10159** |
| Magna 19 BR | | 18' 10" | 86" | **17713** | **10027** | **10161** |
| Magna 19 CC | | 19' 0" | 84" | **17737** | **10150** | **15404** |
| Magna Fish 17 / Tiller | | 17' 2" | 84" | **17776** | **10055** | **10182** |
| MV 16 | | 16' 0" | 72" | **17744** | **10067** | **10195** |
| Panfish 16 | 2010 | 16' 1" | 70" | **17455** | **10092** | **10211** |
| Panfish 16 | 11-15 | 16' 2" | 70" | **17455** | **10092** | **10211** |
| Panfish 17 | 06-09 | 16' 3" | 75" | **17459** | **15429** | **15428** |
| Panfish Special 16 | 96-01 | 15' 10" | 71" | **17744** | **10067** | **10195** |
| Pro 15 | 96-97 | 15' 0" | 65" | **17742** | **10066** | **10194** |
| Pro 16 | | 15' 10" | 71" | **17744** | **10067** | **10195** |
| Pro 16 | 2010 | 16' 1" | 70" | **17744** | **10067** | **10195** |
| Pro 160 | 14-15 | 16' 2" | 70" | **17744** | **10067** | **10195** |
| Pro 165 | 11-13 | 16' 2" | 77" | **17744** | **10067** | **10195** |
| Pro 17 / Pro Team 17 | | 17' 0" | 71" | **17748** | **10069** | **10204** |
| Pro 170 | 14-15 | 16' 8" | 77" | **17744** | **10067** | **10195** |
| Pro Angler 16 | 97-01 | 16' 1" | 76" | **17744** | **10067** | **10195** |
| Pro Angler 16 | 2011 | 16' 2" | 70" | **17744** | **10067** | **10195** |
| Pro Crappie 175 | 2006 | 17' 3" | 83" | **17803** | **10075** | **10224** |
| Pro Crappie 175 | 07-09 | 17' 4" | 84" | **17803** | **10075** | **10224** |
| Pro Crappie 175 | 2010 | 17' 7" | 89" | **17803** | **10075** | **10224** |
| Pro Deep V 16 | 96-99 | 16' 5" | 79" | **17459** | **15429** | **15428** |
| Pro Deep V 16 DC | 96-97 | 16' 5" | 79" | **17580** | **10109** | **17573** |
| Pro Deep V 16 SC | 11-12 | 16' 0" | 88" | **17719** | **10101** | **10216** |
| Pro Deep V 17 DC | 96-97 | 17' 5" | 79" | **17582** | **10110** | **17574** |
| Pro Deep V 17 SC | 96-99 | 17' 5" | 79" | **17461** | **10103** | **10214** |
| Pro Guide V-15 SC | 2009 | 15' 0" | 74" | **17814** | **10089** | **10235** |
| Pro Guide V-15 SC | 2010 | 15' 1" | 76" | **17814** | **10089** | **10235** |
| Pro Guide V-16 DLX SC / T | 06-08 | 16' 6" | 76" | **17456** | **10093** | **10212** |
| Pro Guide V-16 SC | 2009 | 16' 4" | 89" | **17719** | **10101** | **10216** |
| Pro Guide V-16 SC | 2010 | 16' 6" | 92" | **17719** | **10101** | **10216** |
| Pro Guide V-16 SC | 15-Dec | 16' 0" | 88 | **17719** | **10101** | **10216** |
| Pro Guide V-16 T | 14-15 | 16' 0" | 88 | **17456** | **10093** | **10212** |
| Pro Guide V-16 WT | 2009 | 16' 4" | 89" | — | — | — |
| Pro Guide V-16 WT | 10-15 | 16' 6" | 88" | — | — | — |
| Pro Guide V-17 SC | 2010 | 17' 2" | 101" | — | — | — |
| Pro Guide V-17 SC | 06-08 | 17' 4" | 92" | **17718** | **10106** | **10219** |
| Pro Guide V-175 Combo | 12-15 | 17' 8" | 96" | — | — | — |
| Pro Guide V-175 SC | 10-'15 | 16' 11" | 97" | **17719** | **10101** | **10216** |
| Pro Guide V-175 WT | 12-15 | 16' 11" | 97" | — | — | — |
| Pro Team 170 TX | 07-09 | 16' 4" | 81" | **17746** | **10068** | **10202** |
| Pro Team 170 TX | 2006 | 16' 3" | 80" | **17746** | **10068** | **10202** |
| Pro Team 170 TX | 2010 | 16' 3" | 81" | **17746** | **10068** | **10202** |
| Pro Team 175 TF | 11-15 | 17' 7" | 89" | — | — | — |
| Pro Team 175 TXW | 2006 | 17' 3" | 83" | **17803** | **10075** | **10224** |
| Pro Team 175 TXW | 07-09 | 17' 10" | 89" | **17804** | **10076** | **10225** |
| Pro Team 175 TXW | 10-15 | 17' 7" | 89" | **17804** | **10076** | **10225** |
| Pro Team 18 SC | 1997 | 18' 0" | 76" | **17750** | **10070** | **10206** |
| Pro Team 190 TX | 1997 | 18' 9" | 89" | **17805** | **10077** | **10226** |
| Pro Team 190 TX | 2006 | 18' 8" | 89" | **17805** | **10077** | **10226** |
| Pro Team 190 TX | 10-15 | 18' 7" | 89" | **17805** | **10077** | **10226** |
| ProTeam 165 | 99-02 | 15' 10" | 71" | **17744** | **10067** | **10195** |
| ProTeam 175 | 1999 | 17' 2" | 74" | **17748** | **10069** | **10204** |
| ProTeam 185 | 1999 | 18' 2" | 77" | **17750** | **10070** | **10206** |
| Seacraft 21 | | 20' 10" | 96" | **17739** | **10152** | **15406** |
| Sport Fish 2000 | | 20' 4" | 95" | **17014** | — | — |
| Sportsman 14 | 96-01 | 13' 11" | 70" | **17044** | — | — |
| Sportsman 15 | 96-01 | 14' 9" | 65" | **17044** | — | — |
| Sportsman 16 | 96-01 | 15' 7" | 70" | **17046** | — | — |
| Sportsman 18 | 96-01 | 17' 11" | 70" | **17048** | — | — |
| Super 16 / 16 Pro | | 16' 3" | 74" | **17460** | **10102** | **10213** |
| Super 17 Pro | | 17' 0" | 78" | **17761** | **10139** | **10203** |
| Super Guide V-14 C / V 14-T | 96-01 | 13' 10" | 67" | **17454** | **10087** | **10208** |
| Super Guide V-14 SC / T | 06-08 | 14' 3" | 74" | **17809** | **10071** | **10230** |
| Super Guide V-16 C | 96-01 | 16' 6" | 76" | **17460** | **10102** | **10213** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **TRACKER-CONTINUED** | | | | | | |
| Super Guide V-16 SC | 14-15 | 16' 0" | 76" | — | — | — |
| Super Guide V-16 T | 96-97 | 16' 6" | 76" | **17714** | **10104** | **10215** |
| Sweet 16 | | 16' 3" | 74" | **17746** | **10068** | **10202** |
| Sweet 16 Pro | | 15' 10" | 77" | **17746** | **10068** | **10202** |
| Tadpole 12 | 06-08 | 12' 0" | 54" | **17819** | — | — |
| Tadpole 14 | | 13' 11" | 54" | **17040** | — | — |
| Tadpole 14 | 96-97 | 14' 0" | 53" | **17040** | — | — |
| Targa 165 SC | 06-08 | 16' 2" | 92" | **17716** | **10105** | **10218** |
| Targa 17 SC | 96-97 | 17' 0" | 89" | **17718** | **10106** | **10219** |
| Targa 17 T | 96-97 | 17' 0" | 89" | **17716** | **10105** | **10218** |
| Targa 175 SC | 06-08 | 17' 4" | 98" | **17716** | **10105** | **10218** |
| Targa 175 Sport | 06-08 | 17' 4" | 98" | **17694** | **10137** | **10267** |
| Targa 175 WT | 06-08 | 17' 4" | 98" | **17694** | **10137** | **10267** |
| Targa 18 DC | | 17' 8" | 89" | **17583** | **10111** | **17575** |
| Targa 18 SC | 1997 | 17' 8" | 89" | **17718** | **10106** | **10219** |
| Targa 185 SC | 06-08 | 18' 6" | 96" | **17815** | **10090** | **10236** |
| Targa 185 Sport | 06-08 | 18' 6" | 96" | **17694** | **10137** | **10267** |
| Targa 185 WT | 06-08 | 18' 6" | 98" | **17695** | **10138** | **10269** |
| Targa 19 I/O | 1997 | 18' 10" | 87" | **17685** | **10143** | **10275** |
| Targa V-17 SC | 2009 | 17' 0" | 98" | **1718** | **10106** | **10219** |
| Targa V-17 SC | 2010 | 17' 2" | 101" | — | — | — |
| Targa V-17 WT | 2009 | 17' 0" | 98" | — | — | — |
| Targa V-17 WT | 2010 | 18' 1" | 101" | — | — | — |
| Targa V-18 Combo | 12-15 | 19' 1" | 102" | — | — | — |
| Targa V-18 Combo | 2009 | 18' 0" | 98" | — | — | — |
| Targa V-18 Combo | 2010 | 18' 11" | 101" | — | — | — |
| Targa V-18 WT | 2010 | 18' 11" | 101" | — | — | — |
| Targa V-18 WT | 12-15 | 19' 1" | 102" | — | — | — |
| Topper 1032 | 11-12 | 10' 0" | 46" | — | — | — |
| Topper 1232 | 11-15 | 12' 1" | 46" | **17818** | — | — |
| Topper 1236 W | 2015 | 11' 11" | 52" | **17813** | — | — |
| Topper 14 | 1996 | 14' 0" | 48" | **17040** | — | — |
| Topper 14 | 97-01 | 13' 11" | 54" | **17040** | — | — |
| Topper 1436 | 11-15 | 13' 10" | 53" | **17040** | — | — |
| Topper 1542 LW | 10-15 | 15' 0" | 60" | **17042** | — | — |
| Tournament Pro 180 / ProTeam 18 | | 17' 11" | 77" | **17750** | **10070** | **10206** |
| Tournament TX 17 | | 17' 0" | 71" | **17748** | **10069** | **10204** |
| Tournament V-18 | 07-09 | 18' 4" | 87" | **17804** | **10076** | **10225** |
| Tournament V-18 | 2006 | 18' 1" | 87" | **17804** | **10076** | **10225** |
| Tournament V-18 | 2010 | 18' 0" | 87" | **17815** | **10090** | **10236** |
| Tournament V-18 All Fish | 06-08 | 18' 1" | 85" | **17815** | **10090** | **10236** |
| Tracker V-14 | | 14' 0" | 60" | **17454** | **10087** | **10208** |
| Tracker V-16 | | 16' 0" | 72" | **17455** | **10092** | **10211** |
| Tundra | 2002 | 18' 0" | 96" | **17694** | **10137** | **10267** |
| Tundra 18 SC | 06-08 | 18' 0" | 96" | **17815** | **10090** | **10236** |
| Tundra 18 WT | 06-08 | 18' 0" | 96" | **17713** | **10027** | **10161** |
| Tundra 20 Sport | 06-08 | 19' 8" | 96" | **17020** | **10028** | **10162** |
| Tundra 21 DC | 06-08 | 21' 3" | 96" | **17800** | **10071** | **10205** |
| Tundra 21 WT | 06-08 | 21' 3" | 96" | **17800** | **10071** | **10205** |
| TXS 17 | | 17' 0" | 69" | **17748** | **10069** | **10204** |
| Ultra | | 17' 0" | 68" | **17693** | **10136** | **10265** |
| V 16 | 96-99 | 16' 0" | 72" | **17456** | **10093** | **10212** |
| V 16 Utility | | 15' 6" | 74" | **17456** | **10093** | **10212** |
| V 17 | 1997 | 16' 10" | 72" | **17459** | **15429** | **15428** |
| **TRITON** | | | | | | |
| 118 SF | 2007 | 18' 0" | 91" | **17583** | **10111** | **17575** |
| 1231 SFB | 2008 | 11' 10" | 48" | **17818** | — | — |
| 1231 SFB | 04-07 | 12' 0" | 47" | **17818** | — | — |
| 1258 SUV | 2004 | 11' 10" | 60" | **17453** | **10086** | **10207** |
| 1268 SUV | 2004 | 12' 1" | 68" | **17453** | **10086** | **10207** |
| 1431 SFB | 04-07 | 14' 0" | 47" | **17040** | — | — |
| 1436 MVJ | 2004 | 14' 0" | 50" | **17044** | — | — |
| 1436 SFB | 04-08 | 14' 0" | 47" | **17040** | — | — |
| 1440 MRV / MVJ | 04-07 | 14' 0" | 62" | **17044** | — | — |
| 1442 SFB | 2004 | 14' 0" | 47" | **17040** | — | — |
| 1446 Crappie | 2004 | 14' 0" | 70" | **17454** | **10087** | **10208** |
| 1448 SBF | 2004 | 14' 2" | 67.5" | **17044** | — | — |
| 1448 SFB | 2008 | 14' 0" | 70" | **17044** | — | — |
| 1448 SFB | 04-07 | 14' 2" | 67.5" | **17044** | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **TRITON-CONTINUED** | | | | | | |
| 1458 SUV / SYUV | 04-08 | 13' 10" | 60" | **17454** | **10087** | **10208** |
| 1468 SUV | 2008 | 14' 1" | 57" | **17040** | — | — |
| 1468 SUV | 2004 | 14' 1" | 68" | **17454** | **10087** | **10208** |
| 1486 CC | 2009 | 25' 8" | 102" | — | — | — |
| 1546 Crappie | 2004 | 15' 0" | 70" | **17457** | **10091** | **10209** |
| 1546 DS | 04-09 | 15' 0" | 70" | **17046** | — | — |
| 1546 MRV / MRJ | 04-07 | 15' 0" | 70" | **17044** | — | — |
| 1550 Crappie | 07-09 | 15' 0" | 73" | **17825** | **10074** | **10223** |
| 1550 SS | 07-09 | 15' 0" | 72" | **17457** | **10091** | **10209** |
| 160 DS SC | 2004 | 16' 2" | 75.75" | **17744** | **10067** | **10195** |
| 163 Sport | 2004 | 16' 0" | 76" | **17762** | **10062** | **10188** |
| 1648 SFB | 2008 | 15' 10" | 70" | **17044** | — | — |
| 1648 SFB | 04-07 | 16' 2" | 67.5" | **17046** | — | — |
| 1650 CC | 2004 | 16' 0" | 74" | — | — | — |
| 1650 DC / DS | 07-09 | 16' 0" | 74" | **17046** | — | — |
| 1650 MV / MVJ | 2004 | 16' 0" | 74" | **17046** | — | — |
| 1650 SC | 04-08 | 16' 0" | 74" | **17744** | **10067** | **10195** |
| 1652 T | 14-15 | 16' 3" | 77" | — | — | — |
| 1653 SS | 04 | 16' 0" | 74" | **17455** | **10092** | **10211** |
| 1657 SS | 07-09 | 16' 0" | 78" | **17456** | **10093** | **10212** |
| 1668 SUV | 04-08 | 16' 1" | 68" | **17046** | — | — |
| 168 DV | 2015 | 16' 8" | 90" | **17719** | **10101** | **10216** |
| 17 CTS | 2015 | 17' 8" | 92" | **17718** | **10106** | **10219** |
| 17 Explorer | 2008 | 17' 6" | 91" | **17776** | **10055** | **10182** |
| 17 Explorer | 09-12 | 17' 6" | 86" | **17718** | **10106** | **10219** |
| 17 Frontier | 2007 | 17' 0" | 81" | **17461** | **10103** | **10214** |
| 17 Frontier T | 2007 | 17' 0" | 81" | **17714** | **10104** | **10215** |
| 17 Pro | 13-14 | 17' 6" | 86" | **17803** | **10075** | **10224** |
| 17 TX | 2015 | 17' 8" | 92" | **17718** | **10106** | **10219** |
| 170 CC | 04-08 | 17' 0" | 78" | **17736** | **10148** | **15402** |
| 170 DS SC | 04-09 | 17' 0" | 78" | **17461** | **10103** | **10214** |
| 170 DS Tiller | 2004 | 17' 0" | 78" | **17048** | — | — |
| 170 Magnum | 2004 | 17' 0" | 78" | **17761** | **10139** | **10203** |
| 170 Premier | 1999 | 16' 10" | 84" | **17774** | **10054** | **10181** |
| 173 Sport | 2004 | 17' 1" | 75" | **17761** | **10139** | **10203** |
| 1753 Crappie | 2004 | 17' 0" | 74" | **17761** | **10139** | **10203** |
| 1756 CC | 04-07 | 17' 0" | 80" | **17736** | **10148** | **15402** |
| 1756 DS | 07-09 | 17' 0" | 80" | **17716** | **10105** | **10218** |
| 1756 MVJ | 2004 | 17' 0" | 80" | **17048** | — | — |
| 1756 SC | 04-09 | 17' 0" | 80" | **17461** | **10103** | **10214** |
| 176 / 176 DC | 2002 | 17' 3" | 87" | **17776** | **10055** | **10182** |
| 176 Magnum | 04-08 | 17' 6" | 85" | **17776** | **10055** | **10182** |
| 176 Sport | 2004 | 17' 2" | 84" | **17761** | **10139** | **10203** |
| 1760 SC | 14-15 | 17' 6" | 86" | **17718** | **10106** | **10249** |
| 177 DC / DCF | 06-08 | 17' 7" | 90" | **17776** | **10055** | **10182** |
| 177 Explorer | 2009 | 17' 7" | 90" | **17776** | **10055** | **10182** |
| 178 DV | 2015 | 17' 8" | 96" | — | — | — |
| 179 TrX | 2015 | 18' 6" | 91" | **17773** | **15411** | **15401** |
| 18 CTX | 2015 | 18' 8" | 92" | **17773** | **15411** | **15401** |
| 18 Explorer | 08-12 | 18' 6" | 91" | **17773** | **15411** | **15401** |
| 18 HP Explorer | 2009 | 18' 6" | 91" | **17773** | **15411** | **15401** |
| 18 Pro | 2013 | 18' 6" | 91" | **17773** | **15411** | **15401** |
| 18 SE | 2012 | 18' 8" | 94" | **17773** | **15411** | **15401** |
| 18 TrX | 2015 | 18' 8" | 94" | **17773** | **15411** | **15401** |
| 18 TX | 2015 | 18' 8" | 92" | **17773** | **15411** | **15401** |
| 18 X2 | 2008 | 18' 6" | 91" | **17773** | **15411** | **15401** |
| 18 X3 DC / SC | 2009 | 18' 0" | 94" | **17773** | **15411** | **15401** |
| 18 XS | 12-14 | 18' 8" | 94" | **17773** | **15411** | **15401** |
| 180 SC / DC | 1999 | 17' 11" | 84" | **17775** | **10056** | **10183** |
| 180 SCF Gold | 04-07 | 18' 0" | 102" | **17790** | **10114** | **10244** |
| 180 SCR Gold | 04-07 | 18' 0" | 102" | **17790** | **10114** | **10244** |
| 180 SCRF Gold | 04-07 | 18' 0" | 102" | **17790** | **10114** | **10244** |
| 185 SF | 2009 | 18' 0" | 91" | **17583** | **10111** | **17575** |
| 186 / 186 DC | 2002 | 18' 6" | 91" | **17773** | **15411** | **15401** |
| 186 Allure | 13-15 | 18' 6" | 100" | — | — | — |
| 186 DC | 04-08 | 18' 6" | 85" | **17773** | **15411** | **15401** |
| 186 Escape | 14-15 | 18' 6" | 100" | — | — | — |
| 186 Fishunter | 13-15 | 18' 6" | 100" | — | — | — |
| 186 SC | 04-08 | 18' 6" | 85" | **17775** | **10056** | **10183** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **TRITON-CONTINUED** | | | | | | |
| 186 Sport | 2004 | 18' 0" | 85" | **17764** | **10063** | **10192** |
| 1860 CC | 04-09 | 18' 0" | 85" | **17780** | **15412** | **15403** |
| 1860 Crappie | 2004 | 18' 0" | 74" | **17764** | **10063** | **10192** |
| 1860 MV | 2004 | 18' 0" | 85" | **17820** | — | — |
| 1860 SC | 04-09 | 18' 0" | 85" | **17750** | **10070** | **10206** |
| 1862 CC | 14-15 | 18' 4" | 90" | — | — | — |
| 1870 Bay Sport | 04-07 | 18' 0" | 98" | **17780** | **15412** | **15403** |
| 189 / 189 DC | 2002 | 18' 9" | 94" | **17583** | **10111** | **17575** |
| 189 TrX | 2015 | 18' 8" | 94" | **17583** | **10111** | **17575** |
| 19 Explorer | 2009 | 19' 6" | 94" | — | — | — |
| 19 Frontier | 2007 | 19' 0" | 81" | **17805** | **10077** | **10226** |
| 19 SE | 2012 | 19' 9" | 95" | **17778** | **10058** | **10185** |
| 19 TrX | 2015 | 19' 9" | 95" | **17778** | **10058** | **10185** |
| 19 X2 | 2008 | 19' 6" | 95" | **17778** | **10058** | **10185** |
| 19 X3 DC / SC | 2009 | 19' 6" | 95" | **17777** | **10057** | **10184** |
| 19 XS | 12-14 | 19' 9" | 95" | **17777** | **10057** | **10184** |
| 190 Excape | 2013 | 19' 0" | 95" | — | — | — |
| 190 LTS | 2009 | 19' 0" | 102" | **17737** | **10150** | **15404** |
| 190 SE | 2012 | 19' 0" | 95" | **17777** | **10057** | **10184** |
| 190 SF | 06-08 | 19' 0" | 95" | **17778** | **10058** | **10185** |
| 191 LTS | 2009 | 19' 0" | 102" | **17737** | **10150** | **15404** |
| 192 Allure | 09-14 | 19' 0" | 99" | **17713** | **10027** | **10161** |
| 195 CC | 2009 | 19' 3" | 102" | — | — | — |
| 1962 CC Bay | 2015 | 18' 4" | 90" | **10326** | | |
| 1962 SC | 2014 | 18' 4" | 90" | **17804** | **10076** | **10225** |
| 197 DC | 04-07 | 19' 4" | 90.5" | **17777** | **10057** | **10184** |
| 197 SC | 04-07 | 19' 4" | 90.5" | **17777** | **10057** | **10184** |
| 20 HP DC / SC | 2009 | 20' 2" | 94" | **17778** | **10058** | **10185** |
| 20 HP Pro DC / SC | 2009 | 20' 2" | 94" | **17778** | **10058** | **10185** |
| 20 SE | 2012 | 20' 9" | 95" | **17778** | **10058** | **10185** |
| 20 TrX | 2015 | 20' 5" | 95" | — | — | — |
| 20 X2 DC | 07-08 | 20' 0" | 95" | **17778** | **10058** | **10185** |
| 20 X2 SC | 07-08 | 20' 0" | 95" | **17778** | **10058** | **10185** |
| 20 X3 DC / SC | 2009 | 20' 9" | 95" | **17778** | **10058** | **10185** |
| 20 X3 Pro DC | 2009 | 20' 9" | 95" | **17778** | **10058** | **10185** |
| 20 X3 Pro SC | 2009 | 20' 9" | 95" | **17778** | **10058** | **10185** |
| 20 XS | 12-14 | 20' 9" | 95" | **17778** | **10058** | **10185** |
| 200 F Gold | 04-07 | 20' 0" | 102" | **17790** | **10114** | **10244** |
| 200 FS Gold | 04-07 | 20' 0" | 102" | **17790** | **10114** | **10244** |
| 200 LTX Pro | 2013 | 22' 0" | 102" | **17790** | **10114** | **10244** |
| 200 Spirit | 04-07 | 20' 3" | 98" | **17790** | **10114** | **10244** |
| 200 Spirit F | 04-07 | 20' 3" | 98" | **17790** | **10114** | **10244** |
| 200 XP | 2002 | 19' 8" | 96" | **17777** | **10057** | **10184** |
| 2006 SF 21 | 2006 | 21' 0" | 94" | **17025** | **10059** | **10197** |
| 201 Spirit I/O | 2007 | 20' 0" | 98" | **17879** | **10320** | **17888** |
| 201 Spirit F I/O | 2007 | 20' 0" | 98" | **17879** | **10320** | **17888** |
| 202 SF | 2009 | 21' 0" | 94" | **17031** | **10292** | **17579** |
| 202 T | 07-08 | 20' 2" | 93" | **17778** | **10058** | **10185** |
| 202 X DC / DCF | 06-08 | 20' 2" | 93" | **17778** | **10058** | **10185** |
| 202 X Walleye | 2009 | 20' 2" | 93" | **17020** | **10028** | **10162** |
| 2070 CC | 04-09 | 20' 0" | 96" | **17738** | **10151** | **15405** |
| 2070 MV | 2004 | 20' 0" | 96" | **17822** | — | — |
| 2070 SC | 07-09 | 20' 0" | 96" | **17806** | **10078** | **10227** |
| 21 Frontier | 2007 | 21' 0" | 90" | **17817** | **10095** | **10238** |
| 21 HP | 2014 | 21' 0" | 93" | **17817** | **10095** | **10238** |
| 21 HP | 2012 | 21' 0" | 95" | **17025** | **10059** | **10197** |
| 21 HP DC / SC | 2009 | 21' 0" | 94" | **17025** | **10059** | **10197** |
| 21 HP Pro DC / SC | 2009 | 21' 0" | 94" | **17025** | **10059** | **10197** |
| 21 TrX | 14-15 | 21' 0" | 95" | **17817** | **10095** | **10238** |
| 21 X2 DC | 07-08 | 21' 6" | 95" | **17025** | **10059** | **10197** |
| 21 X2 SC | 07-08 | 21' 6" | 94" | **17025** | **10059** | **10197** |
| 21 X3 DC / SC | 2009 | 21' 7" | 95" | **17025** | **10059** | **10197** |
| 21 X3 Pro DC | 2009 | 21' 7" | 95" | **17025** | **10059** | **10197** |
| 21 X3 Pro SC | 2009 | 21' 7" | 95" | **17025** | **10059** | **10197** |
| 21 XS | 20-14 | 21' 7" | 95" | **17025** | **10059** | **10197** |
| 210 Escape | 13-15 | 21' 4" | 95" | — | — | — |
| 210 X2 DC / SC | 2007 | 21' 6" | 95" | **17025** | **10059** | **10197** |
| 211 SF | 06-08 | 21' 0" | 94" | **17025** | **10059** | **10197** |
| 215 X DC / DCF | 06-08 | 21' 5" | 94" | **17025** | **10059** | **10197** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **TRITON-CONTINUED** | | | | | | |
| 215 X Walleye | 2009 | 21' 5" | 94" | 17800 | 10071 | 10205 |
| 216 Fishunter | 13-15 | 21' 7" | 101" | — | — | — |
| 22 LTS | 2009 | 22' 0" | 102" | 17741 | 10153 | 15407 |
| 22 TrX | 2015 | 21' 7" | 95" | 17025 | 10059 | 10197 |
| 220 Escape | 12-15 | 21' 6" | 94" | 17031 | 10292 | 17579 |
| 220 F Gold | 04-07 | 20' 0" | 102" | 17790 | 10114 | 10244 |
| 220 FS Gold | 04-07 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 220 Gold | 04-07 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 220 LTS | 09-12 | 22' 0" | 102" | 17741 | 10153 | 15407 |
| 220 LTS Pro | 14-15 | 22' 0" | 102" | — | — | — |
| 220 Platinum | 04-07 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 220 T Platinum | 04-07 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| 225 CC | 2009 | 22' 8" | 102" | 17741 | 10153 | 15407 |
| 225 DC | 2009 | 22' 8" | 102" | — | — | — |
| 225 WA | 2009 | 22' 8" | 102" | — | — | — |
| 24 LTS | 2009 | 24' 0" | 102" | 17783 | 10155 | 15409 |
| 24 LTS Pro | 2015 | 24' 0" | 102" | 17783 | 10155 | 15409 |
| 240 FS Gold | 2004 | 24' 0" | 102" | 17791 | 10116 | 10245 |
| 240 Gold | 2004 | 24' 0" | 102" | 17791 | 10116 | 10245 |
| 240 LTS | 09-12 | 24' 0" | 102" | 17783 | 10155 | 15409 |
| 240 LTS Pro | 13-14 | 24' 0" | 102" | — | — | — |
| 248 Silver | 2007 | 24' 0" | 102" | 17791 | 10116 | 10245 |
| 2486 WA | 2009 | 25' 8" | 102" | — | — | — |
| 250 Platinum | 04-07 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 250 T Platinum | 04-07 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 2690 CC | 2009 | 27' 4" | 108" | — | — | — |
| 2690 WA | 2009 | 27' 4" | 108" | — | — | — |
| 280 T Platinum | 2009 | 28' 0" | 102" | 17792 | 10117 | 10247 |
| 281 CC | 2009 | 27' 9" | 116" | — | — | — |
| Ambush 16 | 2009 | 16' 0" | 75" | 17744 | 10067 | 10195 |
| DV 150 | 2004 | 14' 9" | 75" | 17750 | 10070 | 10206 |
| DV 150 T | 04-08 | 14' 9" | 75" | 17457 | 10091 | 10209 |
| DV 16 Walleye | 08-09 | 16' 3" | 87" | 17459 | 15429 | 15428 |
| DV 168 Magnum | 2004 | 16' 10" | 74.5" | 17762 | 10062 | 10188 |
| DV 17 Liberty | 07-09 | 17' 1" | 89" | 17716 | 10105 | 10218 |
| DV 17 Magnum | 07-09 | 17' 6" | 95" | 17716 | 10105 | 10218 |
| DV 176 DC Sport | 04-07 | 17' 7" | 96" | 17712 | 10026 | 10160 |
| DV 176 DFC / DC | 04-07 | 17' 7" | 96" | 17712 | 10026 | 10160 |
| DV 176 Liberty | 2007 | 17' 7" | 96" | 17716 | 10105 | 10218 |
| DV 176 SC | 04-07 | 17' 7" | 96" | 17712 | 10026 | 10160 |
| DV 176 Sport SC | 04-07 | 17' 7" | 96" | 17712 | 10026 | 10160 |
| DV 176 T Sport | 04-07 | 17' 7" | 96" | 17712 | 10026 | 10160 |
| DV 18 Magnum | 2009 | 18' 6" | 95" | 17815 | 10090 | 10236 |
| DV 186 | 04-07 | 18' 7" | 96" | 17713 | 10027 | 10161 |
| DV 186 Freedom | 2007 | 18' 0" | 96" | 17815 | 10090 | 10236 |
| DV 186 Liberty | 2007 | 18' '7" | 96" | 17815 | 10090 | 10236 |
| DV 186 SC | 04-07 | 18' 7" | 96" | 17713 | 10027 | 10161 |
| DV 206 DC/DCF | 04-07 | 20' 6" | 96" | 17020 | 10028 | 10162 |
| DV 206 SC | 04-07 | 20' 6" | 96" | 17020 | 10028 | 10162 |
| Elante 210 | 2002 | 21' 0" | 102" | 17880 | 10321 | 17889 |
| Elante 250 | 2002 | 25' 0" | 102" | 17884 | 10325 | 17893 |
| SF-18 | 99-02 | 17' 11" | 87" | 17583 | 10111 | 17575 |
| SF-188 | 06-08 | 18' 0" | 91" | 17773 | 15411 | 15401 |
| SF-19 | 99-02 | 19' 6" | 95" | 17584 | 10112 | 17576 |
| SF-21 | 98-02 | 21' 0" | 94" | 17030 | 10113 | 17577 |
| Spirit 200 Deckboat | 2004 | 20' 3" | 98" | 17790 | 10114 | 10244 |
| TA-196 DC / SC | 06-08 | 19' 6" | 93" | 17777 | 10057 | 10184 |
| TC 17 | 07-09 | 17' 0" | 85" | 17746 | 10068 | 10202 |
| TR-17 | 97-02 | 16' 10" | 86" | 17774 | 10054 | 10181 |
| TR-176 DC / SC | 06-07 | 17' 6" | 92" | 17776 | 10055 | 10182 |
| TR-176 DC / SC | 07-08 | 17' 6" | 86" | 17776 | 10055 | 10182 |
| TR-18 | 97-99 | 17' 11" | 91" | 17775 | 10056 | 10183 |
| TR-186 DC / SC | 06-08 | 18' 6" | 91" | 17773 | 15411 | 15401 |
| TR-19 / ADC | 2002 | 19' 6" | 93" | 17777 | 10057 | 10184 |
| TR-19 / PD | 97-99 | 18' 11" | 91" | 17773 | 15411 | 15401 |
| TR-196 DC / SC | 06-08 | 19' 6" | 94" | 17778 | 10058 | 10185 |
| TR-20 / PD | 97-99 | 19' 7" | 91" | 17777 | 10057 | 10184 |
| TR-20 / PDC | 2002 | 20' 0" | 93" | 17778 | 10058 | 10185 |
| TR-200 | 2008 | 20' 6" | 94" | 17778 | 10058 | 10185 |
| TR-20X HP DC / SC | 06-08 | 20' 2" | 94" | 17778 | 10058 | 10185 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **TRITON-CONTINUED** | | | | | | |
| TR-21 / PD | 97-99 | 20' 6" | 94" | 17778 | 10058 | 10185 |
| TR-21 / PDC / TX 21 | 2002 | 21' 0" | 94" | 17025 | 10059 | 10197 |
| TR-210 | 2008 | 21' 6" | 94" | 17025 | 10059 | 10197 |
| TR-21X HP DC / SC | 06-08 | 21' 0" | 94" | 17778 | 10058 | 10185 |
| TS 17 | 2007 | 17' 0" | 85" | 17803 | 10075 | 10224 |
| TS 17 | 08-09 | 17' 2" | 85" | 17803 | 10075 | 10224 |
| TS 18 | 2007 | 18' 0" | 85" | 17750 | 10070 | 10206 |
| TS 18 | 08-09 | 18' 2" | 85" | 17750 | 10070 | 10206 |
| VT 16 | 07-09 | 16' 0" | 85" | 17746 | 10068 | 10202 |
| VT 17 | 07-08 | 17' 0" | 85" | 17805 | 10077 | 10226 |
| VT 17 | 2009 | 17' 10" | 91" | 17804 | 10076 | 10225 |
| VT 19 | 07-08 | 19' 0" | 90" | 17805 | 10077 | 10226 |
| VT19 | 2009 | 19' 0" | 91" | 17805 | 10077 | 10226 |
| X 17 | 2014 | 17' 8" | 92" | 17766 | 10055 | 10182 |
| X 17 C | 2014 | 17' 8" | 92" | — | — | — |
| X 18 | 2014 | 18' 8" | 92" | 17773 | 15411 | 15401 |
| X 18 C | 2014 | 18' 8" | 92" | — | — | — |
| **TRIUMPH** | | | | | | |
| 170 Sportsman TL | 14-15 | 16' 10" | 77" | 17455 | 1092 | 10211 |
| 170 Sportsman SC | 14-15 | 16' 10" | 77" | 17455 | 1092 | 10211 |
| 186 Sportsman TL | 14-15 | 18' 6" | 98" | 17716 | 10105 | 10218 |
| 186 Sportsman SC | 14-15 | 18' 6" | 98" | 17716 | 10105 | 10218 |
| 186 Sportsman DC | 14-15 | 18' 6" | 98" | 17716 | 10105 | 10218 |
| 186 Sportsman FS | 14-15 | 18' 6" | 98" | 17716 | 10105 | 10218 |
| 1700 Skiff Tiller | 14-15 | 17' 8" | 96" | 17810 | 10082 | 10231 |
| 1700 Skiff CC | 14-15 | 17' 8" | 96" | 17810 | 10082 | 10231 |
| 170 CC | 14-15 | 16' 10" | 77" | 17455 | 10092 | 10211 |
| 170 DC | 14-15 | 16' 10" | 77" | 17455 | 10092 | 10211 |
| 190 Bay | 14-15 | 18' 6" | 97" | 17716 | 10105 | 10218 |
| 195 CC | 14-15 | 20' 6" | 98" | — | — | — |
| **TROLLER** | | | | | | |
| 1600 | | 15' 6" | 76" | 17770 | 10052 | 10179 |
| **TROPHY** | | | | | | |
| 1903 | 2002 | 19' 0 | 98" | 17737 | 10150 | 15404 |
| **TUFFY** | | | | | | |
| 150 Rampage / Resort | | 15' 1" | 68" | 17457 | 10091 | 10209 |
| 160 / Rampage | | 16' 5" | 74" | 17460 | 10102 | 10213 |
| 160 XT / Sportsman | | 16' 5" | 74" | 17460 | 10102 | 10213 |
| 1700 C ESOX / E Osprey | 2015 | 16' 10" | 83" | 17710 | 10023 | 10158 |
| 1700 T ESOX / T Osprey | 2015 | 16' 10" | 83" | 17710 | 10023 | 10158 |
| 1760 C ESOX / C Osprey | 2015 | 17' 6" | 84" | 17711 | 10025 | 10159 |
| 1760 DS ESOX / DW ESOX / DS Osprey / DW Osprey | 2015 | 17' 6" | 84" | 17711 | 10025 | 10159 |
| 1760 T ESOX / T Osprey | 2015 | 17' 6" | 84" | 17711 | 10025 | 10159 |
| 180 XT / Sportsman / Rampage | | 18' 1" | 75" | 17764 | 10063 | 10192 |
| 1890 C Osprey / C ESOX | 2015 | 18' 11" | 96" | 17764 | 10063 | 10192 |
| 1890 DS Osprey / DW Osprey / DS ESOX / DW ESOX | 2015 | 18' 11" | 96" | 17764 | 10063 | 10192 |
| 1890 T Osprey | 2015 | 18' 11" | 96" | 17764 | 10063 | 10192 |
| 2060 C ESOX / C Osprey | 2015 | 20' 6" | 90" | 17020 | 10028 | 10162 |
| 2060 DS ESOX / DW ESOX / DS Osprey / SW Osprey | 2015 | 20 ' 6" | 90" | 17020 | 10028 | 10162 |
| 2060 T ESOX / T Osprey | 2015 | 20' 6" | 90" | 17020 | 10028 | 10162 |
| 2100 C ESOX | 2015 | 21' 0" | 98" | 17800 | 100701 | 10205 |
| 2100 C Osprey | 2015 | 20' 6" | 90" | 17020 | 10028 | 10162 |
| 2100 DS ESOX / DW ESOX | 2015 | 21' 0" | 98" | 17800 | 100701 | 10205 |
| 2100 DS Osprey / DW Osprey | 2015 | 20' 6" | 90" | 17020 | 10028 | 10162 |
| Bass-N-Marauder | | 16' 9" | 70" | 17748 | 10069 | 10204 |
| ESOX Magnum ESOX C | 2015 | 16' 9" | 80" | 17774 | 10054 | 10181 |
| ESOX Magnum ESOX T | 2015 | 16' 9" | 80" | 17774 | 10054 | 10181 |
| ESOX T ESOX | 2015 | 14' 10" | 60" | — | — | — |
| Marauder / Sportsman | | 16' 9" | 70" | 17748 | 10069 | 10204 |
| X 170 T ESOX | 2015 | 17' 0" | 72" | 0215 | — | — |
| X 190 C Osprey / C ESOX | 2015 | 19' 4" | 90" | 17777 | 10057 | 10184 |
| X 190 DS Osprey / DS ESOX | 2015 | 19' 4" | 90" | 17777 | 10057 | 10184 |
| X 190 T Osprey / T ESOX | 2015 | 19' 4" | 90" | 17777 | 10057 | 10184 |
| **VENTURE** | | | | | | |
| 1450 Magnum | | 14' 5" | 67" | 17550 | — | — |
| 1450 Mini Vee | | 14' 5" | 67" | 17550 | — | — |
| 1550 Magnum | | 15' 6" | 72" | 17770 | 10052 | 10179 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **VENTURE-CONTINUED** | | | | | | |
| 1550 Pacer II | | 15' 6" | 72" | 17770 | 10052 | 10179 |
| 1650 Magnum II | | 16' 6" | 73" | 17762 | 10062 | 10188 |
| 1650 Pacer II | | 16' 6" | 73" | 17762 | 10062 | 10188 |
| 17 Tournament | | 17' 3" | 83" | 17776 | 10055 | 10182 |
| 178 Fish/Ski | | 18' 2" | 88" | 17583 | 10111 | 17575 |
| 180 Pro Tourn / 18V | | 18' 2" | 88" | 17775 | 10056 | 10183 |
| Colt | | 15' 6" | 73" | 17552 | — | — |
| Crappie Cruiser | | 15' 6" | 73" | 17552 | — | — |
| Dominator | | 18' 2" | 88" | 17775 | 10056 | 10183 |
| Escapade | | 17' 3" | 80" | 17776 | 10055 | 10182 |
| Escapade Elite | | 17' 3" | 80" | 17711 | 10025 | 10159 |
| Kricket | | 15' 6" | 73" | 17770 | 10052 | 10179 |
| Maverick / Mustang | | 15' 8" | 74" | 17770 | 10052 | 10179 |
| Phase V | | 18' 2" | 91" | 17775 | 10056 | 10183 |
| Regatta | | 17' 6" | 82" | 17776 | 10055 | 10182 |
| Sport About | | 15' 8" | 74" | 17770 | 10052 | 10179 |
| Sprint/Pacer | | 15' 8" | 74" | 17770 | 10052 | 10179 |
| Stallion | | 16' 2" | 76" | 17762 | 10062 | 10188 |
| Vendetta | | 17' 3" | 80" | 17776 | 10055 | 10182 |
| XVII Magnum Twin | | 17' 1" | 86" | 17776 | 10055 | 10182 |
| **VIP** | | | | | | |
| 1520 Competitor | | 15' 2" | 65" | 17732 | 10041 | — |
| 162 Fish & Ski | | 16' 2" | 74" | 17710 | 10023 | 10158 |
| 165 Convertible | 1997 | 16' 9" | 83" | 17580 | 10109 | 17573 |
| 165 Fish & Ski | | 16' 9" | 83" | 17580 | 10109 | 17573 |
| 171 Bassliner | | 17' 0" | 80" | 17761 | 10139 | 10203 |
| 171 FFB | | 17' 0" | 80" | 17774 | 10054 | 10181 |
| 1750 Competitor | | 16' 8" | 82" | 17459 | 15429 | 15428 |
| 179 Fish & Ski | | 17' 7" | 84" | 17582 | 10110 | 17574 |
| 180 Center Console | 1997 | 17' 6" | 89" | 17736 | 10148 | 15402 |
| 180 Convertible | | 18' 0" | 89" | 17583 | 10111 | 17575 |
| 180 Fish & Ski | | 18' 0" | 89" | 17583 | 10111 | 17575 |
| 183 Fish & Ski | | 18' 3" | 85" | 17583 | 10111 | 17575 |
| 185 O/B | | 18' 3" | 85" | 17712 | 10026 | 10160 |
| 1886 SBRC / XBRC | 1997 | 18' 0" | 86" | 17684 | 10142 | 10274 |
| 1886 SBRH / Combo | 1997 | 18' 0" | 86" | 17684 | 10142 | 10274 |
| 190 Convertible | 1997 | 19' 1" | 89" | 17584 | 10112 | 17576 |
| 190 / 192 Fish & Ski | | 19' 2" | 90" | 17584 | 10112 | 17576 |
| 1950 Competitor | | 18' 8" | 90" | 17725 | 10033 | 10165 |
| 1950 Versailles Cuddy | | 19' 10" | 89" | 17587 | 10129 | 10257 |
| 1996 SBRC / SBRH | 1997 | 19' 0" | 96" | 17685 | 10143 | 10275 |
| 204 Deckliner | | 20' 6" | 100" | 17014 | — | — |
| 2096 SBRC / SBR / SBRH | 1997 | 20' 0" | 96" | 17686 | 10144 | 10276 |
| 210 Center Console | | 20' 6" | 96" | 17739 | 10152 | 15406 |
| 2102 SBRC / SBRH | 1997 | 21' 0" | 102" | 17687 | 10145 | 10277 |
| 215 Deckliner | 96-97 | 21' 2" | 102" | 17016 | — | — |
| 223 Deckliner | 1997 | 22' 3" | 102" | 17018 | — | — |
| Bassliner 171 | | 17' 0" | 80" | 17776 | 10055 | 10182 |
| CCF 180 | | 17' 6" | 89" | 17780 | 15412 | 15403 |
| CCF 210 | | 20' 6" | 96" | 17739 | 10152 | 15406 |
| Fish-N-Ski Competitor O/B | | 16' 2" | 74" | 17580 | 10109 | 17573 |
| Hoss | | 15' 6" | 72" | 17770 | 10052 | 10179 |
| HPV 162 F & S | | 16' 2" | 74" | 17580 | 10109 | 17573 |
| HPV 162 T | | 16' 2" | 74" | 17762 | 10062 | 10188 |
| HPV 178 F & S | | 17' 7" | 84" | 17582 | 10110 | 17574 |
| HPV 178 T | | 17' 7" | 84" | 17775 | 10056 | 10183 |
| HPV 190 FS | | 19' 2" | 90" | 17584 | 10112 | 17576 |
| HPV 190 T | | 19' 2" | 90" | 17777 | 10057 | 10184 |
| HS 125 | | 16' 5" | 78" | 17774 | 10054 | 10181 |
| HS 150 | | 17' 6" | 83" | 17776 | 10055 | 10182 |
| HS 50 | | 15' 3" | 75" | 17760 | 10061 | 10187 |
| HS 90 | | 15' 3" | 75" | 17760 | 10061 | 10187 |
| Kona 20 I/O | | 20' 3" | 94" | 17726 | 10034 | 10166 |
| Luxura SK 18 | | 17' 7" | 84" | 17712 | 10026 | 10160 |
| Luxura V-162 O/B | | 16' 2" | 74" | 17710 | 10023 | 10158 |
| Luxura V-169 I/O | | 16' 9" | 82" | 17723 | 10030 | 10163 |
| Luxura V-169 O/B | | 16' 7" | 82" | 17711 | 10025 | 10159 |
| Luxura V-172 I/O | | 17' 4" | 92" | 17724 | 10032 | 10164 |
| Luxura V-172 O/B | | 17' 4" | 92" | 17712 | 10026 | 10160 |
| Luxura V-192 | | 18' 7" | 92" | 17725 | 10033 | 10165 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **VIP-CONTINUED** | | | | | | |
| Pony/Colt | | 14' 10" | 65" | 17742 | 10066 | 10194 |
| SK 16 | | 16' 2" | 74" | 17710 | 10023 | 10158 |
| SK 18 Velocity | | 17' 7" | 84" | 17712 | 10026 | 10160 |
| Valiant 1850 O/B | | 18' 7" | 86" | 17713 | 10027 | 10161 |
| Valiant 1850 SS / LX | | 18' 7" | 86" | 17725 | 10033 | 10165 |
| Valiant 1996 / SBR / XBR | | 19' 0" | 96" | 17685 | 10143 | 10275 |
| Valiant V-2000 | | 19' 10" | 91" | 17726 | 10034 | 10166 |
| Vantage 1850 Cuddy Cabin | | 18' 7" | 86" | 17586 | 10128 | 10256 |
| Velocity SK-18 O/B | | 17' 7" | 84" | 17712 | 10026 | 10160 |
| Victory 1950 SS O/B | | 18' 8" | 88" | 17713 | 10027 | 10161 |
| Victory 1950 SS / LXI | | 18' 8" | 88" | 17725 | 10033 | 10165 |
| Victory 1960 I/O,2030 | | 19' 10" | 88" | 17726 | 10034 | 10166 |
| Victory 2102 / SBR | | 21' 0" | 102" | 17687 | 10145 | 10277 |
| Victory 2130 | | 20' 8" | 92" | 17687 | 10145 | 10277 |
| Vincente Cuddy 2350 | | 23' 2" | 96" | 17590 | 10132 | 10261 |
| Vindicator 1900 | 1997 | 19' 0" | 96" | 17685 | 10143 | 10275 |
| Vindicator 1900 | | 18' 8" | 87" | 17685 | 10143 | 10275 |
| Vindicator 2000 / 2150 / 2100 | | 20' 8" | 92" | 17727 | 10035 | 10167 |
| Vindicator 2100 | 1997 | 21' 0" | 102" | 17687 | 10145 | 10277 |
| Vindicator 2250 | | 21' 0" | 96" | 17588 | 10130 | 10258 |
| Vindicator 2300 | | 23' 2" | 96" | 17689 | 10147 | 10279 |
| Viscount 2101 | | 21' 0" | 102" | 17687 | 10145 | 10277 |
| Viscount 2102 SCC | 96-97 | 21' 0" | 102" | 17588 | 10130 | 10258 |
| Viscount SS LX 1950 Cuddy | | 18' 8" | 88" | 17586 | 10128 | 10256 |
| Vision 1700 | | 17' 4" | 85" | 17723 | 10030 | 10163 |
| Vision 1750 I/O | | 16' 9" | 82" | 17723 | 10030 | 10163 |
| Vision 1750 O/B | | 16' 9" | 82" | 17711 | 10025 | 10159 |
| Vision 1760 I/O | | 17' 4" | 85" | 17683 | 10141 | — |
| Vision 1930/SS/LX | | 18' 10" | 85" | 17685 | 10143 | 10275 |
| Vixen 2000 / C / 2130 | | 20' 8" | 92" | 17727 | 10035 | 10167 |
| Vixen SS V 192 | | 18' 7" | 89" | 17725 | 10033 | 10165 |
| Volante 2250 | | 21' 0" | 96" | 17727 | 10035 | 10167 |
| Volante 2330 | | 23' 2" | 96" | 17689 | 10147 | 10279 |
| VP 125 | | 16' 5" | 78" | 17762 | 10062 | 10188 |
| VP 150 | | 17' 8" | 82" | 17776 | 10055 | 10182 |
| VP 190 T | | 19' 2" | 90" | 17777 | 10057 | 10184 |
| VP 85 | | 15' 3" | 75" | 17760 | 10061 | 10187 |
| **VIPER** | | | | | | |
| 171 D/S | | 17' 10" | 88" | 17775 | 10056 | 10183 |
| 188 D | | 18' 8" | 93" | 17777 | 10057 | 10184 |
| 188 S | 96-97 | 18' 8" | 93" | 17777 | 10057 | 10184 |
| Cobra 175 | 1999 | 17' 10" | 88" | 17775 | 10056 | 10183 |
| Cobra 180 | 1999 | 17' 10" | 88" | 17775 | 10056 | 10183 |
| Cobra 190 | 1999 | 18' 8" | 93" | 17773 | 15411 | 15401 |
| Cobra 191 FS | 1999 | 18' 8" | 93" | 17584 | 10112 | 17576 |
| Cobra 201 D | 96-99 | 20' 1" | 93" | 17778 | 10058 | 10185 |
| Cobra 202 FS | 1999 | 20' 1" | 93" | 17030 | 10113 | 17577 |
| Coral | 1997 | 20' 1" | 93" | 17030 | 10113 | 17577 |
| **VOYAGER** | | | | | | |
| 1447 | | 14' 0" | 47" | 17040 | — | — |
| 1456 | | 14' 0" | 56" | 17040 | — | — |
| 1470 | | 14' 0" | 70" | 17044 | — | — |
| 1570 / BSC | | 15' 5" | 69" | 17744 | 10067 | 10195 |
| 1670 / Open | | 16' 0" | 70" | 17046 | — | — |
| 1885 / Open | | 18' 0" | 85" | 17048 | — | — |
| D 18 | 2015 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| D 20 / CR | 2015 | 20' 0" | 96" | — | 10289 | 10330 |
| V 18 / CR | 98-00 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| V 20 / CR | 98-00 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| V 20 / VS 20 C / 20 SPT | | 18' 0" | 96" | 17790 | 10114 | 10244 |
| V 24 / CR | 98-00 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| V 24 / VS 24 C / 24 CR | | 22' 0" | 96" | 17791 | 10116 | 10245 |
| V 240 | | 24' 0" | 96" | 17791 | 10116 | 10245 |
| V Lake 20 | | 20' 0" | 96" | 17790 | 10114 | 10244 |
| V Lake Super 20 | | 20' 0" | 96" | 17790 | 10114 | 10244 |
| V Lake Super 24 | | 24' 0" | 96" | 17791 | 10116 | 10245 |
| VEXP 19SKI-RE | 2005 | 19' 0" | 96" | 17790 | 10114 | 10244 |
| VEXP 21 / F / FC / FS | 98-02 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| VEXP 22 / CR / CR TC | 2015 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| VEXP 22 / CR / F / FC / FS | 02-15 | 22' 0" | 96" | 17791 | 10116 | 10245 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **VOYAGER-CONTINUED** | | | | | | |
| VEXP 22 C / CC / CCF / CR | 05-15 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| VEXP 22 CC | 2005 | 21' 0" | 102" | 17791 | 10116 | 10245 |
| VEXP 25 / C / CC / CF / CR / FC / FS | 05-15 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| VEXP 25 / CC / CR / F / FC / FS | 98-02 | 25' 0" | 96" | 17792 | 10117 | 10247 |
| VEXP 25 Ultra | 2005 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| VF 10 SPT-DX | 2005 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| VF 14 | 2015 | 14' 0" | 72" | — | 10120 | 10250 |
| VF 16 | 2015 | 16' 0" | 96" | — | 10288 | 10329 |
| VF 16 SPT-CR | 2015 | 16' 0 " | 96" | — | 10288 | 10329 |
| VF 18 / SPT-CR | 96-15 | 18' 0" | 96" | 17790 | 10114 | 10244 |
| VF 20 SPT / SPT-CR / SPT-DX | 98-15 | 20' 0" | 96" | 17790 | 10114 | 10244 |
| VF 22 SPT-CR / SPT-DX | 05-15 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| VF 24 SPT | 2002 | 24' 0" | 96" | 17791 | 10116 | 10245 |
| VS 21 C / FC / FF / FS | 98-02 | 21' 0" | 96" | 17791 | 10116 | 10245 |
| VS 22 C / CC / CR / F / FC / FS | 02-15 | 22' 0" | 102" | 17791 | 10116 | 10245 |
| VS 22 CC | 2005 | 21' 0" | 102" | 17791 | 10116 | 10245 |
| VS 22 CR / F / FC / CC | 2005 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| VS 22 SPT-CC | 2005 | 22' 0" | 96" | 17791 | 10116 | 10245 |
| VS 25 C / CR | 2005 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| VS 25 CC | 2005 | 24' 0" | 102" | 17791 | 10116 | 10245 |
| VS 25 CR / F / FC / FF / C / FS / CC | 98-02 | 25' 0" | 96" | 17792 | 10117 | 10247 |
| VS 25 FC / CC | 2005 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| VX 180 | | 18' 0" | 96" | 17790 | 10114 | 10244 |
| VX 200 | | 20' 0" | 96" | 17790 | 10114 | 10244 |
| VX 2400 | | 24' 0" | 96" | 17791 | 10116 | 10245 |
| VX 2800 | | 28' 0" | 96" | 17792 | 10117 | 10247 |
| VX Splash | | 22' 0" | 96" | 17791 | 10116 | 10245 |
| **WACO** | | | | | | |
| 1836-14 | 2000 | 14' 0" | 54" | 17040 | — | — |
| B 16 DS / BMU 16 | 96-00 | 16' 0" | 67" | 17744 | 10067 | 10195 |
| B14 | 2000 | 14' 6" | 54" | 17040 | — | — |
| BMV 15 / CMV | | 15' 5" | 63" | 17742 | 10066 | 10194 |
| B-MV16 | | 16' 0" | 67" | 17744 | 10067 | 10195 |
| C-16 DS | | 16' 0" | 70" | 17744 | 10067 | 10195 |
| Walleye 18 | | 18' 0" | 84" | 17775 | 10056 | 10183 |
| **WAHOO** | | | | | | |
| 16.2 LTD | | 16' 2" | 74" | 17552 | — | — |
| 16.2 Striper | | 16' 2" | 74" | 17736 | 10148 | 15402 |
| 16.2 Twin Console | | 16' 2" | 74" | 17552 | — | — |
| 1700 Wahoo | | 17' 0" | 84" | 17736 | 10148 | 15402 |
| 1750 Offshore CC | | 17' 0" | 80" | 17736 | 10148 | 15402 |
| 18.5 Offshore / 1850 CC | | 18' 5" | 86" | 17780 | 15412 | 15403 |
| 1860 EFS | | 18' 6" | 96" | 17737 | 10150 | 15404 |
| 1900 EFS | | 18' 6" | 96" | 17737 | 10150 | 15404 |
| 2050 EFS | | 20' 1" | 96" | 17739 | 10152 | 15406 |
| 2100 EFS | | 20' 1" | 98" | 17738 | 10151 | 15405 |
| 2100 Offshore / 2150 CC | | 21' 0" | 92" | 17739 | 10152 | 15406 |
| **WARRIOR** | | | | | | |
| V 177 BT Eagle XST | 2005 | 17' 4" | 83" | 17716 | 10105 | 10218 |
| V 177 BT Hawk XST | 2005 | 17' 4" | 83" | 17716 | 10105 | 10218 |
| V 177 SC Falcon | 2005 | 17' 4" | 83" | 17461 | 10103 | 10214 |
| V 1800 DC | 2002 | 18' 3" | 90" | 17694 | 10137 | 10267 |
| V 1800 DC Eagle / SC Eagle | 2005 | 18' 3" | 90" | 17712 | 10026 | 10160 |
| V 1890 Backtroller | 2015 | 18' 3" | 90" | 17712 | 10026 | 10160 |
| V 1890 SC Maverick | 2005 | 18' 3" | 90" | 17775 | 10056 | 10183 |
| V 1898 DC | 05-15 | 18' 6" | 96" | 17695 | 10138 | 10269 |
| V 1898 DC Eagle / SC Eagle | 2005 | 18' 6" | 96" | 17712 | 10026 | 10160 |
| V 1898 SC Eagle Maverick | 2005 | 18' 6" | 96" | 17773 | 15411 | 15401 |
| V 193 DC | 02-15 | 19' 3" | 97" | 17695 | 10138 | 10269 |
| V 193 DC Eagle | 2005 | 19' 3" | 97" | 17713 | 10027 | 10161 |
| V 203 DC | 2015 | 20' 3" | 97" | 17778 | 10058 | 10185 |
| V 2090 Backtroller | 2015 | 25' 5" | 90" | 17778 | 10058 | 10185 |
| V 2090 BT Eagle XST | 2005 | 20' 5" | 90" | 17778 | 10058 | 10185 |
| V 2090 BT Eagle XST Tournament | 2005 | 20' 5" | 90" | 17778 | 10058 | 10185 |
| V 2090 DC Eagle | 2005 | 20' 5" | 90" | 17020 | 10028 | 10162 |
| V 2090 SC Eagle Maverick | 2005 | 20' 5" | 90" | 17778 | 10058 | 10185 |
| V 21 / 21 DC | 2015 | 20' 8" | 96" | 17778 | 10058 | 10185 |
| V 2121 DC Eagle Bluewater | 2005 | 20' 8" | 96" | 17020 | 10028 | 10162 |
| V 2121 DC Eagle Freshwater | 2005 | 20' 8" | 96" | 17020 | 10028 | 10162 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **WEBBCRAFT** | | | | | | |
| 2020 Cobra II | | 21' 4" | 92" | 17687 | 10145 | 10277 |
| 2150 Cobra Cuddy | | 21' 5" | 92" | 17588 | 10130 | 10258 |
| Aries 19 Cuddy | | 18' 8" | 90" | 17586 | 10128 | 10256 |
| Cobra 1950 | | 19' 6" | 90" | 17726 | 10034 | 10166 |
| Commander | | 21' 2" | 96" | 17727 | 10035 | 10167 |
| Dynasty 1650 | | 16' 3" | 84" | 17722 | 10029 | — |
| Dynasty 1900 | | 18' 8" | 90" | 17725 | 10033 | 10165 |
| Dynasty 2000 | | 19' 11" | 96" | 17726 | 10034 | 10166 |
| Eagle 20 | | 19' 10" | 96" | 17726 | 10034 | 10166 |
| Riviera 21 / 2100 | | 21' 2" | 96" | 17727 | 10035 | 10167 |
| Scorpion I | | 18' 2" | 90" | 17775 | 10056 | 10183 |
| Shadow 1900 | | 18' 8" | 90" | 17725 | 10033 | 10165 |
| Spectrum 19 | | 18' 8" | 90" | 17725 | 10033 | 10165 |
| Tempo 18 | | 17' 8" | 84" | 17724 | 10032 | 10164 |
| Wildcat 20 | | 19' 8" | 96" | 17726 | 10034 | 10166 |
| **WELLCRAFT** | | | | | | |
| 18 Scarab Sprint | | 18' 3" | 84" | 17684 | 10142 | 10274 |
| 180 Fisherman | 2015 | 18' 0" | 96" | 17694 | 10137 | 10267 |
| 180 Sportsman | 08-15 | 18' 0" | 96" | 17694 | 10137 | 10267 |
| 180 Sportsman | 99-02 | 18' 0" | 95" | 17694 | 10137 | 10267 |
| 1850 SV | | 18' 10" | 93" | 17737 | 10150 | 15404 |
| 19 Scarab Jet | | 18' 11" | 84" | 17685 | 10143 | 10275 |
| 190 Excalibur | 2002 | 18' 6" | 94" | 17685 | 10143 | 10275 |
| 210 Excalibur | 2002 | 20' 6" | 99" | 17687 | 10145 | 10277 |
| 2100 SV | | 21' 10" | 92" | 17737 | 10150 | 15404 |
| 22 Scarab | | 22' 1" | 96" | 17688 | 10146 | 10278 |
| 220 Coastal | 2015 | 21' 0" | 102" | 17737 | 10150 | 15404 |
| 220 Fisherman | 2015 | 21' 0" | 102" | 17737 | 10150 | 15404 |
| 220 Sportsman | 2015 | 21' 0" | 102" | 17737 | 10150 | 15404 |
| 230 Excalibur | 01-02 | 22' 9" | 100" | 17689 | 10147 | 10279 |
| American 170 I/O | | 16' 4" | 86" | 17722 | 10029 | — |
| American 170 O/B | | 16' 4" | 86" | 17710 | 10023 | 10158 |
| American 190 | | 19' 0" | 91" | 17725 | 10033 | 10165 |
| American 192 | | 19' 0" | 91" | 17725 | 10033 | 10165 |
| Classic 170 I/O | | 16' 9" | 87" | 17723 | 10030 | 10163 |
| Classic 170 O/B | | 16' 9" | 87" | 17711 | 10025 | 10159 |
| Classic 180 I/O | | 17' 6" | 86" | 17724 | 10032 | 10164 |
| Classic 180 O/B | | 17' 6" | 86" | 17712 | 10026 | 10160 |
| Classic 190 | | 19' 3" | 91" | 17725 | 10033 | 10165 |
| Classic 192 | | 19' 3" | 91" | 17586 | 10128 | 10256 |
| Classic 200 | | 19' 6" | 96" | 17726 | 10034 | 10166 |
| Classic 210 / XL | | 20' 6" | 96" | 17588 | 10130 | 10258 |
| Eclipse 182 / S / SS | | 18' 2" | 89" | 17684 | 10142 | 10274 |
| Eclipse 186 I/O | | 19' 6" | 94" | 17726 | 10034 | 10166 |
| Eclipse 1860 S / SS | 1998 | 18' 6" | 96" | 17586 | 10128 | 10256 |
| Eclipse 1950 D | | 18' 8" | 88" | 17695 | 10138 | 10269 |
| Eclipse 1950 S / 1950 SS | | 18' 8" | 88" | 17685 | 10143 | 10275 |
| Eclipse 1950 SC | | 18' 8" | 88" | 17586 | 10128 | 10256 |
| Eclipse 196 / SC / SCS | | 19' 6" | 94" | 17587 | 10129 | 10257 |
| Eclipse 2000 S / SS | 97-98 | 20' 5" | 98" | 17686 | 10144 | 10276 |
| Eclipse 2000 SC / SCS | 1998 | 20' 5" | 98" | 17588 | 10130 | 10258 |
| Eclipse 210 / S / SS | | 21' 0" | 98" | 17687 | 10145 | 10277 |
| Eclipse 215 I/O | | 21' 6" | 94" | 17728 | 10036 | 10168 |
| Eclipse 2150 S / 2015 SS | | 20' 7" | 89" | 17687 | 10145 | 10277 |
| Eclipse 2150 SC | | 20' 7" | 89" | 17588 | 10130 | 10258 |
| Eclipse 219 / SC / SCS | | 21' 0" | 98" | 17588 | 10130 | 10258 |
| Eclipse 2400 SC / SS | 97-98 | 24' 4" | 102" | 17591 | 10133 | 10263 |
| Eclipse 2400 SS | 1998 | 24' 4" | 102" | 17591 | 10133 | 10263 |
| Elite 166 I/O | | 16' 4" | 86" | 17722 | 10029 | — |
| Elite 166 O/B | | 16' 4" | 86" | 17710 | 10023 | 10158 |
| Elite 180 I/O | | 17' 7" | 86" | 17724 | 10032 | 10164 |
| Elite 180 O/B | | 17' 7" | 86" | 17712 | 10026 | 10160 |
| Elite 196 I/O | | 19' 6" | 96" | 17726 | 10034 | 10166 |
| Elite 200 I/O | | 19' 6" | 96" | 17726 | 10034 | 10166 |
| Elite 200 I/O Cuddy | | 20' 6" | 96" | 17588 | 10130 | 10258 |
| Excel 1755SX / SSX | 1998 | 17' 1" | 88" | 17683 | 10141 | — |
| Excel 21 SX / SSX | 1998 | 20' 7" | 89" | 17687 | 10145 | 10277 |
| Excel 21SL | 1998 | 20' 7" | 89" | 17588 | 10130 | 10258 |
| Fisherman 18 | | 17' 9" | 96" | 17780 | 15412 | 15403 |
| Fisherman 20 | | 20' 6" | 96" | 17739 | 10152 | 15406 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **WELLCRAFT-CONTINUED** | | | | | | |
| Nova 23 | | 23' 0" | 99" | 17570 | — | — |
| Steplift V-20 I/O | | 20' 6" | 96" | 17588 | 10130 | 10258 |
| Sunhatch 196 I/O | | 19' 6" | 96" | 17726 | 10034 | 10166 |
| **XCURSION** | | | | | | |
| 19 F - 13 | 14-15 | 20' 5" | 102" | — | 10289 | 10330 |
| 19 F - 13 B | 14-15 | 20' 5" | 102" | — | 10289 | 10330 |
| 19 FC - 13 | 14-15 | 20' 5" | 102" | — | 10289 | 10330 |
| 19 FC - 13 B | 14-15 | 20' 5" | 102" | — | 10289 | 10330 |
| 19 C - 13 | 14-15 | 20' 5" | 102" | — | 10289 | 10330 |
| 19 C - 13 B | 14-15 | 20' 5" | 102" | — | 10289 | 10330 |
| 21 F - 13 | 14-15 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 21 F - 13 B | 14-15 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 21 FC - 13 | 14-15 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 21 FC - 13 B | 14-15 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 21 FC X 3 - 13 | 14-15 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 21 RFC - 13 | 14-15 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 21 RFC - 13 B | 14-15 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 21 C - 13 | 14-15 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 21 C 13 B | 14-15 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 21C X3 - 13 | 14-15 | 21' 10" | 102" | 17791 | 10116 | 10245 |
| 23 F -13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 F X3 -13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 FC -13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 FC X3 - 13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 RFC - 13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 RFC X3 -13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 RL -13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 RL X 3 -13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 RD - 13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 FR - X 3 -13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 RFE -13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 RFE X 3 -13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 C- 13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 23 C X 3 -13 | 14-15 | 23' 7" | 102" | — | 10290 | 10331 |
| 25 C- 13 | 14-15 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 25 C X 3 -13 | 14-15 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 25 RFC -13 | 14-15 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 25 RL -13 | 14-15 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 25 RFE -13 | 14-15 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 25 RFE X 3 -13 | 14-15 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 25 RD -13 | 14-15 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 25 RF X 3 -13 | 14-15 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 25 FC -13 | 14-15 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 25 E -13 | 14-15 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| 25 E X 3 - 13 | 14-15 | 25' 0" | 102" | 17792 | 10117 | 10247 |
| **XPRESS** | | | | | | |
| 1140 | 2015 | 14' 0" | 62" | 17040 | — | — |
| 1652 | 12-15 | 16' 0" | 77" | 17046 | — | — |
| 1440 / 1440 LW | 11-15 | 14' 0" | 62" | 17040 | — | — |
| 1440 / 1440 LW / 1440 D | 2005 | 14' 0" | 63" | 17040 | — | — |
| 1440 D / 1440 LW | 11-15 | 14' 0" | 62" | 17040 | — | — |
| 1440 SS | 2011 | 14' 0" | 62" | 17040 | — | — |
| 1450 /1450 LO / 1450 HI / 1450 WLO / 1450 LW / 450 LWHI | 05-15 | 14' 0" | 74" | 17044 | — | — |
| 1546 / 1546 D / 1546 DD / 1546 LO / 1546 LW / 1546 HI / 1546 WLO / 1546 LWHI | 05-15 | 15' 0" | 66" | 17042 | — | — |
| 1546 SP | 2005 | 15' 0" | 66" | 17042 | — | — |
| 1546 SS | 2011 | 15' 0" | 66" | 17042 | — | — |
| 1546 VJ | 2005 | 15' 0" | 66" | 17042 | — | — |
| 1546 VJLO / 1546 VJHI | 2011 | 15' 0" | 67" | 17042 | — | — |
| 15460 DLO / 1546 DHI | 2011 | 15' 0" | 66" | 17042 | — | — |
| 1650 / 1650 LW / 1650 D | 05-12 | 16' 0" | 75" | 17046 | — | — |
| 1650 D | 2015 | 16' 0" | 75" | 17046 | — | — |
| 1650 DD | 2005 | 16' 0" | 74" | 17046 | — | — |
| 1650 DLO / 1650 HDI | 2011 | 16' 0" | 75" | 17046 | — | — |
| 1650 LO / 1650 HI | 2011 | 16' 0" | 75" | 17046 | — | — |
| 1650 PF | 2005 | 16' 0" | 71" | 17744 | 10067 | 10195 |
| 1650 T | 2005 | 16' 0" | 74" | 17046 | — | — |
| 1650 T | 2011 | 16' 0" | 75" | 17046 | — | — |
| 1650 VJ | 2005 | 16' 0" | 74" | 17046 | — | — |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **XPRESS-CONTINUED** | | | | | | |
| 1650 VJ | 2015 | 16' 0" | 75" | 17046 | — | — |
| 1650 VJF | 2005 | 16' 0" | 74" | 17744 | 10067 | 10195 |
| 1650 VJLO / 1650 VJHI | 2011 | 16' 0" | 75" | 17046 | — | — |
| 1652 D | 12-15 | 16' 0" | 77" | 17046 | — | — |
| 1652 SS | 11-12 | 16' 0" | 77" | 17046 | — | — |
| 1750 PFC | 99-01 | 17' 0" | 71" | 17748 | 10069 | 10204 |
| 1752 D | 2015 | 17' 0" | 77" | 17048 | — | — |
| 1756 D / DD | 05-15 | 17' 0" | 78" | 17048 | — | — |
| 1756 PFC | 2005 | 17' 0" | 80" | 17748 | 10069 | 10204 |
| 1756 T | 05-11 | 17' 0" | 78" | 17048 | — | — |
| 1756 V3 | 2011 | 17' 0" | 78" | 17048 | — | — |
| 1756 VJ | 05-15 | 17' 0" | 78" | 17048 | — | — |
| Bayou 16 | 11-15 | 16' 0" | 77" | 17046 | — | — |
| Bayou 16 V | 11-15 | 16' 0" | 77" | 17046 | — | — |
| Bayou 18 | 11-15 | 18' 0" | 77" | 17804 | 10076 | 10225 |
| Bayou 18 V | 11-15 | 18' 0" | 77" | 17804 | 10076 | 10225 |
| Drake 16 | 2012 | 16' 0" | 78" | 17744 | 10067 | 10195 |
| Drake 18 | 2012 | 18' 0" | 97" | 17804 | 10076 | 10225 |
| DV 15 DDP | 2015 | 15' 0" | 67" | 17742 | 10066 | 10194 |
| DV 17 DDP | 11-12 | 17' 0" | 85" | 17803 | 10075 | 10224 |
| DV 18 DDP | 11-15 | 18' 0" | 85" | 17804 | 10076 | 10225 |
| DV 20 DDP | 11-15 | 20' 0" | 98" | 17822 | — | — |
| DVX 165 | 11-12 | 16' 6" | 92" | 17719 | 10101 | 10216 |
| DVX 165 | 2015 | 16' 0" | 91" | 17719 | 10101 | 10216 |
| DVX 175 | 11-15 | 17' 6" | 97" | 17718 | 10106 | 10219 |
| DVX 195 | 11-15 | 19' 6" | 102" | — | — | — |
| H 16 DB | 2015 | 16' 0" | 75" | 17719 | 10101 | 10216 |
| H 17 | 11-15 | 17' 0" | 88" | 17803 | 10075 | 10224 |
| H 17 PFC | 12-15 | 17' 0" | 88" | 17803 | 10075 | 10224 |
| H 17 Pro | 2015 | 17' 0" | 88" | 17803 | 10075 | 10224 |
| H 17 SS | 2011 | 17' 0" | 88" | 17803 | 10075 | 10224 |
| H 18 | 11-15 | 18" 0" | 95" | 17804 | 10076 | 10225 |
| H 18 B | 2015 | 18' 0" | 95" | 17804 | 10076 | 10225 |
| H 18 DB | 2015 | 18' 0" | 75" | 17804 | 10076 | 10225 |
| H 18 PFC | 11-15 | 18' 0" | 94" | 17804 | 10076 | 10225 |
| H 18 Pro | 2015 | 18' 0" | 95" | 17804 | 10076 | 10225 |
| H 19 SS | 2011 | 19' 0" | 95" | 17805 | 10077 | 10226 |
| H 20 | 12-15 | 20' 3" | 95" | 17806 | 10078 | 10027 |
| H 20 B | 12-15 | 20' 3" | 95" | 17806 | 10078 | 10027 |
| H 20 B-SS | 2011 | 20' 3" | 95" | 17806 | 10078 | 10027 |
| H 20 CC | 2012 | 20' 3" | 95" | — | — | — |
| H 20 CC-SS | 2011 | 20' 3" | 95" | — | — | — |
| H 20 PFC | 2015 | 20' 3" | 95" | 17806 | 10078 | 10227 |
| H 22 | 12-15 | 22' 0" | 95" | — | — | — |
| H 22 B | 12-15 | 22' 0" | 95" | — | — | — |
| H 22 B | 2015 | 27' 10" | 95" | — | — | — |
| H 22 B-SS | 2011 | 22' 0" | 95" | — | — | — |
| H 22 CC | 2012 | 22' 0" | 95" | — | — | — |
| H 24 B | 2012 | 24' 0" | 102" | — | — | — |
| H 24 B | 2015 | 24' 0" | 95" | 17783 | 10155 | 15409 |
| H 50 | 2005 | 16' 0" | 78" | 17744 | 10067 | 10195 |
| H 50 DB | 2005 | 16' 0" | 78" | 17744 | 10067 | 10195 |
| H 51 | 05-12 | 17' 0" | 78" | 17748 | 10069 | 10204 |
| H 51 DB | 2005 | 17' 0" | 78" | 17748 | 10069 | 10204 |
| H 56 | 2005 | 18' 3" | 85" | 17750 | 10070 | 10206 |
| H 56 DB | 2005 | 18' 3" | 85" | 17750 | 10070 | 10206 |
| HD 1 CCF | 2011 | 18' 0" | 96" | — | — | — |
| HD 15 DB | 11-15 | 15' 0" | 66" | 17742 | 10066 | 10194 |
| HD 15 DDP | 11-15 | 15' 0" | 67" | 17742 | 10066 | 10194 |
| HD 15 VJ | 11-15 | 15' 0" | 67" | 17742 | 10066 | 10194 |
| HD 16 DB | 11-15 | 16' 0" | 78" | 17746 | 10068 | 10202 |
| HD 16 DBX | 215 | 16' 0" | 78" | 17746 | 10068 | 10202 |
| HD 16 DDP | 11-15 | 16' 0" | 78" | 17746 | 10068 | 10202 |
| HD 16 PF | 11-15 | 16' 0" | 78" | 17746 | 10068 | 10202 |
| HD 16 PF-SS | 2011 | 16' 0" | 78" | 17746 | 10068 | 10202 |
| HD 16 VJ | 11-12 | 16' 0" | 78" | 17746 | 10068 | 10202 |
| HD 17 CC | 2005 | 17' 0" | 78" | 17736 | 10148 | 15402 |
| HD 17 DDP | 2015 | 17' 0" | 85" | 17736 | 10148 | 15402 |
| HD 17 PFC | 2011 | 17' 0" | 88" | 17803 | 10075 | 10224 |
| HD 17 VJ | 11-15 | 17' 0" | 85" | 17803 | 10075 | 10224 |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **XPRESS-CONTINUED** | | | | | | |
| HD 175 VJ | 2011 | 17' 0" | 85" | **17803** | **10075** | **10224** |
| HD 17S C | 2005 | 17' 0" | 78" | **17748** | **10069** | **10204** |
| HD 18 CC | 2005 | 18' 0" | 95" | **17780** | **15412** | **15403** |
| HD 18 DDP | 2015 | 18' 0" | 85 ' | **17804** | **10076** | **10225** |
| HD 18 PFC | 2011 | 18' 0" | 88" | **17804** | **10076** | **10225** |
| HD 18 SCA | 2011 | 18' 0" | 96" | **17804** | **10076** | **10225** |
| HD 18 VJ | 11-15 | 18' 0" | 85" | **17804** | **10076** | **10225** |
| HD 20 B | 2005 | 18' 3" | 87" | **17780** | **15412** | **15403** |
| HD 20 Catfish | 2011 | 20' 0" | 96" | **17806** | **10078** | **10227** |
| HD 20 CC | 2005 | 20' 0" | 95" | **17738** | **10151** | **15405** |
| HD 20 CCF | 2011 | 20' 0" | 96" | **17738** | **10151** | **15405** |
| HD 20 DDP | 2015 | 20' 0" | 98" | **17806** | **10078** | **10227** |
| HD 20 PFC | 2011 | 20' 0" | 98" | **17806** | **10078** | **10227** |
| HD 20 SCA | 2011 | 20' 0" | 96" | **17806** | **10078** | **10227** |
| HD 20 VJ | 11-15 | 20' 0" | 98" | **17822** | — | — |
| HD 22 B | 2005 | 22' 0" | 95" | **17741** | **10153** | **15407** |
| HD 22 CC | 2005 | 22' 0" | 95" | **17741** | **10153** | **15407** |
| HD 22 CCF | 2011 | 22' 0" | 98" | **17741** | **10153** | **15407** |
| HD15PF | 11-12 | 15' 0" | 66" | **17742** | **10066** | **10194** |
| HJ 50 DB | 2005 | 16' 0" | 78" | **17744** | **10067** | **10195** |
| Skiff 165 | 2015 | 16' 3" | 83" | — | — | — |
| Skiff 185 | 2015 | 18' 5" | 83" | — | — | — |
| Striker 16 | 2012 | 16' 0" | 86" | **17744** | **10067** | **10195** |
| Striker 17 | 2012 | 17' 0" | 86" | **17716** | **10105** | **10218** |
| SW 18 B | 2015 | 18' 0" | 95" | **10326** | — | — |
| SW 20 B | 2015 | 20' 0" | 95" | **10328** | — | — |
| SW 22 B | 2015 | 22' 0" | 95" | — | — | — |
| VX 15 DB | 2005 | 15' 0" | 66" | **17742** | **10066** | **10194** |
| VX 16 DB | 2005 | 16' 0" | 74" | **17455** | **10092** | **10211** |
| VX 17 DB | 2005 | 17' 0" | 78" | **17716** | **10105** | **10218** |
| X 17 | 2001 | 17' 0" | 81" | **17748** | **10069** | **10204** |
| X 17 | 2012 | 17' 0" | 88" | **17748** | **10069** | **10204** |
| X 18 B | 2005 | 18' 6" | 90" | **17780** | **15412** | **15403** |
| X 19 | 11-15 | 19' 0" | 95" | **17855** | **10077** | **10226** |
| X 19 Team | 2015 | 19' 0" | 95" | **17855** | **10077** | **10226** |
| X 21 | 11-15 | 21' 3" | 95" | **17807** | **10079** | **10228** |
| X 21 B | 2005 | 21' 0" | 92" | **17739** | **10152** | **15406** |
| X 21 Team | 2015 | 21' 3" | 95" | **17739** | **10152** | **15406** |
| X 22 Bay | 2011 | 22' 3" | 97" | **17741** | **10153** | **15407** |
| X 24 | 2015 | 24' 0" | 102" | **17783** | **10155** | **15409** |
| X 24 B | 2005 | 24' 0" | 101" | **17783** | **10155** | **15409** |
| X 24 Bay | 2011 | 24' 0" | 102" | **17783** | **10155** | **15409** |
| X 24 Catfish | 11-12 | 24' 0" | 102" | — | — | — |
| X 50 | 99-01 | 16' 0" | 71" | **17744** | **10067** | **10195** |
| X 50 | 99-01 | 16' 0" | 71" | **17744** | **10067** | **10195** |
| X 51 | 99-00 | 17' 0" | 75" | **17748** | **10069** | **10204** |
| X 51 | 99-00 | 17' 0" | 75" | **17748** | **10069** | **10204** |
| X 54 | 2001 | 17' 0" | 81" | **17748** | **10069** | **10204** |
| X 54 | 02-05 | 17' 0" | 81" | **17748** | **10069** | **10204** |
| XP 16 | 2011 | 16' 0" | 76" | **17744** | **10067** | **10195** |
| XP 16 CC | 11-12 | 16' 0" | 76" | — | — | — |
| XP 16 CC | 2015 | 16' 0" | 86" | — | — | — |
| XP 16 CC Jet | 2015 | 16' 0" | 86" | — | — | — |
| XP 16 CC-SS | 2011 | 16' 0" | 76" | **17744** | **10067** | **10195** |
| XP 16 PF | 2015 | 16' 0" | 78" | **17744** | **10067** | **10195** |
| XP 16 PFC | 2012 | 16' 0" | 76" | **17744** | **10067** | **10195** |
| XP 16 SC | 2011 | 16' 0" | 76" | **17744** | **10067** | **10195** |
| XP 160 | 2012 | 16' 0" | 78" | **17744** | **10067** | **10195** |
| XP 160 | 2015 | 16' 0" | 86" | **17744** | **10067** | **10195** |
| XP 160 SS | 2011 | 16' 0" | 78" | **17744** | **10067** | **10195** |
| XP 17 CC Jet | 2015 | 17' 0" | 86" | — | — | — |
| XP 170 | 12-15 | 17' 0" | 86" | **17744** | **10067** | **10195** |
| XP 170 Jet | 2015 | 17' 0" | 86" | — | — | — |
| XP 170 SS | 2011 | 17' 0" | 86" | **17806** | **10075** | **10224** |
| XP 18 | 2011 | 18' 0" | 86" | **17804** | **10076** | **10225** |
| XP 18 CC | 11-15 | 18' 0" | 86" | **17780** | **15412** | **15403** |
| XP 18 CC-SS | 2011 | 18' 0" | 86" | **17804** | **10076** | **10225** |
| XP 18 PFC | 2012 | 18' 0" | 86" | **17804** | **10076** | **10225** |
| XP 18 SC | 2011 | 18' 0" | 86" | **17804** | **10076** | **10225** |

| Model No./Name | Year | Approx. Center Length | Approx. Center Width | Road Ready™ | Road Max™ | Boater's Best™ |
|---|---|---|---|---|---|---|
| **XPRESS-CONTINUED** | | | | | | |
| XP 18 SS | 2011 | 18' 0" | 86" | **17804** | **10076** | **10225** |
| XP 180 | 12-15 | 18' 0" | 86" | **17804** | **10076** | **10225** |
| XP 180 CC | 2015 | 18' 0" | 86" | — | — | — |
| XP 180 CC Jet | 2015 | 18' 0" | 86" | — | — | — |
| XP 180 Jet | 2015 | 18' 0" | 86" | **17804** | **10076** | **10225** |
| XP 180 SS | 2011 | 18' 0" | 86" | **17804** | **10076** | **10225** |
| XP 185 Catfish | 2015 | 18' 0" | 95" | **17804** | **10076** | **10225** |
| XP 19 CC Jet | 2015 | 18' 0" | 86" | **17804** | **10076** | **10225** |
| XP 20 CC | 12-15 | 20' 3" | 95" | — | — | — |
| XP 20 CC | 2011 | 20' 0" | 95" | **17738** | **10151** | **15405** |
| XP 20 CC-SS | 2011 | 20' 3" | 86" | **17806** | **10078** | **10227** |
| XP 20 SC | 2011 | 20' 0" | 95" | **17806** | **10078** | **10227** |
| XP 200 | 12-15 | 20' 3" | 95" | **17806** | **10078** | **10227** |
| XP 200 | 2015 | 20' 3" | 95" | **17806** | **10078** | **10227** |
| XP 200 Catfish | 2015 | 20' 3" | 95" | **17806** | **10078** | **10227** |
| XP 200 Jet | 2015 | 20' 3" | 95" | **17806** | **10078** | **10227** |
| XP 200 SS | 2011 | 20' 3" | 95" | **17806** | **10078** | **10227** |
| XP 200 SS Catfish | 11-12 | 20' 3" | 95" | **17806** | **10078** | **10227** |
| XP 220 Catfish | 2015 | 22' 0" | 95" | — | — | — |
| XP 7 | 2015 | 17' 0" | 86" | **17803** | **10075** | **10224** |
| XTS 16 | 2015 | 16' 0" | 68.5" | **1744** | **10067** | **10195** |
| XTS 18 | 2015 | 18' 0" | 68.5" | **1744** | **10067** | **10195** |
| Yukon 18 | 11-15 | 18' 0" | 102" | — | — | — |
| Yukon 195 | 11-15 | 19' 6" | 102" | — | — | — |
| **YAMAHA** | | | | | | |
| 212 SS | 12-15 | 21' 3" | 102" | — | — | — |
| 212 X | 12-15 | 21' 3" | 102" | — | — | — |
| 242 Limited | 12-14 | 23' 6" | 102" | — | — | — |
| 242 Limited | 2015 | 24' 0" | 102" | — | — | — |
| 242 Limited S | 12-14 | 23' 6" | 102" | **17689** | **10147** | **10279** |
| 242 Limited S | 2015 | 24' 0" | 102" | — | — | — |
| AR 190 | 2012 | 19' 2" | 96" | — | — | — |
| AR 190 | 14-15 | 19' 0" | 96" | — | — | — |
| AR 192 | 2012 | 19' 2" | 96" | — | — | — |
| AR 192 | 14-15 | 19' 0" | 96" | — | — | — |
| AR 210 | 12-15 | 21' 3" | 102" | **17687** | **10145** | **10277** |
| AR 240 High Output | 2015 | 24' 0" | 102" | — | — | — |
| SX 190 | 2012 | 19' 2" | 96" | **17687** | **10145** | **10277** |
| SX 190 | 14-15 | 19' 0" | 96" | — | — | — |
| SX 192 | 14-15 | 19' 2" | 96" | — | — | — |
| SX 210 | 12-15 | 21' 3" | 102" | — | — | — |
| SX 240 High Output | 12-14 | 23' 6" | 102" | **17685** | **10143** | **10275** |
| SX 240 High Output | 2015 | 24' 0" | 102" | — | — | — |
| **YAR-CRAFT** | | | | | | |
| 1678 BT | | 16' 0" | 78" | **17460** | **10102** | **10213** |
| 1678 Fish-N-Ski | | 16' 0" | 78" | **17710** | **10023** | **10158** |
| 1678 VP / Side Console | | 16' 0" | 78" | **17460** | **10102** | **10213** |
| 1680 Cobra SC | 2001 | 16' 0" | 80" | **17456** | **10093** | **10212** |
| 1683 Americana | | 16' 0" | 78" | **17710** | **10023** | **10158** |
| 1778 Fish-N-Ski | | 17' 0" | 78" | **17711** | **10025** | **10159** |
| 1781 BT | | 17' 0" | 81" | **17461** | **10103** | **10214** |
| 1781 Side Console | | 17' 0" | 81" | **17461** | **10103** | **10214** |
| 1783 Patriot | | 17' 0" | 78" | **17711** | **10025** | **10159** |
| 1785 BT | 2015 | 17' 5" | 85" | **17716** | **10105** | **10218** |
| 1785 Wrangler BT | 2001 | 17' 0" | 85" | **17716** | **10105** | **10218** |
| 1785 Wrangler DC | 2001 | 17' 0" | 85" | **17693** | **10136** | **10265** |
| 1785 Wrangler SC | 2001 | 17' 0" | 85" | **17716** | **10105** | **10218** |
| 186 FSX | 215 | 18' 6" | 99" | **17712** | **10026** | **10160** |
| 186 TFX | 2015 | 18' 6" | 99" | **17712** | **10026** | **10160** |
| 1895 Storm DC | 2001 | 18' 11'' | 95" | **17695** | **10138** | **10269** |
| 192 Michigan DC | 2001 | 19' 0" | 92" | **17695** | **10138** | **10269** |
| 1990 Chinook Cuddy | | 19' 0" | 90" | **17586** | **10128** | **10256** |
| 209 TFX | 2015 | 20' 6" | 97" | **17020** | **10028** | **10162** |
| 219 TFX | 2015 | 21' 6" | 97" | **17800** | **10071** | **10205** |





BY PART NUMBER.....350-366
ALPHABETICAL.....367-373

# INDEX

# INDEX
## BY PART NUMBER


| PART NO | PAGE NO |
|---|---|
| 001001667 | 11 |
| 001001668 | 11 |
| 001004418 | 209 |
| 001008199 | 72 |
| 001008200 | 72 |
| 001011094 | 72 |
| 10010 | 250 |
| 10011 | 250 |
| 10012 | 250 |
| 10013 | 250 |
| 10014 | 250 |
| 10015 | 250 |
| 1002 | 229 |
| 1002-ADJ-3 | 233 |
| 1002-S | 229 |
| 1002-SS | 229 |
| 10021 | 244 |
| 10022 | 244 |
| 10023 | 244 |
| 10025 | 244 |
| 10026 | 244 |
| 10027 | 244 |
| 10028 | 244 |
| 10029 | 244 |
| 10030 | 244 |
| 10032 | 244 |
| 10033 | 244 |
| 10034 | 244 |
| 10035 | 244 |
| 10036 | 244 |
| 10040 | 246 |
| 100401 | 253 |
| 100402 | 253 |
| 100404 | 253 |
| 100405 | 253 |
| 10041 | 246 |
| 10042 | 246 |
| 10043 | 246 |
| 10044 | 246 |
| 100451 | 253 |
| 100452 | 253 |
| 100453 | 253 |
| 100454 | 253 |
| 100455 | 253 |
| 100456 | 253 |
| 10048 | 246 |
| 10049 | 246 |
| 10050 | 246 |
| 100500 | 253 |
| 100501 | 253 |
| 100502 | 253 |
| 100503 | 253 |
| 100505 | 253 |
| 100507 | 253 |
| 100508 | 253 |
| 100509 | 253 |
| 10051 | 247 |
| 100510 | 253 |
| 100511 | 253 |
| 100514 | 253 |
| 100515 | 253 |
| 100516 | 253 |
| 100517 | 253 |
| 100518 | 253 |
| 100519 | 253 |
| 10052 | 247 |
| 100520 | 253 |
| 100521 | 253 |
| 100522 | 253 |
| 100523 | 253 |
| 100524 | 253 |
| 100525 | 253 |
| 100526 | 253 |
| 100527 | 253 |
| 100528 | 253 |
| 100529 | 253 |
| 10053 | 247 |
| 100530 | 253 |
| 100531 | 253 |
| 100532 | 253 |
| 100533 | 253 |
| 100534 | 253 |
| 100535 | 253 |
| 100537 | 253 |
| 100538 | 253 |
| 100539 | 253 |
| 10054 | 247 |
| 100540 | 253 |
| 100541 | 253 |
| 100542 | 253 |
| 100543 | 253 |
| 100545 | 253 |
| 100548 | 253 |
| 100549 | 253 |
| 10055 | 247 |
| 100550 | 253 |
| 100551 | 253 |
| 100552 | 253 |
| 100553 | 253 |
| 100555 | 253 |
| 100558 | 253 |
| 100559 | 253 |
| 10056 | 247 |
| 100560 | 253 |
| 100562 | 253 |
| 100563 | 253 |
| 100564 | 253 |
| 100565 | 253 |
| 100566 | 253 |
| 100567 | 253 |
| 100568 | 253 |
| 10057 | 247 |
| 100570 | 253 |
| 100571 | 253 |
| 10058 | 247 |
| 10059 | 247 |
| 10060 | 247 |
| 10061 | 248 |
| 10062 | 248 |
| 10063 | 248 |
| 10065 | 247 |
| 10066 | 247 |
| 10067 | 247 |
| 10068 | 247 |
| 10069 | 247 |
| 10070 | 247 |
| 10071 | 244 |
| 10072 | 245 |
| 10073 | 245 |
| 10074 | 247 |
| 10075 | 247 |
| 10076 | 247 |
| 10077 | 247 |
| 10078 | 247 |
| 10079 | 247 |
| 10080 | 248 |
| 10081 | 248 |
| 10082 | 248 |
| 10083 | 248 |
| 10084 | 248 |
| 10086 | 248 |
| 10087 | 248 |
| 10088 | 249 |
| 10089 | 249 |
| 10090 | 249 |
| 10091 | 248 |
| 10092 | 248 |
| 10093 | 248 |
| 10094 | 249 |
| 10095 | 249 |
| 10096 | 251 |
| 10097 | 251 |
| 10099 | 247 |
| 10101 | 249 |
| 10103 | 249 |
| 10104 | 248 |
| 10105 | 248 |
| 10106 | 249 |
| 10107 | 166 |
| 10108 | 166 |
| 10109 | 247 |
| 10110 | 247 |
| 10111 | 247 |
| 10112 | 247 |
| 10113 | 247 |
| 10114 | 250 |
| 10116 | 250 |
| 10117 | 250 |
| 10120 | 250 |
| 10127 | 246 |
| 10128 | 246 |
| 10129 | 246 |
| 10130 | 246 |
| 10131 | 246 |
| 10132 | 246 |
| 10133 | 246 |
| 10134 | 246 |
| 10135 | 245 |
| 10136 | 245 |
| 10137 | 245 |
| 10138 | 245 |
| 10139 | 248 |
| 10140 | 245 |
| 10141 | 245 |
| 10142 | 245 |
| 10143 | 245 |
| 10144 | 245 |
| 10145 | 245 |
| 10146 | 245 |
| 10147 | 245 |
| 10148 | 249 |
| 10150 | 249 |
| 10151 | 249 |
| 10152 | 249 |
| 10153 | 249 |
| 10154 | 249 |
| 10155 | 249 |
| 10156 | 249 |
| 10157 | 244 |

| PART NO | PAGE NO | PART NO | PAGE NO | PART NO | PAGE NO | PART NO | PAGE NO |
|---|---|---|---|---|---|---|---|
| 10158 | 244 | 10218 | 248 | 10292 | 247 | 10369 | 237 |
| 10159 | 244 | 10219 | 249 | 10294 | 250 | 10372 | 237 |
| 10160 | 244 | 10220 | 247 | 10295 | 250 | 10374 | 237 |
| 10161 | 244 | 10221 | 245 | 10296 | 250 | 10375 | 237 |
| 10162 | 244 | 10223 | 247 | 10297 | 250 | 10376 | 237 |
| 10163 | 244 | 10224 | 247 | 10309 | 166 | 10377 | 237 |
| 10164 | 244 | 10225 | 247 | 10314 | 251 | 10379 | 237 |
| 10165 | 244 | 10226 | 247 | 10315 | 251 | 10383 | 237 |
| 10166 | 244 | 10227 | 247 | 10316 | 251 | 10440_ | 238 |
| 10167 | 244 | 10228 | 247 | 10317 | 251 | 10441_ | 238 |
| 10168 | 244 | 10229 | 248 | 10318 | 251 | 10442_ | 238 |
| 10169 | 246 | 10230 | 248 | 10319 | 251 | 10443_ | 238 |
| 10171 | 246 | 10231 | 248 | 10320 | 251 | 10444_ | 238 |
| 10173 | 246 | 10232 | 248 | 10321 | 251 | 10445_ | 238 |
| 10179 | 247 | 10233 | 248 | 10322 | 251 | 10446_ | 238 |
| 10180 | 247 | 10234 | 249 | 10323 | 251 | 10515 | 255 |
| 10181 | 247 | 10235 | 249 | 10324 | 251 | 10540 | 255 |
| 10182 | 247 | 10236 | 249 | 10325 | 251 | 10542 | 255 |
| 10183 | 247 | 10237 | 249 | 10326 | 250 | 10543 | 255 |
| 10184 | 247 | 10238 | 249 | 10327 | 250 | 10544 | 255 |
| 10185 | 247 | 10239 | 251 | 10328 | 250 | 10545 | 255 |
| 10186 | 247 | 10240 | 249 | 10329 | 250 | 10556-5 | 258 |
| 10187 | 248 | 10241 | 251 | 10330 | 250 | 105635 | 254 |
| 10188 | 248 | 10242 | 245 | 10331 | 250 | 105636 | 254 |
| 10189 | 251 | 10243 | 245 | 10332 | 250 | 105637 | 254 |
| 10190 | 251 | 10244 | 250 | 10337 | 237 | 105638 | 254 |
| 10191 | 251 | 10245 | 250 | 10338 | 237 | 105639 | 254 |
| 10192 | 248 | 10247 | 250 | 10340 | 237 | 105648 | 254 |
| 10193 | 247 | 1025-1 | 102 | 10341 | 237 | 105651 | 254 |
| 10194 | 247 | 1025-7 | 102 | 10342 | 237 | 105676 | 254 |
| 10195 | 247 | 10250 | 250 | 10343 | 237 | 105682 | 254 |
| 10197 | 247 | 10255 | 246 | 10344 | 237 | 105683 | 254 |
| 10198 | 247 | 10256 | 246 | 10345 | 237 | 105693BK | 163 |
| 10199 | 251 | 10257 | 246 | 10346 | 237 | 105694BK | 163 |
| 10200 | 251 | 10258 | 246 | 10347 | 237 | 105694FG | 163 |
| 10201 | 251 | 10259 | 246 | 10348 | 237 | 105694NV | 163 |
| 10202 | 247 | 10261 | 246 | 10349 | 237 | 105694RB | 163 |
| 10203 | 248 | 10263 | 246 | 10350 | 237 | 105694RD | 163 |
| 10204 | 247 | 10265 | 245 | 10351 | 237 | 105694SV | 163 |
| 10205 | 244 | 10267 | 245 | 10352 | 237 | 105695BK | 163 |
| 10206 | 247 | 10269 | 245 | 10353 | 237 | 105695FG | 163 |
| 10207 | 248 | 10274 | 245 | 10354 | 237 | 105695NV | 163 |
| 10208 | 248 | 10275 | 245 | 10355 | 237 | 105695RB | 163 |
| 10209 | 248 | 10276 | 245 | 10356 | 237 | 105695RD | 163 |
| 10210 | 245 | 10277 | 245 | 10357 | 237 | 105695SV | 163 |
| 10211 | 248 | 10278 | 245 | 10363 | 237 | 105696BK | 163 |
| 10212 | 248 | 10279 | 245 | 10364 | 237 | 105696FG | 163 |
| 10214 | 249 | 10288 | 250 | 10365 | 237 | 105696NV | 163 |
| 10215 | 248 | 10289 | 250 | 10366 | 237 | 105696RB | 163 |
| 10216 | 249 | 10290 | 250 | 10367 | 237 | 105696RD | 163 |
| 10217 | 249 | 10291 | 250 | 10368 | 237 | 105696SV | 163 |

| PART NO | PAGE NO |
|---|---|
| 105762 | 254 |
| 105777 | 254 |
| 105782 | 254 |
| 10600-3 | 184 |
| 10601-3 | 184 |
| 10602-3 | 184 |
| 10603-3 | 150, 185 |
| 10604-3 | 150, 185 |
| 10605-5 | 184 |
| 10608-3 | 184 |
| 10610-3 | 184 |
| 10611-3 | 184 |
| 10612-3 | 184 |
| 10613-3 | 184 |
| 10620-3 | 184 |
| 10622-3 | 184 |
| 10623-3 | 184 |
| 10624-3 | 184 |
| 10627-7 | 185 |
| 10628-7 | 185 |
| 10629-7 | 185 |
| 1063 | 229 |
| 10630-7 | 185 |
| 10633-7 | 185 |
| 10634-7 | 185 |
| 10637-5 | 256 |
| 10639-5 | 238 |
| 10700-5 | 258 |
| 10701-1 | 258 |
| 10702-1 | 258 |
| 10704-5 | 259 |
| 10705-5 | 259 |
| 10707-5 | 259 |
| 10708-5 | 259 |
| 10710-3 | 257 |
| 10712-1 | 258 |
| 10713-1 | 258 |
| 10714-1 | 258 |
| 10793-4 | 257 |
| 10794-4 | 256 |
| 10795-4 | 256 |
| 10796-3 | 257 |
| 10928-1 | 168 |
| 10928-3 | 168 |
| 10930-1 | 168 |
| 11003-5 | 158 |
| 11011-7 | 155 |
| 11026-5 | 115, 158 |
| 11029-6 | 155 |
| 11054-6 | 164 |
| 11057-3 | 164 |
| 11090-3 | 163 |
| 11107-7 | 164 |
| 11108-7 | 164 |
| 11110-7 | 164 |
| 11124-6 | 164 |
| 11126-4 | 156 |
| 11127-4 | 156 |
| 11130-7 | 156 |
| 11136-1 | 157 |
| 11136-7 | 157 |
| 11137-1 | 157 |
| 11137-7 | 157 |
| 11138-1 | 157 |
| 11138-7 | 157 |
| 11141-1 | 157 |
| 11141-7 | 157 |
| 11147-1 | 157 |
| 11147-7 | 157 |
| 11149-4 | 157 |
| 11153-1 | 157 |
| 11153-7 | 157 |
| 11195-4 | 157 |
| 11200-1 | 159 |
| 11201-1 | 159 |
| 11202-1 | 159 |
| 11205-1 | 160 |
| 11209-1 | 160 |
| 11209-5 | 160 |
| 11210-1 | 160 |
| 11211-1 | 160 |
| 11215-1 | 160 |
| 11216-1 | 160 |
| 11217-1 | 160 |
| 11220-3 | 161 |
| 11221-3 | 161 |
| 11230-1 | 160 |
| 11232-1 | 160 |
| 11246-1 | 162 |
| 11247-1 | 162 |
| 11252-1 | 161 |
| 11254-1 | 161 |
| 11260-1 | 161 |
| 11282-3 | 162 |
| 11283-3 | 162 |
| 11284-3 | 162 |
| 11285-3 | 162 |
| 11305-1 | 159 |
| 11310-1 | 159 |
| 11315-1 | 160 |
| 11317-1 | 160 |
| 11319-1 | 160 |
| 11360-1 | 161 |
| 11361-1 | 161 |
| 11362-1 | 161 |
| 11363-1 | 161 |
| 11364-1 | 161 |
| 11368-3 | 162 |
| 11370-1 | 162 |
| 11370-7 | 125 |
| 11371-1 | 162 |
| 11372-1 | 162 |
| 11401-4 | 156 |
| 11404-6 | 125, 189 |
| 11434-3 | 162 |
| 11436-3 | 162 |
| 11437-7 | 152 |
| 11438-7 | 152 |
| 11440-2 | 156 |
| 11441-4 | 152 |
| 11446-1 | 24 |
| 11475-1 | 128 |
| 11475-3 | 128 |
| 11477-3 | 128 |
| 11478-7 | 128 |
| 11510-5 | 107 |
| 11512-3 | 91 |
| 11524-1 | 22 |
| 11524-3 | 22 |
| 11526-3 | 91 |
| 11551-5 | 14 |
| 11556L3 | 107 |
| 11557L3 | 107 |
| 11574-4 | 12 |
| 11575-3 | 107 |
| 11586-4 | 24 |
| 11591-3 | 24 |
| 11592-3 | 24 |
| 11595-2 | 13, 147 |
| 11596-2 | 13, 147 |
| 11602D1 | 233 |
| 11603D1 | 233 |
| 11631-4 | 132 |
| 11635-4 | 132 |
| 11654-1 | 132 |
| 11654-3 | 132 |
| 11661-1 | 132 |
| 11661-3 | 132 |
| 11664-3 | 93 |
| 11670-4 | 132 |
| 11672-4 | 132 |
| 11700-2 | 114 |
| 11701-7 | 110 |
| 11702-7 | 112 |
| 11703-7 | 112 |
| 11704-2 | 113 |
| 11705-7 | 110 |
| 11706-7 | 110 |
| 11707-7 | 109 |
| 11708-1 | 109 |
| 11709-1 | 109 |
| 11710-2 | 113 |
| 11711-7 | 110 |
| 11712-7 | 115 |
| 11713-2 | 113 |
| 11714-2 | 109 |
| 11715-7 | 110 |
| 11716-1 | 109 |
| 11717-2 | 114 |
| 11718-2 | 114 |
| 11719-2 | 114 |
| 11720-2 | 113 |
| 11721-2 | 113 |
| 11722-2 | 109 |
| 11723-7 | 109 |
| 11724-1 | 109 |
| 11725-2 | 109 |
| 11726-2 | 114 |
| 11727-2 | 112 |
| 11728-2 | 112 |
| 11729D5 | 112 |
| 11730-7 | 106, 112 |
| 11731-1 | 107 |
| 11731L3 | 107 |
| 11732-7 | 112 |
| 11733-7 | 110 |
| 11734-1 | 109 |
| 11736-7 | 109 |
| 11737-7 | 112 |
| 11739-2 | 115, 158 |
| 11741-7 | 109 |
| 11742-7 | 109 |
| 11749-7 | 112 |
| 11750-7 | 112 |
| 11752-7 | 112 |
| 117520-7 | 110 |
| 117521-7 | 110 |
| 117522-7 | 110 |
| 117523-7 | 111 |
| 117524-7 | 111 |
| 117525-7 | 111 |
| 11753-7 | 115 |
| 117543-2 | 114 |
| 117553-7 | 103, 114 |

| PART NO | PAGE NO |
|---|---|
| 11756-2 | 145 |
| 11756-4 | 148 |
| 117561-2 | 114 |
| 117562-2 | 114 |
| 117563-7 | 110 |
| 117564-7 | 110 |
| 117565-7 | 111 |
| 117566-7 | 111 |
| 117567-7 | 111 |
| 117568-7 | 110 |
| 11757-2 | 145 |
| 117576-7 | 110 |
| 11758-2 | 145 |
| 117585-2 | 114 |
| 117587-1 | 109 |
| 117588-1 | 109 |
| 11759-1 | 144 |
| 11760-1 | 144 |
| 117601-7 | 110 |
| 117602-7 | 110 |
| 117603-7 | 110 |
| 117604-7 | 110 |
| 117605-7 | 110 |
| 117606-7 | 110 |
| 117607-7 | 110 |
| 117608-7 | 110 |
| 117609-7 | 111 |
| 11761-1 | 144 |
| 117611-7 | 111 |
| 117612-7 | 111 |
| 117613-7 | 111 |
| 117614-7 | 111 |
| 117615-7 | 111 |
| 117616-7 | 111 |
| 117617-7 | 111 |
| 117619-7 | 111 |
| 11762-1 | 144 |
| 117620-7 | 111 |
| 117621-7 | 111 |
| 11763-1 | 145 |
| 11764-1 | 144 |
| 11765-1 | 144 |
| 11766-1 | 145 |
| 11768-2 | 145 |
| 117680-7 | 110 |
| 117681-7 | 110 |
| 117682-7 | 110 |
| 117684-7 | 111 |
| 117686-7 | 111 |
| 117687-7 | 111 |
| 117689-7 | 111 |
| 11769-1 | 145 |
| 117690-7 | 111 |
| 117691-7 | 111 |
| 117692-7 | 111 |
| 117694-7 | 111 |
| 117695-7 | 111 |
| 117697-7 | 111 |
| 11770-1 | 145 |
| 117703-7 | 111 |
| 117706D2 | 114 |
| 117707-2 | 113 |
| 117708-2 | 114 |
| 11771-1 | 145 |
| 11772-1 | 144 |
| 11773-1 | 144 |
| 11775-5 | 148 |
| 11776-5 | 148 |
| 11778-2 | 148 |
| 11780-6 | 146 |
| 11781-7 | 150 |
| 11782-7 | 151 |
| 11783-7 | 151 |
| 11787-1 | 132 |
| 11788-1 | 132 |
| 11789-1 | 132 |
| 11789W1 | 132 |
| 11789WD1 | 132 |
| 11792-6 | 115 |
| 11794-7 | 129 |
| 11798-6 | 115, 152 |
| 11802-B | 133 |
| 11807-2 | 124 |
| 11808-2 | 147 |
| 118089-7 | 128 |
| 118090-7 | 128 |
| 118091-7 | 128 |
| 118092-7 | 128 |
| 118093-7 | 128 |
| 118094-7 | 128 |
| 118095-7 | 128 |
| 118096-7 | 128 |
| 11810-5 | 107 |
| 11820-7 | 92 |
| 11822-6 | 78 |
| 11823-6 | 78 |
| 11824-6 | 78 |
| 11828-1 | 146 |
| 11829-6 | 130 |
| 11830-2 | 130 |
| 11831-2 | 130 |
| 11832-2 | 134 |
| 11834-1 | 133 |
| 11840-7 | 92 |
| 11841-4 | 92 |
| 11843-7 | 113 |
| 11844-7 | 113 |
| 11845-1 | 132 |
| 11848-4 | 118 |
| 11849-2 | 133 |
| 11850-2 | 133 |
| 11851-2 | 133 |
| 11852-7 | 132 |
| 11857-1 | 159 |
| 11861-6 | 141 |
| 11862-6 | 141 |
| 11863-7 | 141 |
| 11865-4 | 127 |
| 11866-6 | 130 |
| 11871-7 | 125 |
| 11873-1 | 92 |
| 11875-7 | 130 |
| 11880-1 | 159 |
| 11881-1 | 159 |
| 11882-1 | 160 |
| 11886-4 | 256 |
| 11887-2 | 134 |
| 11889D1 | 130 |
| 11891D7 | 93 |
| 11894-2 | 134 |
| 11895-1 | 134 |
| 11896-1 | 134 |
| 11897-2 | 134 |
| 11900-4 | 137 |
| 11901-4 | 137 |
| 11909-7 | 147 |
| 11910-7 | 147 |
| 11912-5 | 147 |
| 11915-2 | 149 |
| 11921-2 | 151 |
| 11922-2 | 151 |
| 11926-7 | 151 |
| 11930-4 | 153 |
| 11940-1 | 147 |
| 11940-2 | 147 |
| 11941-2 | 147 |
| 11942-7 | 146 |
| 11943-7 | 150 |
| 11944-7 | 146 |
| 11946-6 | 148 |
| 11947-6 | 148 |
| 11950-6 | 151 |
| 11951-6 | 151 |
| 11952-7 | 151 |
| 11953-4 | 153 |
| 11954-2 | 149 |
| 11964-1 | 101 |
| 11966-1 | 101 |
| 11968-1 | 101 |
| 11969-4 | 101 |
| 11970-7 | 113 |
| 11971-7 | 113 |
| 11972-7 | 113 |
| 11973-7 | 113 |
| 11974-7 | 113 |
| 11975-7 | 113 |
| 11976-7 | 113 |
| 11977-7 | 113 |
| 11978-7 | 113 |
| 11979-7 | 113 |
| 11980-7 | 113 |
| 12000-3 | 187 |
| 12009-3 | 174 |
| 12022-3 | 174 |
| 12044-6 | 155 |
| 12048-4 | 106 |
| 12049-4 | 106 |
| 12075HD | 187 |
| 12081HD | 187 |
| 12100-1 | 174 |
| 12100L3 | 174 |
| 12102-1 | 174 |
| 12102L3 | 174 |
| 12110-1 | 174 |
| 12111L3 | 174 |
| 12112-1 | 174 |
| 12113L3 | 174 |
| 12114-1 | 174 |
| 12115L3 | 174 |
| 12120-1 | 174 |
| 12121-3 | 174 |
| 12124-1 | 174 |
| 12125-3 | 174 |
| 12126-1 | 174 |
| 12127-3 | 174 |
| 12152-3 | 150, 193 |
| 12158-7 | 260 |
| 12299-3 | 192 |
| 12303-3 | 192 |
| 12305-3 | 192 |
| 12319-3 | 193 |
| 12353-3 | 192 |
| 12355-3 | 192 |
| 12357-3 | 192 |

| PART NO | PAGE NO |
|---|---|
| 12401L3 | 102 |
| 12403L3 | 102 |
| 12405L3 | 102 |
| 12407L3 | 102 |
| 12409L3 | 102 |
| 12412-1 | 192 |
| 12413L3 | 192 |
| 12414-1 | 192 |
| 12415L3 | 192 |
| 12419L3 | 192 |
| 12460-1 | 191 |
| 12460-3 | 191 |
| 12562-7 | 92 |
| 12564-6 | 92 |
| 12680-1 | 127 |
| 12680-3 | 127 |
| 12700-5 | 121 |
| 12701-1 | 121 |
| 12701-5 | 121 |
| 12703D1 | 121 |
| 12704-2 | 149 |
| 12708-2 | 122 |
| 12708D1 | 122 |
| 12750-6 | 122 |
| 12750-6 | 122 |
| 12760-7 | 122 |
| 12760-7 | 122 |
| 12761-7 | 122 |
| 12761-7 | 122 |
| 12772-2 | 123 |
| 12773-2 | 123 |
| 12774-2 | 123 |
| 12790-1 | 148, 191 |
| 12790-3 | 148, 191 |
| 12791-1 | 148, 191 |
| 12791-3 | 148, 191 |
| 12792-1 | 148, 191 |
| 12792-5 | 148, 191 |
| 12793-1 | 148, 191 |
| 12793-5 | 148, 191 |
| 12794-1 | 148, 191 |
| 12820-5 | 91 |
| 12822-5 | 91 |
| 12889L3 | 192 |
| 12891L3 | 192 |
| 12893L3 | 192 |
| 12895-1 | 192 |
| 12895L3 | 192 |
| 12955L3 | 150, 185 |
| 12957L3 | 150, 185 |
| 12959L3 | 150, 185 |
| 12988-1 | 150, 185 |
| 12989-3 | 150, 185 |
| 13055-4 | 131 |
| 13065-4 | 131 |
| 13066-7 | 131 |
| 1329-1 | 188 |
| 1329-3 | 188 |
| 1341-1 | 27 |
| 1342-1 | 27 |
| 1343-1 | 26 |
| 1345-1 | 27 |
| 1348-1 | 28 |
| 1352-1 | 28 |
| 1353-1 | 28 |
| 1364A1 | 28 |
| 1364A3 | 28 |
| 13700-7 | 102 |
| 13702-4 | 102 |
| 13710-4 | 103 |
| 13753-7 | 102 |
| 13762-7 | 102 |
| 13764-4 | 102 |
| 14017-3 | 155 |
| 14020-3 | 155 |
| 1405-1 | 28 |
| 1405-3 | 28 |
| 14060-7 | 154 |
| 14061-6 | 154 |
| 14062-6 | 154 |
| 14063-7 | 154 |
| 14064-7 | 154 |
| 14064LH-7 | 154 |
| 14064RH-7 | 154 |
| 14065-7 | 154 |
| 14066-7 | 154 |
| 14133-6 | 155 |
| 14136-6 | 134 |
| 14137-7 | 134 |
| 14141-7 | 127 |
| 14142-7 | 127 |
| 14185XFS-7 | 56 |
| 14187XFS-7 | 56 |
| 14190-7 | 56, 129 |
| 14191-7 | 56, 129 |
| 14192-7 | 56, 129 |
| 14193-7 | 56, 129 |
| 14194-7 | 56, 129 |
| 14195-7 | 56, 129 |
| 14196-7 | 56, 129 |
| 14197-7 | 56, 129 |
| 14215-6 | 137 |
| 1423-1 | 27 |
| 1423-5 | 27 |
| 14230-3 | 137 |
| 14233-7 | 137 |
| 14234-3 | 138 |
| 14234-7 | 137 |
| 14236-3 | 138 |
| 1424-1 | 27 |
| 1424-5 | 27 |
| 14241-6 | 139 |
| 1425-1 | 27 |
| 1425-5 | 27 |
| 14253-3 | 139 |
| 14255-3 | 139 |
| 14258-6 | 137 |
| 14258B1 | 137 |
| 14258R1 | 137 |
| 1426-1 | 27 |
| 1426-5 | 27 |
| 14267-3 | 141 |
| 14292-3 | 14 |
| 14341-3 | 138 |
| 14342-3 | 138 |
| 14343-3 | 138 |
| 14344-3 | 138 |
| 14345-1 | 138 |
| 14345-3 | 138 |
| 14346-6 | 138 |
| 14347-6 | 138 |
| 14348-6 | 138 |
| 14350-3 | 140 |
| 14352-3 | 140 |
| 14359-6 | 142 |
| 14360-6 | 142 |
| 14361-5 | 142 |
| 14365-6 | 140 |
| 14366-6 | 140 |
| 14367-6 | 140 |
| 14370-6 | 142 |
| 14371-6 | 142 |
| 14372-7 | 142 |
| 1438-1 | 28 |
| 14386-3 | 139 |
| 1438F1 | 28 |
| 1439-1 | 28 |
| 1439F1 | 28 |
| 14507-6 | 76 |
| 14509-6 | 77 |
| 14527-6 | 77 |
| 14530-6 | 76 |
| 14532-6 | 76 |
| 14534-6 | 76 |
| 14540-6 | 78 |
| 14580-1 | 91 |
| 14582-1 | 91 |
| 14584D1 | 92, 124 |
| 1471-1 | 120 |
| 1471W1 | 120 |
| 1472-1 | 120 |
| 1472W1 | 120 |
| 1476-1 | 120 |
| 1476W1 | 120 |
| 1477-1 | 120 |
| 1477W1 | 120 |
| 1478-1 | 120 |
| 1478W1 | 120 |
| 1479-1 | 120 |
| 1481-1 | 120 |
| 1481W1 | 120 |
| 1482-1 | 120 |
| 1482W1 | 120 |
| 1483-1 | 120 |
| 1483W1 | 120 |
| 1487A1 | 26 |
| 1487B1 | 26 |
| 1488-1 | 26 |
| 1488-5 | 26 |
| 1493-1 | 26 |
| 1493-5 | 26 |
| 1494-1 | 27 |
| 1494-5 | 27 |
| 1494A1 | 27 |
| 1494A5 | 27 |
| 1494F1 | 27 |
| 1495-1 | 27 |
| 1495A1 | 27 |
| 1495B1 | 27 |
| 1495B5 | 27 |
| 1499-1 | 26 |
| 1499-5 | 26 |
| 15160-8 | 166 |
| 15201-1 | 168 |
| 15201-7 | 168 |
| 15220-1 | 167 |
| 15220-7 | 167 |
| 15221-1 | 167 |
| 15221-7 | 167 |
| 15222-1 | 167 |
| 15222-7 | 167 |
| 15223-1 | 167 |
| 15223-7 | 167 |
| 15230-1 | 166 |

| PART NO | PAGE NO |
|---|---|
| 15230-7 | 166 |
| 15231-1 | 166 |
| 15231-7 | 166 |
| 15232-1 | 166 |
| 15232-7 | 166 |
| 15233-1 | 166 |
| 15233-7 | 166 |
| 15234-1 | 166 |
| 15234-7 | 166 |
| 15237-7 | 166 |
| 15238-7 | 166 |
| 15239-7 | 166 |
| 15240-1 | 167 |
| 15240-7 | 167 |
| 15241-1 | 167 |
| 15241-7 | 167 |
| 15260-8 | 166 |
| 15401 | 247 |
| 15402 | 249 |
| 15403 | 249 |
| 15404 | 249 |
| 15405 | 249 |
| 15406 | 249 |
| 15407 | 249 |
| 15408 | 249 |
| 15409 | 249 |
| 15410 | 249 |
| 15411 | 247 |
| 15412 | 249 |
| 15413 | 250 |
| 15414 | 250 |
| 15415 | 250 |
| 15416 | 250 |
| 15417 | 250 |
| 15418 | 250 |
| 15420 | 251 |
| 15421 | 251 |
| 15422 | 251 |
| 15423 | 251 |
| 15424 | 251 |
| 15428 | 249 |
| 15429 | 249 |
| 15600-3 | 233 |
| 1570 | 233 |
| 15700-3 | 233 |
| 1607-1 | 98 |
| 1607-3 | 98 |
| 1607A1 | 98 |
| 1615-1 | 98 |
| 16205-2 | 93 |
| 16205-5 | 93 |
| 16207-2 | 93 |
| 16208-7 | 93 |
| 1670-1 | 86 |
| 1670-3 | 86 |
| 1674-1 | 86 |
| 1674-6 | 86 |
| 17010 | 251 |
| 17012 | 251 |
| 17014 | 251 |
| 17016 | 251 |
| 17018 | 251 |
| 17020 | 244 |
| 17025 | 247 |
| 17030 | 247 |
| 17031 | 247 |
| 17040 | 249 |
| 17042 | 249 |
| 17044 | 249 |
| 17046 | 249 |
| 17048 | 249 |
| 17209-1 | 23 |
| 17211-3 | 23 |
| 1731-1 | 25 |
| 1731-4 | 25 |
| 1733-1 | 25 |
| 1733-4 | 25 |
| 17442 | 246 |
| 17443 | 246 |
| 17444 | 246 |
| 17453 | 248 |
| 17454 | 248 |
| 17455 | 248 |
| 17456 | 248 |
| 17457 | 248 |
| 17459 | 249 |
| 17461 | 249 |
| 1747-1 | 25 |
| 1747-4 | 25 |
| 1749-1 | 25 |
| 1749-4 | 25 |
| 1751-1 | 25 |
| 17510 | 234 |
| 17525 | 234 |
| 17550 | 248 |
| 17552 | 248 |
| 17554 | 248 |
| 17565 | 246 |
| 17566 | 246 |
| 17567 | 246 |
| 17568 | 246 |
| 17569 | 246 |
| 17570 | 246 |
| 17571 | 246 |
| 17572 | 246 |
| 17573 | 247 |
| 17574 | 247 |
| 17575 | 247 |
| 17576 | 247 |
| 17577 | 247 |
| 17578 | 247 |
| 17579 | 247 |
| 17580 | 247 |
| 17582 | 247 |
| 17583 | 247 |
| 17584 | 247 |
| 17585 | 246 |
| 17586 | 246 |
| 17587 | 246 |
| 17588 | 246 |
| 17589 | 246 |
| 17590 | 246 |
| 17591 | 246 |
| 17592 | 246 |
| 17600 | 248 |
| 17610 | 248 |
| 17682 | 245 |
| 17683 | 245 |
| 17684 | 245 |
| 17685 | 245 |
| 17686 | 245 |
| 17687 | 245 |
| 17688 | 245 |
| 17689 | 245 |
| 17692 | 245 |
| 17693 | 245 |
| 17694 | 245 |
| 17695 | 245 |
| 17700 | 250 |
| 17701 | 250 |
| 17702 | 250 |
| 17703 | 250 |
| 17704 | 250 |
| 17705 | 250 |
| 17708 | 244 |
| 17709 | 244 |
| 17710 | 244 |
| 17711 | 244 |
| 17712 | 244 |
| 17713 | 244 |
| 17714 | 248 |
| 17716 | 248 |
| 17718 | 249 |
| 17719 | 249 |
| 17720 | 232 |
| 17721 | 232 |
| 17722 | 244 |
| 17723 | 244 |
| 17724 | 244 |
| 17725 | 244 |
| 17726 | 244 |
| 17727 | 244 |
| 17728 | 244 |
| 17731 | 246 |
| 17732 | 246 |
| 17733 | 246 |
| 17734 | 246 |
| 17735 | 246 |
| 17736 | 249 |
| 17737 | 249 |
| 17738 | 249 |
| 17739 | 249 |
| 17740 | 247 |
| 17741 | 249 |
| 17742 | 247 |
| 17744 | 247 |
| 17746 | 247 |
| 17748 | 247 |
| 17750 | 247 |
| 17760 | 248 |
| 17761 | 248 |
| 17762 | 248 |
| 17764 | 248 |
| 17768 | 247 |
| 17769 | 247 |
| 17770 | 247 |
| 17771 | 247 |
| 17772 | 247 |
| 17773 | 247 |
| 17774 | 247 |
| 17775 | 247 |
| 17776 | 247 |
| 17777 | 247 |
| 17778 | 247 |
| 17780 | 249 |
| 17782 | 249 |
| 17783 | 249 |
| 17784 | 249 |
| 17787 | 249 |
| 17790 | 250 |
| 17791 | 250 |
| 17792 | 250 |
| 17794 | 251 |
| 17795 | 251 |

| PART NO | PAGE NO |
|---|---|
| 17796 | 251 |
| 17797 | 251 |
| 17798 | 251 |
| 17799 | 251 |
| 17800 | 244 |
| 17801 | 245 |
| 17802 | 245 |
| 17803 | 247 |
| 17804 | 247 |
| 17805 | 247 |
| 17806 | 247 |
| 17807 | 247 |
| 17808 | 248 |
| 17809 | 248 |
| 17810 | 248 |
| 17811 | 248 |
| 17812 | 248 |
| 17813 | 249 |
| 17814 | 249 |
| 17815 | 249 |
| 17816 | 249 |
| 17817 | 249 |
| 17818 | 249 |
| 17819 | 249 |
| 17820 | 249 |
| 17821 | 249 |
| 17822 | 249 |
| 17823 | 251 |
| 17824 | 251 |
| 17825 | 247 |
| 17879 | 251 |
| 17880 | 251 |
| 17881 | 251 |
| 17882 | 251 |
| 17883 | 251 |
| 17884 | 251 |
| 17888 | 251 |
| 17889 | 251 |
| 17890 | 251 |
| 17891 | 251 |
| 17892 | 251 |
| 17893 | 251 |
| 1872 | 232 |
| 19000 | 228 |
| 2007-1 | 189 |
| 2007-3 | 189 |
| 2012A1 | 189 |
| 2012A3 | 189 |
| 2027-1 | 191 |
| 2027-7 | 191 |
| 2028-1 | 191 |
| 2050-1 | 190 |
| 2050-5 | 190 |
| 2052-1 | 190 |
| 2053-1 | 190 |
| 2053-5 | 190 |
| 2054-1 | 190 |
| 2054-5 | 190 |
| 2061-1 | 190 |
| 2061-5 | 190 |
| 2064 | 230 |
| 2070-1 | 190 |
| 2080-1 | 190 |
| 2114 | 230 |
| 2114-T | 230 |
| 2134 | 230 |
| 2134-SS | 230 |
| 2134-T | 230 |
| 2134-T-SS | 230 |
| 2164 | 230 |
| 2164-T | 230 |
| 2244 | 230 |
| 2244-ADJ | 230 |
| 2244-ADJ-T | 230 |
| 2244-T-SS | 230 |
| 238027-1 | 224 |
| 238027-3 | 224 |
| 23809-7 | 223 |
| 23809C-7 | 223 |
| 23811-7 | 223 |
| 23811C-7 | 223 |
| 23813-7 | 223 |
| 23813C-7 | 223 |
| 238140-1 | 223 |
| 238141-1 | 223 |
| 238142-1 | 223 |
| 238142-7 | 223 |
| 238143-1 | 223 |
| 238143-7 | 223 |
| 23815-7 | 223 |
| 238150-1 | 223 |
| 238151-1 | 223 |
| 238152-1 | 223 |
| 238152-7 | 223 |
| 238153-1 | 223 |
| 238153-7 | 223 |
| 23815C-7 | 223 |
| 238162-1 | 223 |
| 238164-1 | 223 |
| 238300-1 | 224, 226 |
| 238312-1 | 224, 226 |
| 238312-2 | 224, 226 |
| 238322-1 | 224, 226 |
| 238322-2 | 224, 226 |
| 238333-1 | 224, 226 |
| 238352-1 | 224, 226 |
| 238512-1 | 224 |
| 238512-4 | 224 |
| 238522-1 | 224 |
| 238522-4 | 224 |
| 2385400 | 226 |
| 2385405 | 226 |
| 238542-1 | 224 |
| 238609-1 | 224 |
| 238609-3 | 224 |
| 238610-1 | 224 |
| 238610-3 | 224 |
| 238610L1 | 225 |
| 238611-1 | 224 |
| 238611-3 | 224 |
| 238611L1 | 225 |
| 238612-1 | 224 |
| 238612-3 | 224 |
| 238613-1 | 224 |
| 238613-3 | 224 |
| 238613L1 | 225 |
| 238614-1 | 224 |
| 238614-3 | 224 |
| 238615-1 | 224 |
| 238615-3 | 224 |
| 238617-1 | 224 |
| 238625-1 | 224 |
| 238630-1 | 224 |
| 238636-1 | 224 |
| 238665L1 | 225 |
| 238813LSM1 | 226 |
| 238833LSM1 | 226 |
| 238908-1 | 224 |
| 238908SM4 | 224 |
| 238909L1 | 226 |
| 238909LSM1 | 226 |
| 238910-1 | 224 |
| 238911-1 | 224 |
| 238911L1 | 226 |
| 238912-1 | 224 |
| 238912L1 | 226 |
| 238912SM4 | 224 |
| 238913-1 | 224 |
| 238913L1 | 226 |
| 238913LSM1 | 226 |
| 238914-1 | 224 |
| 238915-1 | 224 |
| 238915SM4 | 224 |
| 238916LSM1 | 226 |
| 2445-1 | 132 |
| 2445-7 | 132 |
| 2449-1 | 132 |
| 2449-7 | 132 |
| 2460-1 | 128 |
| 2460-7 | 128 |
| 2520-1 | 42 |
| 2530-1 | 42 |
| 2638-1 | 127 |
| 2638-20-1 | 127 |
| 278AN3PGL-1 | 221 |
| 278AN3PGS-1 | 221 |
| 278AN3PM-1 | 221 |
| 278AO3AGL-1 | 221 |
| 278AO3AGS-1 | 221 |
| 278AO3AM-1 | 221 |
| 278AO3PGL-1 | 221 |
| 278AO3PGS-1 | 221 |
| 278AO3PM-1 | 221 |
| 278AOBT050-LP-1 | 221 |
| 278AOBT060-1 | 221 |
| 278AOBT070-1 | 221 |
| 278AOBT080-1 | 221 |
| 278AOBT090-1 | 221 |
| 278AOBT100-1 | 221 |
| 278AOBT110-1 | 221 |
| 278AOBT120-1 | 221 |
| 278AOBT130-1 | 221 |
| 278AOBT150-1 | 221 |
| 278AOGY060-1 | 221 |
| 278AOGY070-1 | 221 |
| 278AOGY080-1 | 221 |
| 278AOGY090-1 | 221 |
| 278AOGY100-1 | 221 |
| 278AOGY110-1 | 221 |
| 278AOGY120-1 | 221 |
| 278AOGY130-1 | 221 |
| 278AOGY150-1 | 221 |
| 278AOM0912-BD-1 | 221 |
| 278AOM1215-1 | 221 |
| 278AOM1519-1 | 221 |
| 278AOM1923-1 | 221 |
| 278AOP0811-BD-1 | 221 |
| 278AOP0912-BD-1 | 221 |
| 278AOP1215-1 | 221 |
| 278AOP1519-1 | 221 |
| 278AOP1923-1 | 221 |
| 278AOZAGL-1 | 221 |
| 278AOZAGS-1 | 221 |
| 278AOZAM-1 | 221 |

| PART NO | PAGE NO |
|---|---|
| 278AOZPGL-1 | 221 |
| 278AOZPGS-1 | 221 |
| 2906-1 | 103, 126 |
| 2906-3 | 103, 126 |
| 2908-1 | 126 |
| 2908-6 | 103 |
| 29130 | 228 |
| 3004 | 230 |
| 3004-R | 230 |
| 3004-R-T | 230 |
| 3004-R-T-SS | 230 |
| 3004-T | 230 |
| 30106-6 | 15, 124 |
| 30110-6 | 15, 124 |
| 30111-6 | 138 |
| 30121-6 | 124 |
| 3100-1 | 34 |
| 3101-1 | 34 |
| 3103-1 | 34 |
| 3120-1 | 34 |
| 3120-7 | 34 |
| 3121-1 | 34 |
| 3121-7 | 34 |
| 3123-1 | 34 |
| 3123-7 | 34 |
| 3130-1 | 34 |
| 3131-1 | 34 |
| 3133-1 | 34 |
| 3134-1 | 34 |
| 3150-1 | 34 |
| 3150G7 | 34 |
| 3150G7* | 34 |
| 3150R7 | 34 |
| 3151-1 | 34 |
| 3153-1 | 34 |
| 3153G7 | 34 |
| 3153R7 | 34 |
| 3204 | 230 |
| 3204-R | 230 |
| 3204-R-T | 230 |
| 3204-R-T-SS | 230 |
| 3204-T | 230 |
| 3204-T-SS | 230 |
| 3300-1 | 64 |
| 3325-1 | 175 |
| 3325-3 | 175 |
| 3326-1 | 175 |
| 3326-3 | 175 |
| 3392-1 | 176 |
| 3392-3 | 176 |
| 3396-1 | 176 |
| 3396-3 | 176 |
| 340_ | 237 |
| 341_ | 237 |
| 342_ | 237 |
| 343_ | 237 |
| 344_ | 237 |
| 345_ | 237 |
| 3460-1 | 193 |
| 3460-3 | 193 |
| 352_ | 237 |
| 353_ | 237 |
| 354_ | 237 |
| 355_ | 237 |
| 356_ | 237 |
| 357_ | 237 |
| 369_ | 237 |
| 370_ | 237 |
| 372_ | 237 |
| 373_ | 237 |
| 374_ | 237 |
| 375_ | 237 |
| 379_ | 237 |
| 3810-1 | 36 |
| 3810-7 | 36 |
| 3820-1 | 36 |
| 3820G7 | 36 |
| 3820R7 | 36 |
| 3821-1 | 36 |
| 383_ | 237 |
| 3830-1 | 37 |
| 3830G7 | 37 |
| 3830R7 | 37 |
| 3831-1 | 37 |
| 3834-1 | 37 |
| 3834G7 | 37 |
| 3834R7 | 37 |
| 3835-1 | 37 |
| 3838-1 | 37 |
| 3838G7 | 37 |
| 3838R7 | 37 |
| 384_ | 237 |
| 3845-1 | 21 |
| 3870-1 | 21 |
| 3872-1 | 21 |
| 3872-3 | 21 |
| 3872A1 | 21 |
| 3873-1 | 21 |
| 3873-3 | 21 |
| 3873A1 | 21 |
| 3874-1 | 21 |
| 3874-3 | 21 |
| 3874A1 | 21 |
| 3875-1 | 21 |
| 3875-3 | 21 |
| 3875A1 | 21 |
| 3875B1 | 21 |
| 3875C1 | 23 |
| 3876-1 | 22 |
| 3876-3 | 22 |
| 3877-1 | 21 |
| 3877-3 | 21 |
| 3878-1 | 21 |
| 3878-3 | 21 |
| 3879-1 | 21 |
| 3879-3 | 21 |
| 3880-1 | 21 |
| 3881-1 | 22 |
| 3882-1 | 23 |
| 3883-1 | 21 |
| 3885-1 | 22 |
| 3885-3 | 22 |
| 3886-1 | 22 |
| 3886-3 | 22 |
| 3888-1 | 23 |
| 3889-1 | 23 |
| 3890-1 | 16 |
| 3890-3 | 16 |
| 3891-1 | 16 |
| 3892-1 | 16 |
| 3893-1 | 16 |
| 3896-1 | 21 |
| 3896-3 | 21 |
| 3897-1 | 21 |
| 3897-3 | 21 |
| 3899-1 | 16 |
| 3899-3 | 16 |
| 3900-1 | 16 |
| 39004 | 228 |
| 3902-1 | 16 |
| 3902-3 | 16 |
| 3909-1 | 16 |
| 39204 | 228 |
| 400-B | 165 |
| 400-R | 165 |
| 4000-ADJ | 165 |
| 4000-ADJ-B | 165 |
| 4116-5 | 14 |
| 4118A1 | 15 |
| 4118A5 | 15 |
| 4121-1 | 15 |
| 4121-3 | 15 |
| 4122-1 | 15 |
| 4122-3 | 15 |
| 4123-1 | 15 |
| 4125-1 | 15 |
| 4125-7 | 15 |
| 4131-1 | 12 |
| 4131-4 | 12 |
| 4133-1 | 12 |
| 4140-4 | 13 |
| 4141-1 | 11 |
| 4141-4 | 11 |
| 4142-1 | 11 |
| 4143-1 | 11 |
| 4143-4 | 11 |
| 4144-1 | 11 |
| 4145-1 | 11 |
| 4199-7 | 14 |
| 4201-1 | 10 |
| 4201-7 | 10 |
| 4202-1 | 10 |
| 4202-7 | 10 |
| 4232-1 | 22 |
| 4232-7 | 22 |
| 4236 | 5 |
| 424-ADJ | 165 |
| 4253-7 | 14 |
| 436-ADJ | 165 |
| 4505-1 | 5 |
| 4505-7 | 5 |
| 4505S1 | 5 |
| 4507-1 | 5 |
| 4507-7 | 5 |
| 4507S1 | 5 |
| 4508-1 | 5 |
| 4511-1 | 5 |
| 4511-7 | 5 |
| 4511S1 | 5 |
| 4512-1 | 5 |
| 460-ADJ | 165 |
| 4606-1 | 7 |
| 4606-7 | 7 |
| 4606TH1 | 7 |
| 4608-1 | 7 |
| 4608-7 | 7 |
| 4608TH1 | 7 |
| 4609-1 | 7 |
| 4612-1 | 7 |
| 4612-7 | 7 |
| 4613-1 | 7 |
| 4614-7 | 14 |
| 4620-6 | 7, 8, 8 |
| 4622-6 | 7, 8, 9 |

| PART NO | PAGE NO |
|---|---|
| 4624-6 | 7, 8 |
| 4640-1 | 8 |
| 4640-7 | 8 |
| 4641-1 | 8 |
| 4643-1 | 8 |
| 4643-7 | 8 |
| 4650-1 | 8 |
| 4650-7 | 8 |
| 4651-1 | 8 |
| 4660-1 | 8 |
| 4660-7 | 8 |
| 4661-1 | 8 |
| 4663-1 | 8 |
| 4670-1 | 9 |
| 4670-7 | 9 |
| 4672-1 | 9 |
| 4672-7 | 9 |
| 4730-1 | 6 |
| 4730-4 | 6 |
| 4760-1 | 6 |
| 4760-4 | 6 |
| 4770-1 | 6 |
| 4770-4 | 6 |
| 4801-1 | 10 |
| 4801-7 | 10 |
| 4802-7 | 10 |
| 5000 | 143 |
| 5009-4 | 116 |
| 5009W4 | 116 |
| 5010-4 | 116 |
| 5010W4 | 116 |
| 5011-7 | 117 |
| 5011W7 | 117 |
| 5012-7 | 117 |
| 5013-4 | 116 |
| 5014-4 | 116 |
| 5016-3 | 117 |
| 5016W3 | 117 |
| 5017-6 | 118 |
| 5022-7 | 117 |
| 5023-7 | 117 |
| 5030-4 | 117 |
| 5031D1 | 118 |
| 5040-1 | 35 |
| 5040G7 | 35 |
| 5040R7 | 35 |
| 5040SS1 | 35 |
| 5045-1 | 35 |
| 5045-7 | 35 |
| 5045SS1 | 35 |
| 5045SS7 | 35 |
| 5060-3 | 119 |
| 5061-3 | 119 |
| 5062-3 | 119 |
| 5063-3 | 119 |
| 5064-3 | 119 |
| 5065-3 | 119 |
| 5066-7 | 119 |
| 5067-7 | 119 |
| 5070-3 | 119 |
| 5071-3 | 119 |
| 5072-7 | 119 |
| 5073-3 | 119 |
| 5074-3 | 119 |
| 5080G7 | 35 |
| 5080R7 | 35 |
| 5091-10-1 | 41 |
| 5091-10-7 | 41 |
| 5091-12-1 | 41 |
| 5091-12B1 | 41 |
| 5091-14-7 | 41 |
| 5091-19-1 | 41 |
| 5092-10-7 | 41 |
| 5092-10T1 | 41 |
| 5092-12T1 | 41 |
| 5092-12TB1 | 41 |
| 5092-14-7 | 41 |
| 5092-14T1 | 41 |
| 5092-14TB1 | 41 |
| 5092-16T1 | 41 |
| 5092-16TB1 | 41 |
| 5092-20T1 | 41 |
| 5092-8T1 | 41 |
| 5095-10-7 | 41 |
| 5095-10T1 | 41 |
| 5095-14T1 | 41 |
| 5097-10-1 | 41, 42 |
| 5097-14-1 | 41 |
| 5098-10-1 | 41 |
| 5098-14-1 | 41 |
| 5100-24-1 | 47 |
| 5100-30-1 | 47 |
| 5100-36-1 | 47 |
| 5100-42-1 | 47 |
| 5100-48-1 | 47 |
| 5100-54-1 | 47 |
| 5100-60-1 | 47 |
| 5110-24-7 | 47 |
| 5110-30-7 | 47 |
| 5110-36-7 | 47 |
| 5110-42-7 | 47 |
| 5110-42T1 | 47 |
| 5110-48-7 | 47 |
| 5110-48T1 | 47 |
| 5110-54-7 | 47 |
| 512 | 180 |
| 5120-12Z1 | 52 |
| 5120-36Z1 | 52 |
| 5120-P12-1 | 52 |
| 5120-PA12-7 | 52 |
| 5121-P12-1 | 52 |
| 5121-PA12-7 | 52 |
| 5122-08-1 | 53 |
| 5122-08-7 | 53 |
| 5300-48-1 | 46 |
| 5300-54-1 | 46 |
| 5300-54B1 | 46 |
| 5300-60-1 | 46 |
| 5300-72-1 | 46 |
| 5310-48T1 | 46 |
| 5310-48TB1 | 46 |
| 5310-54T1 | 46 |
| 5310-54TB1 | 46 |
| 5310-60T1 | 46 |
| 5310-60TB1 | 46 |
| 5310-66T1 | 46 |
| 5310-72T1 | 46 |
| 5320-11T1 | 46 |
| 5320-20T1 | 46 |
| 5320-42T1 | 46 |
| 5320-48T1 | 46 |
| 5320-54T1 | 46 |
| 5320-60T1 | 46 |
| 5320-60TB1 | 46 |
| 5320-62T1 | 46 |
| 5320-72T1 | 46 |
| 5330-42-7 | 45 |
| 5330-42T1 | 45 |
| 5330-48-7 | 45 |
| 5330-48T1 | 45 |
| 5330-54T1 | 45 |
| 5330-60T1 | 45 |
| 5330-72T1 | 45 |
| 5340-42T1 | 45 |
| 5340-48-7 | 45 |
| 5340-48T1 | 45 |
| 5340-54-7 | 45 |
| 5340-54T1 | 45 |
| 5340-60T1 | 45 |
| 5340-64T1 | 45 |
| 5340-72T1 | 45 |
| 5340-84T | 45 |
| 5350-20Z1 | 52 |
| 5350-24Z1 | 52 |
| 5350-30Z1 | 52 |
| 5350-36Z1 | 52 |
| 5350-P12-1 | 52 |
| 5350-P20-1 | 52 |
| 5350-PA12-7 | 52 |
| 5350-PA20-7 | 52 |
| 5350-S20-1 | 52 |
| 5350-S30-1 | 52 |
| 5351-P12-1 | 52 |
| 5351-P20-1 | 52 |
| 5351-PA12-7 | 52 |
| 5351-PA20-7 | 52 |
| 5352-08-1 | 53 |
| 5352-08-7 | 53 |
| 5353-P12-1 | 52 |
| 5353-P24-1 | 52 |
| 5355-P07-1 | 52 |
| 5355-P24-1 | 52 |
| 5358-P12-7 | 52 |
| 5358-PV12-7 | 52 |
| 5424-71-1 | 65 |
| 5530-12T1 | 44 |
| 5530-24-A7 | 44 |
| 5530-36-A7 | 44 |
| 5530-42-A7 | 44 |
| 5530-42T1 | 44 |
| 5530-48-A7 | 44 |
| 5530-48T1 | 44 |
| 5530-54-A7 | 44 |
| 5530-54T1 | 44 |
| 5530-54TB1 | 44 |
| 5530-60-A7 | 44 |
| 5530-60T1 | 44 |
| 5530-66T1 | 44 |
| 5530-72T1 | 44 |
| 5540-54-1 | 44 |
| 5540-54-A7 | 44 |
| 5540-54T1 | 44 |
| 5540-60T1 | 44 |
| 5540-72T1 | 44 |
| 5550-12-1 | 51 |
| 5550-24-1 | 51 |
| 5550-36Z1 | 51 |
| 5550-42Z1 | 51 |
| 5550-P07-1 | 51 |
| 5550-P12-1 | 51 |
| 5550-P20-1 | 51 |
| 5550-P24-1 | 51 |
| 5550-PA20-7 | 51 |
| 5550-S12-1 | 51 |

| PART NO | PAGE NO |
|---|---|
| 5550-S18-1 | 51 |
| 5550-S24-1 | 51 |
| 5550-S30-1 | 51 |
| 5550-S36-1 | 51 |
| 5550-S42-1 | 51 |
| 5550-S54-1 | 51 |
| 5551-P12-1 | 51 |
| 5551-PA20-7 | 51 |
| 5557-P12A-7 | 51 |
| 5557-P12A-7* | 51 |
| 5557-PV12A-7 | 51 |
| 5558-P12A7 | 51 |
| 5558-PV12A7 | 51 |
| 5570-54-1 | 44 |
| 5570-60-1 | 44 |
| 5570-72-1 | 44 |
| 5570-84-1 | 44 |
| 5580-03 | 53 |
| 5580-1 | 53 |
| 5580-14-1 | 53 |
| 5580-7 | 53 |
| 5580A7 | 53 |
| 5581-1 | 53 |
| 5582-1 | 53 |
| 5610-48-7 | 47 |
| 5940-1 | 53 |
| 5940-7 | 53 |
| 5980-1 | 53 |
| 6115-1 | 15 |
| 6115A1 | 15 |
| 6126-1 | 12 |
| 6126-7 | 12 |
| 6244-1 | 174 |
| 6244-6 | 174 |
| 6245-1 | 174 |
| 6245-6 | 174 |
| 6260-4 | 156 |
| 6311-1 | 62 |
| 6311-7 | 62 |
| 6312-1 | 62 |
| 6312-7 | 62 |
| 6313-1 | 62 |
| 6313-7 | 62 |
| 6316-1 | 62 |
| 6316-7 | 62 |
| 6317-1 | 62 |
| 6317-7 | 62 |
| 6318-1 | 62 |
| 6318-7 | 62 |
| 6319-1 | 62 |
| 6319-7 | 62 |
| 6320B1 | 61 |
| 6320B7 | 61 |
| 6320W1 | 61 |
| 6320W7 | 61 |
| 6321B1 | 61 |
| 6321B7 | 61 |
| 6323B1 | 61 |
| 6323B7 | 61 |
| 6323W1 | 61 |
| 6323W7 | 61 |
| 6324B1 | 61 |
| 6324B7 | 61 |
| 6324W1 | 61 |
| 6340SS1 | 61 |
| 6340SS7 | 61 |
| 6341SS1 | 61 |
| 6341SS7 | 61 |
| 6342A1 | 61 |
| 6342A7 | 61 |
| 6342R1 | 61 |
| 6342R7 | 61 |
| 6342SS1 | 61 |
| 6342SS7 | 61 |
| 6343557 | 60 |
| 6343BSS1 | 60 |
| 6343GSS1 | 60 |
| 6343RSS1 | 60 |
| 6343SS1 | 60 |
| 6343SS7 | 60 |
| 6344BSS1 | 60 |
| 6344GSS1 | 60 |
| 6344RSS1 | 60 |
| 6344SS1 | 60 |
| 6345SN1 | 61 |
| 6345SS1 | 61 |
| 6346SS1 | 61 |
| 6346W1 | 61 |
| 6347SS1 | 61 |
| 6348SN1 | 61 |
| 6348SS1 | 61 |
| 6349SS1 | 61 |
| 6350A7 | 62 |
| 6350B1 | 62 |
| 6350B7 | 62 |
| 6350G1 | 62 |
| 6350R1 | 62 |
| 6350R7 | 62 |
| 6350U1 | 62 |
| 6350UB1 | 62 |
| 6350W1 | 62 |
| 6350W7 | 62 |
| 6351A1 | 62 |
| 6351B1 | 62 |
| 6351G1 | 62 |
| 6351R1 | 62 |
| 6351U1 | 62 |
| 6351W1 | 62 |
| 6352SS1 | 61 |
| 6353W7 | 63 |
| 6354W7 | 63 |
| 6355W7 | 63 |
| 6356-03-1 | 65 |
| 6356D1 | 55 |
| 6356D7 | 55 |
| 6375-205-1 | 66 |
| 6375D6 | 39 |
| 6450-1 | 121 |
| 6450-7 | 121 |
| 6451-1 | 121 |
| 6451-7 | 121 |
| 6483 | 231 |
| 64839 | 231 |
| 6520SS4 | 57 |
| 6521SS1 | 57 |
| 6522SS1 | 57 |
| 6522SS7 | 57 |
| 6523BK1 | 57 |
| 6523BK7 | 57 |
| 6556-1 | 55 |
| 6556-7 | 55 |
| 65UW03B-1 | 59 |
| 65UW03B-7 | 59 |
| 65UW03CVBK-1 | 59 |
| 65UW03CVSS-1 | 59 |
| 65UW03CVWH-1 | 59 |
| 65UW03G-1 | 59 |
| 65UW03G-7 | 59 |
| 65UW03W-1 | 59 |
| 65UW03W-7 | 59 |
| 65UW06B-1 | 59 |
| 65UW06B-7 | 59 |
| 65UW06CVBK-1 | 59 |
| 65UW06CVSS-1 | 59 |
| 65UW06CVWH-1 | 59 |
| 65UW06G-1 | 59 |
| 65UW06G-7 | 59 |
| 65UW06W-1 | 59 |
| 65UW06W-7 | 59 |
| 65UW12B-1 | 59 |
| 65UW12B-7 | 59 |
| 65UW12CVBK-1 | 59 |
| 65UW12CVSS-1 | 59 |
| 65UW12CVWH-1 | 59 |
| 65UW12G-1 | 59 |
| 65UW12G-7 | 59 |
| 65UW12W-1 | 59 |
| 65UW12W-7 | 59 |
| 66004-1 | 98 |
| 66004-3 | 98 |
| 66008-1 | 177 |
| 66009-1 | 173 |
| 66009L6 | 173 |
| 66010-1 | 173 |
| 66010L3 | 173 |
| 66011-1 | 173 |
| 66011L3 | 173 |
| 66012-1 | 173 |
| 66021-1 | 187 |
| 66021-3 | 187 |
| 66023-1 | 98 |
| 66025-1 | 186 |
| 66025-3 | 186 |
| 66026-1 | 186 |
| 66026-3 | 186 |
| 66027-1 | 188 |
| 66027-3 | 188 |
| 66028-1 | 187 |
| 66028-3 | 187 |
| 66029-1 | 187 |
| 66029-3 | 187 |
| 66031-1 | 98 |
| 66031-3 | 98 |
| 66032-1 | 98 |
| 66032-3 | 98 |
| 66054-1 | 172 |
| 66055-1 | 172 |
| 66056-1 | 172 |
| 66060-1 | 97 |
| 66060-3 | 97 |
| 66061-3 | 97 |
| 66062-1 | 172 |
| 66063-1 | 172 |
| 66064-1 | 172 |
| 66074-3 | 97 |
| 66100-1 | 181 |
| 66100-3 | 181 |
| 66101-1 | 181 |
| 66101-3 | 181 |
| 66102-1 | 181 |
| 66102-3 | 181 |
| 66103-1 | 181 |
| 66103-3 | 181 |
| 66104-1 | 183 |

| PART NO | PAGE NO |
|---|---|
| 66104-3 | 183 |
| 66105-1 | 150, 185 |
| 66105-3 | 150, 185 |
| 66109-3 | 182 |
| 66110-1 | 173 |
| 66110-3 | 173 |
| 66111-1 | 173 |
| 66111-3 | 173 |
| 66112-1 | 173 |
| 66120-1 | 175 |
| 66126-5 | 97 |
| 66126C1 | 97 |
| 66127-1 | 177 |
| 66154-1 | 182 |
| 66163-1 | 187 |
| 66163-3 | 187 |
| 66164-1 | 187 |
| 66164-3 | 187 |
| 66200-3 | 183 |
| 66202-1 | 185 |
| 66202-3 | 185 |
| 66203-1 | 185 |
| 66208-1 | 188 |
| 66220-1 | 183 |
| 66220-3 | 183 |
| 66222-1 | 183 |
| 66222-3 | 183 |
| 66223-1 | 177 |
| 66223-3 | 177 |
| 66224-1 | 177 |
| 66237-1 | 186 |
| 66237-3 | 186 |
| 66239 | 186 |
| 66239-1 | 186 |
| 66239-7 | 186 |
| 66240-1 | 186 |
| 66261-1 | 176 |
| 66261L3 | 176 |
| 66262-1 | 176 |
| 66262-3 | 176 |
| 66263-1 | 176 |
| 66263L3 | 176 |
| 66308-1 | 23 |
| 66308-3 | 23 |
| 66318-1 | 38 |
| 66318-7 | 38 |
| 66319-1 | 38 |
| 66319G7 | 38 |
| 66319R7 | 38 |
| 66320-1 | 38 |
| 66334-1 | 172 |
| 66335-1 | 172 |
| 66336-1 | 172 |
| 66362-1 | 120 |
| 66362-7 | 120 |
| 66362W1 | 120 |
| 66362W7 | 120 |
| 66363-1 | 120 |
| 66363-7 | 120 |
| 66363W1 | 120 |
| 66363W7 | 120 |
| 66364-1 | 120 |
| 66364-7 | 120 |
| 66364W1 | 120 |
| 66364W7 | 120 |
| 66382-7 | 55 |
| 66391-1 | 187 |
| 66391-3 | 187 |
| 66398-1 | 173 |
| 66398-7 | 173 |
| 66399-1 | 28 |
| 66399-3 | 28 |
| 66400-1 | 28 |
| 66400-3 | 28 |
| 66406-5 | 97 |
| 66407-1 | 97 |
| 66408-5 | 97 |
| 66408C1 | 97 |
| 66411C1 | 97 |
| 66412C1 | 97 |
| 66419-1 | 86 |
| 66419-3 | 86 |
| 66423-1 | 188 |
| 66423-3 | 188 |
| 66425-1 | 188 |
| 66425-3 | 188 |
| 66434-1 | 186 |
| 66446C1 | 97 |
| 66448-1 | 179 |
| 66448-7 | 179 |
| 66449-1 | 179 |
| 66450-1 | 179 |
| 66450-5 | 179 |
| 66451-1 | 179 |
| 66451-5 | 179 |
| 66462-1 | 120 |
| 66462-7 | 120 |
| 66462W1 | 120 |
| 66462W7 | 120 |
| 66463-1 | 120 |
| 66463-7 | 120 |
| 66463W1 | 120 |
| 66463W7 | 120 |
| 66464-1 | 120 |
| 66464-7 | 120 |
| 66464W1 | 120 |
| 66464W7 | 120 |
| 66470-1 | 120 |
| 66470-7 | 120 |
| 66470W7 | 120 |
| 66471- | 120 |
| 66471-7 | 120 |
| 66471W7 | 120 |
| 66502-1 | 173 |
| 66502-7 | 173 |
| 66510-1 | 171 |
| 66510-7 | 171 |
| 66512-1 | 171 |
| 66514-1 | 171 |
| 66514-7 | 171 |
| 66515-1 | 170 |
| 66515-7 | 170 |
| 66516-1 | 171 |
| 66516-7 | 171 |
| 66517-1 | 170 |
| 66517-7 | 170 |
| 66519-1 | 170 |
| 66522-1 | 171 |
| 66524-1 | 171 |
| 66529-1 | 170 |
| 66531-1 | 170 |
| 66533-1 | 170 |
| 66538-1 | 170 |
| 66540-1 | 17 |
| 66540-3 | 17 |
| 66541-1 | 17 |
| 66541-3 | 17 |
| 66542-1 | 17 |
| 66542-3 | 17 |
| 66543-1 | 17 |
| 66543-3 | 17 |
| 66544-1 | 17 |
| 66544-3 | 17 |
| 66545-1 | 17 |
| 66545-3 | 17 |
| 66545G1 | 17 |
| 66546-1 | 17 |
| 66546-3 | 17 |
| 66547-1 | 17 |
| 66547-3 | 17 |
| 66548-1 | 17 |
| 66548-3 | 17 |
| 66549-1 | 17 |
| 66549-3 | 17 |
| 66549G1 | 17 |
| 66550-1 | 17 |
| 66550-3 | 17 |
| 66551-1 | 17 |
| 66551-3 | 17 |
| 66551G1 | 17 |
| 66552-1 | 17 |
| 66552G1 | 17 |
| 66553-1 | 18 |
| 66553-3 | 18 |
| 66553G1 | 18 |
| 66555-1 | 18 |
| 66555G1 | 18 |
| 66557-1 | 18 |
| 66557G1 | 18 |
| 66559-1 | 18 |
| 66561-1 | 18 |
| 66563-1 | 18 |
| 66565-1 | 18 |
| 66565G1 | 18 |
| 66567-1 | 18 |
| 66567G1 | 18 |
| 66577-1 | 18 |
| 66577G1 | 18 |
| 66579-1 | 18 |
| 66579G1 | 18 |
| 66586-1 | 171 |
| 66586-7 | 171 |
| 66587-1 | 171 |
| 66587-7 | 171 |
| 66588-1 | 171 |
| 66588-7 | 171 |
| 66589-1 | 171 |
| 66589-7 | 171 |
| 66615-1 | 170 |
| 66617-1 | 170 |
| 66654-1 | 172 |
| 6682 | 231 |
| 6682-T | 231 |
| 66832-1 | 189 |
| 66839 | 231 |
| 6684 | 231 |
| 66970-7 | 121 |
| 66HR09-1 | 178 |
| 66HR12-1 | 178 |
| 66HR18-1 | 178 |
| 66HR24-1 | 178 |
| 66HR32-1 | 178 |
| 66HR36-1 | 178 |
| 66HRD09-1 | 178 |

| PART NO | PAGE NO |
|---|---|
| 66HRD12-1 | 178 |
| 66HRD18-1 | 178 |
| 66HRD24-1 | 178 |
| 66HRD32-1 | 178 |
| 66HRD36-1 | 178 |
| 66UW03B-1 | 59 |
| 66UW03B-7 | 59 |
| 66UW03G-1 | 59 |
| 66UW03G-7 | 59 |
| 66UW03W-1 | 59 |
| 66UW03W-7 | 59 |
| 66UW06B | 59 |
| 66UW06B-1 | 59 |
| 66UW06G-1 | 59 |
| 66UW06G-7 | 59 |
| 66UW06W-1 | 59 |
| 66UW06W-7 | 59 |
| 66UW12B-1 | 59 |
| 66UW12B-7 | 59 |
| 66UW12G-1 | 59 |
| 66UW12G-7 | 59 |
| 66UW12W-1 | 59 |
| 66UW12W-7 | 59 |
| 6724-05-1 | 65 |
| 67551-1 | 19 |
| 67552-1 | 19 |
| 67552G1 | 19 |
| 67553-1 | 19 |
| 67554-1 | 19 |
| 67554G1 | 19 |
| 67555-1 | 19 |
| 67555G1 | 19 |
| 67556-1 | 19 |
| 67556G1 | 19 |
| 67557-1 | 19 |
| 67557G1 | 19 |
| 67558-1 | 19 |
| 67561-1 | 19 |
| 67562-1 | 19 |
| 67580-1 | 19 |
| 67580G1 | 19 |
| 67581-1 | 19 |
| 67582-1 | 19 |
| 67583-1 | 19 |
| 6772-T | 231 |
| 67729 | 231 |
| 67729-SC-T | 231 |
| 67729-T | 231 |
| 6773 | 231 |
| 6773-SS | 231 |
| 6773-T | 231 |
| 67739 | 231 |
| 67739-SC | 231 |
| 67739-SS | 231 |
| 67749 | 231 |
| 67904 | 228 |
| 68550-1 | 20 |
| 68551-1 | 20 |
| 68551-3 | 20 |
| 68552-1 | 20 |
| 68552-3 | 20 |
| 68554-1 | 20 |
| 68555-1 | 20 |
| 68556-1 | 20 |
| 68557-1 | 20 |
| 68576-1 | 20 |
| 68576-3 | 20 |
| 68577-1 | 20 |
| 68577-3 | 20 |
| 68578-1 | 20 |
| 68578-3 | 20 |
| 68579-1 | 20 |
| 68579-3 | 20 |
| 68580-3 | 20 |
| 68581-1 | 20 |
| 68581-3 | 20 |
| 68582-1 | 20 |
| 68582-3 | 20 |
| 68590-1 | 20 |
| 68590-3 | 20 |
| 69772 | 228 |
| 69773 | 228 |
| 7006-1 | 214 |
| 7009-1 | 214 |
| 7012-004-4 | 218 |
| 7012-101-1 | 218 |
| 7012-101-4 | 218 |
| 7012-104-4 | 218 |
| 7012-504-1 | 218 |
| 7012-504-4 | 218 |
| 7012-706-1 | 218 |
| 7012-706-4 | 218 |
| 7022-101-1 | 218 |
| 7040-1 | 208 |
| 7060-1 | 208 |
| 7062-3 | 234 |
| 7100A7 | 47 |
| 7100B7 | 47 |
| 7100C7 | 47 |
| 7101A7 | 47 |
| 7101B7 | 47 |
| 7153-T-SS | 230 |
| 7201-P-7 | 54 |
| 7201-PV-7 | 54 |
| 7202-P-7 | 54 |
| 7202-PV-7 | 54 |
| 7212Z1 | 54 |
| 7408-1 | 54 |
| 7408-P-1 | 54 |
| 7412-P-1 | 54 |
| 7455-1 | 54 |
| 7518A3 | 24 |
| 7518DP1 | 24 |
| 7520A1 | 24 |
| 7520A3 | 24 |
| 7520PD1 | 24 |
| 7524A1 | 24 |
| 7524A7 | 24 |
| 7524B1 | 24 |
| 7524D1 | 24 |
| 7524PD1 | 24 |
| 7526A1 | 24 |
| 7526A7 | 24 |
| 7526D1 | 24 |
| 7526PD1 | 24 |
| 7531A3 | 24 |
| 7532A3 | 24 |
| 7533A1 | 24 |
| 7533A7 | 24 |
| 7533PD1 | 24 |
| 7534A1 | 24 |
| 7534A3 | 24 |
| 7535A1 | 24 |
| 7535A3 | 24 |
| 7555-1 | 23 |
| 7555-3 | 23 |
| 7557-03 | 23 |
| 7557-04 | 23 |
| 7557-1 | 23 |
| 7557-7 | 23 |
| 7557G1 | 23 |
| 7563-6 | 139 |
| 7566AR1 | 24 |
| 7566BG1 | 24 |
| 7571-1 | 64 |
| 7571L7 | 64 |
| 7589-3 | 139 |
| 7591-6 | 141 |
| 7594-3 | 139 |
| 7615-3 | 14 |
| 7615A3 | 14 |
| 7621-7 | 155 |
| 7622-7 | 140 |
| 7623-7 | 142 |
| 7624-7 | 142 |
| 7625-7 | 142 |
| 7626-7 | 142 |
| 7640-3 | 192 |
| 7647-7 | 140 |
| 7648-7 | 140 |
| 7651-3 | 192 |
| 7653L3 | 192 |
| 7663-5 | 155 |
| 7812-S-1 | 54 |
| 7812-S-7 | 54 |
| 7812S1 | 54 |
| 7812Z1 | 54 |
| 7824-S-1 | 54 |
| 7836-S-1 | 54 |
| 7842-S-1 | 54 |
| 8043-1 | 126 |
| 8043-3 | 126 |
| 815000 | 234 |
| 818440 | 225 |
| 818440-3 | 225 |
| 818441 | 225 |
| 818441-3 | 225 |
| 827 | 180 |
| 828461 | 225 |
| 8314-1 | 126 |
| 8315-4 | 126 |
| 8324-1 | 126 |
| 8386-2 | 216 |
| 8800-6 | 91 |
| 8801-6 | 91 |
| 8802-6 | 91 |
| 8803i2 | 94 |
| 8803LP2 | 69 |
| 8803LP25 | 69 |
| 8803LPG2 | 69 |
| 8803LPG25 | 69 |
| 8806i2 | 94 |
| 8806iG2 | 94 |
| 8806LP2 | 69 |
| 8806LP25 | 69 |
| 8806LPG2 | 69 |
| 8806LPG25 | 69 |
| 8812iG2 | 94 |
| 8812LLP2 | 69 |
| 8812LLPG2 | 69 |
| 8812LP2 | 69 |
| 8812LPG2 | 69 |
| 8838HF6 | 72 |
| 8838HM6 | 72 |

| PART NO | PAGE NO |
|---|---|
| 8838TM6 | 72 |
| 8838US6 | 72 |
| 8873-6 | 76 |
| 8882-6 | 76 |
| 8883-6 | 76 |
| 8884-6 | 77 |
| 8887-6 | 78 |
| 8889LP6 | 76 |
| 8890LP6 | 76 |
| 8892-6 | 76 |
| 8893-6 | 76 |
| 8896LP6 | 76, 77 |
| 8897-6 | 77 |
| 88EP06-4 | 93 |
| 88FAS014-6 | 78 |
| 88FAS038-6 | 78 |
| 88FBF102-6 | 78 |
| 88FBM101-6 | 78 |
| 88FBM104-6 | 78 |
| 88FBM105-6 | 78 |
| 88FBMA102-6 | 78 |
| 88FE100-6 | 78 |
| 88FHE516-6 | 76 |
| 88FHH038-6 | 77 |
| 88FHN038-6 | 78 |
| 88FHNP038-6 | 78 |
| 88FHS038-6 | 77 |
| 88FHS516-6 | 77 |
| 88FHY516-6 | 77 |
| 88FTH014-6 | 77 |
| 88FTN014-6 | 78 |
| 88FTNP014-6 | 78 |
| 88FTS014-6 | 77 |
| 88FV101-6 | 81 |
| 88FV102-6 | 81 |
| 88FV200-6 | 81 |
| 88FV201-6 | 81 |
| 88FV202-6 | 81 |
| 88TC06-7 | 91 |
| 8900-6 | 77 |
| 8901-6 | 77 |
| 8902-6 | 77 |
| 8M0044687 | 71 |
| 9006-1 | 136 |
| 9013-1 | 136 |
| 9013-3 | 136 |
| 9013A3 | 136 |
| 9014-1 | 136 |
| 9014-3 | 136 |
| 9014A1 | 136 |
| 9014A3 | 136 |
| 9024-05-1 | 65 |
| 903-008-T-S | 180 |
| 903-009-S | 180 |
| 9040-4 | 126 |
| 9065-1 | 135 |
| 9067-1 | 135 |
| 9069-1 | 135 |
| 90720 | 232 |
| 9076-1 | 135 |
| 9082-1 | 135 |
| 9083-7 | 131 |
| 9084-1 | 135 |
| 9090-1 | 136 |
| 9090-5 | 136 |
| 9091-1 | 136 |
| 9091-5 | 136 |
| 9092-5 | 136 |
| 9093-5 | 136 |
| 9094-1 | 136 |
| 9094-5 | 136 |
| 9095-1 | 136 |
| 9095-5 | 136 |
| 9096-1 | 136 |
| 9096-5 | 136 |
| 9097-1 | 136 |
| 9097-5 | 136 |
| 9098-1 | 136 |
| 9098-5 | 136 |
| 9099-1 | 136 |
| 9099-5 | 136 |
| 91017B1 | 65 |
| 91017B7 | 65 |
| 91022-1 | 50 |
| 91022-6 | 50 |
| 91022-7 | 50 |
| 910409 | 64 |
| 910R2PB-1 | 49 |
| 910R2PB-7 | 49 |
| 910R2PSB-1 | 49 |
| 910R2PSB-7 | 49 |
| 910R2PSW-1 | 49 |
| 910R2SS-1 | 49 |
| 910R3PB-1 | 49 |
| 910R3PB-7 | 49 |
| 910R3PSB-1 | 49 |
| 910R3PSB-7 | 49 |
| 910R3PSW-1 | 49 |
| 910R3SS-1 | 49 |
| 910T2PB-1 | 49 |
| 910T2PB-7 | 49 |
| 910T2PSB-1 | 49 |
| 910T2PSB-7 | 49 |
| 910T2PSW-1 | 49 |
| 910T2SS-1 | 49 |
| 910T3PB-1 | 49 |
| 910T3PB-7 | 49 |
| 910T3PSB-1 | 49 |
| 910T3PSB-7 | 49 |
| 910T3PSW-1 | 49 |
| 910T3SS-1 | 49 |
| 910V2PB-1 | 48 |
| 910V2PB-7 | 48 |
| 910V2SS-1 | 48 |
| 910V2SS-7 | 48 |
| 910V3PB-1 | 48 |
| 910V3PB-7 | 48 |
| 910V3SS-1 | 48 |
| 910V3SS-7 | 48 |
| 911078A1 | 21 |
| 911339-1 | 50 |
| 911339-7 | 50 |
| 911339B | 50 |
| 911363-1 | 65 |
| 911370-1 | 50 |
| 911445-1 | 50 |
| 911490-1 | 50 |
| 911507 | 86 |
| 911508 | 86 |
| 911526-1 | 86 |
| 911527-1 | 86 |
| 911528-1 | 86 |
| 912021 | 65 |
| 912021-7 | 65 |
| 912091A | 66 |
| 912091AW | 66 |
| 912091B | 66 |
| 912091BW | 66 |
| 912091C | 66 |
| 912091F | 65 |
| 912392B | 65 |
| 912392C | 65 |
| 912392W | 65 |
| 912393B | 65 |
| 912393C | 65 |
| 912393W | 65 |
| 912394B | 65 |
| 912394C | 65 |
| 912394W | 65 |
| 912406 | 65 |
| 912407 | 65 |
| 912408 | 65 |
| 912717 | 64 |
| 912852 | 65 |
| 912852-7 | 65 |
| 913068SA | 66 |
| 913068SB | 66 |
| 913068SC | 66 |
| 91320 | 232 |
| 91320-ADJ | 232 |
| 913670-1 | 51, 52, 54 |
| 913671-1 | 51, 52, 54 |
| 913693-1 | 51 |
| 9144-6 | 146 |
| 9145-6 | 146 |
| 9146-3 | 193 |
| 9146-6 | 146 |
| 9147-6 | 146 |
| 9148-6 | 146 |
| 9149-6 | 146 |
| 9150-6 | 146 |
| 9185J1 | 16 |
| 9185M1 | 16 |
| 922-ADJ-S | 180 |
| 923-009 | 180 |
| 923-009-ADJ | 180 |
| 9230-7 | 64 |
| 9232-7 | 64 |
| 9233-7 | 64 |
| 9235-7 | 64 |
| 9300FDV7 | 71 |
| 93014I7 | 95 |
| 93014LP7 | 70 |
| 93038I7 | 95 |
| 93038LP7 | 70 |
| 9350-4 | 103 |
| 9351-2 | 103 |
| 93516I7 | 95 |
| 93516LP7 | 70 |
| 93531-1 | 105 |
| 93532-1 | 105 |
| 93533-1 | 105 |
| 93534-1 | 105 |
| 93536-1 | 104 |
| 9354BD1 | 104 |
| 9354D1 | 104 |
| 93552P2 | 104 |
| 93553P2 | 104 |
| 9355BD1 | 104 |
| 9355D1 | 104 |
| 9356BD1 | 104 |
| 9356D1 | 104 |
| 9358-1 | 104 |
| 9358B1 | 104 |

| PART NO | PAGE NO |
|---|---|
| 9368A1 | 92 |
| 9368B1 | 92 |
| 9368C1 | 92 |
| 9369A1 | 92 |
| 9372-2 | 93 |
| 93806AI7 | 95 |
| 93806ALP7 | 74 |
| 93806AUS7 | 74 |
| 93806AUSD7 | 74 |
| 93806BLP7 | 74 |
| 93806EFDV7 | 74 |
| 93806EI7 | 95 |
| 93806ELP7 | 74 |
| 93806EUS7 | 74 |
| 93806EUSD7 | 74 |
| 93806FLP7 | 75 |
| 93806FUS7 | 75 |
| 93806HI7 | 95 |
| 93806HLP7 | 75 |
| 93806HUS7 | 75 |
| 93806HUSD7 | 75 |
| 93806MFDV7 | 74 |
| 93806MI7 | 95 |
| 93806MLP7 | 74 |
| 93806MUS7 | 74 |
| 93806MUSD7 | 74 |
| 93806UFDV7 | 74 |
| 93806UI7 | 95 |
| 93806ULP7 | 74 |
| 93806UUS7 | 74 |
| 93806UUSD7 | 74 |
| 93806UUSI7 | 95 |
| 93806YFDV7 | 75 |
| 93806YI7 | 95 |
| 93806YLP7 | 75 |
| 93806YUS7 | 74 |
| 93806YUSD7 | 75 |
| 93810USCD7 | 74 |
| 93812ULP7 | 74 |
| 93812UUS7 | 74 |
| 93812UUSD7 | 74 |
| 9400-7 | 93 |
| 9401-7 | 93 |
| 94100-4 | 143 |
| 94110-5 | 143 |
| 94111-6 | 142 |
| 94112-6 | 143 |
| 9433-S | 180 |
| 9436-S | 180 |
| 951606ULP7 | 74 |
| 952 | 180, 234 |
| 96008 | 180 |
| 96009 | 180 |
| 96839 | 229 |
| 96A01_ _ - 2 | 213 |
| 96A03_ _ - 2 | 213 |
| 96A04_ _ - 2 | 213 |
| 96A05_ _ - 2 | 213 |
| 96A06_ _ - 2 | 213 |
| 96A09_ _ - 2 | 213 |
| 9703-7 | 118 |
| 9709-7 | 118 |
| 97100-001-1 | 217 |
| 97100-001-2 | 217 |
| 97100-005-1 | 217 |
| 97100-005-2 | 217 |
| 97100-006-1 | 217 |
| 97100-006-2 | 217 |
| 977339-T | 229 |
| 97739 | 229 |
| 97739-T | 229 |
| 97749-7 | 229 |
| 97749C-7 | 229 |
| 97750-7 | 229 |
| 97750C-7 | 229 |
| 97751-7 | 229 |
| 97751C-7 | 229 |
| 97P02_ _-2 | 210 |
| 97P07_ _-2 | 210 |
| 97P08_ _-2 | 210 |
| 97S01_ _ - 2 | 211 |
| 97S03_ _ - 2 | 211 |
| 97S04_ _ - 2 | 211 |
| 97S06_ _ - 2 | 211 |
| 98100-1 | 214 |
| 98120-1 | 214 |
| 98124 | 214 |
| 98201-1 | 208 |
| 98202-1 | 208 |
| 98203-1 | 208 |
| 98204-1 | 208 |
| 98386-2 | 216 |
| 98387-2 | 216 |
| 98388-2 | 216 |
| 98390GY | 219 |
| 98391GNMX | 219 |
| 98391GY | 219 |
| 98395CAMO | 219 |
| 98395GY | 219 |
| 98395WH | 219 |
| 9842-1 | 23 |
| 9842-3 | 23 |
| 9842PDI | 23 |
| 98437_ _-2 | 207 |
| 98438_ _-2 | 207 |
| 98439_ _-2 | 207 |
| 9844PD1 | 23 |
| 98450_ _-2 | 207 |
| 98505CA | 219 |
| 98505GY | 219 |
| 98505WH | 219 |
| 98900-1 | 212 |
| 98908-1 | 212 |
| 98910-1 | 212 |
| 98920-1 | 212 |
| 98928-1 | 212 |
| 98930-1 | 212 |
| 98961-1 | 206 |
| 98963-1 | 206 |
| 98966_ _-2 | 205 |
| 98967_ _-2 | 205 |
| 98968_ _-2 | 205 |
| 98969_ _-2 | 205 |
| 98990-1 | 206 |
| 98991-1 | 206 |
| 991CV000HS2 | 90 |
| 99200DS1 | 96 |
| 99200DZ1 | 96 |
| 99200GB1 | 96 |
| 99200GS1 | 96 |
| 99200GW1 | 96 |
| 99200GZ1 | 96 |
| 99200WB1 | 96 |
| 99200WS1 | 96 |
| 99200WSY1-1 | 96 |
| 99200WW1 | 96 |
| 99200WZ1 | 96 |
| 99201DS1 | 96 |
| 99201DZ1 | 96 |
| 99201GB1 | 96 |
| 99201GS1 | 96 |
| 99201GW1 | 96 |
| 99201GZ1 | 96 |
| 99201WB1 | 96 |
| 99201WS1 | 96 |
| 99201WSY1-1 | 96 |
| 99201WW1 | 96 |
| 99201WZ1 | 96 |
| 99202AWS1 | 96 |
| 99202AWSY1-1 | 96 |
| 99202AWZ1 | 96 |
| 99202WS1 | 96 |
| 99202WSY1-1 | 96 |
| 99202WZ1 | 96 |
| 99210GB1 | 96 |
| 99210GW1 | 96 |
| 99210WB1 | 96 |
| 99210WW1 | 96 |
| 99211GB1 | 96 |
| 99211GW1 | 96 |
| 99211WB1 | 96 |
| 99211WW1 | 96 |
| 9922-1 | 102 |
| 99220-1 | 96 |
| 9923-1 | 102 |
| 9923-3 | 102 |
| 9924-1 | 102 |
| 9924-3 | 102 |
| 9933-1 | 100 |
| 9933B1 | 100 |
| 9934-1 | 100 |
| 99340 | 180 |
| 9934B1 | 100 |
| 9935-1 | 100 |
| 9935B1 | 100 |
| 9941-1 | 100 |
| 9941B1 | 100 |
| 9942-1 | 100 |
| 9942B1 | 100 |
| 9943-1 | 100 |
| 9943B1 | 100 |
| 9944-1 | 100 |
| 9944B1 | 100 |
| 9945-1 | 100 |
| 9945B1 | 100 |
| 9946-1 | 100 |
| 9946B1 | 100 |
| 9947-3 | 106 |
| 9948-1 | 100 |
| 9948B1 | 100 |
| 9955-1 | 101 |
| 9956-1 | 101 |
| 9957-1 | 101 |
| 9960-1 | 101 |
| 9961-1 | 101 |
| 9962-1 | 101 |
| 9963-1 | 101 |
| 99CC035-1 | 87 |
| 99CC035HSA1 | 87 |
| 99CC045-1 | 87 |
| 99CC045H1 | 87 |
| 99CC045HSA1 | 87 |
| 99CC045V1 | 87 |
| 99CC085-1 | 87 |

| PART NO | PAGE NO |
|---|---|
| 99CC085H1 | 87 |
| 99CC085HSA1 | 87 |
| 99CC150-1 | 87 |
| 99CC150HSA1 | 87 |
| 99CC150V1 | 87 |
| 99CCB01-1 | 87 |
| 99DFCCAB1 | 85 |
| 99DFCCAS1 | 85 |
| 99DFCCASY1-1 | 85 |
| 99DFCCASY2-1 | 85 |
| 99DFCCAW1 | 85 |
| 99DFCCAZ1 | 85 |
| 99DFCCSB1 | 85 |
| 99DFCCSS1 | 85 |
| 99DFCCSSY1-1 | 85 |
| 99DFCCSSY2-1 | 85 |
| 99DFCCSW1 | 85 |
| 99DFCCSZ1 | 85 |
| 99DFPVAB1 | 88 |
| 99DFPVAS1 | 88 |
| 99DFPVASY1-1 | 88 |
| 99DFPVASY2-1 | 88 |
| 99DFPVAZ1 | 88 |
| 99DFPVSB1 | 88 |
| 99DFPVSS1 | 88 |
| 99DFPVSSY1-1 | 88 |
| 99DFPVSSY2-1 | 88 |
| 99DFPVSW1 | 88 |
| 99DFPVSZ1 | 88 |
| 99DVA02-1 | 88 |
| 99DVB01-1 | 88 |
| 99DVB02-1 | 88 |
| 99DVC01-1 | 88 |
| 99DVP03-1 | 88 |
| 99DVP04-1 | 88 |
| 99DVP05-1 | 88 |
| 99FLF080-1 | 90 |
| 99FLF100-1 | 90 |
| 99FLF140-1 | 90 |
| 99FLF170-1 | 90 |
| 99FLF230-1 | 90 |
| 99FLF330-1 | 90 |
| 99FLN080-1 | 90 |
| 99FLN100-1 | 90 |
| 99FLN140-1 | 90 |
| 99FLN170-1 | 90 |
| 99FLN230-1 | 90 |
| 99FLN330-1 | 90 |
| 99FV100-6 | 98 |
| 99GVG000-1 | 90 |
| 99GVP000-1 | 90 |
| 99ICV000 | 90 |
| 99IFDV00-1 | 88 |
| 99IFDVS1 | 88 |
| 99TDF100-1 | 86 |
| 99TDF110-1 | 86 |
| 99TDF120-1 | 86, 89 |
| 99TDFPV100-0 | 89 |
| 99TDFPV100-1 | 89 |
| 99TDFPV110-1 | 89 |
| ATT001 | 215 |
| ATT002 | 215 |
| ATT007 | 215 |
| ATT008 | 215 |
| ATT009 | 215 |
| ATT016 | 215 |
| ATT101 | 208 |
| ATT102 | 208 |
| ATT103 | 208 |
| ATT109 | 208 |
| ATT110 | 208 |
| ATT200-1 | 212 |
| ATT205-1 | 212 |
| ATT210-1 | 212 |
| ATT220-1 | 212 |
| NV1001SS-1 | 33 |
| NV1002SS-1 | 33 |
| NV1012PB-1 | 33 |
| NV1011SS-1 | 33 |
| NV1002PB-1 | 33 |
| NV1012SS-1 | 33 |
| NV2002PB-1 | 33 |
| NV2002PB-7 | 33 |
| NV2001SS-1 | 33 |
| NV2002SS-1 | 33 |
| NV2002SS-7 | 33 |
| NV2012PB-1 | 33 |
| NV2011SS-1 | 33 |
| NV2012PBG-7 | 33 |
| NV2012PBR-7 | 33 |
| NV2012SS-1 | 33 |
| NV2012SS-7 | 33 |
| NV2012SSG-7 | 33 |
| NV2012SSR-7 | 33 |
| NV3011SS-1 | 33 |
| NV3012SS-1 | 33 |
| NV3012SSG-7 | 33 |
| NV3012SSR-7* | 33 |
| NV4012SSG-7 | 33 |
| NV4012SSR-7 | 33 |
| NV5012PB-1 | 33 |
| NV5012SS-1 | 33 |
| NV6LC1-10-1 | 40 |
| NV6LC1-10A7 | 40 |
| NV6LC1-12-1 | 40 |
| NV6LC1-14-1 | 40 |
| NV6LC1-14-7 | 40 |
| NV6LC1-14A7 | 40 |
| NV6LC1-16-1 | 40 |
| NV6LC2-10-1 | 40 |
| NV6LC2-10-7 | 40 |
| NV6LC2-14-1 | 40 |
| NV6LC2-14-7 | 40 |
| NV6SP1-10-1 | 40, 42 |
| NV6SP1-12-1 | 40, 42 |
| NV6SP1-14-1 | 40, 42 |
| NV6SP1-16-1 | 40, 42 |
| NV6SP2-10-1 | 40, 42 |
| NV6SP2-14-1 | 40, 42 |
| P10106 | 166 |
| RH-46 | 116 |
| RH-46-1 | 116 |
| RH-4646 | 116 |
| SL1-20-5 | 195 |
| SL1-40-5 | 195 |
| SL1-XX-1 | 194 |
| SL10-40-5 | 195 |
| SL10-XX-1 | 194 |
| SL11-XX-1 | 194 |
| SL13-20-5 | 195 |
| SL13-60-5 | 195 |
| SL13-XX-1 | 194 |
| SL14-20-5 | 195 |
| SL14-30-5 | 195 |
| SL14-40-5 | 195 |
| SL14-50-5 | 195 |
| SL14-60-5 | 195 |
| SL14-XX-1 | 194 |
| SL15-XX-1 | 194 |
| SL16-30-5 | 195 |
| SL16-XX-1 | 194 |
| SL18-XX-1 | 194 |
| SL2-40-5 | 195 |
| SL2-XX-1 | 194 |
| SL20-XX-1 | 194 |
| SL25-XX-1 | 194 |
| SL26-XX-1 | 194 |
| SL27-XX-1 | 194 |
| SL28-XX-1 | 194 |
| SL29-XX-1 | 194 |
| SL3-60-5 | 195 |
| SL3-XX-1 | 194 |
| SL30-20-5 | 195 |
| SL30-40-5 | 195 |
| SL30-60-5 | 195 |
| SL30-XX-1 | 194 |
| SL31-20-5 | 195 |
| SL31-30-5 | 195 |
| SL31-40-5 | 195 |
| SL31-XX-1 | 194 |
| SL32-20-5 | 195 |
| SL32-30-5 | 195 |
| SL32-XX-1 | 194 |
| SL33-20-5 | 195 |
| SL33-30-5 | 195 |
| SL33-40-5 | 195 |
| SL33-50-5 | 195 |
| SL33-60-5 | 195 |
| SL33-XX-1 | 194 |
| SL34-120-5 | 195 |
| SL34-20-5 | 195 |
| SL34-30-5 | 195 |
| SL34-40-5 | 195 |
| SL34-50-5 | 195 |
| SL34-60-5 | 195 |
| SL34-80-5 | 195 |
| SL34-90-5 | 195 |
| SL34-XX-1 | 194 |
| SL35-20-5 | 195 |
| SL35-30-5 | 195 |
| SL35-40-5 | 195 |
| SL35-50-5 | 195 |
| SL35-XX-1 | 194 |
| SL36-20-5 | 195 |
| SL36-30-5 | 195 |
| SL36-40-5 | 195 |
| SL36-50-5 | 195 |
| SL36-60-5 | 195 |
| SL36-70-5 | 195 |
| SL36-80-5 | 195 |
| SL36-90-5 | 195 |
| SL36-XX-1 | 194 |
| SL37-XX-1 | 194 |
| SL38-XX-1 | 194 |
| SL3HBP3-1 | 197 |
| SL3HBP3-7 | 196 |
| SL3HP1-1 | 197 |
| SL3HP3-1 | 197 |
| SL3HSSP3-1 | 197 |
| SL4-XX-1 | 194 |
| SL40BP3-1 | 197 |
| SL40BP3-7 | 196 |
| SL40P1-1 | 197 |
| SL40P3-1 | 197 |

| PART NO | PAGE NO |
|---|---|
| SL40SSBP3-1 | 197 |
| SL40SSP3-1 | 197 |
| SL40SSP3-7 | 196 |
| SL44BP3-1 | 197 |
| SL44BP3R-1 | 197 |
| SL44P3-1 | 197 |
| SL44P3R-1 | 197 |
| SL44SSP3-1 | 197 |
| SL46P3-1 | 197 |
| SL46P3R-1 | 197 |
| SL46SSBP3-1 | 197 |
| SL46SSP3-1 | 197 |
| SL46SSP3-7 | 196 |
| SL46SSP3R-1 | 197 |
| SL48BP3R-1 | 197 |
| SL48P3-1 | 197 |
| SL48P3R-1 | 197 |
| SL48SSP3-1 | 197 |
| SL503HBP3-1 | 198 |
| SL503HP3-1 | 198 |
| SL50AP3-1 | 198 |
| SL50BP3-1 | 198 |
| SL50BP3-7 | 196 |
| SL50BP3R-1 | 198 |
| SL50BP3R-7 | 196 |
| SL50P1-1 | 198 |
| SL50P3-1 | 198 |
| SL50P3R-1 | 198 |
| SL50SSP1-1 | 198 |
| SL50SSP3-1 | 198 |
| SL50SSP3-7 | 196 |
| SL50SSP3R-1 | 198 |
| SL50SSP3SB-1 | 198 |
| SL513HBP3-1 | 198 |
| SL513HBP3R-1 | 198 |
| SL513HP3-1 | 198 |
| SL513HP3R-1 | 198 |
| SL514HSSP3-1 | 198 |
| SL52BP3R-1 | 198 |
| SL52P3-1 | 198 |
| SL52P3R-1 | 198 |
| SL52SSP3-1 | 198 |
| SL52SSP3R-1 | 198 |
| SL54BP3-1 | 198 |
| SL54BP3R-1 | 198 |
| SL54P1-1 | 198 |
| SL54P3-1 | 198 |
| SL54SSP3-1 | 198 |
| SL55BP3-1 | 199 |
| SL55BP3R-1 | 199 |
| SL55P3-1 | 199 |
| SL55P3R-1 | 199 |
| SL55SSP3-1 | 199 |
| SL57BP3-1 | 199 |
| SL57P3-1 | 199 |
| SL57SSBP3-1 | 199 |
| SL57SSP3-1 | 199 |
| SL57SSP3R-1 | 199 |
| SL58BP3-1 | 199 |
| SL58BP3-7 | 196 |
| SL58BP3R-1 | 199 |
| SL58P1R-1 | 199 |
| SL58P3-1 | 199 |
| SL58P3R-1 | 199 |
| SL58SSBP3R-1 | 199 |
| SL58SSP3-1 | 199 |
| SL58SSP3-7 | 196 |
| SL58SSP3R-1 | 199 |
| SL59BP325-1 | 199 |
| SL59P325-1 | 199 |
| SL60BP3-1 | 199 |
| SL60P3-1 | 199 |
| SL61-BS-1 | 199 |
| SL61SSBS-1 | 199 |
| SL62-BS-1 | 200 |
| SL62P3-1 | 200 |
| SL62SSBS-1 | 200 |
| SL63-BS-1 | 199 |
| SL63-BSB-1 | 199 |
| SL63SSBS-1 | 199 |
| SL64-BS-1 | 196 |
| SL64SSBS-1 | 196 |
| SL65BP3-1 | 200 |
| SL65BP3-7 | 196 |
| SL65BP325-1 | 200 |
| SL65P3-1 | 200 |
| SL65P325-1 | 200 |
| SL65SSP3-1 | 200 |
| SL65SSP3-7 | 196 |
| SL66SSBS-1 | 199 |
| SL68-BS-1 | 196 |
| SL69-BS-1 | 196 |
| SL69SSBS-1 | 196 |
| SL69SSBS-7 | 196 |
| SL70-BS-1 | 196 |
| SL72SSBS-1 | 200 |
| SL73SSBS-1 | 200 |
| SL74SSBS-1 | 196 |
| SL75SSBS-1 | 196 |
| SL76SSP3-1 | 200 |
| SL76SSP3R-1 | 200 |
| SL77P3-1 | 200 |
| SP-1002 | 229 |
| SP-14000 | 234 |
| SP-15100 | 233 |
| SP-15200 | 233 |
| SP-15900 | 233 |
| SP-18914 | 227 |
| SP-19000 | 228 |
| SP-2114 | 230 |
| SP-2114-T | 230 |
| SP-2134 | 230 |
| SP-2134-T | 230 |
| SP-2164 | 230 |
| SP-2164-T | 230 |
| SP-2244 | 230 |
| SP-2244-ADJ | 230 |
| SP-2244-ADJ-T | 230 |
| SP-28911 | 227 |
| SP-28913 | 227 |
| SP-28925 | 227 |
| SP-29130 | 228 |
| SP-3004 | 230 |
| SP-3004-R | 230 |
| SP-3004-R-T | 230 |
| SP-3004-T | 230 |
| SP-3204 | 230 |
| SP-3204-R | 230 |
| SP-3204-R-T | 230 |
| SP-3204-T | 230 |
| SP-37904 | 227 |
| SP-37914 | 227 |
| SP-39004 | 228 |
| SP-39204 | 228 |
| SP-400-RB | 165 |
| SP-4000-ADJ-RB | 165 |
| SP-402 | 165 |
| SP-410 | 165 |
| SP-411 | 180 |
| SP-416 | 165 |
| SP-421-RB | 165 |
| SP-424-ADJ-RB | 165 |
| SP-429-RB | 165 |
| SP-436-ADJ-RB | 165 |
| SP-64839 | 231 |
| SP-66839 | 231 |
| SP-67739 | 231 |
| SP-67739-T | 231 |
| SP-67749 | 231 |
| SP-67904 | 228 |
| SP-68914 | 227 |
| SP-69773 | 228 |
| SP-7153-T-SS | 230 |
| SP-903-008-T-S | 180 |
| SP-910 | 180 |
| SP-923-009-ADJ | 180 |
| SP-930 | 180 |
| SP-96008 | 180 |
| SP-96009 | 180 |
| ST10-40-5 | 195 |
| ST10-XX-1 | 194 |
| ST11-XX-1 | 194 |
| ST13-20-5 | 195 |
| ST13-60-5 | 195 |
| ST13-XX-1 | 194 |
| ST14-20-5 | 195 |
| ST14-30-5 | 195 |
| ST14-40-5 | 195 |
| ST14-50-5 | 195 |
| ST14-60-5 | 195 |
| ST14-XX-1 | 194 |
| ST15-XX-1 | 194 |
| ST20-XX-1 | 194 |
| ST25-XX-1 | 194 |
| ST26-XX-1 | 194 |
| ST29-XX-1 | 194 |
| ST30-20-5 | 195 |
| ST30-40-5 | 195 |
| ST30-60-5 | 195 |
| ST30-XX-1 | 194 |
| ST31-20-5 | 195 |
| ST31-30-5 | 195 |
| ST31-40-5 | 195 |
| ST31-XX-1 | 194 |
| ST32-20-5 | 195 |
| ST32-30-5 | 195 |
| ST32-XX-1 | 194 |
| ST33-20-5 | 195 |
| ST33-30-5 | 195 |
| ST33-40-5 | 195 |
| ST33-50-5 | 195 |
| ST33-60-5 | 195 |
| ST33-XX-1 | 194 |
| ST34-120-5 | 195 |
| ST34-20-5 | 195 |
| ST34-30-5 | 195 |
| ST34-40-5 | 195 |
| ST34-50-5 | 195 |
| ST34-60-5 | 195 |
| ST34-80-5 | 195 |
| ST34-90-5 | 195 |
| ST34-XX-1 | 194 |
| ST35-20-5 | 195 |
| ST35-30-5 | 195 |

| PART NO | PAGE NO | PART NO | PAGE NO | PART NO | PAGE NO | PART NO | PAGE NO |
|---|---|---|---|---|---|---|---|
| ST35-40-5 | 195 | | | | | | |
| ST35-50-5 | 195 | | | | | | |
| ST35-XX-1 | 194 | | | | | | |
| ST36-20-5 | 195 | | | | | | |
| ST36-30-5 | 195 | | | | | | |
| ST36-40-5 | 195 | | | | | | |
| ST36-50-5 | 195 | | | | | | |
| ST36-60-5 | 195 | | | | | | |
| ST36-70-5 | 195 | | | | | | |
| ST36-80-5 | 195 | | | | | | |
| ST36-90-5 | 195 | | | | | | |
| ST36-XX-1 | 194 | | | | | | |
| ST37-XX-1 | 194 | | | | | | |
| ST39-XX-1 | 194 | | | | | | |

# INDEX
## ALPHABETICAL

## A


Aerator Pumps . . . . . 8–9
Anchoring and Mooring Equipment
- Anchor Chains . . . . . 102
- Anchor Control. . . . . 102–103
- Anchors . . . . . 100–101
- Shackles. . . . . 102
- Storage Clips . . . . . 107

Antenna Base . . . . . 127
Automatic Bilge Pumps, Sahara . . . . 5
Automatic Bilge Switches, S3 Series . . . . . 10
Automatic Float Switches . . . . . 10


## B


Battery Boxes . . . . . 135
Battery Terminals . . . . . 137
Battery Trays. . . . . 136
Bilge Pump Installation Kits . . . . . 14
Bilge Pumps
- Hand-Operated. . . . . 13, 150
- Heavy-Duty. . . . . 6
- Sahara Automatic. . . . . 5
- Tsunami . . . . . 7

Bilge Pump Switches . . . . . 14
Bimini Top Fittings
- Clevis Pin . . . . . 185
- Deck Hinges. . . . . 183
- Eye Straps . . . . . 185
- Jaw Slides . . . . . 181
- Nylon Fittings. . . . . 184
- Pull Pin. . . . . 185
- Rail Hinge. . . . . 183
- Top Caps . . . . . 181

Bimini Tops, Frames & Fabric. . . . . 237–238
Blowers, Turbo In-Line . . . . . 25
Boat Covers
- Accessories . . . . . 256–258
- Boaters Best. . . . . 242, 244–251
- Branded Boat Covers . . . . . 252–253
- Road Max. . . . . 241, 244–251
- Road Ready . . . . . 240, 244–251

Boat Cover Repair. . . . . 258
Boat Cover Support . . . . . 256–258
Boaters Safety Accessories. . . . . 130
Boat Hook. . . . . 107
Bottle Opener . . . . . 134
Bow Eyes . . . . . 176
Bow Stops, Rollers & Brackets. . . . . 159–162


## C


Car-Top Carriers . . . . . 152
Cigarette Lighter . . . . . 141
Circuit Breakers . . . . . 142
Cleats
- Bollard Cleats. . . . . 172
- Cast Iron Cleats . . . . . 174
- Combination Neat Cleat . . . . . 171
- Contemporary Cleats . . . . . 172
- Flush Cleats . . . . . 171
- Herreshoff Cleats . . . . . 173
- Neat Cleat. . . . . 170
- Nylon Cleats. . . . . 174
- Whitley Cleats . . . . . 172
- Zig Zag Cleats . . . . . 146

## D


Deck Fills . . . . . 88, 96, 97
Deck Rigging Kit . . . . . 153
Drain Fittings
- Cockpit Drains . . . . . 23
- Drain Cover . . . . . 23
- Drain Plugs . . . . . 23–24
- Livewell/Bailer . . . . . 24
- Drains. . . . . 23
- Drain Tubes . . . . . 24

Drink Holders . . . . . 132


## E


Electrical Accessories . . . . . 135–144
Electrical Switches . . . . . 138–139


## F


Fastener Kits . . . . . 150, 193, 260
Fenders & Accessories . . . . . 104–107
Snubbers . . . . . 106
Fender Lines . . . . . 112–113
First Aid Kit . . . . . 130
Fishing Nets . . . . . 123
Fishing Rod Holders & Accessories . . . . . 116–120
Float Switches. . . . . 10
Fuel Products
- Accessories . . . . . 91–93
- Carbon Canisters . . . . . 87
- Fuel Demand Valves. . . . . 71
- Fuel Filters . . . . . 92
- Fuel Fittings . . . . . 76–80
- Fuel Line Kits . . . . . 73–75, 95
- Fuel Tanks . . . . . 69, 94
- Fuel Vents . . . . . 98
- Fuel/Water Separator . . . . . 92
- Funnels. . . . . 91
- Integrated Fuel Systems. . . . . 82–88
- Motor Flushers. . . . . 93
- Primer Bulbs . . . . . 70, 95
- P-Trap Vents . . . . . 86
- Universal Sprayless Connector . . 72
- Vent Valves . . . . . 90–91

Fuse Holders. . . . . 138

## G


Gas Springs & Accessories
- Aftermarket Gas Springs . . . . . 195
- Mounting Brackets . . . . . 196–200
- OEM Gas Springs . . . . . 194
- Threaded Studs . . . . . 196

Gear Lube Pump . . . . . 93
Gunwale Straps . . . . . 167


## H


Handles . . . . . 190
Hand Pump, High-Speed Oil Change . . . . . 93
Handrails . . . . . 178
Hatch & Door Locks . . . . . 189
Hatches . . . . . 128
Hatch Hardware . . . . . 191
Hawse Pipes . . . . . 177
Heavy-Duty Bilge Pumps . . . . . 6
Hinges
- Cast Stainless Steel Hinges . . . . 186
- Flush Hinges . . . . . 186
- Hatch Hinges . . . . . 188

Hitch Ball . . . . . 154
Hooks
- Chain Links . . . . . 192
- Eye Bolts . . . . . 192
- Scissor Hooks . . . . . 192
- Winch Hook . . . . . 192

Horn and Light Base . . . . . 42
Horns . . . . . 128
Hose Clamps . . . . . 91
Hydro-Stabilizers . . . . . 93


## I


In-Line Blower, Turbo . . . . . 25
Interior & Boating Accessories . . . . . 126–138
Interior / Exterior Lights . . . . . 61

## K


Kayak
- 30º Rod Holder . . . . . 149
- Cockpit Cover . . . . . 148
- Cockpit Sponge . . . . . 149
- Crate Pack . . . . . 149
- Deck Plates . . . . . 148
- Deck Storage Bag . . . . . 148
- Sit-On-Top Kayak Seat . . . . . 148
- Skirt . . . . . 148

Kill Switch Keys . . . . . 141


## L


Ladders . . . . . 127–128

Lighting
- LED Lighting . . . . . 43–45, 53–60
- All-Round Lights . . . . 45–47, 51–53
- Anchor/Masthead Lights . . 51, 54, 58
- Battery Operated Lights . . . . . 56, 61
- Courtesy Lights . . . . . 62
- Docking Lights . . . . . 57
- Interior / Exterior Lights . . . . . 61
- LightArmor . . . . . 44–59
- Livewell & Bulkhead Lights . . . . . 62
- Micro Lights . . . . . 62
- Plug-In Bases . . . . . 48–50
- Pole Lights
  - Fold-Down . . . . . 51–52
  - Folding . . . . . 45
  - Stowaway . . . . . 41–42, 47
  - Telescoping . . . . . 47
- Sidelights . . . . . 33
- Trailer Lights . . . . . 154–155
- Transom Light . . . . . 55
- Underwater Lights . . . . . 58–60
- Waketower Lights . . . . . 53
- Lighting Accessories
  - Replacement Lamps . . . . . 64
  - Replacement Lenses . . . . . 66
  - Pole Light Storage Clips . . . . . 64

Liquid Electrical Tape . . . . . 141

Livewell Aerator Switch . . . . . 14

Locks . . . . . 155


## M


Maintenance Products . . . . . 124–125

Marine Ropes & Cordiage
- Anchor Line . . . . . 109
- Bungee Cord . . . . . 115–116
- Dock Line . . . . . 110, 111
- Quick Cinch . . . . . 115
- Utility Line . . . . . 113–114
- Winch Ropes . . . . . 115

Mesh/Strainer Drain Filter . . . . . 22

Mirrors . . . . . 131

Motor Covers . . . . . 254–255

## N


Navigation Lighting . . . . . 33–60
Neat Cleat . . . . . 170, 171
Nets, Fishing . . . . . 123


## O


Oarlocks . . . . . 146, 193
OEM Gas Springs . . . . . 194


## P


Paddles . . . . . 145
Paddlesports Accessories . . . 144–151
Deck Storage Bag . . . . . 149
Paddlesports Hardware . . . . . 150–151
Paddlesports Transportation & Storage . . . . . 152–153
Plumbing System Fittings . . . . . 16
Poles, Boat Cover Support . . . . . 259
Pulsar Lighting Products . . . . . 41–42
Pump Accessories
- Aerator Remote Mounting Bracket 15
- Aerator Spray Heads . . . . . 15
- Check Tees . . . . . 15

Pumps
- Aerator Pumps . . . . . 8–9
- Bilge Pumps . . . . . 5–7
- Faucet and Hand Pumps . . . . . 13
- Potable Water Pump . . . . . 12
- Self-Priming Washdown Pump . . 12
- WaterBuster Portable Pump . . . . . 13

## R


Recirq Aerator Kit . . . . . 14
Rod Holders & Accessories . . 116–121
Rod Storage . . . . . 122


## S


S3 Series Automatic Bilge Switch . . 10
Safety Products . . . . . 128–130
Sahara Automatic Bilge Pumps . . . . 5
Scupper Valve Fittings . . . . . 17–22
Sealants . . . . . 15, 124
Seating, Upholstered
- Aergo Seating Systems . . . 205–206
- Attwood Classic Seating. . . . . 216
- Avenir Sport Seating Systems . . . . 207–208
- Centric Contour Seating Systems . . . . 214–215
- Centric Seating Componets 214–216
- Centric Seating Systems . . 213–214
- Centric X Seating Systems. 211–212
- Centric X Tour Seating Systems . 210
- Fishing Seats . . . . . 219
- PROForm Seating Systems . . . . 218
- SAS Bench Seating Systems . . . 209
- Venture Seating Systems. . . . . 217

Seat Pedestals
- 238 Series 2-3/8” Products 224–225
- 278 series . . . . . 220–221
- ABYC Requirements. . . . . 202
- Accessories . . . . . 232–235
- Lock’N-Pin 3/4” Pin Products . . . . . 229–233
- Snap-Lock 1.77” products. . . . . 228
- Wedge 2” & 2-3/8” products . . . 227

Showers
- Aft-Deck . . . . . 12
- Cold Water . . . . . 12

Signal Horns . . . . . 128
Ski Pylon Replacement Parts . . . . 180
Ski Tows . . . . . 179
Steering Wheels . . . . . 126
Storage . . . . . 133–135
Swivel Hasps . . . . . 188


## T


Thru-Hulls. . . . . 17–22
Tire Carrier . . . . . 163
Trailer Guide Protectors . . . . . 163
Trailering Parts & Accessories
- Tie-Downs . . . . . 166–169
- Trailer Dolly . . . . . 156
- Trailer Jack. . . . . 156
- Trailer Lights . . . . . 154–155
- Trailer Safety Chain . . . . . 154
- Trailer Wiring . . . . . 155
- Winch Cable & Ropes . . . . . 158

Transom Savers . . . . . 165–166
Transom Tie-Down Straps . . . . . 166
Trolling Motor Connectors . . . . . 140
Trolling Motor Tie-Down. . . . . 143
Tsunami Pumps & Accessories 7–9, 14

## U


Underwater Lights . . . . . 58–60
Universal Sprayless Connector . . . . 72
Utility Line. . . . . 113–114


## V


Vents
- Clamshell Vents . . . . . 28
- Collector Boxes . . . . . 26–28
- Cowl Ventilator. . . . . 28
- Louvered Vents . . . . . 26–27
- Modular Vents . . . . . 28
- Storage Vent . . . . . 28
- Twist-On Hose Flange . . . . . 28
- Venturi Vents . . . . . 27


## W


WaterBuster Portable Pump . . . . . 13
Water Ski Hardware . . . . . 179–180
Wheel Bearing Kits . . . . . 164
Whistles . . . . . 129
Winches . . . . . 157
Winch Straps . . . . . 168

# SALES POLICY

## Prices

Please refer to the current Attwood price schedule for current prices and policies. Prices apply to standard pack quantities only. Orders will be rounded to the nearest standard pack.

## Claims

Attwood products are carefully inspected and packaged to assure that they will reach you in good condition.

Product damage or loss occurring in transit is the responsibility of the carrier. In the event of such loss, you must advise the carrier within 15 days after delivery and secure the carriers notation of damage or shortage in the freight bill. We suggest you file a claim with the carrier immediately thereafter.We will give you all reasonable assistance in tracing shortages and filing claims.

## Minimum Order

Individual items must be ordered in assortments which total $250.00 or more per order to one location.
Orders less than $250.00 will be subject to a $25.00 handling charge.

## Returns

Any Product Return Must Have Prior Return Authorization

**Non-Defective Product:** Attwood will not accept any non-defective returns, unless due to the fault of Attwood. Non-defective product returns will be subject to a minimum 25% handling charge, or will be returned to the customer at their expense.

**Defective Product:** Credit will not be issued for defective product without written authorization. Return requests must be mailed to our offices and must include an itemized list of materials to be returned, the reasons for return, and the date and number of the Attwood invoice.

## Specifications

Weight and dimensions are subject to variation within reasonable tolerances. All items are subject to design improvement change.

Attwood is a member of the National Marine Manufacturers Association.Where stated, Attwood designs its products to comply with all applicable Federal Regulations and with American Boat and Yacht Council (ABYC) standards. Attwood assures all participants in the National Marine Manufacturers Association (NMMA) boat certification program that, where stated, Attwood products are designed to meet or exceed NMMA recommendations and ABYC standards.

**See Next Page For Warranty Information.**

## To Place An Order Or Inquiry–

Phone: (616) 897-2290 Between 8:00 A.M. And 5:00 P.M. EST
Fax: (616) 897-8358

# ATTWOOD LIMITED WARRANTY

Attwood Corporation, 1016 North Monroe, Lowell, Michigan 49331 ("Attwood") warrants to the first retail purchaser of its products that Attwood will replace or repair the product, at its sole discretion, if any defects in material or workmanship are reported within the applicable warranty periods set out below from the date of the first retail purchase, subject to the remedies, exclusions, and limitations in this Limited Warranty. This limited warranty is effective for all Attwood products purchased after May 1, 2009.

1. **Boat Covers and Tops:** *Attwood will apply the below percentages of the original purchase price of the boat cover as a discount off of the cost of a replacement boat cover for each of the prorated warranty periods set out below.

   **a. Silver Coat, Road Ready™, Snug Harbor Silver Series, and Custom Boat Covers: 3 years Prorated**

| *From Purchase Date* | *Discount** | *From Purchase Date* | *Discount** |
|---|---|---|---|
| 1st Full Year | 100% | 3rd Full Year | 33% |
| 2nd Full Year | 67% | | |

   **b. Road Max™ Boat Covers: 4 years Prorated**

| *From Purchase Date* | *Discount** | *From Purchase Date* | *Discount** |
|---|---|---|---|
| 1st Full Year | 100% | 3rd Full Year | 50% |
| 2nd Full Year | 75% | 4th Full Year | 25% |

   **c. Snug Harbor Titanium Series, Road Max™ 600 Boat Covers and Acrylic and Vinyl Bimini Tops: 5 years Prorated**

| *From Purchase Date* | *Discount** | *From Purchase Date* | *Discount** |
|---|---|---|---|
| 1st Full Year | 100% | 4th Full Year | 40% |
| 2nd Full Year | 80% | 5th Full Year | 20% |
| 3rd Full Year | 60% | | |

   **d. Boaters Best™ Boat Covers: 6 years Prorated**

| *From Purchase Date* | *Discount** | *From Purchase Date* | *Discount** |
|---|---|---|---|
| 1st Full Year | 100% | 4th Full Year | 49% |
| 2nd Full Year | 83% | 5th Full Year | 32% |
| 3rd Full Year | 66% | 6th Full Year | 15% |

   **e. Boaters Best™ Ultimate Boat Covers: 8 years Prorated**

| *From Purchase Date* | *Discount** | *From Purchase Date* | *Discount** |
|---|---|---|---|
| 1st Full Year | 100% | 5th Full Year | 50% |
| 2nd Full Year | 88% | 6th Full Year | 37% |
| 3rd Full Year | 75% | 7th Full Year | 25% |
| 4th Full Year | 63% | 8th Full Year | 12% |

2. **Pumps:**
   - **a.** Heavy Duty Bilge Pumps Installed on Recreational/Pleasure Boats (Part Numbers 4030, 4040, 4060, 4070): **3 years**
   - **b.** Heavy Duty Bilge Pumps Installed on Commercial Boats (commercial use is defined as any work or employment related use of the product even if only occasionally used for such purposes) (Part Number 4030,4040,4060,4070): **1 year**
   - **c.** Sahara Series Automatic Bilge Pumps (Part Numbers 4505, 4507, 4508, 4511): **3 years**
   - **d.** Tsunami Series Cartridge Bilge and Aerator Pumps (Part Numbers 4606, 4608, 4609, 4612, 4613, 4620, 4622, 4623, 4624, 4625, 4640, 4650, 4651, 4660, 4661, 4670, 4672): **3 years**

3. **Automatic Float Switch** (Part Numbers 4201, 4202): **3 years**

4. **Digital Bilge Switch** (Part Numbers 4801, 4802): **3 years**

5. **Bilge Blowers:**

   a. Water-Resistant Turbo Bilge Blowers (Part Numbers 1733, 1743, 1749 and 1751): **3 years**

   b. Standard (Non Water-Resistant) Turbo Bilge Blowers (Part Numbers 1731, 1741 and 1747) except when used in applications which allow contact with liquids (Exception No. 2): **1 year**

6. **LED Lights:** **5 years**

7. **Pro-Series Rod Holders:** (Part Numbers 5010 and 5010W)**:** **5 years**

8. **Pro-Series Combo Rod Holder Mounts:** (Part Numbers 5011, 5012 and 5016)**:** **3 years**

9. **Attwood Rod Holders:** (Part Numbers 5009 and 5009W)**:** **3 years**

10. **Attwood Fuel Products:** **2 years**

11. **ZAMAK Hardware, or Perma-Plate Parts:** **2 years**

12. **Attwood Cast Stainless Steel Hardware:** **Life of the Boat**

13. **All other Attwood and Swivl-Eze Brand Products:** **1 year**

**Other Limitations:** EXCEPT AS SET FORTH HEREIN, THERE ARE NO OTHER WARRANTIES EITHER EXPRESS OR IMPLIED PROVIDED BY ATTWOOD ON THIS PRODUCT. ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF FITNESS AND MERCHANTABILITY, ARE EXPRESSLY EXCLUDED. ATTWOOD FURTHER DISCLAIMS ANY LIABILITY FOR ECONOMIC LOSS ARISING FROM CLAIMS OF PRODUCT FAILURE, NEGLIGENCE, DEFECTIVE DESIGN, MANUFACTURING DEFECT, FAILURE TO WARN AND/OR INSTRUCT, LACK OF SEAWORTHINESS, AND ANY OTHER THEORY OF LIABILITY NOT EXPRESSLY COVERED UNDER THE TERMS OF THIS LIMITED WARRANTY. TO THE EXTENT REQUIRED BY LAW ANY IMPLIED WARRANTY IS LIMITED TO THE DURATION OF THE RESPECTIVE EXPRESS LIMITED WARRANTIES STATED HEREIN. TO THE EXTENT ALLOWED BY LAW NEITHER ATTWOOD, NOR THE SELLING DISTRIBUTOR SHALL HAVE ANY RESPONSIBILITY FOR LOSS OF USE OF THE PRODUCT OR THE BOAT, LOSS OF TIME, INCONVENIENCE, COMMERCIAL LOSS OR INCIDENTAL AND CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT BE APPLICABLE. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT BE APPLICABLE. THIS WARRANTY GIVES THE OWNER SPECIFIC LEGAL RIGHTS, AND THE OWNER MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. RETAIL CUSTOMERS IN THE EUROPEAN ECONOMIC AREA (EEA) MAY HAVE LEGAL RIGHTS UNDER APPLICABLE NATIONAL LEGISLATION REGARDING THE SALE OF RETAIL GOODS WHICH ARE NOT AFFECTED BY THIS LIMITED WARRANTY. THE RETAIL CUSTOMER'S LEGAL RIGHTS UNDER ANY APPLICABLE NATIONAL LEGISLATION REGARDING THE SALE OF RETAIL GOODS SHALL NOT BE AFFECTED. You can receive information relating to privacy and to this limited warranty in Europe on www.attwoodmarine.com and by contacting Attwood at the address listed on next page.

**Sole Remedy:** In no event shall any repair or replacement under this Limited Warranty exceed the fair market value of the product as of the date of the owner's claim. THE REMEDY OF REPAIR OR REPLACEMENT OF PARTS OR MATERIALS FOUND TO BE DEFECTIVE IN FACTORY MATERIALS OR WORKMANSHIP COVERED BY THIS LIMITED WARRANTY SHALL CONSTITUTE THE OWNER'S SOLE AND EXCLUSIVE REMEDY AGAINST ATTWOOD FOR ANY CLAIMS WHATSOEVER OF ECONOMIC LOSS RESULTING FROM PRODUCT FAILURE.

Acceptance of any product returned or any refund provided by Attwood shall not be deemed an admission that the product is defective. Products that are replaced become Attwood's property. The terms and conditions contained in this limited warranty may not be modified, altered or waived by any action, inaction, or representations, whether oral or in writing, except upon the express, written authority of a management level employee of Attwood.

**Exclusions:** This Limited Warranty does not apply to the following items:

1. Any Attwood products used in other applications than on pleasure boats, including but not limited to non-marine use or use on boats which are utilized for racing or commercial purposes, with the exception of the Heavy Duty Bilge Pumps installed on commercial boats (see 1b, above) (Part Numbers 4030,4040,4060,4070).
2. Any non water-resistant Turbo Bilge Blowers (Part Numbers 1731, and 1741) used in applications which allow direct contact with water or other liquids.
3. Due to wind velocity encountered when boats are trailered, only Snug Harbor™ Silver Series, Snug Harbor™ Titanium Series, Silver Coat, Road Ready™, Road Max™, Road Max™ 600, Boaters Best™, Boaters Best™ Ultimate, and Custom boat covers, when properly tied down, are warranted as suitable for use in connection with towing on a trailer. No warranty is extended on any other boat covers when used in connection with a trailered boat.
4. Damage to the boat cover or to any other property or any injury resulting from the failure to properly tie down a boat cover before towing is not covered.
5. Ancillary equipment used or associated with Attwood products, including but not limited to, batteries, fuses, electric light bulbs, lamps, or sealed beam units.
6. Any product damaged by accident, acts of nature, improper installation, unreasonable or improper use, lack of proper maintenance, unauthorized repairs or modifications, abuse, normal wear or tear, or other causes not arising from defects in materials or workmanship.
7. Any expenses involved in the removal, reinstallation, or transportation of the product.
8. Any product damaged by the failure of the owner to use, maintain, or store the product as specified in any instructions.
9. Any boat cover torn or ripped because of forcing the fabric over sharp edges or corners, failing to protect the fabric from sharp objects, or allowing water, snow or ice to pool or puddle on the product.
10. Any boat cover fabric discoloration, or failure due to chemical exposure such as bird droppings, tree sap, gas, and oil or mildew due to water, snow or ice, dirt, leaves, pine needles resting on the product or the product stored while damp.
11. Any defect or repair requiring redesign of the Attwood product, except pursuant to the recall provisions of the United States Federal Boat Safety Act of 1971 or the recall laws of any other foreign jurisdiction.

**Owner's Obligations:** It is the responsibility of the purchaser to return the product to Attwood at the address below, postage pre-paid, and insured with proof of original purchase including date.

**Attwood Corporation**
**1016 North Monroe**
**Lowell, Michigan 49331**
**Phone: 616-897-2290**

**Internet Address:**
**www.attwoodmarine.com**

# NOTES

# NOTES

# NOTES

# NOTES




**attwoodmarine.com**

New Products  Updates  Support




attwood®

**Attwood Corporation**
1016 North Monroe Street
Lowell, MI 49331
Phone: 616.897.9241
www.attwoodmarine.com

**PARTICIPATING MEMBER OF**

MEMBER ABYC Setting Standards for Safer Boating

NMDA National Marine Distributors Association

INTERNATIONAL IMCI CERTIFICATION

NMMA

CAT–ATT–18CA